



SIRDAR

SIRDAR CHUNKY

3888 COAT

MEASUREMENTS			0-3 months	3-6 months	6-12 months	1-2 years	3-4 years	5-6 years	
To Fit Chest			46 18	51 20	56 22	61 24	66 26	71 28	cm in
Actual Measurement			54 21½	59 23½	64 25½	71 28	76 30	81 32	cm in
Full Length			32 12½	35 13¾	37 14½	42 16½	45 17¾	47 18½	cm in
Sleeve Length (adjustable)			15 6	17 6½	20 8	25 9¾	29 11½	33 13	cm in
Quality Shade									Balls
079	Roound Neck Coat Snuggly Chunky	242	5	6	6	8	9	10	50 gm
079	Coat with Collar Snuggly Chunky	224	5	6	6	8	9	10	50 gm
079	Coat with Hood Snuggly Chunky	239	6	6	7	9	10	11	50 gm

The quantities of yarn are based upon average requirements and are therefore approximate.

1 Pair of 6½mm (UK3 - USA10½) Knitting Needles.
1 Pair of 5½mm (UK5 - USA9) Knitting Needles.
Cable Needle.
Stitch Holders.
5 Buttons.

Owing to printing restrictions the colour reproduction is matched as closely as possible to the yarn.

QUERIES. Please contact:-
Knitting Advisory Bureau, SIRDAR PLC,
Flanshaw Lane, Wakefield WF2 9ND,
West Yorkshire, England.

TENSION 14 sts and 26 rows to 10cm, (4in) over moss-stitch on 6½mm needles or the size required to give correct tension.

VERY IMPORTANT
IT IS ESSENTIAL TO WORK TO THE STATED
TENSION TO ENSURE SUCCESS.

SIRDAR PLC CANNOT ACCEPT
RESPONSIBILITY FOR THE RESULT OF
USING ANY OTHER YARN.

ABBREVIATIONS

alt alternate	psso pass slipped stitch over
beg beginning	rem remain(ing)
CN cable needle	rep repeat
cont continue	rs right side
dec decrease(ing)	sts stitch(es)
foll following	tog together
inc increase(ing)	ws wrong side
k knit	cm centimetres
p purl	mm millimetres
patt pattern	in inch(es)

WORKING ABBREVIATIONS

Moss-st
1st Row. * K1, p1, rep from * to last st, k1.
Rep 1st row.

T3B Twist 3 back by slipping next st to back on CN, k2 then p1 from CN.

T3F Twist 3 front by slipping next 2 sts to front on CN, p1 then k2 from CN.

C4B Cable 4 back by slipping next 2 sts to back on CN, k2 then k2 from CN.

MB. Make Bobble by (k1, p1, k1) all into next st, turn and p3, turn and k3, turn and p3, turn and s1, k2tog, psso. Bobble completed.

BACK AND FRONTS (Worked in one piece to armholes)

Using 6½mm needles cast on 193 [193:217:241:241] sts.

1st Row. P1, * k2, (p1, k1) 3 times, p1, k2, p1, rep from * to end.

2nd Row. * K1, p2, (p1, k1) 3 times, p3, rep from * to last st, k1.

3rd Row. P1, * T3F, (k1, p1) twice, k1, T3B, p1, rep from * to end.

4th Row. * K2, p2, (k1, p1) twice, k1, p2, k1, rep from * to last st, k1.

5th Row. P1, * p1, T3F, p1, k1, p1, T3B, p2, rep from * to end.

6th Row. * K3, p3, k1, p3, k2, rep from * to last st, k1.

7th Row. P1, * p2, T3F, MB, T3B, p3, rep from * to end.

8th Row. * K4, p2, p2tog, p1, k3, rep from * to last st, k1.

177 [177:199:199:221:221] sts.

Proceed as follows:-

1st Row. P1, * p3, C4B, p4, rep from * to end.

2nd Row. * K4, p4, k3, rep from * to last st, k1.

3rd Row. P1, * p3, k4, p4, rep from * to end.

4th Row. * K4, p4, k3, rep from * to last st, k1.

From 1st to 4th row sets patt.

Keeping continuity of patt as set proceed as follows:-

Next Row. Patt 1, p2tog, patt 7, * p2tog, patt 9, rep from * to last 13 sts, p2tog, patt 8, p2tog, patt 1.

160 [160:180:180:200:200] sts.

Work 5 [5:5:7:7:7] rows more without shaping.

Next Row. Patt 9, * p2tog, patt 8, rep from * to last 11 sts, p2tog, patt 9. 145 [145:163:163:181:181] sts.

Work 5 [5:5:7:7:7] rows more without shaping.

Next Row. Patt 1, p2tog, patt 6, * p2tog, patt 7, rep from * to last 10 sts, p2tog, patt 5, p2tog, patt 1. 128 [128:144:144:160:160] sts.

Work 5 [5:5:7:7:7] rows more without shaping.

Next Row. Patt 7, * p2tog, patt 6, rep from * to last 9 sts, p2tog, patt 7. 113 [113:127:127:141:141] sts.

Work 5 [5:5:7:7:7] rows more without shaping.

Next Row. Patt 7, * p2tog, patt 5, rep from * to last 8 sts, p2tog, patt 6. 98 [98:110:110:122:122] sts.

Cont without shaping until work measures 22 [24:24:26:28:28]cm, ending with a rs row.

Next Row. K2 [3:4:5:1:10], k2tog, (k2 [3:3:5:5:8], k2tog, k1 [3:2:5:4:8], k2tog) 13 [9:11:7:9:5] times, k3 [3:5:5:2:10]. 71 [79:87:95:103:111] sts.

Working in moss-st (throughout) work 2 rows.

Divide for Back and Fronts

Next Row. Patt and slip 15 [17:19:21:23:25] sts onto a stitch holder for right front, cast off 4 sts in patt, patt 32 [36:40:44:48:52] sts, slip these 33 [37:41:45:49:53] sts onto a stitch holder for back, cast off 4 sts in patt, patt rem 14 [16:18:20:22:24] sts.

LEFT FRONT

Working on these 15 [17:19:21:23:25] sts only proceed as follows:-

Next Row. Patt.

Work 3 [4:5:6:7:8] rows dec 1 st at armhole edge in every row. 12 [13:14:15:16:17] sts.

Cont without shaping until armhole measures 5 [6:8:10:11:13]cm, ending with a rs row.

Shape Neck

Next Row. Cast off 2 [2:2:3:3:4] sts in patt, patt to end.

Work 4 rows dec 1 st at neck edge in every row. 6 [7:8:8:9:9] sts.

Cont without shaping until armhole measures 10 [11:13:16:17:19]cm, ending with a ws row. Cast off in patt.

BACK

With ws facing, rejoin yarn to 33 [37:41:45:49:53] sts left on a stitch holder for back and proceed as follows:-

Next Row. Patt.

Work 3 [4:5:6:7:8] rows dec 1 st at each end of every row. 27 [29:31:33:35:37] sts.

Cont without shaping until armholes measure 10 [11:13:16:17:19]cm, ending with a ws row. Cast off in patt.

RIGHT FRONT

With ws facing, rejoin yarn to 15 [17:19:21:23:25] sts left on a stitch holder for right front and proceed as follows:-

Next Row. Patt.

Work 3 [4:5:6:7:8] rows dec 1 st at armhole edge in every row. 12 [13:14:15:16:17] sts.

Cont without shaping until armhole measures 5 [6:8:10:11:13]cm, ending with a ws row.

Shape Neck

Next Row. Cast off 2 [2:2:3:3:4] sts in patt, patt to end.

Next Row. Patt.

Work 4 rows dec 1 st at neck edge in every row. 6 [7:8:8:9:9] sts.

Cont without shaping until armhole measures 10 [11:13:16:17:19]cm, ending with a ws row. Cast off in patt.

SLEEVES (Both alike)

Using 6½mm needles cast on 21 [23:23:25:27:29] sts, working in moss-st (throughout) inc 1 st at each end of 5th and every foll 10th [16th:12th:6th:6th:6th] row to 29 [29:31:43:47:51] sts, working inc sts in moss-st.

Cont without shaping until sleeve measures 15 [17:20:25:29:33]cm, or length required, ending with a ws row.

Shape Sleeve Top

Cast off 2 sts at beg of next 2 rows. 25 [25:27:39:43:47] sts.

For 3rd size only

Work 8 rows dec 1 st at each end of next and foll 4th row. [23] sts.

For all 6 sizes

Work 14 [16:12:28:32:36] rows dec 1 st at each end of next and every foll alt row.

11 [9:11:11:11:11] sts. Cast off in patt.

ROUND NECK COAT

NECKBAND

Join shoulder seams. With rs facing, using 5½mm needles pick up and knit 12 [12:12:15:15:16] sts evenly along right side of neck, 15 [15:15:17:17:19] sts from back of neck and 12 [12:12:15:15:16] sts evenly along left side of neck. 39 [39:39:47:47:51] sts.

Work 5 rows in moss-st. Cast off in patt.

RIGHT FRONT BORDER

With rs facing, using 5½mm needles, pick up and knit 39 [45:49:57:63:65] sts evenly along front edge and 4 sts evenly along neckband. 43 [49:53:61:67:69] sts.

Work 1 row in moss-st.

Next Row. Moss-st 11 [13:13:17:19:17], cast off 2 sts, (moss-st 4 [5:6:7:8:9], cast off 2 sts) 4 times, moss-st 1.

Next Row. Moss-st 2, cast on 2 sts, (moss-st 5 [6:7:8:9:10], cast on 2 sts) 4 times, moss-st 11 [13:13:17:19:17].

Work 1 row in moss-st. Cast off in moss-st.

LEFT FRONT BORDER

Work as given for Right Front Border omitting buttonholes.

TO MAKE UP

Fold sleeves in half lengthways then placing folds to shoulder seams, sew sleeves in position. Join sleeve seams. Sew on buttons. See ball band for pressing and care instructions.

COAT WITH COLLAR

RIGHT FRONT BORDER

Join shoulder seams. With rs facing, using 5½mm needles pick up and knit 39 [45:49:57:63:65] sts evenly along front edge.

Work 1 row in moss-st.

Next Row. Moss-st 7 [9:9:13:15:13], cast off 2 sts, (moss-st 4 [5:6:7:8:9], cast off 2 sts) 4 times, moss-st 1.

Next Row. Moss-st 2, cast on 2 sts, (moss-st 5 [6:7:8:9:10], cast on 2 sts) 4 times, moss-st 7 [9:9:13:15:13].

Work 1 row in moss-st. Cast off in moss-st.

LEFT FRONT BORDER

Work as given for Right Front Border omitting buttonholes.

COLLAR

With rs facing, using 5½mm needles, commencing halfway across right front border pick up and knit 14 [14:14:18:18:19] sts evenly along right side of neck, 15 [15:15:17:17:19] sts from back of neck and 14 [14:14:18:18:19] sts evenly along left side of neck ending halfway across

left front border. 43 [43:43:53:53:57] sts.
Work 6 [6:6:8:8:8]cm in moss-st. Cast off in moss-st.

TO MAKE UP

Fold sleeves in half lengthways, then placing folds to shoulder seams sew sleeves in position. Join sleeve seams. Sew on buttons. See ball band for pressing and care instructions.

COAT WITH HOOD

RIGHT FRONT BORDER

Work as given for Right Front Border of Coat with Collar.

LEFT FRONT BORDER

Work as given for Right Front Border omitting buttonholes.

HOOD

With rs facing, using 5½mm needles, commencing halfway across right front border pick up and knit 14 [14:14:18:18:19] sts evenly along right side of neck, 15 [15:15:17:17:19] sts from back of neck and 14 [14:14:18:18:19] sts evenly along left side of neck ending halfway across left front border. 43 [43:43:53:53:57] sts. Work in moss-st until hood

measures 15 [17:18:19:20:22]cm, ending with a ws row.

Next Row. Cast off 14 [14:14:18:18:19] sts in moss-st, moss-st 14 [14:14:16:16:18], cast off 14 [14:14:18:18:19] sts in moss-st.

With ws facing, rejoin yarn to rem 15 [15:15:17:17:19] sts and cont in moss-st until hood measures 13 [13:14:14:15:15]cm, ending with a ws row. Cast off in moss-st.

HOOD BORDER

Join hood seams. With ws facing, using 5½mm needles pick up and knit 59 [61:67:73:79:85] sts evenly all round edge of hood. Work in moss-st for 4cm, ending with a ws row. Cast off in moss-st.

TO MAKE UP

Fold sleeves in half lengthways, then placing folds to shoulder seams sew sleeves in position. Join sleeve seams. Fold hood border onto rs and sew in position at neck. Sew on buttons. See ball band for pressing and care instructions.

SIRDAR

recommends new improved

Woolite

for the washing and care of your delicates