

SIRDAR

4093
Pullman

6 CENTS



RAGLAN JACKET

12/14/16 years

IMPORTANT. SIRDAR LIMITED CANNOT ACCEPT RESPONSIBILITY FOR THE FINISHED PRODUCT IF ANY YARN OTHER THAN SIRDAR PULLMAN IS USED. IT IS ESSENTIAL TO WORK TO THE STATED TENSION.

Original yarn used
Sirdar Pullman Wool

V AND ROUND NECK

To Fit	32	34	36	ins
Actual size	34	36	38	ins
Full length	22	23	24	ins
Sleeve length (adjustable)	16½	17	17½	ins
PULLMAN Wool 11 12 13 50 gm balls				
1 Pair No. 3 and No. 5 Knitting Needles. 1 Spare Needle with points at each end. 5 Buttons for V Neck Model. 8 Buttons for Round Neck Model.				

The quantities of yarn stated are based on average requirements and are therefore approximate.

TENSION

The tension for this design is
3½ stitches to one inch measured over stocking stitch.
Check your tension — if less stitches use a finer needle, if more use a coarser needle.

ABBREVIATIONS

K knit, p purl, sts stitches, tog together, sl slip one stitch knitways, st-st stocking stitch (1 row knit, 1 row purl), garter-st garter stitch (every row knit), pssso pass slipped stitch over, 0 no stitches, inc increase(ing), dec decrease(ing).

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

N.B.—For the smallest size read the instructions as given. For the larger sizes read the figures within the brackets.

As the shapings (may) differ for the various ages follow the headings for the age required.

THE BACK — V and Round Neck

Using No. 5 needles cast on 61 [63 : 67] sts.

1st Row.—Sl, k1, * p1, k1, repeat from * to last st, k1.

2nd Row.—Sl, * p1, k1, repeat from * to end.

Repeat 1st and 2nd rows twice.

Change to No. 3 needles and proceed as follows:—

1st Row.—Sl, knit to end.

2nd Row.—Sl, purl to last st, k1.

Keeping continuity of st-st (throughout) continue until work measures 13½ [14 : 14½] inches, ending on wrong side.

Shape Armholes

Cast off 3 [3 : 4] sts at beginning of each of next 2 rows.

1st Row.—Sl, k2, sl, k1, pssso, knit to last 5 sts, k2tog, k3.

2nd Row.—Sl, k2, purl to last 3 sts, k3.

Repeat 1st and 2nd rows 19 [20 : 21] times. 15 [15 : 15] sts. Cast off.

THE SLEEVES — V and Round Neck

(Both alike)

Using No. 5 needles cast on 27 [29 : 29] sts.

1st Row.—Sl, knit to end.

Repeat 1st row 5 times.

Change to No. 3 needles and proceed as follows:—

1st Row.—Sl, knit to end.

2nd Row.—Sl, purl to last st, k1.

Repeat 1st and 2nd rows 4 times.

Keeping continuity of st-st (throughout) inc once at each end of next and every following 10th [12th : 12th] row until there are 39 [33 : 35] sts.

14 and 16 years only

Inc once at each end of every following 10th row until there are [41 : 41] sts.

12, 14 and 16 years

Continue without shaping until work measures 16½ [17 : 17½] inches, or length required, ending on wrong side.

Shape Top

Cast off 3 [3 : 4] sts at beginning of each of next 2 rows.

1st Row.—Sl, k2, sl, k1, pssso, knit to last 5 sts, k2tog, k3.

2nd Row.—Sl, k2, purl to last 3 sts, k3.

Keeping continuity of garter-st border work 30 [30 : 38] rows dec once (as before) at each end of 3rd and every following 4th row. 17 [19 : 13] sts. Work 8 [10 : 4] rows dec once (as before) at each end of next and every alternate row. 9 [9 : 9] sts. Cast off.

SIRDAR

THE LEFT FRONT — V Neck

Using No. 5 needles cast on 29 [31 : 33] sts.

1st Row.—Sl, k1, * p1, k1, repeat from * to last st, k1.

2nd Row.—Sl, * p1, k1, repeat from * to end.

Repeat 1st and 2nd rows twice inc once at end of last row for 12 years only. 30 [31 : 33] sts.

Change to No. 3 needles and proceed as follows:—

1st Row.—Sl, k22 [23 : 25], slip next st onto spare needle and let this fall to back of work, k1 then knit st from spare needle (this will now be termed 'twist back'), slip next st onto spare needle and let this fall to front of work, k1 then knit st from spare needle (this will now be termed 'twist front'), k3.

2nd Row.—Sl, p8, k3, purl to last st, k1.

3rd Row.—Sl, k22 [23 : 25], 'twist front', 'twist back', k3.

4th Row.—Sl, p8, k3, purl to last st, k1.

From 1st to 4th row (inclusive) forms pattern.

Keeping continuity of pattern (throughout) continue until work measures same as The Back to armhole, ending on wrong side.

Shape Armhole

Next Row.—Cast off 3 [3 : 4] sts, work in pattern to last st, k1.

Next Row.—Sl, work in pattern to last st, k1, ***

Next Row.—Sl, k2, sl, k1, pssso, work in pattern to last 2 sts, k2tog.

Next Row.—Sl, work in pattern to last 3 sts, k3.

Keeping continuity of garter-st border and knit st at armhole edge work 32 [34 : 36] rows dec once (as before) at armhole edge in next and every alternate row at same time dec once at front edge in 7th and every following 8th row. 5 [5 : 5] sts.

Next Row.—Sl, k2, sl, k1, pssso.

Next Row.—Sl, k3.

Next Row.—Sl, k1, sl, k1, pssso.

Next Row.—Sl, k2.

Next Row.—Sl, sl, k1, pssso.

Next Row.—K2tog. Break off yarn, fasten off.

THE RIGHT FRONT — V Neck

Using No. 5 needles cast on 29 [31 : 33] sts.

1st Row.—Sl, k1, * p1, k1, repeat from * to last st, k1.

2nd Row.—Sl, * p1, k1, repeat from * to end.

Repeat 1st and 2nd rows twice inc once at beginning of last row for 12 years only. 30 [31 : 33] sts.

Change to No. 3 needles and proceed as follows:—

1st Row.—Sl, k2, 'twist back', 'twist front', k23 [24 : 26].

2nd Row.—Sl, p17 [18 : 20], k3, p8, k1.

3rd Row.—Sl, k2, 'twist front', 'twist back', k23 [24 : 26].

4th Row.—Sl, p17 [18 : 20], k3, p8, k1.

From 1st to 4th row (inclusive) forms pattern.

Keeping continuity of pattern (throughout) continue until work measures same as The Back to armhole, ending on right side.

Shape Armhole

Next Row.—Cast off 3 [3 : 4] sts purlways, work in pattern to last st, k1, ***

Next Row.—K2tog, work in pattern to last 5 sts, k2tog, k3.

Next Row.—Sl, k2, work in pattern to last st, k1.

Keeping continuity of garter-st border and knit st at armhole edge work 32 [34 : 36] rows dec once at front edge in 7th and every following 8th row at same time dec once at armhole edge (as before) in next and every alternate row. 5 [5 : 5] sts.

Next Row.—K2tog, k3.

Next Row.—Sl, k3.

Next Row.—K2tog, k2.

Next Row.—Sl, k2.

Next Row.—K2tog, k1.

Next Row.—K2tog. Break off yarn, fasten off.

THE LEFT FRONT BORDER — V Neck

Using No. 5 needles cast on 6 [6 : 6] sts.

1st Row.—Sl, knit to end.

Repeat 1st row until border is of sufficient length to go up front, across sleeve top and halfway across back of neck, ending on wrong side. Cast off.

THE RIGHT FRONT BORDER — V Neck

Using No. 5 needles cast on 6 [6 : 6] sts.

1st Row.—Sl, knit to end.

Repeat 1st row once.

3rd Row.—Sl, k1, cast off 2 sts, k1.

4th Row.—Sl, k1, cast on 2 sts, k2.

Repeat 1st row 16 [18 : 20] times. ** Repeat from ** to ** 3 times then 3rd and 4th rows once. Repeat 1st row until border is of sufficient length to go up front, across sleeve top and halfway across back of neck, ending on right side. Cast off.

TO MAKE UP — V Neck

Read Pressing Instructions. Sew up side and sleeve seams. Placing seam to seam sew decreased edges of sleeves to decreased edges of bodice. Sew cast off ends of borders together and placing seam to centre back of neck and top buttonhole 1 inch below first front decreasing, sew Front Borders in position. Sew on buttons.

THE LEFT FRONT — Round Neck

Using No. 5 needles cast on 29 [31 : 33] sts.

Work exactly as given for The Left Front V Neck until *** is reached.

1st Row.—Sl, k2, sl, k1, pssso, work in pattern to last st, k1.

2nd Row.—Sl, work in pattern to last 3 sts, k3.

Repeat 1st and 2nd rows 15 [15 : 15] times then 1st row once. 10 [11 : 12] sts.

Shape Neck

Next Row.—Cast off 3 sts, work in pattern to last 3 sts, k3.

Next Row.—Sl, k2, sl, k1, pssso, pattern 0 [1 : 2] sts, k2tog.

Next Row.—K2tog, p0 [1 : 2], k3.

16 years only

Next Row.—Sl, k2, sl, k1, pssso, k1.

*The price set out or referred to herein is a recommended price only and there is no obligation to comply with the recommendation.

SIRDAR

Next Row.—Sl, p1, k3.

14 and 16 years only

Next Row.—Sl, k2, sl, k1, pssso.

Next Row.—Sl, k3.

12, 14 and 16 years

Next Row.—Sl, k1, sl, k1, pssso.

Next Row.—Sl, k2.

Next Row.—Sl, sl, k1, pssso.

Next Row.—K2tog. Break off yarn, fasten off.

THE RIGHT FRONT — Round Neck

Using No. 5 needles cast on 29 [31 : 33] sts.

Work exactly as given for The Right Front V Neck until **** is reached.

1st Row.—Sl, work in pattern to last 5 sts, k2tog, k3.

2nd Row.—Sl, k2, work in pattern to last st, k1.

Repeat 1st and 2nd rows 15 [15 : 15] times, 11 [12 : 13] sts.

Shape Neck

Next Row.—Cast off 3 sts, work in pattern to last 5 sts, k2tog, k3.

Next Row.—Sl, k2, work in pattern to last st, k1.

Next Row.—K2tog, pattern 0 [1 : 2] sts, k2tog, k3.

Next Row.—Sl, k2, p0 [1 : 2], k2tog.

16 years only

Next Row.—Sl, k2tog, k3.

Next Row.—Sl, k2, p1, k1.

14 and 16 years only

Next Row.—K2tog, k3.

Next Row.—Sl, k3.

12, 14 and 16 years

Next Row.—K2tog, k2.

Next Row.—Sl, k2.

Next Row.—K2tog, k1.

Next Row.—K2tog. Break off yarn, fasten off.

THE LEFT FRONT BORDER—Round Neck

Using No. 5 needles cast on 6 [6 : 6] sts.

1st Row.—Sl, knit to end.

Repeat 1st row 125 [139 : 153] times. Break off yarn, leave these sts on a thread.

THE RIGHT FRONT BORDER—Round Neck

Using No. 5 needles cast on 6 [6 : 6] sts.

1st Row.—Sl, knit to end.

Repeat 1st row once.

3rd Row.—Sl, k1, cast off 2 sts, k1.

4th Row.—Sl, k1, cast on 2 sts, k2.

Repeat 1st row 16 [18 : 20] times. ***** Repeat from ***** to ***** 5 times, 3rd and 4th rows once then 1st row 14 [16 : 18] times. Do not break off yarn, leave these sts on a thread.

TO MAKE UP — Round Neck

Read Pressing Instructions. Sew up side and sleeve seams. Placing seam to seam sew decreased edges of sleeves to decreased edges of bodice.

THE NECKBAND — Round Neck

With right side facing, using No. 5 needles and commencing at Right Front Border, work across 6 [6 : 6] sts left on a thread of Right Front Border as follows:—k6, pick up and knit 9 [11 : 13] sts evenly along right side of front of neck, 9 [9 : 9] sts from 9 [9 : 9] cast off sts at top of sleeve, 15 [15 : 15] sts from 15 [15 : 15] cast off sts at back of neck, 9 [9 : 9] sts from 9 [9 : 9] cast off sts at top of other sleeve, 9 [11 : 13] sts evenly along left side of front of neck, work across 6 [6 : 6] sts left on a thread of Left Front Border as follows:—k6, 63 [67 : 71] sts.

1st Row.—Sl, knit to end.

2nd Row.—Sl, k1, cast off 2 sts, knit to end.

3rd Row.—Sl, knit to last 2 sts, cast on 2 sts, k2.

Repeat 1st row 3 times. Cast off.

TO COMPLETE — Round Neck

Sew Front Borders in position. Sew on buttons.

GENERAL PRESSING INSTRUCTIONS

WOOL — under damp cloth - hot iron.

NYLON — under dry cloth - warm iron.

TRICEL
NYLON — PRESS WELL under damp cloth - hot iron.

WOOL and
MAN MADE
FIBRES — under dry cloth - warm iron,
light press.

COURTELLE — DO NOT PRESS.

WE SHALL GLADLY DEAL WITH QUERIES PROVIDING A BALL BAND OF THE YARN SPECIFIED AND A STAMPED ADDRESSED ENVELOPE ACCOMPANIES YOUR CORRESPONDENCE.

SIRDAR LIMITED

P.O. BOX No. 31 WAKEFIELD

SIRDAR WOOLS (PTY) LTD

P.O. BOX No. 49072 ROSETTENVILLE JOHANNESBURG

F. Ltd. 4093

SIRDAR WOOLS (AUSTRALIA) PTY LTD

P.O. BOX No. 472 GOULBURN, N.S.W.

Printed in Great Britain

©