

4251

SIRDAR

DK

22-30"

12p



IMPORTANT. SIRDAR LIMITED CANNOT ACCEPT RESPONSIBILITY FOR THE FINISHED PRODUCT IF ANY YARN OTHER THAN SIRDAR IS USED. IT IS ESSENTIAL TO WORK TO THE STATED TENSION.

Original yarn used

Sirdar Wash'n'Wear Double Crepe Colours 251 White
285 Begonia

WITH OR WITHOUT HOOD

To Fit	22 56	24 61	26 66	28 71	30 76	in cm
Full length	14 36	15½ 39	17 43	19 48	21 53	in cm
Sleeve length (adjustable)	8½ 22	10½ 27	12½ 32	14½ 37	15½ 39	in cm

WITH HOOD

SUPERWASH Wool DK or DOUBLE KNITTING Wool	10	12	14	16	18	25gm balls
WASH'n'WEAR Double Crepe	5	6	7	8	9	40gm balls
DOUBLE CREPE Wool	11	13	15	17	19	25gm balls
COURTELLE RANDOM	7	8	10	11	12	25gm balls
CANDYTWEED DK	5	6	7	8	9	50gm balls

1 Pair No. 4mm(8) and No. 3¼mm(10) Knitting Needles.
6 [6 : 8 : 8 : 8] Buttons.

WITHOUT HOOD

SUPERWASH Wool DK or DOUBLE KNITTING Wool	8	10	12	14	16	25gm balls
WASH'n'WEAR Double Crepe	4	5	6	7	8	40gm balls
DOUBLE CREPE Wool	9	11	13	15	17	25gm balls
COURTELLE RANDOM	6	7	8	10	11	25gm balls
CANDYTWEED DK	4	5	6	7	8	50gm balls

1 Pair No. 4mm(8) and No. 3¼mm(10) Knitting Needles.
6 [6 : 8 : 8 : 8] Buttons.

The quantities of yarn stated are based on average requirements and are therefore approximate.

TENSION

The tension for this design is
12 stitches to 2 inches (5cm).

Check your tension—if less stitches use a finer needle, if more use a coarser needle.

ABBREVIATIONS

K knit, **p** purl, **st(s)** stitch(es), **rep** repeat, **s1** slip one stitch knitways, **pssso** pass slipped stitch over, **patt** pattern, **cont** continue, **tog** together, **beg** beginning, **fol** following, **rem** remaining, **alt** alternate, **inc** increase(ing), **dec** decreasing, **in** inch(es), **cm** centimetres, **mm** millimetres, **DK** Double Knitting.

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

N.B.—For the smallest size read the instructions as given. For the larger sizes read the figures within the brackets.

As the shapings (may) differ for the various sizes follow the headings for the size required.

THE BACK—With or Without Hood

Using No. 3¼mm needles cast on 73 [79 : 85 : 91 : 97] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 13 times.

Change to No. 4 mm needles and proceed as follows:

1st Row.—S1, knit to end.

2nd Row.—S1, knit to end.

3rd Row.—S1, k1, * p1, k1, rep from * to last st, k1.

4th Row.—S1, * p1, k1, rep from * to end.

These 4 rows form patt. Keeping continuity of patt (throughout) cont until work measures 8½ [9½ : 10½ : 12 : 13]in or 22 [24 : 27 : 30 : 33]cm, ending on wrong side.

Shape Armholes

Cast off 6 sts in patt at beg of next 2 rows.

Work 32 [36 : 40 : 42 : 54] rows dec once at each end of next and every alt row. 29 [31 : 33 : 37 : 31] sts.

Work 6 [6 : 6 : 8 : 4] rows dec once at each end of every row. 17 [19 : 21 : 21 : 23] sts. Cast off in patt.

THE LEFT FRONT—With or Without Hood

Using No. 3¼mm needles cast on 35 [37 : 41 : 43 : 47] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 13 times.

Change to No. 4mm needles and proceed as follows:

1st Row.—S1, knit to end.

2nd Row.—S1, knit to end.

3rd Row.—S1, k1, * p1, k1, rep from * to last st, k1.

SIRDAR

4th Row.—S1, * p1, k1, rep from * to end.

These 4 rows form patt. Keeping continuity of patt (throughout) cont until work measures same as The Back to armhole, ending on wrong side.

Shape Armhole

1st Row.—Cast off 6 sts in patt, patt to last st, k1.

2nd Row.—S1, patt to last st, k1.

Work 22 [22 : 26 : 30 : 38] rows dec once at armhole edge in next and every alt row. 18 [20 : 22 : 22 : 22] sts.

Work 6 [6 : 8 : 7 : 9] rows dec once at armhole edge in next and every alt row at same time dec once at neck edge in every row. 9 [11 : 10 : 11 : 8] sts.

Work 4 [8 : 6 : 5 : 7] rows dec once at armhole edge only in 1st [1st : 1st : 2nd : 2nd] and every alt row. 7 [7 : 7 : 9 : 5] sts.

Work 4 [4 : 4 : 6 : 2] rows dec once at armhole edge only in every row. (3 sts).

Next Row.—K2 tog, k1.

Next Row.—K2 tog. Fasten off.

THE RIGHT FRONT—With or Without Hood

Work exactly as given for The Left Front reversing all shapings.

THE SLEEVES—With or Without Hood

(Both alike)

Using No. 3½mm needles cast on 41 [41 : 45 : 45 : 47] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 7 times.

Change to No. 4mm needles and proceed as follows:

1st Row.—S1, knit to end.

2nd Row.—S1, knit to end.

3rd Row.—S1, k1, * p1, k1, rep from * to last st, k1.

4th Row.—S1, * p1, k1, rep from * to end.

These 4 rows form patt. Keeping continuity of patt (throughout) cont inc once at each end of next and every foll 6th [8th : 10th : 10th : 10th] row to 47 [55 : 57 : 61 : 53] sts.

22, 30in or 56, 76 cm only

Inc once at each end of every foll 4th [8th] row to 51 [65] sts.

For all 5 sizes

Cont without shaping until work measures 8½ [10½ : 12½ : 14½ : 15½]in or 22 [27 : 32 : 37 : 39]cm, or length required, ending on wrong side.

Shape Top

Cast off 6 sts in patt at beg of next 2 rows.

Work 12 [12 : 20 : 20 : 36] rows dec once at each end of next and every foll 4th row. 33 [37 : 35 : 39 : 35] sts.

Work 26 [30 : 26 : 30 : 22] rows dec once at each end of next and every alt row. 7 [7 : 9 : 9 : 13] sts.

Cast off in patt.

TO MAKE UP—With or Without Hood

Read Pressing Instructions. Sew up side and sleeve seams. Sew in sleeves.

THE RIGHT FRONT BORDER—With or Without Hood

Using No. 3½mm needles cast on 9 sts.

1st Row.—S1, k1, (p1, k1) 3 times, k1.

2nd Row.—S1, (p1, k1) 4 times.

Rep 1st and 2nd rows once.

**

5th Row.—S1, k1, p1, k1, cast off 2 sts, k2.

6th Row.—S1, p1, k1, cast on 2 sts, (p1, k1) twice.

Rep 1st and 2nd rows 9 [9 : 7 : 8 : 10] times.**

Rep from ** to ** 3 [3 : 5 : 5 : 5] times, 5th and 6th rows once then 1st and 2nd rows 8 [8 : 6 : 7 : 9] times. Do not break off yarn, leave these sts on a thread.

THE LEFT FRONT BORDER—With or Without Hood

Work exactly as given for The Right Front Border omitting buttonholes. Break off yarn, leave these sts on a thread.

THE NECKBAND—With or Without Hood

With right side facing, using No. 3½mm needles work across 9 sts of Right Front Border as follows: s1, (k1, p1) 4 times, pick up and knit 14 sts evenly along right side of neck, 7 [7 : 9 : 9 : 13] sts from cast off sts at top of sleeve, 17 [19 : 21 : 21 : 23] sts from cast off sts at back of neck, 7 [7 : 9 : 9 : 13] sts from cast off sts at top of other sleeve, 14 sts evenly along left side of neck and work across 9 sts left on a thread for Left Front Border as follows: (p1, k1) 4 times, k1. 77 [79 : 85 : 85 : 95] sts.

1st Row.—S1, * p1, k1, rep from * to end.

2nd Row.—S1, k1, p1, k1, cast off 2 sts, k1, * p1, k1, rep from * to last st, k1.

3rd Row.—S1, * p1, k1, rep from * to last 4 sts, cast on 2 sts, (p1, k1) twice.

4th Row.—S1, k1, * p1, k1, rep from * to last st, k1.

5th Row.—S1, * p1, k1, rep from * to end.

Cast off in rib for Jacket Without Hood.

THE HOOD

1st Row.—Cast off 6 sts in rib, k1, * p1, k1, rep from * to last st, k1.

22in or 56cm only

2nd Row.—Cast off 6 sts in rib, (p1, inc once in next st) 15 times, inc once in next st purlways, (inc once in next st, p1) 16 times, k1. 97 sts.

SIRDAR

24in or 61cm only

2nd Row.—Cast off 6 sts in rib, (p1, inc once in next st) 15 times, inc once in next st purlways, inc once in next st, p1, inc once in next st, inc once in next st purlways, (inc once in next st, p1) 15 times, k1. [101] sts.

26, 28in or 66, 71cm only

2nd Row.—Cast off 6 sts in rib, (p1, inc once in next st) 15 times, (p1, k1, p1, inc once in next st) 3 times, (p1, inc once in next st) 14 times, p1, k1. [105 : 105] sts.

30in or 76cm only

2nd Row.—Cast off 6 sts in rib, (p1, inc once in next st) 7 times, (p1, k1, p1, inc once in next st) 6 times, (p1, k1) twice, p1, (inc once in next st, p1, k1, p1) 6 times, (inc once in next st, p1) 7 times, k1. [109] sts.

For all 5 sizes

Change to No. 4mm needles and proceed as follows:

1st Row.—S1, knit to end.

2nd Row.—S1, knit to end.

3rd Row.—S1, k1, * p1, k1, rep from * to last st, k1.

4th Row.—S1, * p1, k1, rep from * to end.

These 4 rows form patt. Keeping continuity of patt (throughout) cont until hood measures 7 [$7\frac{1}{2}$: 8 : 8 : 8 $\frac{1}{2}$]in or 18 [19 : 20 : 20 : 22]cm, ending on wrong side.

Next Row.—S1, patt 45 [47 : 49 : 49 : 51] sts, s1, k1, pssso, k1, k2 tog, patt 45 [47 : 49 : 49 : 51] sts, k1, 95 [99 : 103 : 103 : 107] sts.

Next Row.—S1, patt to end.

Next Row.—S1, patt 44 [46 : 48 : 48 : 50] sts, s1, k1, pssso, k1, k2 tog, patt 44 [46 : 48 : 48 : 50] sts, k1, 93 [97 : 101 : 101 : 105] sts.

Next Row.—S1, patt to end.

Next Row.—S1, patt 43 [45 : 47 : 47 : 49] sts, s1, k1, pssso, k1, k2 tog, patt 43 [45 : 47 : 47 : 49] sts, k1, 91 [95 : 99 : 99 : 103] sts.

Next Row.—S1, patt to end.

Next Row.—S1, patt 42 [44 : 46 : 46 : 48] sts, cast off 5 sts in patt, patt to end.

Working on first 43 [45 : 47 : 47 : 49] sts only proceed as follows:

Next Row.—S1, patt to end.

Next Row.—Cast off 6 sts in patt, patt to end.

Next Row.—S1, patt to end.

Cast off rem 37 [39 : 41 : 41 : 43] sts in patt.

With wrong side facing, rejoin yarn to rem 43 [45 : 47 : 47 : 49] sts and proceed as follows:

Next Row.—Cast off 6 sts in patt, patt to end.

Next Row.—S1, patt to end.

Cast off rem 37 [39 : 41 : 41 : 43] sts in patt.

Sew up hood seam.

THE HOOD EDGING

With wrong side facing, using No. 3 $\frac{1}{2}$ mm needles pick up and knit 85 [87 : 89 : 89 : 91] sts evenly all round hood.

1st Row.—S1, * p1, k1, rep from * to end.

2nd Row.—S1, k1, * p1, k1, rep from * to last st, k1.

Rep 1st and 2nd rows 3 times then 1st row once. Cast off in rib.

TO COMPLETE

Sew Front Borders in position. Sew on buttons. Turn back hood edging and catch in position at commencement of hood.

Pressing and Care Instructions		PRESSING	WASHING
Wash'n' Wear qualities, Super Prelude		Under dry cloth Warm Iron	 40°C Warm Machine Wash
Courtelle Random		Under dry cloth Warm Iron	 40°C Warm
Fontein Crepe Wool, Multi Double Crepe Wool, DK Wool, Candyweed Pullman Wool		Under damp cloth Hot Iron	 40°C Warm
Superwash Wool qualities		Under damp cloth Hot Iron	 40°C Warm Machine Wash

WE SHALL GLADLY DEAL WITH QUERIES PROVIDING A BALL BAND OF THE YARN SPECIFIED AND A STAMPED ADDRESSED ENVELOPE ACCOMPANIES YOUR CORRESPONDENCE.

SIRDAR LIMITED
P.O. BOX NO. 31 WAKEFIELD WF2 9ND

SIRDAR WOOLS (PTY) LTD
P.O. BOX No. 49072 ROSETTENVILLE JOHANNESBURG

SIRDAR (AUSTRALIA) PTY LTD
P.O. BOX No. 472 GOULBURN, N.S.W.