

449 BROADWAY

882020



WAISTCOATS

IMPORTANT. SIRDAR PLC CANNOT ACCEPT RESPONSIBILITY FOR THE FINISHED PRODUCT IF ANY YARN OTHER THAN SIRDAR IS USED. IT IS ESSENTIAL TO WORK TO THE STATED TENSION.

Original yarn used

Sirdar Gemini Brushed Chunky Colours 429, 412

PLAIN AND PATTERNED WAISTCOATS

To Fit	22 56	24 61	26 66	28 71	30 76	32 81	in cm
Actual size	22 56	24 61	26 66	28 71	30 76	32 81	in cm
Full length	10½ 27	12 30	13½ 34	15½ 39	17½ 44	17½ 44	in cm
PLAIN WAISTCOAT							
GEMINI Brushed Chunky	2	2	2	2	3	3	100gm balls
COUNTRY STYLE CHUNKY	3	4	5	5	6	7	50gm balls
PULLMAN Wool	3	4	5	6	7	8	50gm balls
PATTERNED WAISTCOAT							
GEMINI Brushed Chunky	2	2	2	2	3	3	100gm balls
COUNTRY STYLE CHUNKY	3	4	5	5	6	7	50gm balls
PULLMAN Wool	3	4	5	6	7	8	50gm balls
1 Pair No. 6½mm(3) and No. 5½mm(5) Knitting Needles. 2 Buttons.							

The quantities of yarn stated are based on average requirements and are therefore approximate.

SIRDAR

TENSION

The tension for these designs is 7 stitches to 2 inches (5cm).

Check your tension — if you have less stitches use a finer needle. If you have more stitches use a coarser needle.

ABBREVIATIONS

K knit, **p** purl, **s1** slip one stitch knitways, **st(s)** stitch(es), **st-st** stocking stitch (1 row knit, 1 row purl), **g-st** garter stitch (every row knit), **yrn** yarn round needle, **yfwd** yarn forward, **tog** together, **rep** repeat, **beg** beginning, **fol** following, **cont** continue, **patt** pattern, **rem** remaining, **0** no stitches, **inc** increasing, **dec** decreasing, **in** inch(es), **cm** centimetres, **mm** millimetres.

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

N.B.—For the smallest size read the instructions as given.

For the larger sizes read the figures within the brackets.

As 6 sizes are quoted we suggest that you circle all the figures for the size you wish to make before you commence.

PLAIN WAISTCOAT

THE BACK

Remember to check your tension.

Using No. 5½mm needles cast on 39 [43 : 45 : 49 : 53 : 57] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 [5 : 5 : 7 : 7 : 7] times.

Change to No. 6½mm needles and proceed in st-st until work measures 6 [7 : 8 : 10 : 11½ : 11½]in or 15 [18 : 20 : 25 : 29 : 29]cm, ending on wrong side.

The Armholes

Cast on 4 sts at beg of next 2 rows. 47 [51 : 53 : 57 : 61 : 65] sts.

1st Row.—S1, knit to end.

2nd Row.—S1, k3, purl to last 4 sts, k4.

Rep 1st and 2nd rows until armholes measure 4½ [5 : 5½ : 5½ : 6 : 6]in or 11 [13 : 14 : 14 : 15 : 15]cm, ending on wrong side.

Shape Shoulders

Cast off 8 [9 : 10 : 10 : 11 : 12] sts at beg of next 2 rows.

Cast off 9 [10 : 10 : 11 : 12 : 13] sts at beg of next 2 rows.

Cast off rem 13 [13 : 13 : 15 : 15 : 15] sts.

THE LEFT FRONT

Remember to check your tension.

Using No. 5½mm needles cast on 17 [19 : 21 : 23 : 25 : 27] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 [5 : 5 : 7 : 7 : 7] times inc once at end of last row for 22, 24in or 56, 61cm only. 18 [20 : 21 : 23 : 25 : 27] sts.

Change to No. 6½mm needles and proceed in st-st dec once at end of next and every foll 6th [8th : 10th : 8th : 10th : 10th] row until work measures same as The Back to armhole, ending on wrong side.

The Armhole

Cast on 4 sts at beg of next row.

Working first 4 sts at armhole in g-st cont dec at front edge (as before) until 17 [19 : 20 : 21 : 23 : 25] sts remain.

SIRDAR

Cont without shaping until armhole measures same as The Back, ending on wrong side.

Shape Shoulder

1st Row.—Cast off 8 [9 : 10 : 10 : 11 : 12] sts, knit to end.

2nd Row.—S1, purl to end.

Cast off rem 9 [10 : 10 : 11 : 12 : 13] sts.

THE RIGHT FRONT

Remember to check your tension.

Using No. 5½mm needles cast on 17 [19 : 21 : 23 : 25 : 27] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 [5 : 5 : 7 : 7 : 7] times inc once at beg of last row for 22, 24in or 56, 61cm only. 18 [20 : 21 : 23 : 25 : 27] sts.

Change to No. 6½mm needles and proceed in st-st dec once at beg of next and every foll 6th [8th : 10th : 8th : 10th : 10th] row until work measures same as The Back to armhole, ending on right side.

The Armhole

Cast on 4 sts at beg of next row.

Working first 4 sts at armhole edge in g-st cont dec once at front edge (as before) until 17 [19 : 20 : 21 : 23 : 25] sts remain.

Cont without shaping until armhole measures same as The Back, ending on right side.

Shape Shoulder

1st Row.—Cast off 8 [9 : 10 : 10 : 11 : 12] sts purlways, purl to last st, k1.

2nd Row.—S1, knit to end.

Cast off rem 9 [10 : 10 : 11 : 12 : 13] sts purlways.

THE RIGHT FRONT BORDER

For all 6 sizes

Using No. 5½mm needles cast on 5 sts.

1st Row.—S1, k4.

Rep 1st row once.

3rd Row.—S1, k1, cast off 1 st, k1.

4th Row.—S1, k1, cast on 1 st, k2.

Rep 1st row 8 [8 : 8 : 10 : 10 : 10] times, 3rd and 4th rows once then 1st row until border is of sufficient length to go up front and halfway across back of neck, ending on wrong side.

Cast off.

THE LEFT FRONT BORDER

For all 6 sizes

Work exactly as given for The Right Front Border omitting buttonholes.

TO MAKE UP

Read Pressing Instructions. Sew up side and shoulder seams. Sew ends of borders together and placing seam to centre back of neck, sew Front Borders in position. Sew on buttons. Brush Gemini lightly on completion.

PATTERNED WAISTCOAT

THE BACK

Remember to check your tension.

Using No. 5½mm needles cast on 39 [43 : 45 : 49 : 53 : 57] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 [5 : 5 : 7 : 7 : 7] times.

Change to No. 6½mm needles and proceed as follows:

1st Row.—S1, p0 [0 : 0 : 1 : 0 : 0], k1 [3 : 4 : 5 : 0 : 2], p3, * k5, p3, rep from * to last 2 [4 : 5 : 7 : 1 : 3] sts, k2 [4 : 5 : 5 : 1 : 3], p0 [0 : 0 : 1 : 0 : 0], k0 [0 : 0 : 1 : 0 : 0].

2nd Row.—S1, k0 [0 : 0 : 1 : 0 : 0], p1 [3 : 4 : 5 : 0 : 2], k3, * p5, k3, rep from * to last 2 [4 : 5 : 7 : 1 : 3] sts, p1 [3 : 4 : 5 : 0 : 2], k1 [1 : 1 : 2 : 1 : 1].

3rd Row.—S1, p0 [0 : 0 : 1 : 0 : 0], k1 [3 : 4 : 5 : 0 : 2], p1, yrn, p2tog, * k5, p1, yrn, p2tog, rep from * to last 2 [4 : 5 : 7 : 1 : 3] sts, k2 [4 : 5 : 5 : 1 : 3], p0 [0 : 0 : 1 : 0 : 0], k0 [0 : 0 : 1 : 0 : 0].

4th Row.—Like 2nd row.

5th Row.—Like 1st row.

6th Row.—S1, k0 [2 : 0 : 0 : 0 : 1], p5 [5 : 0 : 2 : 4 : 5], k3, * p5, k3, rep from * to last 6 [8 : 1 : 3 : 5 : 7] sts, p5 [5 : 0 : 2 : 4 : 5], k1 [3 : 1 : 1 : 1 : 2].

7th Row.—S1, p0 [2 : 0 : 0 : 0 : 1], k5 [5 : 0 : 2 : 4 : 5], p3, * k5, p3, rep from * to last 6 [8 : 1 : 3 : 5 : 7] sts, k6 [5 : 1 : 3 : 5 : 5], p0 [2 : 0 : 0 : 0 : 1], k0 [1 : 0 : 0 : 0 : 1].

8th Row.—S1, k0 [2 : 0 : 0 : 0 : 1], p5 [5 : 0 : 2 : 4 : 5], k2tog, yfwd, k1, * p5, k2tog, yfwd, k1, rep from * to last 6 [8 : 1 : 3 : 5 : 7] sts, p5 [5 : 0 : 2 : 4 : 5], k1 [3 : 1 : 1 : 1 : 2].

9th Row.—Like 7th row.

10th Row.—S1, k0 [2 : 0 : 0 : 0 : 1], p5 [5 : 0 : 2 : 4 : 5], k3, * p5, k3, rep from * to last 6 [8 : 1 : 3 : 5 : 7] sts, p5 [5 : 0 : 2 : 4 : 5], k1 [3 : 1 : 1 : 1 : 2].

From 1st to 10th row (inclusive) forms patt. Keeping continuity of patt (throughout) cont until work measures 6 [7 : 8 : 10 : 11½ : 11½]in or 15 [18 : 20 : 25 : 29 : 29]cm, ending on wrong side.

The Armholes

Cast on 4 sts at beg of next 2 rows. 47 [51 : 53 : 57 : 61 : 65] sts.

1st Row.—S1, k3, patt to last 4 sts, k4.

2nd Row.—S1, k3, patt to last 4 sts, k4.

Rep 1st and 2nd rows until armholes measure 4½ [5 : 5½ : 5½ : 6 : 6]in or 11 [13 : 14 : 14 : 15 : 15]cm, ending on wrong side.

Shape Shoulders

Cast off 8 [9 : 10 : 10 : 11 : 12] sts in patt at beg of next 2 rows.

Cast off 9 [10 : 10 : 11 : 12 : 13] sts in patt at beg of next 2 rows.

Cast off rem 13 [13 : 13 : 15 : 15 : 15] sts in patt.

THE LEFT FRONT

Remember to check your tension.

Using No. 5½mm needles cast on 17 [19 : 21 : 23 : 25 : 27] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 [5 : 5 : 7 : 7 : 7] times inc once at end of last row for 22, 24in or 56, 61cm only. 18 [20 : 21 : 23 : 25 : 27] sts.

Change to No. 6½mm needles and proceed as follows:

1st Row.—S1, p0 [0 : 0 : 1 : 0 : 0], k1 [3 : 4 : 5 : 0 : 2], p3, (k5, p3) 1 [1 : 1 : 1 : 2 : 2] times, k3, k2tog. 17 [19 : 20 : 22 : 24 : 26] sts.

2nd Row.—S1, p3, (k3, p5) 1 [1 : 1 : 1 : 2 : 2] times, k3, p1 [3 : 4 : 5 : 0 : 2], k1 [1 : 1 : 2 : 1 : 1].

3rd Row.—S1, p0 [0 : 0 : 1 : 0 : 0], k1 [3 : 4 : 5 : 0 : 2], p1, yrn, p2tog, (k5, p1, yrn, p2tog) 1 [1 : 1 : 1 : 2 : 2] times, k4.

4th Row.—S1, p3, (k3, p5) 1 [1 : 1 : 1 : 2 : 2] times, k3, p1 [3 : 4 : 5 : 0 : 2], k1 [1 : 1 : 2 : 1 : 1].

Keeping continuity of patt (as set) dec once at end of 3rd [5th : 7th : 5th : 7th : 7th] and every foll 6th [8th : 10th : 8th : 10th : 10th] row until work measures same as The Back to armhole, ending on wrong side.

The Armhole

Cast on 4 sts at beg of next row.

Working first 4 sts at armhole in g-st cont dec once at front edge (as before) until 17 [19 : 20 : 21 : 23 : 25] sts remain.

Cont without shaping until armhole measures same as The Back, ending on wrong side.

Shape Shoulder

1st Row.—Cast off 8 [9 : 10 : 10 : 11 : 12] sts in patt, patt to last st, k1.

2nd Row.—S1, patt to end.

Cast off rem 9 [10 : 10 : 11 : 12 : 13] sts in patt.

THE RIGHT FRONT

Remember to check your tension.

Using No. 5½mm needles cast on 17 [19 : 21 : 23 : 25 : 27] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.
Rep 1st and 2nd rows 5 [5 : 5 : 7 : 7 : 7] times
inc once at beg of last row for 22, 24in or
56, 61cm only. 18 [20 : 21 : 23 : 25 :
27] sts.

Change to No. 6½mm needles and
proceed as follows:

1st Row.—K2tog, k3, p3, (k5, p3) 1 [1 : 1 : 1 :
2 : 2] times, k2 [4 : 5 : 5 : 1 : 3], p0 [0 : 0 : 1 :
0 : 0], k0 [0 : 0 : 1 : 0 : 0]. 17 [19 : 20 : 22 :
24 : 26] sts.

2nd Row.—S1, k0 [0 : 0 : 1 : 0 : 0], p1 [3 : 4 :
5 : 0 : 2], k3, (p5, k3) 1 [1 : 1 : 1 : 2 : 2]
times, p3, k1.

3rd Row.—S1, k3, p1, yrn, p2tog, (k5, p1,
yrn, p2tog) 1 [1 : 1 : 1 : 2 : 2] times, k2 [4 :
5 : 5 : 1 : 3], p0 [0 : 0 : 1 : 0 : 0], k0 [0 : 0 : 1 :
0 : 0].

4th Row.—S1, k0 [0 : 0 : 1 : 0 : 0], p1 [3 : 4 :
5 : 0 : 2], k3, (p5, k3) 1 [1 : 1 : 1 : 2 : 2]
times, p3, k1.

Keeping continuity of patt (as set) dec once
at beg of 3rd [5th : 7th : 5th : 7th : 7th]
and every foll 6th [8th : 10th : 8th : 10th :
10th] row until work measures same as
The Back to armhole, ending on right
side.

The Armhole

Cast on 4 sts at beg of next row.

Working first 4 sts at armhole edge in g-st
cont dec at front edge (as before) until 17
[19 : 20 : 21 : 23 : 25] sts remain.

Cont without shaping until armhole
measures same as The Back, ending on
right side.

Shape Shoulder

1st Row.—Cast off 8 [9 : 10 : 10 : 11 :
12] sts in patt, patt to last st, k1.

2nd Row.—S1, patt to end.

Cast off rem 9 [10 : 10 : 11 : 12 : 13] sts in
patt.

THE RIGHT FRONT BORDER

For all 6 sizes

Using No. 5½mm needles cast on 5 sts.

1st Row.—S1, k4.

Rep 1st row once.

3rd Row.—S1, k1, cast off 1 st, k1.

4th Row.—S1, k1, cast on 1 st, k2.

Rep 1st row 8 [8 : 8 : 10 : 10 : 10] times, 3rd
and 4th rows once then 1st row until
border is of sufficient length to go up
front and halfway across back of neck,
ending on wrong side.

Cast off.

THE LEFT FRONT BORDER

For all 6 sizes

Work exactly as given for The Right Front
Border omitting buttonholes.

TO MAKE UP

Read Pressing Instructions. Sew up side
and shoulder seams. Sew ends of
borders together and placing seam to
centre back of neck, sew Front Borders in
position. Sew on buttons. Brush Gemini
lightly on completion.

Pressing and Care Instructions	PRESSING	WASHING
Wash 'n' Wear qualities, Gemini Sugar 'n' Spice, Astrakhan Country Style qualities, Cabaret	 Under dry cloth Warm Iron	 40°C Warm Machine Wash 
Pullman Wool Sportswool, Sherpa, Bainin Press lightly—Palamino, Nocturne	 Under damp cloth Hot Iron	 40°C Warm 

**WE SHALL GLADLY DEAL WITH QUERIES PROVIDING A BALL BAND OF THE YARN SPECIFIED
AND A STAMPED ADDRESSED ENVELOPE ACCOMPANIES YOUR CORRESPONDENCE.**

© Reproduction of this leaflet in any form (including photostat) is
protected by copyright. Any infringement will lead to prosecution.

SIRDAR PLC, Flanshaw Lane, Alverthorpe, Wakefield WF29ND, West Yorkshire, England.