

BABY WAYS



14 Designs, in Sirdar Snuggly



















BABY WAYS















BABY WAYS



1/2
Cardigans

Original yarn used
Sirdar Snuggly 4 ply
Colours 251 and 212

CONGRATULATIONS ON CHOOSING A SIRDAR PUBLICATION. SHOULD YOU USE ANY YARN OTHER THAN SIRDAR THEN WE CANNOT ACCEPT RESPONSIBILITY FOR THE FINISHED PRODUCT.

GENERAL NOTES

For the smallest size read the instructions as given.

For the larger sizes read the figures within the square brackets [].

Figures or instructions in round brackets, (), should be repeated as stated after the brackets.

As the shapings and/or pattern (may) differ for the various sizes follow the headings for the size required.

ABBREVIATIONS

alt	alternate	sl st	slip stitch
beg	beginning	sp	space
ch	chain	st(s)	stitch(es)
ch-sp	chain space	st-st	stocking stitch (1 row knit, 1 row purl)
cm	centimetre(s)		
dc	double crochet	tbl	through back of loop
dec	decrease	tog	together
inc	increase	tr	treble
in	inch(es)	yb	yarn back
k	knit	yf	yarn forward
mm	millimetres	yfrn	yarn forward and round needle
p	purl	yo	yarn over
pssso	pass slipped stitch over	yon	yarn over needle
rep	repeat	yarn	yarn round needle
sl	slip		

U.S.A. GLOSSARY

Cast off—bind off

Tension—gauge

Work straight—work even

Stocking stitch—stockinette stitch

Yarn forward, yarn forward and round needle, yarn round needle, yarn over needle—yarn over
double crochet—single crochet
treble—double crochet

The quantities of yarn stated in this publication are based on average requirements and are therefore approximate.

Pressing and Care Instructions	PRESSING	WASHING
Snuggly 2ply, 3ply, 4ply QK, DK, Lustre	Under dry cloth Warm Iron	Warm Machine Wash Do not tumble dry

OUR KNITTING ADVISORY BUREAU WILL GLADLY DEAL WITH QUERIES PROVIDING A BALL BAND OF THE YARN SPECIFIED AND A STAMPED ADDRESSED ENVELOPE ACCOMPANIES YOUR CORRESPONDENCE.

WARNING — COPYRIGHT. All Sirdar publications are protected by the law of copyright and may not be reproduced or copied either by photocopying or in any other way. They are sold on condition that they are only used for non-commercial purposes. All other rights are expressly reserved by Sirdar Plc.

SIRDAR PLC, Flanshaw Lane, Alverthorpe, Wakefield WF2 9ND, West Yorkshire, England.



To Fit	12	14	16	18	in
	31	36	41	46	cm
Actual size	14	16	18	19½	in
	36	41	46	50	cm
Full length	6	7	8½	10	in
	15	18	22	25	cm
Sleeve length (adjustable)	3½	4½	5	6	in
	9	11	13	15	cm

Sirdar Snuggly 4 ply Qualities 50gm balls
1 1 2 2

1 Pair No. 3¼mm (UK 10—USA 3) and No. 2¾mm (UK 12—USA 1) Knitting Needles or the size required to give the correct tension.

3[4:4:5] Buttons for V-Neck Cardigan.
5[5:6:6] Buttons for Round Neck Cardigan.

CHECK YOUR TENSION

The tension for this design is 27 stitches in width and 40 rows to 4 inches (10cm) over pattern.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.

V-NECK CARDIGAN

The back

Remember to check your tension.

Using No. 2¼mm needles cast on 49[55:61:67] sts.

1st Row (Right Side).—K1, *p1, k1; rep from * to end.

2nd Row.—P1, *k1, p1; rep from * to end.

Rep the last 2 rows 4[5:5:6] times more.

Change to No. 3¼mm needles and commence pattern:

1st Row.—K1, *yf, sl 1, k1, pssso, k1, k2tog, yf, k1; rep from * to end.

2nd Row.—Purl.

3rd Row.—K2, *yf, sl 1, k2tog, pssso, yf, k3; rep from * to last 5 sts, yf, sl 1, k2tog, pssso, yf, k2.

4th Row.—Purl.

These 4 rows form the pattern. Continue in pattern until back measures 6[7:8½:10]in or 15[18:22:25]cm or required length to shoulder ending with a purl row.

Shape Shoulders

Cast off 15[17:19:21] sts at beg of next 2 rows. Cast off remaining 19[21:23:25] sts.

The left front

Remember to check your tension.

Using No. 2¼mm needles cast on 29[33:35:39] sts and work 4 rows in k1, p1 rib as given for The Back.

Boy's Front only

Next Row (Buttonhole).—Rib to last 5 sts, yrn, p2tog, rib to end.

Boy's and Girl's Front Continue in rib until 9[11:11:13] rows have been worked from beg.

Next Row.—Rib 8, slip these sts onto a safety pin for front band, rib to end increasing 1 st at end of row for 12,16in or 31,41cm only. 22[25:28:31] sts.

Change to No. 3¼mm needles and commence pattern:

12,16in or 31,41cm only

1st Row.—*K1, yf, sl 1, k1, pssso, k1, k2tog, yf; rep from * to last 4 sts, k1, yf, sl 1, k1, pssso, k1.

2nd Row.—Purl.

3rd Row.—K2, *yf, sl 1, k2tog, pssso, yf, k3; rep from * to last 2 sts, yf, sl 1, k1, pssso.

4th Row.—Purl.

14,18in or 36,46cm only

Work 4 rows in pattern as given for The Back.

For all 4 sizes ★

Continue in pattern until front measures 3[3½:4:4½]in or 8[9:10:11]cm less than back to shoulder ending with a purl row.

Shape Neck

1st Row.—Work in pattern to last 3 sts, k2tog, k1.

★★ Continue to dec 1 st at neck edge in this way on following 2 alt rows, then on every following 4th row until 15[17:19:21] sts remain. Work straight until front measures same as back to shoulder ending at side edge. Cast off.

The right front

Remember to check your tension.

Using No. 2¼mm needles cast on 29[33:35:39] sts and work 4 rows in k1, p1 rib as given for The Back.

Girl's Front only

Next Row (Buttonhole).—Rib 3, p2tog, yrn, rib to end.

Girl's and Boy's Front Continue in rib until 9[11:11:13] rows have been worked from beg.

Next Row.—Rib to last 8 sts increasing 1 st at beg of row for 12,16in or 31,41cm only, turn and slip remaining 8 sts onto a safety pin. 22[25:28:31] sts.

Change to No. 3¼mm needles and commence pattern:

12,16in or 31,41cm only

1st Row.—*K1, k2tog, yf, k1, yf, sl 1, k1, pssso; rep from * to last 4 sts, k1, k2tog, yf, k1.

2nd Row.—Purl.

3rd Row.—K2tog, yf, *k3, yf, sl 1, k2tog, pssso, yf; rep from * to last 2 sts, k2.

4th Row.—Purl.

14,18in or 36,46cm only

Work 4 rows in pattern as given for The Back.

For all 4 sizes ★★★

Continue in pattern until front measures 3[3½:4:4½]in or 8[9:10:11]cm less than back to shoulder ending with a purl row.

Shape Neck

1st Row.—K1, sl 1, k1, pssso, work in pattern to end.

Complete as given for The Left Front from ★★ to end.

The sleeves (Both alike)

Remember to check your tension.

Using No. 2¼mm needles cast on 37[39:43:45] sts and work 9[9:11:11] rows in k1, p1 rib as given for The Back.

Next Row (Increase).—Rib 1[4:4:1], *inc in next st, rib 2[1:1:1]; rep from * to last 3[5:5:2] sts, inc in next st, rib to end. 49[55:61:67] sts.

Change to No. 3¼mm needles and work in st-st, starting knit, until sleeve measures 3½[4½:5:6]in or 9[11:13:15]cm or required length ending with a purl row. Cast off.

Sew up shoulder seams.

The button band

Using No. 2¼mm needles cast on 1 st and with right side of left front or wrong side of right front facing rib across sts on safety pin for front band. 9 sts. Continue in rib until band, **when slightly stretched**, fits up front and round to centre of back neck. Cast off in rib.

Sew band in place stretching evenly and mark positions for 3[4:4:5] buttons, the first to match existing buttonhole in right or left front welt and the top one to be ½in or 1cm below start of neck shaping. Space remainder evenly between.

The buttonhole band

Work as given for Button Band, **at the same time** making buttonholes to match

markers on right side rows as before.

To make up

Press under a dry cloth with a warm iron. Sew band in place and join at centre back. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. **Note:** armhole should measure approximately 3[3½:4:4½]in or 8[9:10:11]cm. Sew up side and sleeve seams. Press seams. Sew on buttons.

ROUND NECK CARDIGAN

The back and sleeves

Remember to check your tension.

Work as given for The Back and Sleeves of V-Neck Cardigan but slip sts of back neck onto a holder at end instead of casting off.

The left front

Remember to check your tension.

Work as given for The Left Front of V-Neck Cardigan to ★.

★★★★ Continue in pattern until front is 15[17:17:19] rows shorter than back to start of shoulder shaping (work 1 row more here for The Right Front), thus ending at front edge.

Shape Neck

1st Row.—Work 2[3:4:4] sts, slip these sts onto a safety pin for neckband, work to end.

Keeping pattern correct dec 1 st at neck edge on next 3 rows then following 2[2:2:3] alt rows. 15[17:19:21] sts remain. Work 7[9:9:9] rows straight. Cast off.

The right front

Remember to check your tension.

Work as given for The Right Front of V-Neck Cardigan to ★★. Complete as given for The Left Front of Round Neck Cardigan from ★★★★★ to end reversing shaping where indicated.

The button band

Using No. 2¼mm needles cast on 1 st and with right side of left front or wrong side of right front facing rib across sts on safety pin for front band. 9 sts. Continue in rib until band, **when slightly stretched**, fits up front to start of neck shaping ending with a wrong side row for left front band or a right side row for right front band. Break yarn and slip sts onto a safety pin for neckband.

Sew band in place stretching evenly and mark position for 4[4:5:5] buttons, the first to match existing buttonhole in right or left front welt and allowing for a 5th[5th:6th:6th] button to be placed ½in or 1cm above sts on safety pin. Space remainder evenly between.

The buttonhole band

Work as given for Button Band, **at the same time** making buttonholes to match

markers on right side rows as before. Sew band in place. Sew up shoulder seams.

The neckband

Slip sts of right front band and right front neck onto a No. 2½mm needle. With right side facing pick up and k13[15:15:17] sts up right front slope, knit across sts at back neck increasing 2 sts evenly, pick up and k13[15:15:17] sts down left front slope, knit across sts on safety pin at left front neck, then rib across sts of left front band. 69[77:81:87] sts. Work 8 rows in k1, p1 rib as given for The Back starting with the 2nd Row, at the same time making buttonhole as before on 4th of these rows. Cast off in rib.


To make up

Press under a dry cloth with a warm iron. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armhole should measure approximately 3[3½:4:4½]in or 8[9:10:11]cm. Sew up side and sleeve seams. Press seams. Sew on buttons.



3
Crochet
matinee
coat

Original yarn used
Sirdar Snuggly 3 ply
Colour 252



To Fit				
12	14	16	18	in
31	36	41	46	cm
Full length (approximately)				
6	7	9	10½	in
15	18	23	26	cm
Sleeve length (approximately)				
3½	4½	5	6	in
9	11	13	15	cm

Sirdar Snuggly 3 ply 50gm balls			
1	2	2	3

1 No. 2.50mm (UK 12—USA C/2)
Crochet Hook or the size required to give the correct tension.
2 Buttons.

CHECK YOUR TENSION

The tension for this design is 14 stitches in width and 8 rows to 2 inches (5cm) over trs.

If you have fewer stitches than this use a thinner hook.

If you have more stitches than this use a thicker hook.

It is essential to work to the stated tension.

The skirt (Worked in one piece to armholes)

Remember to check your tension.

Make 174[206:238:270] ch.

★ **1st Foundation Row.**—Work 1 tr into 6th ch from hook, *miss 2 ch, work 5 tr into next ch, miss 2 ch, 1 tr into next ch, 1 ch, miss 1 ch, 1 tr into next ch; rep from * to end.

2nd Foundation Row.—4 ch (count as 1 tr, 1 ch), miss first st and next ch, 1 tr into next tr, *miss next 2 tr, 5 tr into next tr, miss next 2 tr, 1 tr into next tr, miss next 2 tr, 1 tr into next tr, 1 ch, miss 1 ch, 1 tr into next tr; rep from * to end placing last tr into 4th of 5 ch at beg of previous row.

Commence Pattern

1st Row.—4 ch (count as 1 tr, 1 ch), miss first st and next ch, 1 tr into next tr, *miss next 2 tr, 5 tr into next tr, miss next 2 tr, 1 tr into next tr, 1 ch, 1 tr into next tr; rep from * to end placing last tr into 3rd of 4 ch at beg of previous row. The last row forms the pattern ★. Rep the last row 6[10:13:17] times more.

Divide for Armholes

Next Row.—4 ch, 1 tr into next tr, *miss next 2 tr, 5 tr into next tr, miss next 2 tr, 1 tr into next tr, 1 ch, 1 tr into next tr; rep from * 3[4:5:6] times more, miss next 2 tr, 5 tr into next tr, miss next 2 tr, 1 tr into next tr, turn and complete this side first.

Next Row.—3 ch (count as 1 tr), miss next 2 tr, 5 tr into next tr, work in pattern to end.

Next Row.—Work in pattern to last 5 tr group, miss next 2 tr, 5 tr into next tr, 1 tr into 3rd of 3 ch at beg of previous row.

Work 1[1:3:3] more rows in pattern.

Yoke

Next Row.—3 ch, *1 tr into next tr, (miss 1 tr, 1 tr into next tr) 3 times; rep from * to end. 21[25:29:33] trs.

Next Row.—3 ch, work 1 tr into each tr to end.

Shape Neck

Next Row.—Sl st across 7[8:8:9] sts, 3 ch, (work 1 tr into next st until 2 loops remain on hook, work next tr until 3 loops remain on hook, yo and through all 3 loops on hook, this will now be termed 'tr2tog'), 1 tr into each st to end.

Next Row.—3 ch, work 1 tr into each st to last 2 sts, 'tr2tog'.

Next Row.—3 ch, 'tr2tog', work 1 tr into each st to end. 12[15:19:22] sts remain.

Continuing in trs work 2[2:4:4] rows straight. Fasten off.

Miss 1 ch at division for armholes and rejoin yarn to next tr, 3 ch, (miss 2 tr, 5 tr into next tr, miss 2 tr, 1 tr into next tr, 1 ch, 1 tr into next tr) 10[12:14:16] times, miss 2 tr, 5 tr into next tr, miss 2 tr, 1 tr into next tr, turn and work on these sts for The Back.

Work 3[3:5:5] rows in pattern.

Yoke

Next Row.—3 ch, *(miss 1 tr, 1 tr into next tr) 3 times, 1 tr into next tr; rep from * 9[11:13:15] times more, (miss 1 tr, 1 tr into next tr) 3 times. 44[52:60:68] trs.

Next Row.—3 ch, work 1 tr into each st to end.

Rep the last row 5[5:7:7] times more. Fasten off.

Miss 1 ch at division for armholes and rejoin yarn to next tr, 3 ch, *miss 2 tr, 5 tr into next tr, miss 2 tr, 1 tr into next tr, 1 ch, 1 tr into next tr; rep from * to end.

Next Row.—Work in pattern to last 5 tr group, miss next 2 tr, 5 tr into next tr, 1 tr into 3rd of 3 ch at beg of previous row.

Work 2[2:4:4] rows in pattern.

Yoke

Next Row.—3 ch, *(miss 1 tr, 1 tr into next tr) 3 times, 1 tr into next tr; rep from * to end. 21[25:29:33] trs.

Next Row.—3 ch, work 1 tr into each st to end.

Shape Neck

Next Row.—Work in trs to last 8[9:9:10] sts, 'tr2tog', turn.

Next Row.—3 ch, 'tr2tog', work 1 tr into each st to end.

Next Row.—Work in trs to last 2 sts, 'tr2tog'. 12[15:19:22] sts remain.

Continuing in trs work 2[2:4:4] rows straight. Fasten off.

The sleeves (Both alike)

Remember to check your tension.

Make 54[62:70:78] ch and work as given for The Skirt from ★ to ★.

Rep the last row 7[9:12:14] times more. Fasten off.

Sew up shoulder seams.

The edging

For all 4 sizes

With right side facing, starting at centre back of skirt and working 3 dc into each corner, work 1 row of firm dc (approximately 16 dc to 2in or 5cm) evenly along lower edge of skirt, up right front edge, around neck edge, down left front edge and along lower edge of skirt, sl st to join, **turn**.

Next Row.—1 ch, work in dc to end working 3 dc into each corner and decreasing 4 sts evenly around neck edge, sl st to join, **turn**.

Rep the last row once more.

Work another row as before **at the same time** making one buttonhole at neck edge of right front by working 3 ch in place of 3 dc into corner, and one buttonhole 1in or 3cm below start of yoke by working 2 ch in place of 2 dc. Work 3 more rows as before working 2 dc into lower buttonhole and 5 dc into neck buttonhole on first of these rows. Fasten off.

The sleeve edgings (Both alike)

With right side facing work 36[39:42:45] dc evenly along lower edge of sleeve.

Work 7 more rows in dc. Fasten off.

To make up

Press under a dry cloth with a warm iron. Sew up sleeve seams. Insert sleeves. Press seams. Sew on buttons.

To Fit					
14	16	18	20		in
36	41	46	51		cm
Actual size					
16½	18½	20½	22½		in
42	47	52	57		cm
Full length					
6½	8¼	10	11½		in
17	21	25	29		cm
Sleeve length (adjustable)					
4½	5	6	6½		in
11	13	15	17		cm

Sirdar Snuggly DK Qualities 50gm balls
2 2 2 2

Sirdar Snuggly DK Qualities 100gm balls
1 1 1 1

1 Pair No. 4mm (UK 8—USA 5) and No. 3¼mm (UK 10—USA 3) Knitting Needles or the size required to give the correct tension.

Cable Needle.

3 Buttons.

CHECK YOUR TENSION

The tension for this design is 12 stitches in width and 16 rows to 2 inches (5cm) over reverse st-st.

If you have fewer stitches than this use a thinner needle.


If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.



4 Cabled sweater

Original yarn used
Sirdar Snuggly DK
Colour 216



Cable panel (Worked across 30 sts between markers)

1st Row.—P3, (slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle, this will now be termed 'C4B'), p5, k6, p5, 'C4B', p3.

2nd Row.—K3, p4, k5, p6, k5, p4, k3.

3rd Row.—P2, (slip next st onto cable needle and hold at back of work, k2, then p1 from cable needle, this will now be termed 'T3B'), (slip next 2 sts onto cable needle and hold at front of work, p1, then k2 from cable needle, this will now be termed 'T3F'), p4, k6, p4, 'T3B', 'T3F', p2.

4th Row.—(K2, p2) twice, k4, p6, k4, (p2, k2) twice.

5th Row.—P1, 'T3B', p2, 'T3F', p3, (slip next 3 sts onto cable needle and hold at back of work, k3, then k3 from cable needle), p3, 'T3B', p2, 'T3F', p1.

6th Row.—K1, p2, k4, p2, k3, p6, k3, p2, k4, p2, k1.

7th Row.—'T3B', p4, 'T3F', p2, k6, p2, 'T3B', p4, 'T3F'.

8th Row.—P2, k6, p2, k2, p6, k2, p2, k6, p2.

These 8 rows form the Cable Panel.

The back

Remember to check your tension.

Using No. 3¼mm needles cast on 49[55:61:67] sts.

1st Row (Right Side).—K1, *p1, k1; rep from * to end.

2nd Row.—P1, *k1, p1; rep from * to end.

Rep the last 2 rows 4[4:5:5] times more.

Next Row (Increase).—Rib 16[19:22:25], (inc in next st, work 1 st) 8 times, inc in next st, rib to end. 58[64:70:76] sts.

Change to No. 4mm needles and commence pattern:

Foundation Row.—K14[17:20:23], (make a slip knot in a short length of contrasting yarn and place on right-hand needle, this will now be termed 'slip marker'), k3, p4, k5, p6, k5, p4, k3, 'slip marker', k14[17:20:23].

Slipping marker from one needle to the other on every row until the pattern is established and the marker is no longer required, continue as follows:

1st Row.—P14[17:20:23], work 1st Row of Cable Panel across next 30 sts, p14[17:20:23].

2nd Row.—K14[17:20:23], work 2nd Row of Cable Panel, k14[17:20:23] ★. Keeping the 8 rows of panel correct on sts between markers (throughout), rep the last 2 rows until back measures 4[5¼:7:8½]in or 11[15:17:21]cm, or 2½[2½:3:3]in or 6[6:8:8]cm less than required length to shoulder ending with a wrong side row.

Divide for Opening

Next Row.—Work 25[28:31:34] sts, turn and complete this side first.

★★ Keeping pattern correct (throughout) work straight until back measures 2½[2½:3:3]in or 6[6:8:8]cm from division for opening ending with a wrong side row (work 1 row more here for 2nd side), thus ending at side edge.

Shape Shoulder

Cast off 16[19:21:24] sts at beg of next row. Work 1 row (omit this row for 2nd side). Slip remaining 9[9:10:10] sts onto a holder.

Slip next 8 sts at centre onto a safety pin. With right side facing rejoin yarn to remaining 25[28:31:34] sts and work to end. Complete as given for first side from ★★ to end reversing shaping where indicated.

The front

Remember to check your tension.

Work as given for The Back to ★.

Keeping the 8 rows of panel correct on sts between markers (throughout), rep the last 2 rows until front is 15[15:17:17] rows shorter than back to start of shoulder shaping thus ending with a right side row.

Shape Neck

Next Row.—Work 22[25:28:31] sts, turn and complete this side first.

★★★ Keeping pattern correct (throughout) dec 1 st at neck edge on next 5 rows, then following 1[1:2:2] alt rows. 16[19:21:24] sts remain. Work 8 rows straight (work 1 row less here for 2nd side), thus ending at side edge. Cast off.

Slip next 14 sts at centre onto a holder.

With wrong side facing rejoin yarn to neck edge of remaining 22[25:28:31] sts

and work to end. Complete as given for first side from ★★ to end reversing shaping where indicated.

The sleeves (Both alike)

Remember to check your tension.

Using No. 3¼mm needles cast on 31[33:37:39] sts and work 10[10:12:12] rows in k1, p1 rib as given for The Back. **Next Row** (Increase).—Rib 3[2:2:1], *inc in next st, work 1 st; rep from * to last 4[3:3:2] sts, inc in next st, rib to end. 44[48:54:58] sts.

Change to No. 4mm needles and work in reverse st-st, starting knit, until sleeve measures 4½[5:6:6½]in or 11[13:15:17]cm or required sleeve length ending with a knit row. Cast off.

The button band

For all 4 sizes

Using No. 3¼mm needles cast on 8 sts.

1st Row (Right Side).—*P1, k1; rep from * to end.

Rep the last row until band, **when slightly stretched**, fits up back opening ending with a wrong side row. Break yarn and slip sts onto a safety pin. Sew band to right back edge stretching evenly and mark positions for 2 buttons, the first ¾in or 2cm above cast on sts and allowing for a 3rd to be placed 3 rows above sts on safety pin. Space remaining button halfway between.

The buttonhole band

For all 4 sizes

Using No. 3¼mm needles cast on 1 st and with wrong side facing purl across sts on safety pin at division for opening decreasing 1 st at centre. 8 sts.

1st Row (Right Side).—*K1, p1; rep from * to end.

Complete as given for Button Band but ending with a right side row, **at the same time** making buttonholes to match markers on right side rows as follows: rib 4, yrn, p2tog, rib to end. Leave sts on needle and do not break yarn at end. Sew band in place. Sew up shoulder seams.

The neckband

Continuing on from sts of buttonhole band and with right side facing knit across sts at left back neck decreasing 2 sts evenly, pick up and k14[14:16:16] sts down left front slope, knit across sts at front neck decreasing 3 sts evenly, pick up and k14[14:16:16] sts up right front slope, knit across sts at right back neck decreasing 2 sts evenly and rib across sts of button band. 69[69:75:75] sts.

Work 6 rows in k1, p1 rib as given for The Back starting with the 2nd Row, making buttonhole as before on 2nd of these rows. Cast off in rib.

To make up


Press under a dry cloth with a warm iron. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armhole should measure

approximately 3½[4:4½:4¾]in or 9[10:11:12]cm. Sew up side and sleeve seams. Sew cast on edge of button band in place. Press seams. Sew on buttons.



5
Sweater

Original yarn used
Sirdar Snuggly Lustre DK
Colour 256



To Fit			
16	18	20	in
41	46	51	cm
Actual size			
18	21	23	in
48	53	58	cm
Full length (approximately)			
8¼	10	12	in
21	25	31	cm
Sleeve length (approximately)			
5	6	6½	in
13	15	17	cm
Sirdar Snuggly DK Qualities 50gm balls			
2	2	3	
Sirdar Snuggly DK Qualities 100gm balls			
1	1	2	

1 Pair No. 4mm (UK 8—USA 5) and No. 3¼mm (UK 10—USA 3) Knitting Needles or the size required to give the correct tension.
Cable Needle.
3 Buttons.

CHECK YOUR TENSION

The tension for this design is 12 stitches in width and 16 rows to 2 inches (5cm) over st-st.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.

The back

Remember to check your tension.

Using No. 3¼mm needles cast on 57[63:69] sts.

1st Row (Right Side).—K1, *p1, k1; rep from * to end.

2nd Row.—P1, *k1, p1; rep from * to end.

Rep the last 2 rows 3[3:4] times more.

Change to No. 4mm needles and work in st-st, starting knit, until back measures 3½[4¾:6¼]in or 9[12:16]cm ending with a knit row.

Commence pattern

1st Row.—Knit.

2nd Row.—Purl.

3rd Row.—Purl.

4th Row.—*K2, sl 1 purlwise; rep from * to last 3 sts, k3.

5th Row.—P3, *sl 1 purlwise, p2; rep from * to end.

6th Row.—K2, *(slip next st onto cable needle and hold at front of work, k2, then k1 from cable needle); rep from * to last st, k1.

7th Row.—Purl.

8th Row.—K2, *yf, k2tog, k1; rep from * to last 2 sts, yf, k2tog, k2.

9th Row.—Purl.

10th Row.—K4, *sl 1 purlwise, k2; rep from * to last 2 sts, sl 1 purlwise, k1.

11th Row.—P1, *sl 1 purlwise, p2; rep from * to last 5 sts, sl 1 purlwise, p4.

12th Row.—K2, *(slip next 2 sts onto cable needle and hold at back of work, k1, then k2 from cable needle); rep from * to last st, k1.

Rep these 12 rows once more then 1st, 2nd and 3rd Rows again thus ending with a wrong side row ★.

Divide for Opening

Next Row.—K25[28:31], turn and complete this side first.

★★ Work in st-st, starting purl, until back measures 2¼[3:3½]in or 7[8:9]cm from division for opening ending with a purl row (work 1 row more here for 2nd side).

Shape Shoulder

Cast off 18[21:23] sts at beg of next row. Work 1 row (omit this row for 2nd side). Slip remaining 7[7:8] sts onto a holder.

Slip next 7 sts at centre onto a safety pin. With right side facing rejoin yarn to remaining 25[28:31] sts and knit to end. Complete as given for first side from ★★ to end reversing shaping where indicated.

The front

Remember to check your tension.
Work as given for The Back to ★.
Work in st-st, starting knit, until front is 15[15:17] rows shorter than back to start of shoulder shaping thus ending with a knit row.

Shape Neck

Next Row.—P23[26:29], turn and complete this side first.
★★★ Dec 1 st at neck edge on next 3 rows then following 2[2:3] alt rows. 18[21:23] sts remain. Work 8 rows straight (work 1 row less here for 2nd side), thus ending at side edge. Cast off. Slip next 11 sts at centre onto a holder. With wrong side facing rejoin yarn to neck edge of remaining 23[26:29] sts and purl to end. Complete as given for first side from ★★★ to end reversing shaping where indicated.

The sleeves (Both alike)

Remember to check your tension.
Using No. 3¼mm needles cast on 33[37:39] sts and work 7[7:9] rows in k1, p1 rib as given for The Back.
Next Row (Increase).—Rib 2[5:2], *inc in next st, work 1 st; rep from * to last 3[6:3] sts, inc in next st, rib to end. 48[51:57] sts.
Change to No. 4mm needles and work in st-st, starting knit, until sleeve measures 3[4:4½]in or 8[10:12]cm, or 2in or 5cm less than required finished length ending with a knit row.
Work the 27 rows of pattern as given for The Back. Cast off.

The button band

For all 3 sizes
Using No. 3¼mm needles cast on 9 sts and work in k1, p1 rib as given for The Back until band, **when slightly stretched**, fits up back opening ending with a wrong side row. Break yarn and slip sts onto a safety pin.
Sew band to right side of opening stretching evenly and mark positions for 2 buttons, the first 1in or 3cm above cast on sts and allowing for a 3rd to be placed 5 rows above sts on safety pin. Space remaining button halfway between.

The buttonhole band

For all 3 sizes
Using No. 3¼mm needles and with right side facing rib across sts on safety pin at division for opening increasing 2 sts evenly. 9 sts. Complete as given for Button Band but ending with a right side row, **at the same time** making buttonholes to match markers on right side rows as follows: rib 3, k2tog, yfrn, rib 4. Leave sts on needle and do not break yarn at end.
Sew band in place. Sew up shoulder seams.

The neckband

Continuing on from sts of buttonhole band and with right side facing knit across sts at left back neck, pick up and k14[14:15] sts down left front slope,

knit across sts at front neck, pick up and k14[14:15] sts up right front slope, knit across sts at right back neck and rib across sts of button band. 71[71:75] sts. Work 7 rows in k1, p1 rib as given for The Back starting with the 2nd Row, making buttonhole as before on 4th of these rows. Cast off in rib.

To make up

Press under a dry cloth with a warm iron. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armhole should measure approximately 4[4½:4¾]in or 10[11:12]cm. Sew up side and sleeve seams. Sew cast on edge of button band in place. Press seams. Sew on buttons.



Original yarn used
Sirdar Snuggly 3 ply
Colour 212



To Fit				
14	16	18		in
36	41	46		cm

ANGEL TOP				
Full length (approximately)				
7	8¼	9½		in
18	21	24		cm
Sleeve length (adjustable)				
4½	5	6		in
11	13	15		cm

LEGGINGS

Inside leg seam			
5½	7	8½	in
14	18	22	cm

BONNET

Width round face			
10¼	11	12¼	in
26	28	31	cm

Sirdar Snuggly 3 ply 50gm balls

ANGEL TOP			
1	2	2	
LEGGINGS			
1	1	2	
BONNET, BOOTEES and MITTS			
1	1	1	
WHOLE SET			
3	3	4	

1 Pair No. 3¼mm (UK 10—USA 3) and No. 3mm (UK 11—USA 2) Knitting Needles or the size required to give the correct tension.
3 Buttons for Angel Top.
Waist length of 1in or 3cm wide Elastic for Leggings.
Baby Ribbon for Mitts and Bootees.

CHECK YOUR TENSION

The tension for this design is 16 stitches in width and 20 rows to 2 inches (5cm) over st-st, and over lace pattern.
If you have fewer stitches than this use a thinner needle.
If you have more stitches than this use a thicker needle.
It is essential to work to the stated tension.

ANGEL TOP

The front

Remember to check your tension.
Using No. 3¼mm needles cast on 123[139:155] sts thumb method. Work 4 rows in garter st (every row knit — first row is right side), 4 rows in st-st, starting knit, 4 rows in garter st and 2 rows in st-st, starting knit.
Commence Lace Pattern
1st Row.—K1, k2tog, yf, k5, *yf, sl 1, k2tog, pssso, yf, k5; rep from * to last 3 sts, yf, sl 1, k1, pssso, k1.

2nd and Every Alt Row.—Purl.

3rd Row.—As 1st Row.

5th Row.—K3, *yf, sl 1, k1, pssso, k1, k2tog, yf, k3; rep from * to end.

7th Row.—K1, k2tog, yf, k1, *yf, sl 1, k2tog, pssso, yf, k1; rep from * to last 3 sts, yf, sl 1, k1, pssso, k1.

8th Row.—Purl.

These 8 rows form the pattern. Continue in pattern until work measures approximately 4[4½:5½]in or 10[12:14]cm ending with a 7th Row of pattern.

Next Row (Decrease).—P8, *p2tog; rep from * to last 9 sts, p9. 70[78:86] sts remain.

Commence Yoke Pattern

1st Row.—Knit.

2nd Row.—P2, *k2, p2; rep from * to end.

Rep these 2 rows 9[11:12] times more.

Shape Neck

Next Row.—Work 28[32:35] sts, turn and complete this side first.

★ Keeping pattern correct (throughout) dec 1 st at neck edge on next 5 rows, then on following 2[3:3] alt rows. 21[24:27] sts remain. Work 8 rows straight (work 1 row more here for 2nd side), thus ending at side edge. Cast off in pattern.

Slip next 14[14:16] sts at centre onto a holder. With right side facing rejoin yarn to neck edge of remaining 28[32:35] sts and work to end. Complete as given for first side from ★ to end reversing shaping where indicated.

The left back

Remember to check your tension.

Using No. 3¼mm needles cast on 67[75:83] sts thumb method. Work 4 rows in garter st.

5th Row.—Knit.

6th Row.—Purl to last 8 sts, k8.

Rep the last 2 rows once more, work 4 rows in garter st, then work 5th and 6th Rows once more.

Commence Lace Pattern

1st Row.—K8, work 1st Row of lace pattern as given for The Front to end.

2nd Row.—Purl to last 8 sts, k8.

Keeping the 8 rows of lace pattern correct (throughout), rep the last 2 rows until back measures same as front to dec row ending with a 7th Row of lace pattern.

Next Row (Decrease).—P1, *p2tog; rep from * to last 8 sts, k8. 38[42:46] sts remain.

Commence Yoke Pattern

1st Row.—Knit.

2nd Row.—P2, *k2, p2; rep from * to last 8 sts, k8.

★★ Keeping garter st and yoke pattern correct (throughout), work 37[43:45] rows straight (work 1 row less here for The Right Back), thus ending at side edge.

Shape Shoulder

Next Row.—Cast off 21[24:27] sts, work to end ★★.

Slip remaining 17[18:19] sts onto a holder.

The right back

Remember to check your tension.

Using No. 3¼mm needles cast on 67[75:83] sts thumb method. Work 4 rows in garter st.

5th Row.—Knit.

6th Row.—K8, purl to end.

Rep the last 2 rows once more, work 4 rows in garter st, then work 5th and 6th Rows once more.

Commence Lace Pattern

1st Row.—Work 1st Row of lace pattern as given for The Front to last 8 sts, k8.

2nd Row.—K8, purl to end.

Keeping the 8 rows of lace pattern correct (throughout), rep the last 2 rows until back measures same as front to dec row ending with a 7th Row of pattern.

Next Row (Decrease).—K8, *p2tog; rep from * to last st, p1.

Commence Yoke Pattern

1st Row (Buttonhole).—Knit to last 5 sts, yf, k2tog, k3.

2nd Row.—K8, p2, *k2, p2; rep from * to end.

Work as given for The Left Back from ★★ to ★★, at the same time making buttonhole as before 20[24:24] rows above first buttonhole. Work 1 row. Slip remaining 17[18:19] sts onto a holder.

The sleeves (Both alike)

Remember to check your tension.

Using No. 3mm needles cast on 39[42:45] sts thumb method and work 15[17:19] rows in garter st thus ending with a right side row.

Next Row (Increase).—P2[4:1], *inc in next st, p2[1:1]; rep from * to last 4[6:2] sts, inc in next st, purl to end. 51[59:67] sts.

Change to No. 3¼mm needles and work in lace pattern as given for The Front until sleeve measures approximately 4½[5:6]in or 11[13:15]cm ending with an 8th Row of pattern. Cast off knitwise. Sew up shoulder seams.

The neckband

Using No. 3mm needles and with right side facing knit across sts on holder at left back neck decreasing 2 sts evenly, pick up and k14[16:16] sts down left front slope, knit across sts at front neck decreasing 2 sts evenly, pick up and k14[16:16] sts up right front slope and knit across sts at right back neck decreasing 2 sts evenly. 70[76:80] sts. Work 4 rows in garter st at the same time making buttonhole as before on 2nd of these rows. Cast off knitwise.

To make up

Press under a dry cloth with a warm iron. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeves to side edge of yoke, placing centre at shoulder seam. Sew up side and sleeve seams. Press seams. Sew on buttons.

LEGGINGS

The legs (Both alike)

Remember to check your tension.

Using No. 3mm needles cast on 48[51:55] sts thumb method and work 20[24:26] rows in garter st (every row knit — 1st row is right side).

Next Row (Increase).—K3[1:1], inc in each st to last 3[1:1] sts, knit to end. 90[100:108] sts.

Change to No. 3¼mm needles and work in st-st, starting purl, until leg measures 5½[7:8½]in or 14[18:22]cm, or required length ending with a purl row.

Shape Crutch

Cast off 4[5:5] sts at beg of next 2 rows. Dec 1 st at each end of next 5 rows, then following 2 alt rows. 68[76:84] sts remain. Work straight until piece measures 3½[4½:5]in or 9[11:13]cm measured straight from start of crutch shaping and ending with a purl row.

Change to No. 3mm needles and work 19 rows in garter st. Cast off knitwise.

To make up

Press under a dry cloth with a warm iron. Sew up front and back crutch and inside leg seams. Join elastic into a ring and place inside waistband, work a herringbone st over elastic onto every alt st of garter st, thus enclosing the elastic. Press seams.

BONNET

Remember to check your tension.

Using No. 3¼mm needles cast on 83[91:99] sts thumb method and work 4 rows in garter st (every row knit), then 2 rows in st-st, starting knit. Work in lace pattern as given for The Front of Angel Top until bonnet measures approximately 3½[4½:4½]in or 9[11:11]cm ending with an 8th Row of pattern. Work 4 rows in garter st. Tie a marker at each end of last row.

Shape Back

1st Row.—K8, sl 1, k2tog, pssso, *k13[15:17], sl 1, k2tog, pssso; rep from * to last 8 sts, k8. 73[81:89] sts remain. Purl 1 row.

3rd Row.—K7, sl 1, k2tog, pssso, *k11[13:15], sl 1, k2tog, pssso; rep from * to last 7 sts, k7. 63[71:79] sts remain. Purl 1 row.

5th Row.—K6, sl 1, k2tog, pssso, *k9[11:13], sl 1, k2tog, pssso; rep from * to last 6 sts, k6. 53[61:69] sts remain. Continue to dec 10 sts in this way on every alt row until 13[11:9] sts remain. Break yarn, thread through remaining sts, draw up firmly and fasten off. Sew up back seam to markers.

The neck edging

Using No. 3mm needles and with right side facing pick up and k64[76:76] sts evenly around neck edge. Work 6 rows

in garter st. Cast off knitwise.

To make up

Press under a dry cloth with a warm iron. Using 3 strands of yarn make 2 twisted cords 13in or 33cm long and attach one to each corner of bonnet. Make 2 small pompons and secure to ends of cords as illustrated.

BOOTEES (Both alike)

Remember to check your tension.

Using No. 3¼mm needles cast on 43[51:59] sts thumb method and work 4 rows in garter st, 2 rows in st-st, starting knit, then 4 rows in lace pattern as given for The Front of Angel Top.

Next Row (Decrease).—K3[2:3], *k2tog, k3[2:1]; rep from * to last 5 sts, k2tog, k3. 35[39:41] sts remain.

Work 2 rows in garter st.

Next Row (Eyelets).—P2[2:3], *yrn, p2tog; rep from * to last 1[1:2] sts, purl to end.

Work 2 rows in garter st ★★.

Divide for Instep

1st Row.—K22[25:27], turn.

2nd Row.—P9[11:13], turn.

Work 1½[2:2½]in or 4[5:6]cm in st-st on these 9[11:13] sts ending with a purl row. Break yarn.

With right side facing and starting where the 13[14:14] sts were left on needle, pick up and k13[16:19] sts evenly up side of instep, knit across the 9[11:13] sts of instep, pick up and k13[16:19] sts evenly down other side of instep, then knit across remaining 13[14:14] sts on needle. 61[71:79] sts. Work 5[5:7] rows in st-st, starting purl.

Shape Sole

1st Row.—K2, sl 1, k1, psso, k23[28:32], k2tog, k3, sl 1, k1, psso, k23[28:32], k2tog, k2. 57[67:75] sts remain. Purl 1 row.

3rd Row.—K2, sl 1, k1, psso, k21[26:30], k2tog, k3, sl 1, k1, psso, k21[26:30], k2tog, k2. 53[63:71] sts remain. Continue to dec 4 sts in this way on every alt row until 45[55:63] sts remain. Cast off purlwise.

To make up

Sew up back and foot seams. Thread ribbon through eyelets.

MITTS (Both alike)

Remember to check your tension.

Work as given for Bootees to ★★. Now work in st-st, starting knit, until mitt measures 2[2½:2¾]in or 5[6:7]cm from eyelet row ending with a purl row.

Shape Top

1st Row.—K1, *k2tog, k2; rep from * to last 6[6:4] sts, k2tog, knit to end. 27[30:31] sts remain.

Purl 1 row.

3rd Row.—K1, *k2tog, k1; rep from * to last 5[5:3] sts, k2tog, knit to end. 19[21:21] sts remain.

Purl 1 row.

5th Row.—K1, *k2tog; rep from * to end.

Break yarn, thread through remaining 10[11:11] sts, draw up firmly and fasten off.

To make up

Sew up seam. Thread ribbon through eyelets.



7
Matinee
coat

Original yarn used
Sirdar Snuggly 4 ply
Colour 251



1 Pair No. 3¼mm (UK 10—USA 3) and No. 3mm (UK 11—USA 2) Knitting Needles or the size required to give the correct tension.
3 Buttons.

CHECK YOUR TENSION

The tension for this design is 14 stitches in width and 27 rows to 2 inches (5cm) over garter st.

14 stitches in width and 21 rows to 2 inches (5cm) over pattern.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.

The skirt (Worked in one piece to armholes)

Remember to check your tension.

Using No. 3mm needles cast on 184[212:240:254] sts thumb method and work 6 rows in garter st (every row knit).

Change to No. 3¼mm needles and commence pattern:

1st Row (Right Side).—K10, *k2tog, yf, k5; rep from * to last 13 sts, k2tog, yf, k11.

2nd Row.—K7, p2, *p2tog tbl, yrn, p1, yrn, p2tog, p2; rep from * to last 7 sts, k7.

3rd Row.—K8, *k2tog, yf, k3, yf, sl 1, k1, psso; rep from * to last 8 sts, k8.

4th Row.—K7, purl to last 7 sts, k7.

5th Row.—K8, *yf, sl 1, k1, psso, k5; rep from * to last 8 sts, k8.

6th Row.—K7, *p1, yrn, p2tog, p2, p2tog tbl, yrn; rep from * to last 9 sts, p2, k7.

7th Row.—K10, *yf, sl 1, k1, psso, k2tog, yf, k3; rep from * to last 6 sts, k6.

8th Row.—As 4th Row.

These 8 rows form the pattern and garter st border at each side. Rep these 8 rows until skirt measures approximately 4¼[5½:6¼:7]in or 12[14:16:18]cm, ending with a 4th or 8th Row of pattern.

Next Row (Decrease and Buttonhole).—K3, yf, k2tog, k4[2:4:9], *k2tog; rep from * to last 9[7:9:14] sts, knit to end. 101[113:129:141] sts remain.

Divide for Armholes

Next Row.—K27[30:34:37], turn and work on these sts first for The Left Front.

★ Work 19[23:25:29] rows in garter st (work 1 row more here for The Right Front), thus ending at front edge.

Shape Neck

1st Row.—K8, slip these sts onto a safety pin, knit to end.

Dec 1 st at end of next and every alt row until 14[16:19:21] sts remain. Work 9 rows straight. Cast off.

With wrong side facing rejoin yarn to next st, k47[53:61:67], turn and continue on these sts for The Back.

To Fit				
12	14	16	18	in
31	36	41	46	cm
Full length (approximately)				
7½	8½	10	11	in
19	22	25	28	cm
Sleeve length (approximately)				
3½	4½	5	6	in
9	11	13	15	cm
Sirdar Snuggly 4 ply Qualities 50gm balls				
1	2	2	3	

Work straight until back measures same as front to shoulder ending with a wrong side row.

Shape Shoulders

Cast off 14[16:19:21] sts at beg of next 2 rows. Slip remaining 19[21:23:25] sts onto a holder.

With wrong side facing rejoin yarn to next st and knit to end. Work on these 27[30:34:37] sts for **The Right Front**. Complete to match The Left Front from ★ to end reversing shaping where indicated, **at the same time** making buttonhole 12[14:16:18] rows above previous buttonhole.

The sleeves (Both alike)

Remember to check your tension.

Using No. 3mm needles cast on 34[36:39:43] sts thumb method and work 11 rows in garter st.

Next Row (Increase).—K2[3:2:1], *inc in next st, k6[3:2:2]; rep from * to last 4[5:4:3] sts, inc in each of next 1[1:1:2] sts, knit to end. 39[44:51:58] sts.

Change to No. 3¼mm needles and commence pattern:

1st Row (Right Side).—K4[3:3:3], *k2tog, yf, k5; rep from * to last 7[6:6:6] sts, k2tog, yf, knit to end.

2nd Row.—P3[2:2:2], *p2tog tbl, yrn, p1, yrn, p2tog, p2; rep from * to last 8[7:7:7] sts, p2tog tbl, yrn, p1, yrn, p2tog, purl to end.

3rd Row.—K2[1:1:1], *k2tog, yf, k3, yf, sl 1, k1, psso; rep from * to last 2[1:1:1] sts, knit to end.

4th Row.—Purl.

5th Row.—K2[1:1:1], *yf, sl 1, k1, psso, k5; rep from * to last 2[1:1:1] sts, knit to end.

6th Row.—P2[1:1:1], *yrn, p2tog, p2, p2tog tbl, yrn, p1; rep from * to last 2[1:1:1] sts, purl to end.

7th Row.—K4[3:3:3], *yf, sl 1, k1, psso, k2tog, yf, k3; rep from * to last 7[6:6:6] sts, yf, sl 1, k1, psso, k2tog, yf, knit to end.

8th Row.—Purl.

These 8 rows form the pattern. Continue in pattern until sleeve measures approximately 3½[4½:5:6]in or 9[11:13:15]cm ending with a 4th or 8th Row of pattern. Cast off **loosely** knitwise. Sew up shoulder seams.

The neckband

Slip sts on safety pin at right front neck onto a No. 3mm needle, then with right side facing rejoin yarn and pick up and k10[11:12:13] sts up right front slope, knit across sts at back neck, pick up and k10[11:12:13] sts down left front slope, then knit across sts on safety pin at left front neck. 55[59:63:67] sts.

Work 6 rows in garter st making buttonhole as before on 2nd[2nd:4th:4th] of these rows. Cast off knitwise.


To make up

Press under a dry cloth with a warm iron. Sew up sleeve seams. Insert sleeves. Press seams. Sew on buttons.



8
Shawl

Original yarn used
Sirdar Snuggly 2 Ply
Colour 251



Size (approximately — excluding edging)

36½ x 37 in
93 x 94 cm

Sirdar Snuggly 2 ply 50gm balls
4

1 No. 3¼mm (UK 10—USA 3) Circular Knitting Needle and 1 Pair No. 3¼mm (UK 10—USA 3) Knitting Needles or the size required to give the correct tension.

CHECK YOUR TENSION

The tension for this design is 35 stitches in width and 40 rows to 4 inches (10cm) over main pattern.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.

The main piece

Remember to check your tension.

Using circular needle cast on 325 sts. Turning at end of every row, commence pattern:

1st Row (Right Side).—P1, *yb, sl 1, k1, psso, k3, yfrn, p1, yon, k3, k2tog, p1; rep from * to end.

2nd Row.—K1, *p5, k1; rep from * to end.

Rep the last 2 rows twice more.

7th Row.—P1, *yon, k3, k2tog, p1, yb, sl 1, k1, psso, k3, yfrn, p1; rep from * to end.

8th Row.—As 2nd Row.

9th Row.—P2, yon, k2, k2tog, p1, yb, sl 1, k1, psso, k2, *yfrn, p3, yon, k2, k2tog, p1, yb, sl 1, k1, psso, k2; rep from * to last 2 sts, yfrn, p2.

10th Row.—K2, p4, k1, p4, *k3, p4, k1, p4; rep from * to last 2 sts, k2.

11th Row.—P3, yon, k1, k2tog, p1, yb, sl 1, k1, psso, k1, *yfrn, p5, yon, k1, k2tog, p1, yb, sl 1, k1, psso, k1; rep from * to last 3 sts, yfrn, p3.

12th Row.—K3, p3, k1, p3, *k5, p3, k1, p3; rep from * to last 3 sts, k3.

13th Row.—P4, yon, k2tog, p1, yb, sl 1, k1, psso, *yfrn, p7, yon, k2tog, p1, yb, sl 1, k1, psso; rep from * to last 4 sts, yfrn, p4.

14th Row.—K4, p2, k1, p2, *k7, p2, k1, p2; rep from * to last 4 sts, k4.

15th Row.—As 7th Row.

16th Row.—As 2nd Row.

Rep the last 2 rows twice more.

21st Row.—P1, *yb, sl 1, k1, psso, k3, yfrn, p1, yon, k3, k2tog, p1; rep from * to end.

22nd Row.—As 2nd Row.

23rd Row.—P1, *yb, sl 1, k1, psso, k2, yfrn, p3, yon, k2, k2tog, p1; rep from * to end.

24th Row.—K1, *p4, k3, p4, k1; rep from * to end.

25th Row.—P1, *yb, sl 1, k1, psso, k1, yfrn, p5, yon, k1, k2tog, p1; rep from * to end.

26th Row.—K1, *p3, k5, p3, k1; rep from * to end.

27th Row.—P1, *yb, sl 1, k1, psso, yfrn, p7, yon, k2tog, p1; rep from * to end.

28th Row.—K1, *p2, k7, p2, k1; rep from * to end.

These 28 rows form the pattern.

Continue in pattern until shawl measures approximately 37in or 94cm ending with a 14th Row of pattern. Cast off.

The edging (worked lengthways)

Remember to check your tension.

Using 3¼mm needles cast on 17 sts and commence pattern:

1st Row (Right Side).—K3, yfrn, p2tog, yrn, p2tog, yon, (knit into back of next st, this will now be termed 'KB1'), k2tog, p1, yb, sl 1, k1, psso, 'KB1' yf, k3.

2nd Row.—K3, p3, k1, p3, k2, yfrn, p2tog, yrn, p2tog, k1.

Rep the last 2 rows once more.

5th Row.—K3, yfrn, p2tog, yrn, p2tog, yon, 'KB1', yf, k2tog, p1, yb, sl 1, k1, psso, yf, k4. (18 sts).

6th Row.—K4, p2, k1, p4, k2, yfrn, p2tog, yrn, p2tog, k1.

7th Row.—K3, yfrn, p2tog, yrn, p2tog, yon, 'KB1', k1, 'KB1', yf, sl 1, k2tog, psso, yf, k5. (19 sts).

8th Row.—K5, p7, k2, yfrn, p2tog, yrn, p2tog, k1.

9th Row.—K3, yfrn, p2tog, yrn, p2tog, yon, 'KB1', k3, 'KB1', yf, k7. (21 sts).
10th Row.—Cast off 4 sts (1 st remains on right-hand needle), k2, p7, k2, yfrn, p2tog, yrn, p2tog, k1. (17 sts).
 These 10 rows form the edging pattern. Continue in pattern until edging fits around edge of shawl ending with a 10th Row of pattern and allowing sufficient length to gather at each corner. Cast off.

To make up

Press under a dry cloth with a warm iron. Join edging into a ring. Sew edging around edge of shawl gathering at each corner. Press seams.



9/10
Cardigans

Original yarn used
Sirdar Snuggly DK
Colours 251 and 213



To Fit	12	14	16	18	in
	31	36	41	46	cm
Actual size	14	16	18	20	in
	36	41	46	51	cm
Full length	5	6½	8½	10	in
	13	17	21	25	cm
Sleeve length (adjustable)	3	4	4½	5½	in
	8	10	12	14	cm

Sirdar Snuggly DK Qualities 50gm balls
1 2 2 2

Sirdar Snuggly DK Qualities 100gm balls
1 1 1 1

1 Pair No. 4mm (UK 8—USA 5) and No. 3¼mm (UK 10—USA 3) Knitting Needles or the size required to give the correct tension.

Cable Needle.

3[3:4:4] Buttons for V-Neck Cardigan.

4[5:6:6] Buttons for Round Neck Cardigan.

CHECK YOUR TENSION

The tension for this design is 12 stitches in width and 16 rows to 2 inches (5cm) over reverse st-st.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.

V-NECK CARDIGAN

The back

Remember to check your tension.

Using No. 3¼mm needles cast on 43[49:55:61] sts.

1st Row (Right Side).—K1, *p1, k1; rep from * to end.

2nd Row.—P1, *k1, p1; rep from * to end.

Rep the last 2 rows 3[3:4:4] times more.

Change to No. 4mm needles and work in reverse st-st, starting purl, until back measures 2¼[4:4¼:6]in or 7[10:12:15]cm, or required length to armholes ending with a knit row.

Shape Raglan Armholes

Cast off 3 sts at beg of next 2 rows.

3rd Row.—K1, sl 1, k1, pssso, purl to last 3 sts, k2tog, k1.

4th Row.—P2, knit to last 2 sts, p2. Rep the last 2 rows until 23[25:27:29] sts remain ending with the wrong side row.

Next Row.—K1, sl 1, k2tog, pssso, purl to last 4 sts, k3tog, k1.

Next Row.—P2, knit to last 2 sts, p2. Rep the last 2 rows once more. Cast off remaining 15[17:19:21] sts.

The sleeves (Both alike)

Remember to check your tension.

Using No. 3¼mm needles cast on 29[31:35:37] sts and work 7[7:9:9] rows in k1, p1 rib as given for The Back.

Next Row (Increase).—Rib 3[1:3:1], *inc in next st, rib 2; rep from * to last 5[3:5:3] sts, inc in next st, rib to end. 37[41:45:49] sts.

Change to No. 4mm needles and work in reverse st-st, starting purl, until sleeve measures 3[4:4¼:5½]in or 8[10:12:14]cm or required length, ending with a knit row.

Shape Raglan Top

Cast off 3 sts at beg of next 2 rows.

3rd Row.—K1, sl 1, k1, pssso, purl to last 3 sts, k2tog, k1.

4th Row.—P2, knit to last 2 sts, p2. Rep the last 2 rows until 19 sts remain ending with the wrong side row.

Next Row.—K1, sl 1, k2tog, pssso, purl to last 4 sts, k3tog, k1.

Next Row.—P2, knit to last 2 sts, p2. Rep the last 2 rows twice more. Cast off remaining 7 sts.

The left front

Remember to check your tension.

Using No. 3¼mm needles cast on 25[29:31:35] sts and work 2[2:4:4] rows in k1, p1 rib as given for The Back.

Boy's Front only

Next Row (Buttonhole).—Rib to last 4 sts, yf, k2tog, rib to end.

Boy's and Girl's Front Continue in rib until 7[7:9:9] rows have been worked from beg, thus ending with a right side row.

Next Row.—Rib 7, slip these sts onto a safety pin, rib 1[3:1:1], *inc in next st, rib 2[2:3:4]; rep from * to last 2[4:3:2] sts, inc in next st, rib to end. 24[28:30:34] sts.

Change to No. 4mm needles and commence pattern:

1st Row.—P1[3:4:6], (knit into back of 2nd st on left-hand needle, then knit first st in usual way slipping both sts off needle together), p1, (slip next 2 sts onto cable needle and hold at back of work, k1, then k2 from cable needle), p1, (slip next 2 sts onto cable needle and hold at front of work, k2, then k2 from cable needle), (slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle), p1, (slip next st onto cable needle and hold at front of work, k2, then k1 from cable needle), p1, (knit into front of 2nd st on left-hand needle, then knit first st slipping both sts off needle together), p1[3:4:6].

2nd Row.—K1[3:4:6], p2, k1, p3, k1, p8, k1, p3, k1, p2, k1[3:4:6].

3rd Row.—P1[3:4:6], k2, p1, k3, p1, k8, p1, k3, p1, k2, p1[3:4:6].

4th Row.—As 2nd Row.

These 4 rows form the pattern ★. Continue in pattern until front is 4 rows shorter than back to start of armhole shaping, thus ending with a wrong side row.

Shape Neck

1st Row.—Work in pattern to last 3 sts, p2tog, p1.

2nd Row.—K2, work to end. Rep the last 2 rows once more.

Shape Raglan Armhole

Next Row.—Cast off 3 sts, work to last 2 sts, p2.

Next Row.—K2, work to last 2 sts, p2.

Next Row.—K1, sl 1, k1, pssso (1 st decreased at raglan edge), work to last 3 sts, p2tog, p1.

★★ Continue to dec 1 st at raglan edge as before on every alt row **at the same time** dec 1 st at neck edge as before on every following 4th row 1[2:3:4] times. 14[15:14:15] sts remain ★★.

Next Row.—K2, work to last 2 sts, p2.

Next Row.—K1, sl 1, k2tog, pssso (2 sts decreased at raglan edge), work to last 2 sts, p2.

Next Row.—K2, work to last 2 sts, p2.

Next Row.—K1, sl 1, k2tog, pssso, work to last 3 sts, p2tog, p1.

14, 18in or 36, 46cm only

Rep the last 4 rows once more.

For all 4 sizes

9[5:9:5] sts remain. Keeping neck edge straight continue to dec 2 sts at raglan edge only until 3 sts remain. Dec 1 st at neck edge only on following alt row. Cast off.

The right front

Remember to check your tension.

Using No. 3¼mm needles cast on 25[29:31:35] sts and work 2[2:4:4] rows in k1, p1 rib as given for The Back.

Girl's Front only

Next Row (Buttonhole).—Rib 3, yf, k2tog, rib to end.

Girl's and Boy's Front Continue in rib until 7[7:9:9] rows have been worked from beg, thus ending with a right side row.

Next Row.—Rib 1[3:2:1], *inc in next st, rib 2[2:3:4]; rep from * to last 9[11:9:9] sts, inc in next st, rib 1[3:1:1], turn and slip remaining 7 sts onto a safety pin. 24[28:30:34] sts ★★.

Change to No. 4mm needles and work in pattern as given for The Left Front until front is 4 rows shorter than back to start of raglan shaping thus ending with a wrong side row.

Shape Neck

1st Row.—P1, p2tog, work in pattern to end.

2nd Row.—Work to last 2 sts, k2.

Rep the last 2 rows once more.

Next Row.—P2, work to end.

Shape Raglan Armhole

Next Row.—Cast off 3 sts, work to last 2 sts, k2.

Next Row.—P1, p2tog, work to last 3 sts, k2tog, k1.

Next Row.—P2, work to last 2 sts, k2.

Work as given for The Left Front from ★★ to ★★.

Next Row.—P2, work to last 2 sts, k2.

Next Row.—P2, work to last 4 sts, k3tog, k1 (2 sts decreased at raglan edge).

Next Row.—P2, work to last 2 sts, k2.

Next Row.—P1, p2tog, work to last 4 sts, k3tog, k1.

14, 18in or 36, 46cm only

Rep the last 4 rows once more.

For all 4 sizes

9[5:9:5] sts remain. Keeping neck edge straight continue to dec 2 sts at raglan edge only until 3 sts remain. Dec 1 st at

neck edge only on following alt row.

Cast off.

Sew up raglan seams.

The button band

Using No. 3¼mm needles cast on 1 st and with right side of left front or wrong side of right front facing rib across sts on safety pin for front band. 8 sts. Continue in rib until band, **when slightly stretched**, fits up front, across sleeve top and round to centre of back neck. Cast off in rib.

Sew band in place stretching evenly and mark positions for 3[3:4:4] buttons, the first to match existing buttonhole in right or left front welt and the top one to be ½in or 1cm below start of neck shaping. Space remainder evenly between.

The buttonhole band

Work as given for Button Band, **at the same time** making buttonholes to match markers on right side rows as before.

To make up

Press under a dry cloth with a warm iron. Sew band in place and join at centre back. Sew up side and sleeve seams. Press seams. Sew on buttons.

ROUND NECK CARDIGAN

The back and sleeves

Remember to check your tension.

Work as given for The Back and Sleeves of V-Neck Cardigan but slip sts onto a holder at end instead of casting off.

The left front

Remember to check your tension.

Work as given for The Left Front of V-Neck Cardigan to ★. Continue in pattern until front measures same as back to start of raglan shaping ending with a wrong side row.

Shape Raglan Armhole

Next Row.—Cast off 3 sts, work in pattern to end.

Next Row.—Work to last 2 sts, p2.

Next Row.—K1, sl 1, k1, pssso, work to end.

Rep the last 2 rows until 18[20:20:22] sts remain.

Next Row.—Work to last 2 sts, p2.

Next Row.—K1, sl 1, k2tog, pssso, work to end. (2 sts decreased at raglan edge).

12in or 31cm only

Rep the last 2 rows once more.

For all 4 sizes

14[18:18:20] sts remain.

Shape Neck

Next Row.—Work 2[3:3:5] sts, slip these sts onto a safety pin, work to end.

Continue to dec 2 sts at raglan edge as before on next and every alt row **at the same time** dec 1 st at neck edge on next

3 rows. 5[8:8:8] sts remain. Work 1 row straight.

14, 16, 18in or 36, 41, 46cm only

Next Row.—K1, sl 1, k2tog, pssso, work 2 sts, work 2tog.

Work 1 row straight.

For all 4 sizes

Next Row.—K1, sl 1, k2tog, pssso, k1. 3 sts remain.

Dec 1 st at neck edge only on following alt row. Cast off.

The right front

Remember to check your tension.

Work as given for The Right Front of V-Neck Cardigan to ★★.

Change to No. 4mm needles and work in pattern as given for The Left Front of V-Neck Cardigan until front measures same as back to start of raglan shaping ending with a right side row.

Shape Raglan Armhole

Next Row.—Cast off 3 sts, work in pattern to end.

Next Row.—Work to last 3 sts, k2tog, k1.

Next Row.—P2, work to end.

Rep the last 2 rows until 18[20:20:22] sts remain ending with the wrong side row.

Next Row.—Work to last 4 sts, k3tog, k1.

Next Row.—P2, work to end.

12in or 31cm only

Rep the last 2 rows once more.

For all 4 sizes

14[18:18:20] sts remain.

Shape Neck

Next Row.—Work 2[3:3:5] sts, slip these sts onto a safety pin, work to last 4 sts, k3tog, k1. (2 sts decreased at raglan edge).

Continue to dec 2 sts at raglan edge as before on every alt row, **at the same time** dec 1 st at neck edge on next 3 rows. 5[8:8:8] sts remain.

14, 16, 18in or 36, 41, 46cm only

Dec 2 sts at raglan edge on next row then 1 st at neck edge on following row.

For all 4 sizes

Next Row.—K1, k3tog, k1. 3 sts remain.

Dec 1 st at neck edge only on following alt row. Cast off.

The button band

Using No. 3¼mm needles cast on 1 st and with right side of left front or wrong side of right front facing rib across sts on safety pin for front band. 8 sts. Continue in rib until band, **when slightly stretched**, fits up front to start of neck shaping ending with a wrong side row for left front band or a right side row for right front band. Break yarn and slip sts onto a safety pin for neckband.

Sew band in place stretching evenly and mark positions for 3[4:5:5] buttons, the first to match existing buttonhole in right or left front welt and allowing for a 4th[5th:6th:6th] to be placed ½in or 1cm above sts on safety pin. Space remainder evenly between.

The buttonhole band

Work as given for Button Band, at the same time making buttonholes to match markers on right side rows as before. Sew band in place. Sew up raglan seams.

The neckband

Slip sts of right front band and right front neck onto a No. 3¼mm needle. With right side facing rejoin yarn and pick up and k7[9:9:9] sts up right front slope, knit across sts at one sleeve top, back neck and second sleeve top, pick up and k7[9:9:9] sts down left front slope, knit across sts on safety pin at left front neck, then rib across sts of left front band. 63[71:73:79] sts.

Work 5 rows in k1, p1 rib as given for The Back starting with the 2nd Row, at the same time making buttonhole as before on 2nd of these rows. Cast off in rib.

To make up

Press under a dry cloth with a warm iron. Sew up side and sleeve seams. Press seams. Sew on buttons.



11
Matinee
coat

Original yarn used
Sirdar Snuggly Lustre DK
Colour 251



To Fit				
12	14	16	18	in
31	36	41	46	cm
Actual size at chest				
13½	15½	17½	19½	in
34	39	44	50	cm
Full length (approximately)				
7	8½	10¼	12	in
18	22	26	30	cm
Sleeve length (adjustable)				
3½	4½	5	6	in
9	11	13	15	cm

Sirdar Snuggly DK Qualities 50gm balls
2 2 3 3

Sirdar Snuggly DK Qualities 100gm balls
1 1 2 2

1 Pair No. 4mm (UK 8—USA 5) and No. 3¼mm (UK 9—USA 4) Knitting Needles or the size required to give the correct tension.

3 Buttons.

Shirring Elastic if required.

CHECK YOUR TENSION

The tension for this design is 12 stitches in width and 16 rows to 2 inches (5cm) over st-st.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.

The skirt (Worked in one piece to armholes)

Remember to check your tension.

Using No. 3¼mm needles cast on 152[172:192:212] sts thumb method and work 6 rows in garter st (every row knit — first row is right side).

Change to No. 4mm needles and commence pattern:

1st Row.—Knit.

2nd Row.—K5, p5, yrn, *p4, yrn; rep from * to last 6 sts, p1, k5.

3rd Row.—K6, *drop extra loop of previous row, yf, sl 1, k3, psso; rep from * to last 6 sts, k6.

4th Row.—K5, purl to last 5 sts, k5. These 4 rows form the pattern and garter st border at each side. Rep these 4 rows 2[3:3:4] times more. Work 4 rows in garter st.

Next Row.—Knit.

Next Row.—K5, purl to last 5 sts, k5. Rep the last 2 rows until skirt measures 4½[5½:6½:8]in or 11[14:17:20]cm ending with a wrong side row.

Next Row (Decrease and Buttonhole).—K2, yf, k2tog, k2[3:4:5], *(k2tog) 4 times, k1; rep from * to last 11[12:13:14] sts, (k2tog) 3 times, knit to end. 89[101:113:125] sts remain.

Work 3 rows in garter st.

Divide for Armholes

Next Row.—K20[23:25:28], cast off next 7[7:9:9] sts, knit until there are 35[41:45:51] sts on right-hand needle after casting off, cast off next 7[7:9:9] sts, knit to end.

Work on these 20[23:25:28] sts for **The Left Front.**

Keeping garter st border correct and remaining sts in st-st, work 6[8:10:12] rows straight.

Shape Neck

Next Row.—K5, p2[3:3:4], slip these 7[8:8:9] sts onto a safety pin, purl to end.

★ Dec 1 st at neck edge on next 3 rows, then on following alt row once. 9[11:13:15] sts remain. Work 7[7:9:9] rows straight, thus ending at armhole edge. Cast off.

With wrong side facing rejoin yarn to next st, p35[41:45:51] sts, turn and work on these sts for **The Back.**

Work 18[20:24:26] rows in st-st, starting knit. Cast off 9[11:13:15] sts at beg of next 2 rows. Slip remaining 17[19:19:21] sts onto a holder.

Keeping garter st border correct and remaining sts in st-st, work 6[8:10:12] rows straight at the same time making a buttonhole as before on 3rd[5th:5th:7th] of these rows.

Shape Neck

Next Row.—K7[8:8:9], slip these sts onto a safety pin, knit to end.

Complete as given for The Left Front from ★ to end.

The sleeves (Both alike)

Remember to check your tension.

Using No. 3¼mm needles cast on 26[29:31:34] sts thumb method and work 10[10:12:12] rows in garter st.

Next Row (Increase).—K1[2:1:4], *inc in next st, k10[5:3:2]; rep from * to last 3[3:2:6] sts, inc in next st, knit to end. 29[34:39:43] sts.

Change to No. 4mm needles and work in st-st, starting purl, until sleeve measures 3½[4½:5:6]in or 9[11:13:15]cm ending with a knit row. Tie a marker at each end of last row to mark end of sleeve seam. Work 5[5:7:7] more rows in st-st. Cast off.

Sew up shoulder seams.

The neckband

Slip sts on safety pin at right front neck onto a No. 3¼mm needle, then with right side facing rejoin yarn and pick up and k12[12:14:14] sts up right front slope, knit across sts at back neck, pick up and k12[12:14:14] sts down left front slope, then knit across sts at left front neck. 55[59:63:67] sts. Work 6 rows in garter st, at the same time making a buttonhole as before on 4th of these rows. Cast off knitwise.

To make up

Press under a dry cloth with a warm iron. Sew up sleeve seams to markers. Insert sleeves. Press seams. Sew on buttons. Thread shirring elastic through garter st at top of skirt if required.



12
Cabled
angel top

Original yarn used
Sirdar Snuggly QK
Colour 252



To Fit			
14	16	18	in
36	41	46	cm
Full length (approximately)			
10	11½	12½	in
25	29	32	cm
Sleeve length (adjustable)			
4½	5	6	in
11	13	15	cm

Sirdar Snuggly QK 50gm balls
2 2 3

1 Pair No. 4mm (UK 8—USA 5) and No. 3½mm (UK 9—USA 4) Knitting Needles or the size required to give the correct tension.
3 Buttons.
Cable Needle.

CHECK YOUR TENSION

The tension for this design is
13 stitches in width and 16 rows to
2 inches (5cm) over st-st.

If you have fewer stitches than this
use a thinner needle.

If you have more stitches than this
use a thicker needle.

It is essential to work to the stated
tension.

The sleeves (Both alike)

Remember to check your tension.

Using No. 3½mm needles cast on 31[34:37] sts thumb method and work 7 rows in garter st (every row knit — first row is right side).

Next Row (Increase).—K2[2:4], *inc in next st, k4[3:2]; rep from * to last 4[4:6] sts, inc in next st, knit to end. 37[42:47] sts.

Change to No. 4mm needles and work in reverse st-st, starting purl, until sleeve measures 4½[5:6]in or 11[13:15]cm or required length ending with a knit row. Cast off.

The front

Remember to check your tension.

Using No. 3½mm needles cast on 92[108:120] sts thumb method and work 6 rows in garter st (first row is right side).

Next Row (Increase).—K6[8:8], inc in each of next 2 sts, *k11[13:15], inc in each of next 2 sts; rep from * 5 times more, k6[8:8]. 106[122:134] sts.

Change to No. 4mm needles and commence pattern:

1st Row.—K6[8:8], p4, *k11[13:15], p4; rep from * 5 times more, k6[8:8].

2nd Row.—P6[8:8], (slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle, this will now be termed 'C4B'), *p11[13:15], 'C4B'; rep from * 5 times more, p6[8:8].

3rd Row.—As 1st Row.

4th Row.—P6[8:8], k4, *p11[13:15], k4; rep from * 5 times more, p6[8:8].

These 4 rows form the pattern. Rep these 4 rows once more, then 1st Row again.

10th Row (Decrease).—P2tog, p4[6:6], 'C4B', *p5[6:7], p2tog, p4[5:6], 'C4B'; rep from * 5 times more, p4[6:6], p2tog. 98[114:126] sts remain.

Keeping cables correct work 7 rows straight.

18th Row (Decrease).—P5[7:7], 'C4B', *p4[5:6], p2tog, p4[5:6], 'C4B'; rep from * 5 times more, p5[7:7]. 92[108:120] sts remain.

Keeping cables correct work 7 rows straight.

26th Row (Decrease).—P2tog, p3[5:5], 'C4B', *p4[5:6], p2tog, p3[4:5], 'C4B'; rep from * 5 times more, p3[5:5], p2tog. 84[100:112] sts remain.

Keeping cables correct work 7 rows straight.

34th Row (Decrease).—P4[6:6], 'C4B', *p3[4:5], p2tog, p3[4:5], 'C4B'; rep from * 5 times more, p4[6:6]. 78[94:106] sts remain.

Keeping cables correct work 7 rows straight.

42nd Row (Decrease).—P2tog, p2[4:4], 'C4B', *p3[4:5], p2tog, p2[3:4], 'C4B'; rep from * 5 times more, p2[4:4], p2tog. 70[86:98] sts remain.

Keeping cables correct work 7 rows straight.

50th Row (Decrease).—P3[5:5], 'C4B', *p2[3:4], p2tog, p2[3:4], 'C4B'; rep from * 5 times more, p3[5:5]. 64[80:92] sts remain.

16, 18in or 41, 46cm only

Keeping cables correct work 7 rows straight.

58th Row.—P2tog, p[3:3], 'C4B', *p[3:4], p2tog, p[2:3], 'C4B'; rep from * 5 times more, p[3:3], p2tog.

18in or 46cm only

Keeping cables correct work 7 rows straight.

66th Row (Decrease).—P4, 'C4B', *p3, p2tog, p3, 'C4B'; rep from * 5 times more, p4.

For all 3 sizes

64[72:78] sts remain. Work 1 row straight. Tie a marker at each end of last row to mark end of side seams ★. Keeping cables correct (throughout), work 7[11:13] rows straight, thus ending with a right side row.

Shape Neck

Next Row.—Work 25[28:31] sts, turn and complete this side first.

★★ Dec 1 st at neck edge on next 5[5:6] rows. 20[23:25] sts remain. Work 10[10:11] rows straight (work 1 row less here for 2nd side), thus ending at side edge. Cast off.

Slip next 14[16:16] sts at centre onto a holder. With wrong side facing rejoin yarn to remaining 25[28:31] sts and work to end. Complete as given for first side from ★★ to end reversing shaping where indicated.

The back

Work as given for The Front to ★.

Divide for Opening

1st Row.—Work 28[32:35] sts in pattern, k2, (k2tog) twice, k2, turn and complete this side first. 34[38:41] sts.

2nd Row.—K6, work in pattern to end.

3rd Row.—Work in pattern to last 6 sts, k6.

Keeping garter st border and pattern correct (throughout), work 3 more rows.

Next Row (Buttonhole).—Work to last 6 sts, k2, yf, k2tog, k2.

Work 15[19:23] more rows, thus ending with a wrong side row, at the same time making a buttonhole as before on 10th[12th:14th] of these rows.

Next Row.—Cast off 20[23:25] sts and slip remaining 14[15:16] sts onto a holder.

Cast on 6 sts, knit these sts, then with right side facing work in pattern across remaining 28[32:35] sts. 34[38:41] sts.

2nd Row.—Work in pattern to last 6 sts, k6.

3rd Row.—K6, work to end.

Keeping garter st border and pattern correct work 18[22:26] rows straight, thus ending with a right side row.

Next Row.—Cast off 20[23:25] sts, work to last 6 sts, k6.

Do not break yarn.

Sew up shoulder seams.

The neckband

Using No. 3½mm needles and with right side facing knit across sts at left back neck decreasing 2 sts over cable, pick up and k11[11:13] sts down left front slope, knit across sts at front neck decreasing 2 sts over centre cable, pick up and k11[11:13] sts up right front slope, then knit across sts at right back neck decreasing 2 sts over cable. 58[62:68] sts.

Work 6 rows in garter st making a buttonhole as before on 4th of these rows. Cast off knitwise.


To make up

Press under a dry cloth with a warm iron. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeves to side edge between markers and placing centre at shoulder seam. Sew cast on sts of button band in place. Sew up side and sleeve seams. Press seams. Sew on buttons.



13
Crochet
sweater

Original yarn used
Sirdar Snuggly 4 Ply
Colour 212



To Fit

16	18	20	in
41	53	51	cm

Actual size

18½	21	23	in
47	53	58	cm

Full length

8¾	10	12	in
21	25	30	cm

Sleeve length (adjustable)

5	6	6½	in
13	15	17	cm

Sirdar Snuggly 4 ply Qualities 50gm balls
2 2 3

1 No. 3.00mm (UK 10—USA D/3)
Crochet Hook or size required to give the correct tension.

1 Pair No. 2¾mm (UK 12—USA 1)

Knitting Needles.

2 Buttons.

CHECK YOUR TENSION

The tension for this design is
15 stitches in width and 6 rows to 2
inches (5cm) over pattern.

If you have fewer stitches than this
use a thinner hook.

If you have more stitches than this
use a thicker hook.

It is essential to work to the stated
tension.

The back

Remember to check your tension.

Make 73[83:91] ch.

Foundation Row (Right Side).—Work 1 tr into 4th ch from hook, 1 tr into each of next 3[3:2] ch, *miss 2 ch, 1 tr into each of next 4 ch, 2 ch, 1 tr into each of next 4 ch; rep from * to last 6[6:5] ch, miss 2 ch, 1 tr into each of next 3[3:2] ch, 2 tr into last ch, turn.

Commence Pattern

1st Row.—3 ch (count as 1 tr), 1 tr into first tr, 1 tr into each of next 3[3:2] tr, *miss 2 tr, 1 tr into each of next 3 tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, 1 tr into each of next 3 tr; rep from * to last 6[6:5] sts, miss 2 tr, 1 tr into each of next 3[3:2] tr, 2 tr into top of 3 ch, turn. Rep the last row for pattern. Continue in pattern until back measures 7¼[9:10½]in or 18[22:26]cm, or 1[1:1½]in or 3[3:4]cm less than required length to shoulder ending with a wrong side row. Fasten off.

The front

Remember to check your tension.

Work as given for The Back until front is 6 rows shorter than back thus ending with a wrong side row.

Shape Neck

16,20in or 41,51cm only

1st Row.—3 ch, 1 tr into first tr, 1 tr

into each of next 3[2] tr, *miss 2 tr, 1 tr into each of next 3 tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, 1 tr into each of next 3 tr; rep from * 1[2] times more, miss 2 tr, 1 tr into next tr, (work 1 tr into next tr until 2 loops remain on hook, 1 tr into next tr until 3 loops remain on hook, yo and through all 3 loops, this will now be termed 'tr2tog'), turn.

2nd Row.—3 ch (count as 1 tr), miss first 3 sts, 'tr2tog', 1 tr into next tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, work in pattern to end.

3rd Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into 2-ch space, (work 1 tr into next tr until 2 loops remain on hook, 1 tr into next tr until 3 loops remain on hook, 1 tr into next tr until 4 loops remain on hook, yo and through all 4 loops, this will now be termed 'tr3tog'), turn.

4th Row.—3 ch, work (1 tr, 1 ch, 1 tr) into 2-ch sp, 1 tr into each of next 3 tr, work in pattern to end.

5th Row.—Work in pattern to last 2-ch sp, 1 tr into sp, 1 ch, 1 tr into top of 3 ch.

6th Row.—4 ch, 1 tr into ch-sp, 1 tr into each of next 3 tr, work in pattern to end. 21[30] sts remain. Fasten off.

Miss next 12 sts at centre. With right side facing rejoin yarn to next tr and work as follows:

1st Row.—3 ch, 'tr2tog', miss next 2 tr, 1 tr into each of next 3 tr, work in pattern to end.

2nd Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into 2-ch sp, 1 tr into next tr, 'tr2tog', work 1 tr into top of 3 ch, turn.

3rd Row.—3 ch, 'tr3tog', work (1 tr, 2 ch, 1 tr) into 2-ch sp, work in pattern to end.

4th Row.—Work in pattern to last 2-ch sp, work (1 tr, 1 ch, 1 tr) into 2-ch sp, 'tr2tog' by inserting hook into next tr and top of 3 ch, turn.

5th Row.—4 ch, 1 tr into 2-ch sp, 1 tr into each of next 3 tr, work in pattern to end.

6th Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into sp, 1 tr into each of next 3 tr, miss 2 tr, 1 tr into each of next 3 tr, 1 tr into next ch, 1 ch, 1 tr into 3rd of 4 ch. 21[30] sts remain. Fasten off.

18in or 46cm only

1st Row.—3 ch, 1 tr into first tr, 1 tr into each of next 3 tr, miss 2 tr, 1 tr into each of next 3 tr, *work (1 tr, 2 ch, 1 tr) into 2-ch sp, 1 tr into each of next 3 tr, miss 2 tr, 1 tr into each of next 3 tr; rep from * once more, (1 tr into next 2-ch sp until 2 loops remain on hook, 1 tr into next tr until 3 loops remain on hook, yo and through all 3 loops, this will now be termed 'tr2tog'), turn.

2nd Row.—3 ch, miss first st, 'tr2tog', miss 2 tr, 1 tr into each of next 3 tr, work in pattern to end.

3rd Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into sp, 1 tr into each of next 3 tr, 1 tr into top of 3 ch, turn.

4th Row.—3 ch, miss first 2 sts, 'tr2tog', 1 tr into next tr, work (1 tr, 2

ch, 1 tr) into 2-ch sp, work in pattern to end.

5th Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into sp, 1 tr into next tr, 'tr2tog' by inserting hook into next tr and top of 3 ch, turn.

6th Row.—3 ch, miss first st, 1 tr into each of next 2 tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, work in pattern to end. 25 sts remain. Fasten off.

Miss next 16 sts at centre. With right side facing rejoin yarn to next tr and work as follows:

1st Row.—3 ch, 1 tr into 2-ch sp, 1 tr into each of next 3 tr, miss 2 tr, work in pattern to end.

2nd Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into sp, 1 tr into each of next 3 tr, miss 2 tr, 1 tr into next tr, 'tr2tog' by inserting hook into next tr and top of 3 ch, turn.

3rd Row.—3 ch, miss first 3 sts, 1 tr into each of next 3 tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, work in pattern to end.

4th Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into sp, 1 tr into each of next 2 tr, 'tr2tog' by inserting hook into next tr and top of 3 ch, turn.

5th Row.—3 ch, miss first st, 'tr2tog', 1 tr into next tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, work in pattern to end.

6th Row.—Work in pattern to last 2-ch sp, work (1 tr, 2 ch, 1 tr) into sp, 1 tr into each of next 2 tr, 1 tr into top of 3 ch. 25 sts remain. Fasten off.

The sleeves (Both alike)

Remember to check your tension.

Make 63[69:75] ch.

Foundation Row (Right Side).—Work 1 tr into 4th ch from hook, 1 tr into each of next 3[1:4] ch, *miss 2 ch, 1 tr into each of next 4 ch, 2 ch, 1 tr into each of next 4 ch; rep from * to last 6[4:7] ch, miss 2 ch, 1 tr into each of next 3[1:4] ch, 2 tr into last ch, turn.

Commence Pattern

1st Row.—3 ch (count as 1 tr), 1 tr into first tr, 1 tr into each of next 3[1:4] tr, *miss 2 tr, 1 tr into each of next 3 tr, work (1 tr, 2 ch, 1 tr) into 2-ch sp, 1 tr into each of next 3 tr; rep from * to last 6[4:7] tr, miss 2 tr, 1 tr into each of next 3[1:4] tr, 2 tr into top of 3 ch, turn. Rep the last row for pattern. Continue in pattern until sleeve measures 4[4½:5]in or 10[12:13]cm, or 1[1¼:1½]in or 3[3:5:4]cm less than required length ending with a wrong side row. Fasten off.

Sew up left shoulder seam.

The neckband

Using No. 2¾mm needles and with right side facing pick up and k25[27:29] sts across back neck, 15 sts down left front slope, 12 sts across front neck and 15 sts up right front slope. 67[69:71] sts.

1st Row.—P1, *k1, p1; rep from * to end.

2nd Row.—K1, *p1, k1; rep from * to end.

Rep the last 2 rows 3 times more. Cast off in rib.

The back and front welts

(Both alike)

Using No. 2¾mm needles and with right side facing pick up and k69[79:87] sts along lower edge of back or front. Work 12[12:16] rows in k1, p1 rib as given for The Neckband. Cast off in rib.

The cuffs (Both alike)

Using No. 2¾mm needles and with right side facing pick up and k49[53:57] sts evenly along lower edge of sleeve. Work 12[12:16] rows in k1, p1 rib as given for The Neckband. Cast off in rib.

To make up

Press under a dry cloth with a warm iron. Sew up right shoulder seam leaving neckband and 2in or 5cm of shoulder open. Using 3.00mm hook work 1 row of firm dc around opening, then work a 2nd row making 3 buttonloops evenly spaced on front edge by working 3 ch in place of 2 dc. Fasten off.

Fold sleeves in half lengthways and mark centre of top edge. Sew sleeve to side edge placing centre at shoulder seam.

Note: armholes should measure approximately 4[4½:4¾]in or 10[11:12]cm.

Sew up side and sleeve seams. Press seams. Sew on buttons.

To Fit

12	14	16	18	20	in
31	36	41	46	51	cm

Full length (approximately)

8½	10	11½	12½	14	in
22	25	29	32	36	cm

Sleeve length (approximately)

3	4	4¾	5½	6¼	in
8	10	12	14	16	cm

Sirdar Snuggly QK 50gm balls

2	2	3	3	4
---	---	---	---	---

1 Pair No. 4mm (UK 8—USA 5), and No. 3¼mm (UK 10—USA 3) Knitting Needles or the size required to give the correct tension.

3 Buttons.

CHECK YOUR TENSION

The tension for this design is 13 stitches in width and 16 rows to 2 inches (5cm) over st-st.

25 stitches in width and 36 rows to 4 inches (10cm) over pattern.

If you have fewer stitches than this use a thinner needle.

If you have more stitches than this use a thicker needle.

It is essential to work to the stated tension.



14
Matinee
coat

Original yarn used
Sirdar Snuggly QK
Colour 252



The sleeves (Both alike)

Remember to check your tension.

Using No. 3¼mm needles cast on 31[33:37:39:41] sts.

1st Row (Right Side).—K1, *p1, k1; rep from * to end.

2nd Row.—P1, *k1, p1; rep from * to end.

Rep the last 2 rows 3 times more, then the 1st Row again.

Next Row (Increase).—Rib 3[4:3:4:2], *inc in each of next 2 sts, rib 4[1:3:1:2]; rep from * to last 4[5:4:5:3] sts, inc in each of next 2 sts, rib to end. 41[51:51:61:61] sts.

Change to No. 4mm needles and commence pattern:

1st Row.—K1, *yf, k3, sl 1, k2tog, psso, k3, yf, k1; rep from * to end.

2nd and Every Alt Row.—Purl.

3rd Row.—K2, *yf, k2, sl 1, k2tog, psso, k2, yf, k3; rep from * to last 9 sts, yf, k2, sl 1, k2tog, psso, k2, yf, k2.

5th Row.—K3, *yf, k1, sl 1, k2tog, psso, k1, yf, k5; rep from * to last 8 sts, yf, k1, sl 1, k2tog, psso, k1, yf, k3.

7th Row.—K4, *yf, sl 1, k2tog, psso, yf, k7; rep from * to last 7 sts, yf, sl 1, k2tog, psso, yf, k4.

8th Row.—Purl.

These 8 rows form the pattern. Rep these 8 rows 1[2:3:4:5] times more. Tie a marker at each end of last row to mark end of sleeve seam. Work 8 more rows in pattern.

Next Row (Decrease).—K2[1:2:2:2], *(k2tog) twice, k4[1:2:2:4]; rep from * to last 7[5:7:5:3] sts, (k2tog) 2[2:2:1:1] times, knit to end.

Break yarn and slip remaining 31[31:35:42:46] sts onto a holder for The Yoke.

The back

Remember to check your tension.

Using No. 3¼mm needles cast on 71[81:101:111:121] sts thumb method and work 6 rows in garter st (every row knit — 1st row is right side).

Change to No. 4mm needles and work in pattern as given for The Sleeves until back measures approximately 5½[6:6½:7½:8¼]in or 13[15:17:19:21]cm, ending with an 8th Row of pattern. Tie a marker at each end of last row to mark end of side seams. Work 8 more rows in pattern.

Next Row (Decrease).—K1, *k2tog; rep from * to end.

Break yarn and slip remaining 36[41:51:56:61] sts onto a holder for The Yoke.

The right front

Remember to check your tension.

Using No. 3¼mm needles cast on 36[46:46:56:66] sts thumb method and work 6 rows in garter st.

Change to No. 4mm needles and commence pattern:

1st Row (Front Edge).—K5, work 1st Row of pattern as given for The Sleeves to end.

2nd Row.—Purl to last 5 sts, k5.

3rd Row.—K5, work 3rd Row of pattern as given for The Sleeves to end.

★ Keeping the 5 sts at front edge in garter st and the 8 rows of pattern correct (throughout), work straight until front measures same as back to marker, ending with an 8th Row of pattern. Tie a marker at side edge of last row to mark end of side seam. Work 8 more rows, thus ending with an 8th Row of pattern ★.

Next Row (Decrease).—K5, *k2tog; rep

from * to last st, k1.

Break yarn and slip remaining 21[26:26:31:36] sts onto a holder for The Yoke.

The left front

Remember to check your tension.

Using No. 3¼mm needles cast on 36[46:46:56:66] sts thumb method and work 6 rows in garter st.

Change to No. 4mm needles and commence pattern:

1st Row (Side Edge).—Work 1st Row of pattern as given for The Sleeves to last 5 sts, k5.

2nd Row.—K5, purl to end.

3rd Row.—Work 3rd Row of pattern as given for The Sleeves to last 5 sts, k5. Work as given for The Right Front from ★ to ★.

Next Row (Decrease).—K1, *k2tog; rep from * to last 5 sts, k5. 21[26:26:31:36] sts remain.

Leave sts on needle and do not break yarn.

The yoke

With wrong side of each piece facing knit across sts of left front, one sleeve, back, 2nd sleeve and right front. 140[155:173:202:225] sts.

1st Row (Buttonhole).—K2, yf, k2tog, knit to end.

Work 2 more rows in garter st.

4th Row.—K5, purl to last 5 sts, k5.

5th Row (Decrease).—K12[13:16:16:18],

*sl 1, k2tog, pssso, k16[18:20:25:28]; rep from * to last 14[16:19:18:21] sts, sl 1, k2tog, pssso, k11[13:16:15:18].

126[141:159:188:211] sts remain.

Keeping the 5 sts at each end in garter st and remainder in st-st throughout, work 1[3:3:3:3] rows straight.

Next Row (Decrease).—K11[12:15:15:17], *sl 1, k2tog, pssso, k14[16:18:23:26]; rep from * to last 13[15:18:17:20] sts, sl 1, k2tog, pssso, k10[12:15:14:17]. 112[127:145:174:197] sts remain.

18,20in or 46,51cm only

Work 3 rows straight.

Next Row (Decrease).—K[14:16], *sl 1, k2tog, pssso, k[21:24]; rep from * to last [16:19] sts, sl 1, k2tog, pssso, k[13:16]. [160:183] sts remain.

For all 5 sizes

Work 1[1:3:1:3] rows straight.

Next Row (Buttonhole and Decrease).—K2, yf, k2tog, k6[7:10:9:11], *sl 1, k2tog, pssso, k12[14:16:19:22]; rep from * to last 12[14:17:15:18] sts, sl 1, k2tog, pssso, knit to end. 98[113:131:146:169] sts remain.

Work 1 row straight.

Next Row (Decrease).—K9[10:13:12:14], *sl 1, k2tog, pssso, k10[12:14:17:20]; rep from * to last 11[13:16:14:17] sts, sl 1, k2tog, pssso, knit to end. 84[99:117:132:155] sts remain.

Work 1 row straight.

Next Row (Decrease).—K8[9:12:11:13], *sl 1, k2tog, pssso, k8[10:12:15:18]; rep from * to last 10[12:15:13:16] sts, sl 1, k2tog, pssso, knit to end. 70[85:103:118:141] sts remain.

Continue to dec 14 sts in this way on every alt row until 56[57:61:62:71] sts remain, ending with the wrong side row and increasing 1 st at centre of last of these rows for **12,18in or 31,46cm only**. 57[57:61:63:71] sts.

The neckband

Change to No. 3¼mm needles.

1st Row.—K6, *p1, k1; rep from * to last 7 sts, p1, k6.

2nd Row.—K5, *p1, k1; rep from * to last 6 sts, p1, k5.

Next Row (Buttonhole).—K2, yf, k2tog, k2, *p1, k1; rep from * to last 7 sts, p1, k6.

Rep 2nd and 1st Rows once more. Cast off in pattern.

To make up

Press under a dry cloth with a warm iron. Sew up side and sleeve seams to markers. Sew up underarm seams. Press seams. Sew on buttons.

