

Sirdar
SUNSHINE
SERIES
Nº 116

9d.

MODEL 'A'



MODEL 'B'



MODEL 'C'

MAJESTIC 4 PLY
OR
FONTEIN CREPE WOOL

Age 6-12 months

BABYS SHORT CARDIGANS

(Age 6/12 months)

To obtain a perfect reproduction of the garments illustrated on the front cover of this leaflet you **MUST** read and follow the instructions laid down in the paragraphs numbered 1 and 2. These instructions are the work of an expert knitter and if followed carefully satisfactory results cannot fail to be achieved.

No. 1

TENSION

This paragraph is most important — read it carefully before commencing your garments.

You have obtained the correct SIRDAR WOOL, you have obtained the correct Needles, but **TO OBTAIN THE CORRECT MEASUREMENTS** it is essential that you work to the tensions stated. The rule at the side of each tension indicates the number of stitches and is for your guidance. **PLEASE USE IT.**

We suggest you work a small sample in each stitch before commencing the garments, then place the rule across it and see if your tension corresponds.

If you are unable to obtain the correct tension, proceed as follows:—

If you have less stitches than the number stated use a finer needle.

If you have more stitches than the number stated use a coarser needle.

ABBREVIATIONS

K. knit, p. purl, sts. stitches, tog. together, sl.1 slip one stitch knitways, st.st. stocking stitch (1 row knit, 1 row purl), wl.fwd. wool forward, p.s.s.o. pass the slipped stitch over.

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

MODEL A

No. 1.—The tension for this garment is 8 sts. to one inch.

No. 2 MATERIALS

3 ozs. Sirdar Majestic Wool 4ply, or
4 ozs. Sirdar Fontein Crepe Wool, or
4 ozs. Sirdar Baby Courtelle 4ply.
1 Pair No. 10 and No. 12 Knitting Needles.
6 Buttons.

MEASUREMENTS

To fit: 21 inch chest.
Length from top of shoulder: 9 inches.
Length of sleeve seam: 6 inches.

THE BACK

Using the No. 12 needles cast on 87 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows 5 times.

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, p.2, * k.1, p.3, repeat from * to the last 4 sts., k.1, p.2, k.1.

Repeat the 1st and 2nd rows 17 times.

Shape for the Armholes

Cast off 4 sts. at the beginning of each of the next 2 rows.

Keeping the continuity of the pattern (throughout) decrease once at each end of the next and every alternate row until 21 sts. remain.

NEXT Row. Sl.1, work in pattern to end of row.
Cast off.

THE LEFT FRONT

Using the No. 12 needles cast on 49 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows 4 times then the 1st row once.

12TH Row. Sl.1, (p.1, k.1) 4 times, slip these 9 sts. on to a safety pin and leave for the front border, increase once in the next st., * k.1, p.1, repeat from * to the last st., k.1. (41 sts.).

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * k.1, p.3, repeat from * to the last 4 sts., k.1, p.2, k.1.

Repeat the 1st and 2nd rows 17 times.

Shape for the Armhole

1ST Row. Cast off 4 sts., * k.1, p.1, repeat from * to the last 2 sts., k.2.

2ND Row. Sl.1, * k.1, p.3, repeat from * to the last 4 sts., k.1, p.2, k.1.

Keeping the continuity of the pattern (throughout) decrease once at the armhole edge in the next and every alternate row until 15 sts. remain.

Shape the Neck

NEXT Row. Cast off 1 st., (p.3, k.1) 3 times, k.1.

Work 5 rows decreasing once at the armhole edge in the next and every alternate row at the same time decreasing once at the neck edge in every row (6 sts.).

Proceed as follows:—

1ST Row. Sl.1, p.2, k.1, p.1, k.1.

2ND Row. K.2 tog., k.1, p.1, k.2.

3RD Row. Sl.1, p.2, k.2.

4TH Row. K.2 tog., p.1, k.2.

5TH Row. Sl.1, p.2, k.1.

6TH Row. K.2 tog., k.2.

7TH Row. Sl.1, p.1, k.1.

8TH Row. K.2 tog., k.1.

9TH Row. K.2 tog.

Break off the wool and fasten off.

THE LEFT FRONT BORDER

Using the No. 12 needles and with the right side of the work facing, rejoin the wool to the 9 border sts. left on a safety pin and proceed as follows:—

1ST Row. Sl.1, (k.1, p.1) 3 times, k.2.

2ND Row. Sl.1, (p.1, k.1) 4 times.

Repeat the 1st and 2nd rows 37 times.

Break off the wool and leave these sts. on a safety pin for the neckband.

THE RIGHT FRONT

Using the No. 12 needles cast on 49 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows once.

5TH Row. Sl.1, k.1, p.1, cast off 3 sts., * k.1, p.1, repeat from * to the last 2 sts., k.2.

6TH Row. Sl.1, * p.1, k.1, repeat from * to the last 3 sts., cast on 3 sts., k.1, p.1, k.1.

Repeat the 1st and 2nd rows twice then the 1st row once.

12TH Row. Sl.1, * p.1, k.1, repeat from * to the last 12 sts., p.1, increase once in the next st., p.1, slip the remaining 9 sts. on to a safety pin and leave for the front border. (41 sts.).

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, p.2, * k.1, p.3, repeat from * to the last 2 sts., k.2.

Repeat the 1st and 2nd rows 17 times then the 1st row once.

Shape for the Armhole

1ST Row. Cast off 4 sts., p.2, * k.1, p.3, repeat from * to the last 2 sts., k.2.

Keeping the continuity of the pattern (throughout) decrease once at the armhole edge in the next and every alternate row until 16 sts. remain.

NEXT Row. Sl.1, work in pattern to end of row.

Shape the Neck

NEXT Row. Cast off 1 st., * p.1, k.1, repeat from * to the last 2 sts., k.2 tog.

NEXT Row. Sl.1, k.1, * p.3, k.1, repeat from * to end of row.

Work 5 rows decreasing once at the neck edge in every row at the same time decreasing once at the armhole edge in the next and every alternate row. (6 sts.).

Proceed as follows:—

1ST Row. Sl.1, p.1, k.1, p.2, k.1.

2ND Row. Sl.1, k.1, p.1, k.1, k.2 tog.

3RD Row. Sl.1, k.1, p.2, k.1.

4TH Row. Sl.1, k.1, p.1, k.2 tog.

5TH Row. Sl.1, p.2, k.1.

6TH Row. Sl.1, k.1, k.2 tog.

7TH Row. Sl.1, p.1, k.1.

8TH Row. Sl.1, k.2 tog.

9TH Row. K.2 tog.

Break off the wool and fasten off.

THE RIGHT FRONT BORDER

Using the No. 12 needles and with the wrong side of the work facing, rejoin the wool to the 9 border sts. left on a safety pin and proceed as follows:—

1ST Row. K.1, (p.1, k.1) 4 times.

2ND Row. Sl.1, (k.1, p.1) 3 times, k.2.

3RD Row. Sl.1, (p.1, k.1) 4 times.

Repeat the 2nd and 3rd rows 4 times.

**

12TH Row. Sl.1, k.1, p.1, cast off 3 sts., k.2.

13TH Row. Sl.1, p.1, k.1, cast on 3 sts., k.1, p.1, k.1.

Repeat the 2nd and 3rd rows 8 times. **

Repeat from ** to ** twice, the 12th and 13th rows once then the 2nd and 3rd rows 5 times.

Do not break off the wool, slip these sts. on to a safety pin for the neckband.

THE SLEEVES. (Both alike)

Using the No. 12 needles cast on 41 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows 6 times increasing once at the end of the last row. (42 sts.).

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, knit to end of row.

2ND Row. Sl.1, purl to the last st., k.1.

Repeat the 1st and 2nd rows once.

Continue in st.st. increasing once at each end of the next and every following 4th row until there are 58 sts. on the needle.

Continue without shaping until the work measures 6 inches from the commencement, ending on the wrong side of the work.

Shape for the Top

Cast off 4 sts. at the beginning of each of the next 2 rows.

Decrease once at each end of the next and every following 4th row until 32 sts. remain.

Work 3 rows in pattern without shaping.

Decrease once at each end of the next and every alternate row until 10 sts. remain.

NEXT Row. Sl.1, purl to the last st., k.1.

Cast off.

TO MAKE UP THE CARDIGAN

Press each piece separately on the wrong side under a damp cloth with a hot iron. Sew up the side and sleeve seams. Placing seam to seam sew the decreased edges of the sleeves to the decreased edges of the bodice.

THE NECKBAND

Using the No. 12 needles and with the right side of the work facing, work across the 9 sts. left on a safety pin of the right front border as follows: Sl.1, (k.1, p.1) 4 times, pick up and knit 12 sts. evenly along the right side of the neck, 10 sts. evenly across the top of the right sleeve, 21 sts. from the 21 cast off sts. at the back of the neck, 10 sts. evenly across the top of the left sleeve, 12 sts. evenly along the left side of the neck, working across the 9 sts. left on a safety pin for the left front border (p.1, k.1) 4 times, k.1. (83 sts.).

1ST Row. Sl.1, * p.1, k.1, repeat from * to end of row.

2ND Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

Repeat the 1st and 2nd rows once then the 1st row once.

6TH Row. Sl.1, k.1, p.1, cast off 3 sts., k.1, * p.1, k.1, repeat from * to the last st., k.1.

7TH Row. Sl.1, * p.1, k.1, repeat from * to the last 3 sts., cast on 3 sts., k.1, p.1, k.1.

Repeat the 2nd row once then the 1st row once. Cast off loosely in rib.

TO COMPLETE THE CARDIGAN

Sew the front borders in position. Sew on buttons to correspond with the buttonholes.

Press the neckband and all seams.

MODEL B

No. 1.—The tension for this garment is 1 pattern (8 sts.) to 1½ inches.

No. 2 MATERIALS

3 ozs. Sirdar Majestic Wool 4ply, or

4 ozs. Sirdar Fontein Crepe Wool, or

4 ozs. Sirdar Baby Courtelle 4ply.

1 Pair No. 10 and No. 12 Knitting Needles.

6 Buttons.

MEASUREMENTS

To fit: 21 inch chest.

Length from top of shoulder: 9 inches.

Length of sleeve seam: 6 inches.

THE BACK

Using the No. 12 needles cast on 75 sts.

1ST Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st row 13 times.

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, p.1, k.1, * k.5, k.1, p.1, k.1, repeat from * to end of row.

2ND Row. Sl.1, p.1, k.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.

3RD Row. Sl.1, p.1, k.1, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to end of row.

4TH Row. Sl.1, p.1, k.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.

5TH Row. Sl.1, p.1, k.1, * k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1, repeat from * to end of row.

6TH Row. Sl.1, p.1, k.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.

From the 3rd to the 6th row (inclusive) forms one complete pattern.

Continue in pattern until 12 complete patterns have been worked from the commencement. **

Shape the Armholes

1ST Row. Cast off 10 sts. in pattern, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to end of row.

2ND Row. Cast off 10 sts. in pattern, * p.5, k.1, p.1, k.1, repeat from * to the last 6 sts., p.5, k.1. (55 sts.).

Proceed as follows:—

1ST Row. Sl.1, * k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1, repeat from * to the last 6 sts., k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2.

2ND Row. Sl.1, * p.5, k.1, p.1, k.1, repeat from * to the last 6 sts., p.5, k.1.

3RD Row. Sl.1, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to the last 6 sts., wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1.

4TH Row. Sl.1, * p.5, k.1, p.1, k.1, repeat from * to the last 6 sts., p.5, k.1.

5TH Row. Sl.1, * k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1, repeat from * to the last 6 sts., k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2.

6TH Row. Sl.1, * p.5, k.1, p.1, k.1, repeat from * to the last 6 sts., p.5, k.1.

Repeat from the 3rd to the 6th row (inclusive) 8 times.

Shape the Shoulders

Keeping the continuity of the pattern cast off 9 sts. at the beginning of each of the next 4 rows.

Cast off the remaining 19 sts. in pattern.

THE LEFT FRONT

Using the No. 12 needles cast on 43 sts.

1ST Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st row 12 times.

14TH Row. Sl.1, (p.1, k.1) 4 times, slip these 9 sts. on to a safety pin and leave for the front border, increase once in the next st., * k.1, p.1, repeat from * to the last st., k.1. (35 sts.).

Change to No. 10 needles and proceed as follows:—

Repeat from ** to ** as given for the Back once.

Shape the Armhole

1ST Row. Cast off 10 sts. in pattern, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to end of row.

2ND Row. Sl.1, * p.1, k.1, p.5, k.1, repeat from * to end of row.

3RD Row. Sl.1, * k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1, repeat from * to end of row.

4TH Row. Like the 2nd row.

5TH Row. Sl.1, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to end of row.

6TH Row. Sl.1, * p.1, k.1, p.5, k.1, repeat from * to end of row.

7TH Row. Sl.1, * k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1, repeat from * to end of row.

8TH Row. Sl.1, * p.1, k.1, p.5, k.1, repeat from * to end of row.

Repeat from the 5th to the 8th row (inclusive) 4 times then the 5th row once.

Shape the Neck

1ST Row. Cast off 1 st., k.1, (p.5, k.1, p.1, k.1) twice, p.5, k.1.

2ND Row. Sl.1, (k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1) twice, k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.1, k.2 tog.

3RD Row. K.2 tog., p.4, (k.1, p.1, k.1, p.5) twice, k.1.

4TH Row. Sl.1, (wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1) twice, wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog.

5TH Row. K.2 tog., p.2, (k.1, p.1, k.1, p.5) twice, k.1.

6TH Row. Sl.1, (k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1) twice, k.1, k.2 tog.

7TH Row. K.2 tog., (k.1, p.1, k.1, p.5) twice, k.1. (18 sts.).

Keeping the continuity of the pattern work 8 rows without shaping.

Shape the Shoulder

1ST Row. Cast off 9 sts. in pattern, sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.2.

2ND Row. Sl.1, k.1, p.1, k.1, p.4, k.1.

Cast off the remaining 9 sts. in pattern.

THE LEFT FRONT BORDER

Using the No. 12 needles and with the right side of the work facing, rejoin the wool to the 9 border sts. left on a safety pin and proceed as follows:—

1ST Row. K.1, (p.1, k.1) 4 times.

2ND Row. Sl.1, (p.1, k.1) 4 times.

Repeat the 2nd row 70 times.

Break off the wool and leave these sts. on a safety pin for the neckband.

THE RIGHT FRONT

Using the No. 12 needles cast on 43 sts.

1ST Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st row 3 times.

5TH Row. Sl.1, p.1, k.1, cast off 3 sts., * p.1, k.1, repeat from * to end of row.

6TH Row. Sl.1, * p.1, k.1, repeat from * to the last 3 sts., cast on 3 sts., k.1, p.1, k.1.

Repeat the 1st row 7 times.

14TH Row. Sl.1, * p.1, k.1, repeat from * to the last 12 sts., p.1, increase once in the next st., p.1, slip the remaining 9 sts. on to a safety pin and leave for the front border. (35 sts.).

Change to No. 10 needles and proceed as follows:—

Repeat from ** to ** as given for the Back once.

NEXT Row. Sl.1, p.1, k.1, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to end of row.

Shape the Armhole

- 1ST Row. Cast off 10 sts. in pattern, * p.5, k.1, p.1, k.1, repeat from * to end of row.
- 2ND Row. Sl.1, p.1, * k.2, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, repeat from * to the last 7 sts., k.2, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2.
- 3RD Row. Sl.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.
- 4TH Row. Sl.1, p.1, k.1, * wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1, repeat from * to the last 6 sts., wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1.
- 5TH Row. Sl.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.
- 6TH Row. Sl.1, p.1, * k.2, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, repeat from * to the last 7 sts., k.2, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2.
- 7TH Row. Sl.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.
- Repeat from the 4th to the 7th row (inclusive) 4 times.

Shape the Neck

- 1ST Row. Cast off 1 st. k.1, (wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1, p.1, k.1) twice, wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd., k.1.
- 2ND Row. Sl.1, (p.5, k.1, p.1, k.1) twice, p.5, k.2.
- 3RD Row. K.2 tog., (k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2, p.1, k.1) twice, k.1, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2.
- 4TH Row. Sl.1, (p.5, k.1, p.1, k.1) twice, p.4, k.2 tog.
- 5TH Row. K.2 tog., k.1, k.2 tog., wl.fwd., (k.1, p.1, k.1, wl.fwd., sl.1, k.1, p.s.s.o., k.1, k.2 tog., wl.fwd.) twice, k.1.
- 6TH Row. Sl.1, (p.5, k.1, p.1, k.1) twice, p.2, k.2 tog.
- 7TH Row. K.2 tog., k.2, (p.1, k.2, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.2) twice.
- 8TH Row. Sl.1, (p.5, k.1, p.1, k.1) twice, k.2 tog.
- Keeping the continuity of the pattern work 9 rows without shaping.

Shape the Shoulder

- 1ST Row. Cast off 9 sts. in pattern, p.4, k.1, p.1, k.2.
- 2ND Row. Sl.1, k.1, p.1, k.2, wl.fwd., sl.1, k.2 tog., p.s.s.o., wl.fwd., k.1.
- Cast off the remaining 9 sts. in pattern.

THE RIGHT FRONT BORDER

- Using the No. 12 needles and with the wrong side of the work facing, rejoin the wool to the 9 border sts. left on a safety pin and proceed as follows:—
- 1ST Row. K.1, (p.1, k.1) 4 times.
- 2ND Row. Sl.1, (p.1, k.1) 4 times.
- Repeat the 2nd row 7 times.
- ***
- 10TH Row. Sl.1, p.1, k.1, cast off 3 sts., p.1, k.1.

- 11TH Row. Sl.1, p.1, k.1, cast on 3 sts., k.1, p.1, k.1.
- Repeat the 2nd row 16 times. ***
- Repeat from *** to *** twice, the 10th and 11th rows once then the 2nd row 8 times.
- Do not break off the wool.
- Sew up the shoulder seams.

THE NECKBAND

- With the right side of the work facing, working across the 9 sts. of the right front border as follows: sl.1, (p.1, k.1) 4 times, pick up and knit 16 sts. evenly along the right side of the neck, 19 sts. from the 19 cast off sts. at the back of the neck, 16 sts. evenly along the left side of the neck and working across the 9 sts. of the left front border k.1, (p.1, k.1) 4 times. (69 sts.).
- 1ST Row. Sl.1, * p.1, k.1, repeat from * to end of row.
- Repeat the 1st row 6 times.
- 8TH Row. Sl.1, p.1, k.1, cast off 3 sts., * p.1, k.1, repeat from * to end of row.
- 9TH Row. Sl.1, * p.1, k.1, repeat from * to the last 3 sts., cast on 3 sts., k.1, p.1, k.1.
- Repeat the 1st row twice.
- Cast off loosely in moss st.

THE SLEEVES. (Both alike)

- Using the No. 12 needles cast on 39 sts.
- 1ST Row. Sl.1, * p.1, k.1, repeat from * to end of row.
- Repeat the 1st row 14 times.
- 16TH Row. Sl.1, p.1, k.1, * increase once in the next st. purlways, k.1, increase once in the next st. purlways, k.1, p.1, k.1, repeat from * to end of row. (51 sts.).
- Change to No. 10 needles and proceed as follows:—
- 1ST Row. Sl.1, p.1, k.1, * k.5, k.1, p.1, k.1, repeat from * to end of row.
- 2ND Row. Sl.1, p.1, k.1, * p.5, k.1, p.1, k.1, repeat from * to end of row.
- Repeat from the 3rd to the 6th row (inclusive) of pattern as given for the Back until 18 complete patterns have been worked from the commencement.

Shape the Top

- Keeping the continuity of the pattern cast off 8 sts. at the beginning of each of the next 4 rows.
- Cast off the remaining 19 sts.

TO MAKE UP THE CARDIGAN

- Press each piece separately on the wrong side under a damp cloth with a hot iron. Sew up the side seams. Sew up the sleeve seams for 6 inches. Placing the sleeve seams to the side seams sew the remainder of the sleeves to the cast off sts. at the armholes. Sew the sleeve tops in position. Sew the front borders in position. Sew on buttons to correspond with the buttonholes.
- Press all seams.

MODEL C

No. 1.—The tension for this garment is $7\frac{1}{2}$ sts. to one inch.

No. 2 MATERIALS

3 ozs. Sirdar Majestic Wool 4ply, or
4 ozs. Sirdar Fontein Crepe Wool, or
4 ozs. Sirdar Baby Courtelle 4ply.
1 Pair No. 10 and No. 12 Knitting Needles.
1 Spare Needle with points at each end.
4 Buttons.

MEASUREMENTS

To fit: 21 inch chest.
Length from top of shoulder: 9 inches.
Length of sleeve seam: 6 inches.

THE BACK

Using the No. 12 needles cast on 79 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows 4 times.

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, knit to end of row.

2ND Row. Sl.1, purl to the last st., k.1.

Repeat the 1st and 2nd rows 14 times.

Shape for the Armholes

Cast off 4 sts. at the beginning of each of the next 2 rows.

Decrease once at each end of the next and every alternate row until 27 sts. remain.

Work 1 row without shaping.

Decrease once at each end of every row until 19 sts. remain.

Cast off.

THE LEFT FRONT

Using the No. 12 needles cast on 49 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows 4 times.

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, k.26, p.2, k.9, p.2, slip the remaining 9 sts. on to a safety pin and leave for the front border. (40 sts.).

2ND Row. Sl.1, k.1, p.9, k.2, purl to the last st., k.1.

3RD Row. Sl.1, k.26, p.2, slip the next 2 sts. on to a spare needle and leave at the back of the work, k.2 then knit the 2 sts. from the spare needle (this will now be termed "cable back"), k.1, slip the next 2 sts. on to a spare needle and leave at the front of the work, k.2 then knit the 2 sts. from the spare needle (this will now be termed "cable front"), p.1, k.1.

4TH Row. Sl.1, k.1, p.9, k.2, purl to the last st., k.1.

5TH Row. Sl.1, knit to the last 13 sts., p.2, k.9, p.1, k.1.

6TH Row. Sl.1, k.1, p.9, k.2, purl to the last st., k.1.

From the 3rd to the 6th row (inclusive) forms one complete pattern.

Continue in pattern without shaping until 7 complete patterns have been worked from the commencement.

Shape for the Armhole

1ST Row. Cast off 4 sts., k.20, k.2 tog., p.2, "cable back", k.1, "cable front", p.1, k.1.

2ND Row. Sl.1, k.1, p.9, k.2, purl to the last st., k.1.

Keeping the continuity of the pattern decrease once at the armhole edge in the next and every alternate row at the same time decreasing once at the front edge inside the cable panel (as before) in the 3rd and every following 4th row until 17 sts. remain.

Work 3 rows decreasing once at the armhole edge in the 2nd row.

Keeping the continuity of the pattern decrease once at the armhole edge in the next and every alternate row until 7 sts. remain.

Work 1 row without shaping.

Decrease once at the armhole edge in every row until 3 sts. remain.

NEXT ROW. K.3 tog.

Break off the wool and fasten off.

THE RIGHT FRONT

Using the No. 12 needles cast on 49 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows once.

5TH Row. Sl.1, k.1, p.1, cast off 3 sts., * k.1, p.1, repeat from * to the last 2 sts., k.2.

6TH Row. Sl.1, * p.1, k.1, repeat from * to the last 3 sts., cast on 3 sts., k.1, p.1, k.1.

Repeat the 1st and 2nd rows once then the 1st row once.

10TH Row. Sl.1, * p.1, k.1, repeat from * to the last 9 sts., slip these 9 sts. on to a safety pin and leave for the front border. (40 sts.).

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, p.1, k.9, p.2, knit to end of row.

2ND Row. Sl.1, purl to the last 13 sts., k.2, p.9, k.2.

3RD Row. Sl.1, p.1, "cable back", k.1, "cable front", p.2, knit to end of row.

4TH Row. Sl.1, purl to the last 13 sts. k.2, p.9, k.2.

5TH Row. Sl.1, p.1, k.9, p.2, knit to end of row.

6TH Row. Sl.1, purl to the last 13 sts., k.2, p.9, k.2.

Sirdar

From the 3rd to the 6th row (inclusive) forms one complete pattern.

Continue in pattern without shaping until 7 complete patterns have been worked from the commencement.

NEXT ROW. Sl.1, p.1, "cable back", k.1, "cable front", p.2, sl.1, k.1, p.s.s.o., knit to end of row.

Shape for the Armhole

1ST Row. Cast off 4 sts., purl to the last 13 sts., k.2, p.9, k.2.

Keeping the continuity of the pattern decrease once at the front edge inside the cable panel (as before) in the 3rd and every following 4th row at the same time decreasing once at the armhole edge in the next and every alternate row until 17 sts. remain.

Work 3 rows decreasing once at the armhole edge in the 2nd row.

Keeping the continuity of the pattern decrease once at the armhole edge in the next and every alternate row until 7 sts. remain.

Work 1 row without shaping.

Decrease once at the armhole edge in every row until 3 sts. remain.

NEXT ROW. K.3 tog.

Break off the wool and fasten off.

THE SLEEVES. (Both alike)

Using the No. 12 needles cast on 41 sts.

1ST Row. Sl.1, k.1, * p.1, k.1, repeat from * to the last st., k.1.

2ND Row. Sl.1, * p.1, k.1, repeat from * to end of row.

Repeat the 1st and 2nd rows 6 times increasing once at the end of the last row. (42 sts.).

Change to No. 10 needles and proceed as follows:—

1ST Row. Sl.1, knit to end of row.

2ND Row. Sl.1, purl to the last st., k.1.

Repeat the 1st and 2nd rows once.

Continue in st.st. increasing once at each end of the next and every following 4th row until there are 56 sts. on the needle.

Continue without shaping until the work measures 6 inches from the commencement, ending on the wrong side of the work.

Shape for the Top

Cast off 4 sts. at the beginning of each of the next 2 rows.

1ST Row. K.2 tog., knit to the last 2 sts., k.2 tog.

2ND Row. Sl.1, purl to the last st., k.1.

3RD Row. Sl.1, knit to end of row.

4TH Row. Sl.1, purl to the last st., k.1.

Repeat from the 1st to the 4th row (inclusive) 4 times.

Proceed as follows:—

1ST Row. K.2 tog., knit to the last 2 sts., k.2 tog.

2ND Row. Sl.1, purl to the last st., k.1.

Repeat the 1st and 2nd rows 13 times. (10 sts.).

Cast off.

TO MAKE UP THE CARDIGAN

Press each piece separately on the wrong side under a damp cloth with a hot iron. Sew up the side and sleeve seams. Placing seam to seam sew the decreased edges of the sleeves to the decreased edges of the bodice.

THE LEFT FRONT BORDER

Using the No. 12 needles and with the right side of the work facing, rejoin the wool to the 9 border sts. left on a safety pin and proceed as follows:—

1ST Row. Sl.1, (k.1, p.1) 3 times, k.2.

2ND Row. Sl.1, (p.1, k.1) 4 times.

Repeat the 1st and 2nd rows until the border is of sufficient length to go up the front, across the sleeve top and halfway across the back of the neck, ending with the 2nd row.

Cast off loosely in rib.

THE RIGHT FRONT BORDER

Using the No. 12 needles and with the wrong side of the work facing, rejoin the wool to the 9 border sts. left on a safety pin and proceed as follows:—

1ST Row. K.1, (p.1, k.1) 4 times.

2ND Row. Sl.1, (k.1, p.1) 3 times, k.2.

3RD Row. Sl.1, (p.1, k.1) 4 times.

Repeat the 2nd and 3rd rows twice.

**

8TH Row. Sl.1, k.1, p.1, cast off 3 sts., k.2.

9th Row. Sl.1, p.1, k.1, cast on 3 sts., k.1, p.1, k.1.

Repeat the 2nd and 3rd rows 5 times. **

Repeat from ** to ** once then the 8th and 9th rows once.

Repeat the 2nd and 3rd rows until the border is of sufficient length to go up the front, across the sleeve top and halfway across the back of the neck, ending with the 3rd row.

Cast off loosely in rib.

TO COMPLETE THE CARDIGAN

Sew the front borders in position placing the top buttonhole level with the first front decreasing. Sew the ends of the borders together and placing the seam to the centre back of neck, sew in position across the back of the neck and sleeve tops. Sew on buttons to correspond with the buttonholes.

Press the borders and all seams.