



Teddy Wools

Sizes 51–66 cm
(20–26 inch)

442

DOUBLE KNITTING
AND 4 PLY
KNITTING



Note: figures in brackets refer to the larger sizes. Where only one set of figures is given this applies to all sizes.

MATERIALS—See back page

MEASUREMENTS

To fit chest

51	56	61	66	cm
20	22	24	26	inch

Length from back neck

27	32	35.5	40	cm
10½	12½	14	16	inch

Sleeve seam

19	23	27	30.5	cm
7½	9	10½	12	inch

ABBREVIATIONS

k=knit; p=purl; st(s)=stitch(es); st=stocking stitch; beg=beginning; tog=together; alt=alternate; inc=increase; dec=decrease; rep=repeat; patt=pattern; tbl=through back of loops; yn fwd=yarn forward; sl 1=slip one stitch; pssso=pass slipped stitch over; TWR=k into front of 2nd stitch on left hand needle, k the first st and slip both sts off tog; TWL=k into back of 2nd stitch on left hand needle, k the first st and slip both sts off tog; g st=garter stitch.

TENSION

Double Knitting: 6 sts and 8 rows to 2.5 cm (1 inch) measured over st st using size 3½ mm (9) needles.
4 Ply: 7 sts and 9 rows to 2.5 cm (1 inch) measured over st st using size 3¼ mm (10) needles.

IT IS IMPORTANT TO WORK TO THE STATED TENSION IN ORDER TO OBTAIN THE REQUIRED MEASUREMENTS.

Patt panel for Cardigan (over 11 sts)

1st row: p2 k3 tog yn fwd k1 yn fwd sl 1 k2 tog pssso p2.

2nd row: k2 p1 (k and p into yn fwd of previous row p1) twice k2.

3rd row: p2 k7 p2.

4th row: k2 p7 k2.

Patt panel for Sweater (over 28 sts)

1st row: * p2 k3 tog yn fwd k1 yn fwd sl 1 k2 tog pssso p2 * TWR k2 TWL rep from * to *.

2nd row: * k2 p1 (k and p into yn fwd of previous row p1) twice k2 * p6 rep from * to *.

3rd row: * p2 k7 p2 * k6 rep from * to *.

4th row: * k2 p7 k2 * p6 rep from * to *.

DOUBLE KNITTING CARDIGAN

BACK

With size 3 mm needles cast on 67 (73) (79) (85) sts.

1st row: k1 * p1 k1 rep from * to end.

2nd row: p1 * k1 p1 rep from * to end.

Rep last 2 rows for 4 cm.

Change to size 3½ mm needles and continue in st st until back measures 14 (18) (20) (24) cm from beg ending with a wrong side row.

Shape raglans

Cast off 4 sts at beg of next 2 rows.

3rd row: k1 k2 tog tbl k to last 3 sts k2 tog k1.

4th row: purl.

Rep last 2 rows until 21 (23) (25) (27) sts remain.

Leave sts on a holder.

RIGHT FRONT

With size 3 mm needles cast on 39 (41) (45) (47) sts and work 4 rows in rib as given for back.

Next row: (make buttonhole) rib 3 cast off 2 sts rib to end.

Next row: rib casting on 2 sts over those cast off in previous row.

Continue in rib for 4 cm ending at buttonhole edge.

Next row: rib 7 slip these sts to a safety pin for front band [32 (34) (38) (40) sts].

Change to size 3½ mm needles and patt.

1st row: k2 patt 11 k to end.

2nd row: p19 (21) (25) (27) patt 11 p2.

Continue keeping patt panel as set until work measures same as back to raglan shaping ending with a right side row.

Shape raglan

Cast off 4 sts work to end.

Next row: work to last 3 sts k2 tog k1.

Next row: work to end.

Continue dec in this manner every alt row until 16 (16) (19) (19) sts remain ending with a wrong side row.

Shape neck

Next row: cast off 3 (3) (4) (4) sts work to last 3 sts k2 tog k1.

** Still dec at raglan edge as before dec one st at neck edge every alt row until 4 sts remain.

Dec at raglan only until 2 sts remain.

P2 tog and fasten off.

LEFT FRONT

With size 3 mm needles cast on 39 (41) (45) (47) sts and work 4 cm in rib as given for Back ending with a right side row.

Next row: rib 7 slip these sts to a safety pin rib to end [32 (34) (38) (40) sts].

Change to size 3½ mm needles and patt.

1st row: k19 (21) (25) (27) patt 11 k2.

2nd row: p2 patt 11 p to end. Continue keeping patt panel as set until work measures same as right front to raglan shaping ending with a wrong side row.

Shape raglan

Cast off 4 sts work to end.

Next row: work to end.

Next row: k1 k2 tog tbl work to end. Continue dec in this manner every alt row until 15 (15) (18) (18) sts remain ending with a right side row.

Shape neck

Next row: cast off 3 (3) (4) (4) sts work to last 2 sts p2.

Next row: k1 k2 tog tbl work to last 2 sts k2 tog.

Complete as given from ** on right front.

SLEEVES

With size 3 mm needles cast on 31 (33) (35) (37) sts and work 4 cm in rib as given for back.

Change to size 3½ mm needles and patt.

1st row: k10 (11) (12) (13) patt 11 k to end.

2nd row: p10 (11) (12) (13) patt 11 p to end.

Continue keeping patt panel as set inc one st each end of the next and every following 4th row until there are 49 (51) (51) (57) sts then every following 8th row until 51 (55) (59) (65) sts are on the needle.

Work without further shaping until sleeve measures 19 (23) (27) (30.5) cm or length required from beg ending with a wrong side row.

Shape top

Cast off 4 sts at beg of next 2 rows.

3rd row: k1 k2 tog tbl work to last 3 sts k2 tog k1.

4th row: p2 work to last 2 sts p2.

Rep last 2 rows until 5 (5) (5) (7) sts remain.

Leave sts on a holder.

FRONT BANDS

With size 3 mm needles rib across sts on safety pin at left front.

Work in rib until band is long enough when slightly stretched to reach up to neck shaping.

Leave sts on a holder.

Sew to front and mark positions for 5 buttons the 1st opposite buttonhole already made on the right front, the 6th will be on the neckband.

Work right front band the same way making buttonholes opposite markers.

NECKBAND

Join raglan seams.

With size 3 mm needles and right side of work facing rib across sts on right front band, pick up and k16 (16) (19) (19) up right front neck, k across sts on sleeve and back neck holders, pick up and k16 (16) (19) (19) down

left front neck and rib across sts on left front band. [77 (79) (87) (93) sts]. Work 6 rows in rib making 6th buttonhole on the 2nd and 3rd rows. Cast off in rib.

SWEATER BACK

Work as instructions given for back of Cardigan until 47 (49) (51) (53) sts remain on raglan shaping ending with a wrong side row.

Divide for back opening

Next row: k1 k2 tog tbl k22 (23) (24) (25) turn and work on these sts only.

* Keeping 3 sts at opening edge in g st dec every alt row at raglan edge until 12 (13) (14) (15) sts remain. Leave sts on a holder.

With right side of work facing return to remaining 22 (23) (24) (25) sts.

1st row: cast on and k3 sts k to last 3 sts k2 tog k1.

Complete as given from *.

FRONT

With size 3 mm needles cast on 67 (73) (79) (85) sts and work in rib as given for Back ending with a right side row.

Next row: (inc row) rib 12 (13) (14) (15) * inc in next st rib 10 (11) (12) (13) rep from * to end [72 (78) (84) (90) sts].

Change to size 3½ mm needles and patt.

1st row: k22 (25) (28) (31) patt 28 k to end.

2nd row: p22 (25) (28) (31) patt 28 p to end.

Continue keeping patt panel as set until work measures same as back to raglan shaping ending with a wrong side row.

Shape raglans

Cast off 4 sts at beg of next 2 rows.

3rd row: k1 k2 tog tbl work to last 3 sts k2 tog k1.

4th row: work to end.

Rep last 2 rows until 40 (42) (46) (48) sts remain ending with a wrong side row.

Shape neck

Next row: k1 k2 tog tbl work 10 (10) (12) (12) turn and work on these sts only.

** Still dec at raglan edge as before dec one st at neck edge every alt row until 4 sts remain.

Dec at raglan edge only until 2 sts remain.

P2 tog and fasten off.

With right side of work facing slip centre 14 (16) (16) (18) sts to a holder and rejoin yarn to remaining 13 (13) (15) (15) sts.

Next row: work to last 3 sts k2 tog k1.

Complete as given from **.

SLEEVES

Work as instructions given for sleeves of Cardigan.

NECKBAND

Join raglan seams.

With size 3 mm needles and right side of work facing k across sts on holders at left side of back and left sleeve top, pick up and k14 (14) (16) (16) down left side of front neck, k and dec 2 sts across sts on holder at centre front, pick up and k13 (13) (15) (15) up right front neck and k across sts on holders at right sleeve top and right side of back neck. [73 (77) (83) (91) sts].

Keeping 3 sts each end in g st work 4 (4) (6) (6) rows in rib.

Cast off in g st and rib.

4 PLY KNITTING CARDIGAN BACK

With size 2½ mm needles cast on 77 (85) (91) (99) sts.

1st row: k1 * p1 k1 rep from * to end.

2nd row: p1 * k1 p1 rep from * to end.

Rep the last 2 rows for 4 cm.

Change to size 3½ mm needles and continue in st st until back measures 14 (18) (20) (24) cm from beg ending with a wrong side row.

Shape raglans

Cast off 4 (5) (5) (6) sts at beg of the next 2 rows.

3rd row: k1 k2 tog tbl k to last 3 sts k2 tog k1.

4th row: purl.

Rep the last 2 rows until 25 (27) (29) (31) sts remain.

Leave sts on a holder.

RIGHT FRONT

With size 2½ mm needles cast on 45 (47) (51) (55) sts and work 6 rows in rib as given for back.

Next row: (make buttonhole) rib 3 cast off 2 sts rib to end.

Next row: rib casting on 2 sts over those cast off in previous row.

Continue in rib for 4 cm ending at buttonhole edge.

Next row: rib 9 slip these sts to a safety pin for front band [36 (38) (42) (46) sts].

Change to size 3½ mm needles and patt.

1st row: k2 patt 11 k to end.

2nd row: p23 (25) (29) (33) patt 11 p2.

Continue keeping patt panel as set until work measures same as back to raglan shaping ending with a right side row.

Shape raglan

Cast off 4 (5) (5) (6) sts work to end.

Next row: work to last 3 sts k2 tog k1.

Next row: work to end.

Continue dec in this manner every alt row until 17 (16) (20) (21) sts remain ending with a wrong side row.

Shape neck

Next row: cast off 3 (3) (3) (4) sts work to last 3 sts k2 tog k1.

Next row: p2 work to end.

** Still dec at raglan edge as before dec one st at neck edge every alt row until 3 (4) (4) (4) sts remain.

Dec at raglan only until 2 sts remain. P2 tog and fasten off.

LEFT FRONT

With size 2½ mm needles cast on 45 (47) (51) (55) sts and work 4 cm in rib as given for back ending with a right side row.

Next row: rib 9 slip these sts to a safety pin rib to end [36 (38) (42) (46) sts].

Change to size 3½ mm needles and patt.

1st row: k23 (25) (29) (33) patt 11 k2.

2nd row: p2 patt 11 p to end.

Continue keeping patt as set until work measures same as right front to raglan shaping ending with a wrong side row.

Shape raglan

Cast off 4 (5) (5) (6) sts work to end.

Next row: work to end.

Next row: k1 k2 tog tbl work to end.

Continue dec in this manner every alt row until 16 (15) (19) (20) sts remain ending with a right side row.

Shape neck

Next row: cast off 3 (3) (3) (4) sts work to last 2 sts p2.

Next row: k1 k2 tog tbl work to last 2 sts k2 tog.

Next row: work to last 2 sts p2.

Complete as given from ** on right front.

SLEEVES

With size 2½ mm needles cast on 39 (41) (43) (45) sts and work 4 cm in rib.

Change to size 3½ mm needles and patt.

1st row: k14 (15) (16) (17) patt 11 k to end.

2nd row: p14 (15) (16) (17) patt 11 p to end.

Continue keeping patt panel as set inc one st each end of the next and every following 4th row until there are 55 (59) (59) (65) sts then every following 8th row until 59 (65) (69) (75) sts are on the needle.

Work without further shaping until sleeve measures 19 (23) (27) (30.5) cm or length required from beg ending with a wrong side row.

Shape top

Cast off 4 (5) (5) (6) sts at beg of the next 2 rows.

3rd row: k1 k2 tog tbl work to last 3 sts k2 tog k1.

4th row: p2 work to last 2 sts p2.

Rep last 2 rows until 7 sts remain.

Leave sts on a holder.

FRONT BANDS

With size $2\frac{3}{4}$ mm needles rib across sts on safety pin at left front and work as instructions given for Double knitting.

NECKBAND

Join raglan seams.

With size $2\frac{3}{4}$ mm needles and right side or work facing rib across sts on right front band, pick up and k16 (16) (20) (21) sts up right front neck, k across sts on sleeve and back neck holders, pick up and k16 (16) (20) (21) down left front neck and k across sts on left front band [89 (91) (101) (105) sts].

Work 6 rows in rib making 6th buttonhole on the 2nd and 3rd rows.

Cast off in rib.

SWEATER

BACK

Work as instructions given for back of Cardigan until 51 (53) (55) (57) sts remain on raglan shaping ending with a wrong side row.

Divide for back opening

Next row: k1 k2 tog tbl k24 (25) (26) (27) turn and work on these sts only.

* Keeping 3 sts at opening edge in g st continue in st st dec every alt row at raglan edge until 14 (15) (16) (17) sts remain.

Leave sts on a holder.

With right side of work facing return to remaining 24 (25) (26) (27) sts.

1st row: cast on 3 sts k to last 3 sts k2 tog k1.

Complete as given from *.

FRONT

With size $2\frac{3}{4}$ mm needles cast on 77 (85) (91) (99) sts and work in rib as given for Back ending with a right side row.

Next row: (inc row) rib 7 (10) (16) (19) * inc in next st rib 13 (14) (14) (15) rep from * to end [82 (90) (96) (104) sts].

Change to size $3\frac{1}{4}$ mm needles and patt.

1st row: k27 (31) (34) (38) patt 28 k to end.

2nd row: p27 (31) (34) (38) patt 28 p to end.

Continue keeping patt panel as set until work measures same as back to raglan shaping ending with a wrong side row.

Shape raglans

Cast off 4 (5) (5) (6) sts at beg of the next 2 rows.

3rd row: k1 k2 tog tbl work to last 3 sts k2 tog k1.

4th row: work to end.

Rep last 2 rows until 44 (46) (52) (54) sts remain ending with a wrong side row.

Shape neck

Next row: k1 k2 tog tbl work 11 (11) (14) (14) turn and work on these sts only.

** Still dec at raglan edge as before dec one st at neck edge

every alt row until 3 (3) (4) (4) sts remain.

Dec at raglan only until 2 sts remain.

P2 tog and fasten off.

With right side of work facing slip centre 16 (18) (18) (20) sts to a holder and rejoin yarn to remaining 14 (14) (17) (17) sts.

Next row: work to last 3 sts k2 tog k1.

Complete as given from **.

SLEEVES

Work as instructions given for sleeves of Cardigan.

NECKBAND

Join raglan seams.

With size $2\frac{3}{4}$ mm needles and right side or work facing k across sts on holders at left side of back and left sleeve top, pick up and k14 (14) (18) (18) sts down left side of front neck, k and dec 3 sts evenly across sts on holder at centre front, pick up and k14 (14) (18) (18) up right front neck and k across sts on holders at right sleeve top and right side of back neck [83 (87) (97) (101) sts].

Keeping 3 sts each end in g st work 6 rows in rib.

Cast off in g st and rib.

TO MAKE UP

Press pieces lightly with a warm iron and damp cloth using a dry cloth for synthetic yarns.

Join side and sleeve seams.

Sew press fasteners on Sweater and buttons on Cardigan.

Press seams.

MATERIALS

TEDDY WOOLS DOUBLE KNITTING AND 4 PLY KNITTING

Double Knitting

SPRINGTIME BABY DK or SPRINGTIME DK

ASTRALAIR DK

DIPLOMAT ECONOMY DK, BABY SOFTSPUN DK, TEDDY FAMILY DK,

CAREFREE DK, CASCADE COTTON LOOK, CAROUSEL COTTON LOOK,

STARDUST LUREX DK or TEDDY ANDORA

1 pair each size 3 and $3\frac{3}{4}$ mm (11 and 9) needles

4 Ply Knitting

SPRINGTIME BABY 4 PLY or SPRINGTIME 4 PLY

TEDDY FAMILY 4 PLY

1 pair each size $2\frac{3}{4}$ and $3\frac{1}{4}$ mm (12 and 10) needles

Stitch holders

3 press fasteners for Sweater. 6 buttons for Cardigan

Note: When using ASTRALAIR DK or TEDDY ANDORA we recommend size $2\frac{3}{4}$ and $3\frac{1}{4}$ mm (12 and 10) needles

Please buy sufficient yarn of one dyelot to complete your garment

Chest	Each Garment				cm
	51	56	61	66	
	20	22	24	26	inch
	6	7	8	9	20 g balls
	3	4	5	5	40 g balls
	2	2	2	2	100 g balls
	5	6	7	8	20 g balls
	2	2	2	2	100 g balls

