

SOFT *for* TOTS



Thorobred 

Volume 6
Price Code D

SOFT *for* TOTS



Volume 6
Price Code D

Thorobred 

CORRECT TENSION IS ESSENTIAL:

If there are less stitches than stated to 10cm, your tension is too loose - use smaller needles. If there are more stitches, your tension is too firm - use larger needles. Best results will be achieved by using the specified THOROBRED yarns as these patterns have been specially written for THOROBRED.

GENERAL ABBREVIATIONS:

K - knit; P - purl; st(s) - stitch(es); ndls - needle(s); rep - repeat; cm - centimetres; meas - measures; inc - increase (by working into front and back of stitch); dec - decrease; beg - beginning; cont - continue; rem - remain(ing); alt - alternate; foll - following; tog - together; tbl - through back of loops; sl - slip; psso - pass slipped stitch over; yfwd - yarn forward; yrn - yarn round ndl; yb - yarn back; yft - yarn front; gtst - garter stitch (every row knit); stst - stocking stitch (1 row knit, 1 row purl); reverse stst - reverse stocking stitch (1 row purl, 1 row knit); yo - yarn over, yfrn - yarn forward and round needle, P2sso - pass 2 slipped stitches over, yon - yarn over needle, wyf - with yarn to front, wyb - with yarn to back.

Sweater and leggings

MEASUREMENTS

Sweater

To fit chest size 35 40 45 50 cm

Finished garment

measures 43 48 53 59 cm

Length to

shoulder 20 23 27 30 cm

Sleeve seam 11 14 15 17 cm

Leggings

Inside leg seam 14 15 17 21 cm

Length from front

waist to crotch 13 15 17 17 cm

MATERIALS

Thorobred

Soft for Tots 8 ply (25g)

Sweater 4 4 5 6 balls

Leggings 3 4 4 5 balls

NEEDLES

One pair each 3.25mm (UK 10, US 3) and 4mm (UK 8, US 6) knitting needles. 3 buttons for Sweater. Waist length of elastic for Leggings.

Thorobred

Soft for Tots 4 ply (25g)

Sweater 3 4 5 6 balls

Leggings 3 3 3 4 balls

NEEDLES

One pair each 2.75mm (UK 12, US 1) and 3.25mm (UK 10, US 3) knitting needles. 3 buttons for Sweater. Waist length of elastic for Leggings.

TENSION

8 ply:

Sweater: 22sts and 30 rows to 10cm over main patt on 4mm ndls.

Leggings: 25 sts and 30 rows to 10cm over patt on 4mm ndls.

4 ply:

Sweater: 28sts and 36 rows to 10cm over main patt on 3.25mm ndls.

Leggings: 31 sts and 36 rows to 10cm over patt on 3.25mm ndls.

NOTE:

Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

SWEATER IN 8 PLY

BACK

With 3.25mm ndls cast on 41 (45, 51, 57) sts.

1st Row - K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep the last 2 rows until rib meas 3 (3, 4, 4) cm from beg, ending with a 2nd row.

Next Row - Rib 3 (1, 4, 4), inc in next st, * rib 6 (5, 5, 6), inc in next st; rep from * to last 2 (1, 4, 3) sts, rib to end - 47 (53, 59, 65) sts.

Change to 4mm ndls and K one row. Work in main patt as follows:

NOTE: Number of sts varies within patt rows.

1st Row - (Right side) P5, * yo, K1, yfrn, P5; rep from * to end.

2nd Row - K5, * P3, K5; rep from * to end.

3rd Row - P5, * K3, P5; rep from * to end.

4th Row - As 2nd row.

5th Row - P5, * yb, sl.1, K2tog, psso, P5; rep from * to end.

6th Row - K5, * P1, K5; rep from * to end.

7th Row - P5, * K1, P5; rep from * to end.

8th Row - As 6th row.

9th Row - P2, * yo, K1, yfrn, P5; rep from * to last 3 sts, yo, K1, yfrn, P2.

10th Row - K2, * P3, K5; rep from * to last 5 sts, P3, K2.

11th Row - P2, * K3, P5; rep from * to last 5 sts, K3, P2.

12th Row - As 10th row.

13th Row - P2, * yb, sl.1, K2tog, psso, P5; rep from * to last 5 sts, yb, sl.1, K2tog, psso, P2.

14th Row - K2, * P1, K5; rep from * to last 3 sts, P1, K2.

15th Row - P2, * K1, P5; rep from * to last 3 sts, K1, P2.

16th Row - As 14th row.

These 16 rows form the main patt. Cont in patt until work meas approx 13 (16, 19, 22) cm from cast on edge, ending with a 14th (6th, 14th, 6th) row of patt.

Cont in rib patt as follows;

1st Row - P2 (5, 2, 5), * K1, P5; rep from * to last 3 (6, 3, 6) sts, K1, P to end.

2nd Row - K2 (5, 2, 5), * P1, K5; rep from * to last 3 (6, 3, 6) sts, P1, K to end.

These 2 rows form the rib patt.**

Divide for Back Opening

Keeping rib patt correct as set work as follows:

Next Row - Patt 21 (24, 27, 30) sts, cast off centre 5 sts, patt to end.

Cont straight in patt on last 21 (24, 27, 30) sts until work meas 20 (23, 27, 30) cm from cast on edge ending with a 2nd row of patt.

Cast off in patt.

With wrong side of work facing, join yarn to rem sts at opening edge and work to correspond with first side.

FRONT

Work as given for Back to **.

Rep these 2 rows 1(1, 2, 2) times more.

Shape Neck

Next Row - Patt 19 (21, 24, 26) sts, cast off centre 9 (11, 11, 13) sts, patt to end.

Cont in patt on last 19 (21, 24, 26) sts, dec one st at neck edge on every row until 14 (16, 19, 21) sts rem.

Cont straight in patt until work meas same as Back to shoulder, ending with a 2nd row of patt.

Cast off in patt.

With wrong side of work facing, join yarn to rem sts at neck edge and work to correspond with first side.

SLEEVES

With 3.25mm ndls cast on 29 (29, 31, 31) sts.

Work 3 (3, 4, 4) cm in rib as given for Back, ending with a 2nd row.

Next Row - Rib 2, inc in next st, * rib 4 (4, 8, 2), inc in next st; rep from * to last st, rib 1 - 35 (35, 35, 41) sts.

Change to 4mm ndls and K one row. Work 4 (2, 2, 4) rows in main patt as given for Back.

Keeping patt correct and bringing extra sts into rev stst, inc one st at beg and end of next and every foll 6th (10th, 6th, 8th) row 3 (3, 5, 4) times in all.

Cont straight in patt until sleeve meas approx 11 (14, 15, 17) cm, ending with an 8th (16th, 16th, 8th) row of patt - 41 (41, 45, 49) sts.

Cast off loosely.

NECKBAND

Sew up shoulder seams.

With right side of work facing, using 3.25mm ndls, pick up evenly and K7 (8, 8, 9) sts across left back neck, 9 (10, 10, 11) sts down left front neck, 9 (11, 11, 13) sts across front neck, 9 (10, 10, 11) sts up right front neck and 7 (8, 8, 9) sts across right back neck - 41 (47, 47, 53) sts.

Beg with a 2nd row, work 5 rows in rib as given for Back.

Cast off loosely in rib.

BUTTON BAND

With right side of work facing, using 3.25mm ndls, pick up evenly and K23 (23, 27, 27) sts along left side of back opening and neckband.

Beg with a 2nd row, work 5 rows in rib as given for Back.

Cast off loosely in rib.

BUTTONHOLE BAND

With right side facing, using 3.25mm ndls, pick up evenly and K23 (23, 27, 27) sts along right side of neckband and back opening.

Beg with a 2nd row, work 2 rows in rib as given for Back.

Buttonhole row - Rib 4, [yfwd, K2tog, rib 6 (6, 8, 8)] twice, yfwd, K2tog, rib 1.

Work 2 more rows in rib.

Cast off loosely in rib.

TO MAKE UP

Meas down 9 (9, 10, 11) cm from shoulders on Back and Front and mark these points at side edges with coloured threads. Sew sleeves to Back and Front between coloured threads. Sew up side and sleeve seams. Catch down lower edge of bands with button band behind buttonhole band. Sew on buttons to match buttonholes. Press seams lightly on wrong side.

LEGGINGS IN 8 PLY

RIGHT LEG

With 3.25mm ndls cast on 29 (31, 33, 37) sts and work in rib as given for Back of Sweater for 3 (3, 4, 4) cm, ending with a 1st row.

Next Row - Rib 2 (2, 1, 3), inc in next st, * rib 2, inc in next st; rep from * to last 2 (1, 1, 3) sts, rib 2 (1, 1, 3) - 38 (41, 44, 48) sts.

Next Row - P4 (2, 1, 7), inc in next st; * P4 (5, 3, 1), inc in next st; rep from * to last 3 (2, 2, 6) sts, P to end. - 45 (48, 55, 66) sts.

Change to 4mm ndls and K one row. Work in patt as follows:

1st Row - (Right side) P1 (6, 6, 1), * K1, P6; rep from * to last 2 (7, 7, 2) sts, K1, P1 (6, 6, 1).

2nd Row - K1 (6, 6, 1), * P1, K6; rep from * to last 2 (7, 7, 2) sts, P1, K1 (6, 6, 1).

These 2 rows form the patt.

Cont in patt until work meas 14 (15, 17, 21) cm from cast on edge, ending with a wrong side row. ***

Break yarn and leave sts on a holder.

LEFT LEG

Work as given for Right Leg to ***.

Join legs as follows:

Next Row - Cast on 3 sts, patt to end, turn, cast on 5 sts, turn and with right side facing patt across sts from Right Leg - 98 (104, 118, 140) sts.

Next Row - Cast on 3 sts, patt to end - 101 (107, 121, 143) sts.

Working extra sts into rev stst, cont straight until work meas 10 (12, 14, 14) cm from cast on sts, ending with a wrong side row.

Shape Back

1st Row - Patt 20, turn.

2nd and every alt row - Sl.1, patt to end.

3rd Row - Patt 15, turn.

5th Row - Patt 10, turn.

7th Row - Patt to end.

Rep 1st to 7th rows (inclusive) again. Change to 3.25mm ndls and starting

with a 1st row work 3 cm in rib as given for Back of Sweater.

Cast off in rib.

TO MAKE UP

Sew up centre back seam. Sew up inside leg and crotch seams. Join elastic into a ring, make a casing on wrong side of waistband over elastic using a herringbone stitch. Press seams lightly on wrong side.

SWEATER IN 4 PLY

BACK

With 2.75mm ndls cast on 51 (59, 65, 73) sts.

1st Row - K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep the last 2 rows until rib meas 3 (3, 4, 4) cm from beg, ending with a 2nd row.

Next Row - Rib 3 (1, 5, 5), inc in next st, * rib 4 (7, 5, 6), inc in next st; rep from * to last 2 (1, 5, 4) sts, rib to end - 61 (67, 75, 83) sts.

Change to 3.25mm ndls and K one row.

Work in main patt as follows:

NOTE: Number of sts varies within patt rows.

1st Row - (Right side) P6 (6, 1, 2), * yo, K1, yfrn, P5; rep from * to last 7 (7, 2, 3) sts, yo, K1, yfrn, P6 (6, 1, 2).

2nd Row - K6 (6, 1, 2), * P3, K5; rep from * to last 9 (9, 4, 5) sts, P3, K6 (6, 1, 2).

3rd row - P6 (6, 1, 2), * K3, P5; rep from * to last 9 (9, 4, 5) sts, K3, P6 (6, 1, 2).

4th Row - As 2nd row.

5th Row - P6 (6, 1, 2), * yb, sl.1, K2tog, psso, P5; rep from * to last 9 (9, 4, 5) sts, yb, sl.1, K2tog, psso, P6 (6, 1, 2).

6th Row - K6 (6, 1, 2), * P1, K5; rep from * to last 7 (7, 2, 3) sts, P1, K6 (6, 1, 2).

7th Row - P6 (6, 1, 2), * K1, P5; rep from * to last 7 (7, 2, 3) sts, K1, P6 (6, 1, 2).

8th Row - As 6th row.

9th Row - P3 (3, 4, 5), * yo, K1, yfrn, P5; rep from * to last 4 (4, 5, 6) sts, yo, K1, yfrn, P3 (3, 4, 5).

10th Row - K3 (3, 4, 5), * P3, K5; rep from * to last 6 (6, 7, 8) sts, P3, K3 (3, 4, 5).

11th Row - P3 (3, 4, 5), * K3, P5; rep from * to last 6 (6, 7, 8) sts, K3, P3 (3, 4, 5).

12th Row - As 10th row.

13th Row - P3 (3, 4, 5), * yb, sl.1, K2tog, psso, P5; rep from * to last 6

(6, 7, 8) sts, yb, sl.1, K2tog, pssso, P3 (3, 4, 5).

14th Row - K3 (3, 4, 5), * P1, K5; rep from * to last 4 (4, 5, 6) sts, P1, K3 (3, 4, 5).

15th Row - P3 (3, 4, 5), * K1, P5; rep from * to last 4 (4, 5, 6) sts, K1, P3 (3, 4, 5).

16th Row - As 14th row.

These 16 rows form the main patt.
Cont in patt until work meas approx 13 (16, 19, 21) cm from cast on edge, ending with a 6th (14th, 6th, 14th) row of patt.

Cont in rib patt as follows:

1st Row - P6 (3, 1, 5), * K1, P5; rep from * to last 7 (4, 2, 6) sts, K1, P to end.

2nd Row - K6 (3, 1, 5), * P1, K5; rep from * to last 7 (4, 2, 6) sts, P1, K to end.

These 2 rows form the rib patt. **

Divide for Back Opening

Keeping rib patt correct as set work as follows:

Next Row - Patt 28 (31, 35, 39) sts, cast off centre 5 sts, patt to end.

Cont straight in patt on last 28 (31, 35, 39) sts until work meas 20 (23, 27, 30) cm from cast on edge, ending with a 2nd row of patt.

Cast off in patt.

With wrong side of work facing, join yarn to rem sts at opening edge and work to correspond with first side.

FRONT

Work as given for Back to **.

Rep these 2 rows 2 (1, 3, 4) times more.

Shape Neck

Next Row - Patt 24 (26, 30, 33), cast off centre 13 (15, 15, 17) sts, patt to end.

Cont in patt on last 24 (26, 30, 33) sts, dec one st at neck edge on every row until 19 (21, 25, 28) sts rem.

Cont straight in patt until work meas same as Back to shoulder, ending with a 2nd row of patt.

Cast off in patt.

With wrong side of work facing, join yarn to rem sts at neck edge and work to correspond with first side.

SLEEVES

With 2.75mm ndls cast on 37 (37, 39, 39) sts.

Work 3 (3, 4, 4) cm in rib as given for Back ending with a 2nd row.

Next Row - Rib 3 (3, 2, 2), inc in next st, * rib 9 (9, 4, 4), inc in next st; rep from * to last 3 (3, 1, 1) sts, rib

to end - 41 (41, 47, 47) sts.

Change to 3.25mm ndls and K one row.

Work 2 (4, 4, 2) rows in main patt as given for 4th size of Back.

Keeping patt correct and bringing extra sts into rev stst, inc one st at beg and end of next and every foll 6th row 5 (5, 5, 7) times in all.

Cont straight in patt until sleeve meas approx 11 (14, 15, 17) cm, ending with a 16th (8th, 8th, 16th) row of patt - 51 (51, 57, 61) sts.

Cast off loosely.

NECKBAND

Sew up shoulder seams.

With right side of work facing, using 2.75mm ndls, pick up evenly and K9 (10, 10, 11) sts across left back neck, 11 (12, 12, 13) sts down left front neck, 13 (15, 15, 17) sts across front neck and 9 (10, 10, 11) sts across right back neck - 53 (59, 59, 65) sts.

Beg with a 2nd row, work 7 rows in rib as given for Back.

Cast off loosely in rib.

BUTTON BAND

With right side of work facing, using 2.75mm ndls, pick up evenly and K29 (29, 31, 35) sts along left side of back opening and neckband.

Beg with a 2nd row, work 7 rows in rib as given for Back.

Cast off loosely in rib.

BUTTONHOLE BAND

With right side of work facing, using 2.75mm ndls, pick up evenly and K29 (29, 31, 35) sts along right side of neckband and back opening.

Beg with a 2nd row, work 4 rows in rib as given for Back.

Buttonhole row - Rib 4 (4, 6, 6), [yfwd, K2tog, rib 8 (8, 8, 10)] twice, yfwd, K2tog, rib 3.

Work 2 more rows in rib.

Cast off loosely in rib.

TO MAKE UP

Meas down 9 (9, 10, 11) cm from shoulders on Back and Front and mark these points at side edges with coloured threads. Sew sleeves to Back and Front between coloured threads. Sew up side and sleeve seams. Catch down lower edge of bands with button band behind buttonhole band. Sew on buttons to match buttonholes. Press seams lightly on wrong side.

LEGGINGS IN 4 PLY

RIGHT LEG

With 2.75mm ndls cast on 37 (39, 43, 47) sts and work in rib as given for Back of Sweater for 3 (3, 4, 4) cm, ending with a 1st row.

Next Row - Rib 2 (1, 2, 3), inc in next st, * rib 2, inc in next st; rep from * to last 1 (1, 1, 4) sts, rib 1 (1, 1, 4) - 49 (52, 57, 61) sts.

Next Row - P2 (3, 6, 9), inc in next st, * P8 (4, 3, 1), inc in next st; rep from * to last 1 (3, 6, 9) sts, P1 (3, 6, 9) - 55 (62, 69, 83) sts.

Change to 3.25mm ndls and K one row.

Work in patt as follows:

1st Row - (Right side) P6, * K1, P6; rep from * to end.

2nd Row - K6, * P1, K6; rep from * to end.

These 2 rows form the patt.

Cont in patt until work meas 14 (15, 17, 21) cm from cast on edge, ending with a wrong side row. ***

Break yarn and leave sts on a holder.

LEFT LEG

Work as given for Right Leg to ***.

Join legs as follows:

Next Row - Cast on 4 sts, patt to end, turn, cast on 7 sts, turn and with right side facing, patt across sts from Right Leg - 121 (135, 149, 177) sts.

Next Row - Cast on 4 sts, patt to end - 125 (139, 153, 181) sts.

Working extra sts into rev stst, cont straight until work meas 10 (12, 14, 14) cm from cast on sts, ending with a wrong side row.

Shape Back

1st Row - Patt 24, turn.

2nd and every alt row - Sl.1, patt to end.

3rd Row - Patt 18, turn.

5th Row - Patt 12, turn.

7th Row - Patt to end.

Rep 1st to 7th rows (inclusive) again. Change to 2.75mm ndls and starting with a 1st row work 3cm in rib as given for Back of Sweater.

Cast off in rib.

TO MAKE UP

Sew up centre back seam. Sew up inside leg and crotch seams. Join elastic into a ring, make a casing on wrong side of waistband over elastic using a herringbone stitch. Press seams lightly on wrong side.

Sweaters & Cardigans

MEASUREMENTS

To fit chest size	41	46	51	56	cm
Finished garment measures	46	51	56	61	cm
Length to back neck	21	24	28	32	cm
Sleeve seam	13	16	19	22	cm

MATERIALS

Thorobred

Soft for Tots 4 ply (25g)

Raglan Sweater

Colour A 3 4 5 6 balls

Raglan Cardigan

Colour A 3 4 5 6 balls

Drop Shoulder Sweater

Colour A 3 4 5 6 balls

Drop Shoulder Cardigan

Colour A 3 4 5 6 balls

All Designs Col B - 25g 4 ply

NEEDLES

One pair each 2.75mm (UK 12, US 1) and 3.25mm (UK 10, US 3) knitting needles. 3 buttons for Raglan Sweater. 6 buttons for Drop Shoulder Sweater. 5 (5, 6, 6) buttons for Cardigans.

TENSION

28 sts and 36 rows to 10 cm over stst on 3.25mm ndls.

NOTE

Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

RAGLAN SWEATER

BACK

With 2.75mm ndls and B, cast on 63 (71, 77, 85) sts.

1st Row - K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Break off B, join in A and rep 1st and 2nd rows until rib meas 3 (3, 4, 4) cm from beg, ending with a 2nd row, inc one st at centre of last row - 64 (72, 78, 86) sts. **

Change to 3.25 mm ndls and work in stst, starting with a K row, until Back meas 12 (14, 16, 18) cm from cast on edge, ending with a P row.

Shape Raglans

Cast off 3 sts at beg of next 2 rows.

3rd Row - K1, sl.1, K1, pssso, K to last 3 sts, K2 tog, K1.

4th Row - Purl.

Rep last 2 rows until 32 (34, 34, 36) sts rem, ending with a P row.

Next Row - K1, sl.1, K2tog, pssso, K to last 4 sts, K3tog, K1.

Next Row - Purl.

Rep last 2 rows once more.

Slip rem 24 (26, 26, 28) sts onto a holder for Neckband.

FRONT

Work as given for Back to **.

Change to 3.25mm ndls and work in patt as follows:

1st Row - K21 (25, 28, 32), [yfwd, sl.1, K1, pssso, K7] 3 times, K to end.

2nd and every alt row - Purl.

3rd Row - K22 (26, 29, 33), [yfwd, sl.1, K1, pssso, K7] 3 times, K to end.

5th Row - K23 (27, 30, 34), [yfwd, sl.1, K1, pssso, K7] 3 times, K to end.

7th Row - K27 (31, 34, 38), [K2tog, yfwd, K7] twice, K to end.

9th Row - K26 (30, 33, 37), [K2tog, yfwd, K7] twice, K to end.

11th Row - K25 (29, 32, 36), [K2tog, yfwd, K7] twice, K to end.

12th Row - Purl.

These 12 rows form the patt. ***

Cont in patt until work meas same as Back to start of raglan shaping, ending with a wrong side row.

Shape Raglans

Cast off 3 sts at beg of next 2 rows.

1st Row - K1, sl.1, K1, pssso, patt to last 3 sts, K2tog, K1.

2nd Row - Purl.

Rep last 2 rows until 40 (42, 44, 46) sts rem, ending with a 2nd row.

Shape Neck

Next Row - K1, sl.1, K1, pssso, K12 (12, 13, 13), turn and leave rem sts until required.

**** Cont to dec one st at raglan edge as before on every alt row AT SAME TIME dec one st at neck edge on every row until 7 (7, 8, 8) sts rem, ending with a wrong side row.

Keeping neck edge straight, cont to work at raglan edge as follows: ****

Next Row - K1, sl.1, k1, pssso, K4.

Next Row - Purl.

Rep last 2 rows 0 (0, 1, 1) times more.

Next Row - K1, sl.1, K2tog, pssso, K2.

Next Row - Purl.

Rep last 2 rows once more - 2 sts.

Next Row - K2tog and fasten off.

Slip centre 10 (12, 12, 14) sts onto a holder for Neckband.

With right side of work facing, rejoin yarn to next st and patt to last 3 sts, K2tog, K1.

Complete to correspond with first side from **** to ****.

Next Row - K to last 3 sts, K2tog, K1.

Next Row - Purl.

Rep last 2 rows 0 (0, 1, 1) times more.

Next Row - K2, K3tog, K1.

Next Row - Purl.

Rep last 2 rows once more - 2 sts.

Next Row - K2tog and fasten off.

SLEEVES

With 2.75mm ndls and B, cast on 41 (43, 45, 47) sts and work 2 rows in rib as given for Back.

Break off B, join in A and work 3 (3, 4, 4) cm in rib from beg, ending with a 1st row.

Next Row - Rib 5 (6, 2, 3), * inc in next st, rib 9 (9, 7, 7), rep from * to last 6 (7, 3, 4) sts, inc in next st, rib to end - 45 (47, 51, 53) sts.

Change to 3.25mm ndls and work 6 (6, 6, 10) rows in stst.

Cont in stst inc one st at beg and end of next and every foll 10th (8th, 8th, 6th) row until there are 51 (57, 63, 69) sts.

Work straight until Sleeve meas 13 (16, 19, 22) cm (or length required from beg to underarm), ending with a P row.

Shape Raglan

Cast off 3 sts at beg of next 2 rows.

1st Row - K1, sl.1, K1, pssso, K to last 3 sts, K2tog, K1.

2nd Row - Purl.

Rep last 2 rows until 21 sts rem, ending with a P row.

Next Row - K1, sl.1, K2tog, pssso, K to last 4 sts, K3tog, K1.

Next Row - Purl.

Rep last 2 rows twice more.

Slip rem 9 sts onto a holder for Neckband.

NECKBAND

Sew up raglan seams, leaving right back raglan seam open. With right side facing, using 2.75mm ndls and A, K across 24 (26, 26, 28) sts on holder at back neck dec one st at centre, 9 sts across left sleeve, pick up evenly and K12 (12, 14, 14) sts down left front neck, K across 10 (12, 12, 14) sts on holder at centre front,

pick up evenly and K12 (12, 14, 14) sts up right front neck, K across 9 sts of right sleeve - 75 (79, 83, 87) sts. Beg with a 2nd row work 5 rows in rib as given for Back. Break off A, work in B only for a further 2 rows. Cast off loosely in rib.

TO MAKE UP

Sew up right back raglan seam leaving 8 cm open at top. Sew up side and sleeve seams.

BACK UNDERLAY

With right side facing, using 2.75mm ndls and A, starting at top of Neckband, pick up evenly and K25 sts along sleeve edge of raglan opening. Beg with a 2nd row, work 2 rows in rib as given for Back.

Buttonhole Row - Rib 5, [ym, P2tog, rib 6] twice, yrn, P2tog, K1, P1. Work 2 more rows in rib. Cast off loosely in rib. With 2.75mm ndls and A, starting at lower edge, pick up evenly and K25 sts along back edge of raglan opening to top of Neckband. Work 2 rows in rib. Cast off loosely in rib. Sew on buttons.

RAGLAN CARDIGAN

BACK AND SLEEVES

Work as given for Back and Sleeves of Raglan Sweater.

LEFT FRONT

With 2.75mm ndls and B, cast on 37 (41, 45, 49) sts and work 2 rows in rib as given for Back. Break off B, join in A and work 2 more rows in rib.

Boys Front only

Buttonhole Row - Rib to last 6 sts, P2tog, yrn, rib to end.

Boys and Girls Front

Cont in rib until rib meas 3 (3, 4, 4) cm from beg, ending with a 1st row. **Next Row** - Rib 8 sts, slip these sts onto a safety-pin for Front Band, rib to end inc 1 st at end of row on **1st and 2nd sizes only** - 30 (34, 37, 41) sts.

Change to 3.25mm ndls and work in patt as follows:

1st Row - K16 (20, 23, 27), K2tog, yfwd, K7, K2tog, yfwd, K3.

2nd and every alt row - Purl.

3rd Row - K15 (19, 22, 26), K2tog, yfwd, K7, K2tog, yfwd, K4.

5th Row - K14 (18, 21, 25), K2tog, yfwd, K7, K2tog, yfwd, K5.

7th Row - K19 (23, 26, 30) yfwd, sl.1, K1, psso, K9.

9th Row - K20 (24, 27, 31) yfwd, sl.1, K1, psso, K8.

11th Row - K21 (25, 28, 32) yfwd, sl.1, K1, psso, K7.

12th Row - Purl.

These 12 rows form the patt. ****

Cont in patt until work meas same as Back to start of raglan shaping, ending with a wrong side row.

Shape Raglan

Cast off 3 sts, patt to end.

Next Row - Purl.

Next Row - K1, sl.1, K1, psso, patt to end.

Rep last 2 rows until 18 (19, 20, 21) sts rem ending with a **right** side row.

Shape Neck

Next Row - P3 (4, 4, 5), slip these sts onto a safety-pin for Neckband, P to end.

Cont to dec one st at raglan edge as before on next and every alt row, AT SAME TIME dec one st at neck edge on every row until 7 (7, 8, 8) sts rem, ending with a wrong side row.

Keeping neck edge straight, cont to dec at raglan edge as follows:

Next Row - K1, sl.1, K1, psso, K4.

Next Row - Purl.

Rep last 2 rows 0 (0, 1, 1) times more.

Next Row - K1, sl.1, K2tog, psso, K2.

Next Row - Purl.

Rep last 2 rows once more - 2 sts.

Next Row - K2tog and fasten off.

RIGHT FRONT

With 2.75mm ndls and B, cast on 37 (41, 45, 49) sts and work 2 rows in rib as given for Back.

Break off B, join in A and work 2 more rows in rib.

Girls Front only

Buttonhole Row - Rib 4, yrn, P2tog, rib to end.

Girls and Boys Front

Cont in rib until rib meas 3 (3, 4, 4) cm from beg, ending with a 1st row. **Next Row** - Inc in first st on **1st and 2nd sizes only**, rib to last 8 sts, turn and slip these sts onto a safety-pin for Front Band - 30 (34, 37, 41) sts. Change to 3.25mm ndls and work in patt as follows:

1st Row - K3, [yfwd, sl.1, K1, psso, K7] twice, K to end.

2nd and every alt Row - Purl.

3rd Row - K4, [yfwd, sl.1, K1, psso, K7] twice, K to end.

5th Row - K5, [yfwd, sl.1, K1, psso,

K7] twice, K to end.

7th Row - K9, K2tog, yfwd, K to end.

9th Row - K8, K2tog, yfwd, K to end.

11th Row - K7, K2tog, yfwd, K to end.

12th Row - Purl.

These 12 rows form the patt *****

Cont in patt until work meas same as Back to start of raglan shaping, ending with a **right** side row.

Shape Raglan

Cast off 3 sts, P to end.

Next Row - Work to last last 3 sts K2tog, K1.

Next Row - Purl.

Rep last 2 rows until 18 (19, 20, 21) sts rem, ending with a **right** side row.

Shape Neck

1st Row - P to last 3 (4, 4, 5) sts, slip these sts onto safety-pin. Cont to dec one st at raglan edge as before on next and every foll alt row AT SAME TIME dec one st at neck edge on every row until 7 (7, 8, 8) sts rem, ending with a wrong side row.

Keeping neck edge straight cont to dec at raglan edge as follows:

Next Row - K to last 3 sts, K2tog, K1.

Next Row - Purl.

Rep last 2 rows 0 (0, 1, 1) time more.

Next Row - K2, K3tog, K1.

Next Row - Purl.

Rep last 2 rows once more - 2 sts.

Next Row - K2tog and fasten off.

NECKBAND

Sew up raglan seams.

With right side facing, using 2.75mm ndls and A, K across the 3 (4, 4, 5) sts on safety-pin at right front neck, pick up evenly and K12 (12, 14, 14) sts up right front neck, K9 sts across right sleeve, K24 (26, 26, 28) sts from back neck holder dec one st at centre, K across 9 sts on left sleeve, pick up evenly and K12 (12, 14, 14) sts down left front neck and K across the 3 (4, 4, 5) sts on safety-pin at left front - 71 (75, 79, 83) sts. Beg with a 2nd row work 5 rows in rib as given for Back of Sweater. Break off A, join in B and work 2 more rows in rib. Cast off loosely in rib.

BUTTON BAND

With 2.75mm ndls and A, cast on one st and with right side of Left Front facing for a Girl or wrong side of Right Front facing for a Boy, rib across sts of front band - 9 sts. Cont in rib until band when slightly

stretched fits up front to top of Neckband changing to B for the last 2 rows as on Neckband. Sew in position as you go along. Cast off in rib.

Mark positions for 5 (5, 6, 6) buttons, the first to match existing buttonhole in right front or left front rib and the top one 1 cm below top of neckband. Space remainder evenly between.

BUTTONHOLE BAND

Work as given for Button Band, making buttonholes to correspond with markers on right side rows as follows:

Buttonhole row - Rib 4, yrn, P2tog, rib 3.

TO MAKE UP

Sew up side and sleeve seams. Sew on buttons.

DROP SHOULDER SWEATER

BACK

Work as given for Back of Raglan Sweater to **.

Change to 3.25mm ndls and work in stst, starting with a K row until Back meas 21 (24, 28, 32) cm from cast on edge, ending with a P row.

Shape Neck

Next Row - K27 (31, 33, 37), turn and complete this side first.

Cast off 4 sts at beg of next and foll alt row - 19 (23, 25, 29) sts rem.

Work 1 row.

Beg with a 2nd row, work 7 rows in rib as given for Back.

Cast off loosely in rib.

Slip next 10 (10, 12, 12) sts at centre onto a holder for Neckband.

With right side of work facing, rejoin yarn to next st and K to end.

Purl 1 row.

Cast off 4 sts at beg of next and foll alt row.

Work 7 rows in rib as given for Back. Cast off loosely in rib.

FRONT

Work as given for Front of Raglan Sweater to ***.

Rep last 12 rows until Front meas 17 (20, 23, 27) cm from cast on edge, ending with a wrong side row.

Shape Neck

Next Row - Patt 26 (30, 32, 36), turn and leave rem sts until required cont in stst on these 26 (30, 32, 36) sts, dec one st at neck edge on next 5 rows, then on every foll alt row twice

- 19 (23, 25, 29) sts.

Work straight until Front meas same as Back to start of ribbing on shoulder, ending with a wrong side row.

Work 3 rows in rib as given for Back.

Buttonhole Row - Rib 6 (8, 8, 10), yfwd, K2tog, rib 6 (8, 8, 10), yfwd, K2tog, rib 3 (3, 5, 5).

Work 3 more rows in rib. Cast off loosely in rib.

Return to rem sts on ndl and with right side of work facing slip centre 12 (12, 14, 14) sts onto a holder for Front Neckband.

Rejoin yarn at neck edge and patt to end.

Dec one st at neck edge on next 5 rows, then on every foll alt row twice - 19 (23, 25, 29) sts.

Work straight until Front meas same as Back to start of ribbing on shoulder, ending with a wrong side row.

Beg with a 2nd row, work 3 rows in rib as given for Back.

Buttonhole Row - Rib 4 (4, 6, 6), yfwd, K2tog, rib 6 (8, 8, 10), yfwd, K2tog, rib 5 (7, 7, 9).

Work 3 more rows in rib. Cast off loosely in rib.

SLEEVES

Work as given for Sleeves of Raglan Sweater to start of Shape Raglan. Cast off.

BACK NECKBAND

With right side of Back facing, using 2.75mm ndls and A, pick up evenly and K6 sts down side of right shoulder rib, 8 sts down right back neck, K across the 10 (10, 12, 12) sts at centre back neck holder dec one st at centre, pick up evenly and K8 sts up left back neck and 6 sts up side of left shoulder rib - 37 (37, 39, 39) sts. Beg with a 2nd row, work 5 rows in rib as given for Back.

Break off A, join in B and work 2 more rows in rib.

Cast off loosely in rib.

FRONT NECKBAND

With right side of Front facing, using 2.75mm ndls and A, pick up evenly and K6 sts down side of left shoulder rib, 16 (16, 18, 18) sts down left front neck, K across the 12 (12, 14, 14) sts on holder at centre front dec one st at centre, pick up evenly and K16 (16, 18, 18) sts up right front neck and 6 sts up side of right shoulder rib - 55 (55, 61, 61) sts. Beg with a 2nd row, work 3 rows in

rib as given for Back.

Buttonhole Row - Rib 4, yfwd, K2tog, rib to last 5 sts, yfwd, K2tog, rib 3.

Work 1 more row in rib.

Change to B and work 2 more rows in rib.

Cast off loosely in rib.

TO MAKE UP

Place Buttonhole bands over button bands and sew down side edges.

Place centre of cast off edge of sleeves to centre of shoulder bands, sew sleeves in place.

Sew up side and sleeve seams.

Sew on Buttons.

DROP SHOULDER CARDIGAN

BACK

Work as given for Back of Drop Shoulder Sweater, omitting ribbing on shoulders. Cast off loosely.

LEFT FRONT

Work as given for Left Front of Raglan Cardigan to ****.

Rep last 12 rows until Front meas 17 (20, 23, 27) cm from cast on edge, ending with a right side row.

Shape Neck

Next Row - P4 (4, 5, 5), slip these sts onto a safety-pin for Neckband, P to end.

Dec one st at neck edge on next 5 rows, then on every foll alt row twice - 19 (23, 25, 29) sts. Work straight until Front meas same as Back to shoulder, ending with a P row. Cast off.

RIGHT FRONT

Work as given for Right Front of Raglan Cardigan to *****.

Rep last 12 rows until Front meas 17 (20, 23, 27) cm from cast on edge, ending with a right side row.

Shape Neck

Next Row - P to last 4 (4, 5, 5) sts, turn and slip rem sts onto a safety-pin for Neckband.

Dec one st at neck edge on next 5 rows, then on every foll alt row twice - 19 (23, 25, 29) sts.

Work straight until Front meas same as Back to shoulder, ending with a P row. Cast off.

SLEEVES

Work as given for Sleeves of Raglan Sweater to start of Shape Raglan. Cast off.

NECKBAND

Using a fine back stitch sew up shoulder seams. With right side facing, 2.75mm ndls and A, pick up evenly and K across 4 (4, 5, 5) sts on safety-pin at right front neck, pick up evenly and K16 (16, 18, 18) sts up right front neck, K8 sts down right back neck, K across 10 (10, 12, 12) sts at back neck holder dec one st at centre, pick up evenly and K8 sts up left back neck, K16 (16, 18, 18) sts down left front neck and K across 4

(4, 5, 5) sts on safety-pin at left front neck - 65 (65, 73, 73) sts.

Beg with a 2nd row, work 5 rows in rib as given for Back.

Break off A, join in B and work 2 more rows in rib.

Cast off loosely in rib.

BUTTON AND BUTTONHOLE BANDS

Work as given for Button and Buttonhole Bands of Raglan Cardigan.

TO MAKE UP

Meas down 9 (10, 11, 12) cm from each shoulder seam at Back and Fronts and mark these points at side edges with coloured threads. Sew tops of sleeves evenly between coloured threads. Sew up side and sleeve seams. Sew on buttons.

Christening dress and shawl

MEASUREMENTS

Dress

To fit chest size	35	40	45	cm
Finished garment at chest measures	41	46	52	cm
Length to shoulder	71	72	73	cm
Sleeve seam	11	13	15	cm
Shawl	98x98 cm (including border)			

MATERIALS

Thorobred

Soft for Tots 4 ply (25g)

Dress	12	14	16	balls
Shawl	15			balls

NEEDLES

One pair each 3mm (UK 11, US 2) and 3.25mm (UK 10, US 3) knitting needles. 4 buttons for Dress. Approximately 8.5 (9, 9.5) metres of 7 mm wide ribbon in contrast colour if desired and 6.5 (7, 7.5) metres of 7mm wide ribbon in main colour for Dress.

TENSION

28 sts and 36 rows to 10cm over main patt on 3.25mm ndls.

NOTE

Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

DRESS

BACK

With 3.25mm ndls, cast on 141 (155, 169) sts.

Starting with a K row, work 6 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 7 more rows in stst.

Work border patt as follows:

1st Row - (Right side) Purl.

2nd Row - Purl.

3rd Row - K5, * K2tog, [K1, yfwd, K1] in next st, sl.1, K1, pssso, K9; rep from * to last 10 sts, K2tog, [K1, yfwd, K1] in next st, sl.1, K1, pssso, K5.

4th Row - K5, * P5, K9; rep from * to last 10 sts, P5, K5.

5th Row - K4, * K2tog, [K1, yfwd] twice, K1, sl.1, K1, pssso, K7; rep from * to last 11 sts, K2tog, [K1, yfwd] twice, K1, sl.1, K1, pssso, K4.

6th Row - K4, * P7, K7; rep from * to last 11 sts, P7, K4.

7th Row - K3, * K2tog, K2, yfwd, K1, yfwd, K2, sl.1, K1, pssso, K5; rep from * to last 12 sts, K2tog, K2, yfwd, K1, yfwd, K2, sl.1, K1, pssso, K3.

8th Row - K3, * P9, K5; rep from * to last 12 sts, P9, K3.

9th Row - K2, * K2tog, K3, yfwd, K1, yfwd, K3, sl.1, K1, pssso, K3; rep from * to last 13 sts, K2tog, K3, yfwd, K1, yfwd, K3, sl.1, K1, pssso, K2.

10th Row - K2, * P11, K3; rep from * to last 13 sts, P11, K2.

11th Row - K1, * K2tog, K4, yfwd, K1, yfwd, K4, sl.1, K1, pssso, K1; rep from * to end.

12th Row - K1, * P13, K1, rep from * to end.

13th Row - K1, * sl.1, K1, pssso, [K3, yfwd] twice, K3, K2tog, K1; rep from * to end.

14th Row - As 12th row.

15th Row - K1, * yfwd, sl.1, K1, pssso, K3, yfwd, sl.1, K2tog, pssso, yfwd, K3, K2tog, yfwd, K1; rep from * to end.

16th Row - As 10th row.

17th Row - K2, * yfwd, sl.1, K1, pssso, K7, K2tog, yfwd, K3; rep from * to last 13 sts, yfwd, sl.1, K1, pssso, K7, K2tog, yfwd, K2.

18th Row - As 8th row.

19th Row - K3, * yfwd, sl.1, K1, pssso, K5, K2tog, yfwd, K5; rep from * to last 12 sts, yfwd, sl.1, K1, pssso, K5, K2tog, yfwd, K3.

20th Row - As 6th row.

21st Row - K4, * yfwd, sl.1, K1, pssso, K3, K2tog, yfwd, K7; rep from * to last 11 sts, yfwd, sl.1, K1, pssso, K3, K2tog, yfwd, K4.

22nd Row - As 4th row.

23rd Row - K5, * yfwd, sl.1, K1, pssso, K1, K2tog, yfwd, K9; rep from * to last 10 sts, yfwd, sl.1, K1, pssso, K1, K2tog, yfwd, K5.

24th Row - K6, * P3, K11; rep from * to last 9 sts, P3, K6.

25th Row - K6, * yfwd, sl.2, K1, P2sso, yfwd, K11; rep from * to last 9 sts, yfwd, sl.2, K1, P2sso, yfwd, K6.

26th Row - Knit.

These 26 rows complete border patt.

Cont in main patt as follows:

1st Row - (Right side) K6, * yfwd, sl.1, K2tog, pssso, yfwd, K11; rep from * to last 9 sts, yfwd, sl.1, K2tog, pssso, yfwd, K6.

2nd Row - Purl.

These 2 rows form the main patt.

Rep these 2 rows until work meas 61cm from picot row, ending with a P row.

Next Row - K1 (2, 4), * K2tog, K3tog; rep from * to last 0 (3, 5) sts, K0 (3, 5) - 57 (65, 73) sts.

Next Row - Purl.

Eyelet Row - K2, * yfwd, K2tog, K2; rep from * to last 3 sts, yfwd, K2tog, K1.

Next Row - Purl. **

Shape Armholes and Divide for Back Opening

Next Row - Cast off 3 (4, 5) sts, K24 (27, 30) (including st left on ndl after cast off), turn and leave rem sts until required. Cont on last 24 (27, 30) sts for right back.

Next Row - Purl.

Cont in stst, dec one st at armhole edge on next and every foll alt row until 20 (22, 24) sts rem.

Work straight until Back meas 10 (11, 12) cm from eyelet row ending at armhole edge.

Shape shoulder

Cast off 5 (5, 6) sts at beg of next row. Work 1 row.

Cast off 5 (6, 7) sts at beg of next row. Work 1 row.

Leave rem 10 (11, 11) sts on a holder. Return to rem sts on ndl. With right side of work facing rejoin yarn to first st. Cast off first 3 sts, K to end - 27 (31, 35) sts.

Next Row - Cast off 3 (4, 5) sts, P to end.

Complete to correspond with first side.

FRONT

Work as given for Back to **.

Shape Armholes

Working in stst, cast off 3 (4, 5) sts at beg of next 2 rows. Dec one st at beg and end of next and every foll alt row until 43 (47, 51) sts rem.

Cont straight until Front meas 6 (6, 7) cm from eyelet row, ending with a wrong side row.

Shape Neck

Next Row - K17 (18, 20), turn and leave rem sts until required.

Cont in stst on last 17 (18, 20) sts.

Dec one st at neck edge on every row until 10 (11, 13) sts rem.

Work straight until Front matches Back to start of shoulder shaping, ending at armhole edge.

Shape Shoulder

Cast off 5 (5, 6) sts at beg of next row. Work 1 row.

Cast off rem 5 (6, 7) sts.

Return to sts rem on ndl. With right side of work facing slip first 9 (11, 11) sts onto a safety-pin, rejoin yarn to sts at neck edge, K to end - 17 (18, 20) sts.

Complete to correspond with first side.

SLEEVES

With 3.25mm ndls, cast on 51 (57, 65) sts.

Starting with a K row, work 6 rows in stst.

Picot row - K1, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 9 more rows in stst.

Eyelet Row - K3 (2, 2) * yfwd, K2tog, K2; rep from * to last 4 (3, 3) sts, yfwd, K2tog, K2 (1, 1).

Next Row - Purl.

Cont in main patt as follows:

1st Row - (Right side) K3 (6, 3), * yfwd, sl.1, K2tog, psso, yfwd, K11; rep from * to last 6 (9, 6) sts, yfwd, sl.1, K2tog, psso, yfwd, K3 (6, 3).

2nd Row - Purl.

These 2 rows form main patt, rep these 2 rows until work meas 11 (13, 15) cm from picot row, ending with a P row.

Shape Top

Keeping patt correct, cast off 3 (4, 5) sts at beg of next 2 rows.

Dec one st at beg and end of next and every foll alt row until 27 (29, 31) sts rem, then on every row until 23 sts rem.

Next Row - P1, P2tog, * P2, P2tog; rep from * to end - 17 sts.

Cast off.

NECK EDGING

Sew up shoulder seams.

With 3.25mm ndls and right side of work facing, K across 10 (11, 11) sts from left back neck, pick up evenly and K14 (14, 16) sts along left front neck edge, K across 9 (11, 11) sts from centre front, pick up and K14 (14, 16) sts along right front neck edge and K across 10 (11, 11) sts from right back neck - 57 (61, 65) sts. Starting with a P row, work 3 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 3 more rows in stst.

Cast off loosely.

BUTTON BAND

Fold neck edging in half along picot row to wrong side and slip st in place.

With right side of work facing, and 3mm ndls, pick up evenly and K36 (40, 44) sts along left side of back opening working through both thicknesses of neck edging. Work in rib as follows:

Next Row - * P1, K1; rep from * to

end.

Rep last row 4 times more.

Cast off in rib.

BUTTONHOLE BAND

With right side of work facing and 3mm ndls, pick up evenly and K36 (40, 44) sts along right side of back opening working through both thicknesses of neck edging.

Work 2 rows in rib as given for Button Band.

Buttonhole Row - Rib 2 (3, 4), * cast off 2 sts, rib 8 (9, 10) (including st left on ndl after cast off); rep from * to last 4 sts, cast off 2 sts, rib to end.

Next Row - Rib to end, casting on 2 sts, over those cast off.

Work 1 more row in rib. Cast off in rib.

TO MAKE UP

Sew up side and sleeve seams.

Insert sleeves easing fullness at top.

Thread contrast coloured ribbon through eyelet holes on bodice and sleeves and tie.

Starting at left side of front, thread one length each of main and contrast coloured ribbon through every alt set of holes in skirt as shown on illustration and catch in place on wrong side at top and bottom.

Catch down lower edge of Button Band behind Buttonhole Band. Sew on buttons.

Fold hem and cuffs in half along picot row to wrong side and slip stitch in position.

Press seams lightly on wrong side.

SHAWL

MAIN PIECE

With 3.25mm ndls cast on 247 sts and work in patt as follows:

1st Row - (Right side) K3, * yfwd, sl.1, K2tog, psso, yfwd, K11; rep from * to last 6 sts, yfwd, sl.1, K2tog, psso, yfwd, K3.

2nd Row - Purl.

These 2 rows form main patt.

Rep these 2 rows until work meas 88cm from cast on edge, ending with a P row.

Cast off.

BORDER

With 3.25mm ndls cast on 8 sts.

NOTE - number of sts varies within patt rows.

1st Row - (Right side) K5, yfwd, K1, yfwd, K2.

2nd Row - P6, inc (into front and back of next st), K3.

3rd Row - K4, P1, K2, yfwd, K1, yfwd, K3.
 4th Row - P8, inc in next st, K4.
 5th Row - K4, P2, K3, yfwd, K1, yfwd, K4.
 6th Row - P10, inc in next st, K5.
 7th Row - K4, P3, K4, yfwd, K1, yfwd, K5.
 8th Row - P12, inc in next st, K6 - 20 sts.
 9th Row - K4, P4, sl.1, K1, pssso, K7, K2tog, K1.
 10th Row - P10, inc in next st, K7.
 11th Row - K4, P5, sl.1, K1, pssso, K5,

K2tog, K1.
 12th Row - P8, inc in next st, K2, P1, K5.
 13th Row - K4, P1, K1, P4, sl.1, K1, pssso, K3, K2tog, K1.
 14th Row - P6, inc in next st, K3, P1, K5.
 15th Row - K4, P1, K1, P5, sl.1, K1, pssso, K1, K2tog, K1.
 16th Row - P4, inc in next st, K4, P1, K5.
 17th Row - K4, P1, K1, P6, sl.1, K2tog, pssso, K1.
 18th Row - P2tog, cast off next 5 sts

(noting that st remaining from 'P2tog' is used to cast off the first st), P next 3 sts, K4 - 8 sts.
 These 18 rows form border patt. Rep these 18 rows until Border fits round edges of main piece ending with an 18th row of patt. Sew into position as you go along, easing in fullness at each corner. Cast off.

TO MAKE UP

Join cast on and cast off edges of Border.
 Press seams lightly on wrong side.

Dress and Suit

MEASUREMENTS

To fit chest size

35 40 45 50 cm

Dress

Finished garment

chest meas 41 46 50 53 cm

Length to

shoulder 30 33 36 38 cm

Sleeve seam 11 13 15 17 cm

Suit

Finished garment

chest meas 41 46 50 53 cm

Length from ankle

to back neck 42 45 50 56 cm

Inside leg

length 14 15 17 21 cm

Sleeve seam 11 13 15 17 cm

MATERIALS

Thorobred

Soft for Tots 8 ply (25g)

Dress 6 7 9 10 balls

Suit 6 7 8 10 balls

NEEDLES

One pair each 4mm (UK 8, US 6) and 3.25mm (UK 10, US 3) knitting needles, 7 (7, 8, 8) buttons for Dress or Suit.

MATERIALS

Thorobred

Soft for Tots 4 ply (25g)

Dress 5 6 7 8 balls

Suit 5 6 7 8 balls

NEEDLES

One pair each 3.25mm (UK 10, US 3) and 2.75mm (UK 12, US 1) knitting needles, 7 (7, 8, 8) buttons for Dress or Suit.

TENSION

8 ply: 22 sts and 30 rows to 10cm over stst on 4mm ndls. 23 sts and 36 rows to 10cm over patt on 4mm ndls.

4 ply: 28 sts and 36 rows to 10cm over stst on 3.25mm ndls. 28 sts and 41 rows to 10cm over patt on 3.25mm ndls.

NOTE:

Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

DRESS IN 8 PLY

FRONT

With 4mm ndls cast on 89 (97, 113, 121) sts and work 12 rows in patt from Chart 1, then rep rows 1 to 4 again. Beg and ending with a K row (right side), work in stst until work meas 19 (21, 23, 25) cm from cast on edge.

Next Row - (Decrease) P3 (4, 1, 3), * P2tog; rep from * to last 2 (5, 0, 2) sts, P2 (5, 0, 2) - 47 (53, 57, 63) sts.

**Commence Bodice Patt:

Work first 8 rows from Chart 2, repeating the 8 patt sts 5 (5, 6, 6) times across and working the first 3 (6, 4, 7) sts and last 4 (7, 5, 8) sts on right side rows and the first 4 (7, 5, 8) sts and last 3 (6, 4, 7) sts on wrong side rows as indicated.

Shape Armholes

Keeping patt correct as set, cast off 1 (3, 1, 3) sts at beg of next 2 rows. Dec one st at beg and end of every row until 41 (41, 49, 49) sts rem. Cont straight in patt until armholes

meas 6 (6, 7, 7) cm, measured from start of armhole shaping and ending with a wrong side row.

Shape Neck

Next Row - Patt 16 (15, 19, 19), cast off next 9 (11, 11, 11) sts in patt, patt to end.

Cont in patt on these 16 (15, 19, 19) sts, dec one st at neck edge on next 3 rows, then foll 1 (1, 1, 2) alt rows - 12 (11, 15, 14) sts.

Work 5 (7, 7, 7) rows straight, (work one row less here for 2nd side) thus ending at side edge.

Shape Shoulder

Cast off 6 (6, 8, 7) sts at beg of next row. Work 1 row.

Cast off rem 6 (5, 7, 7) sts.

Return to rem 16 (15, 19, 19) sts and with wrong side of work facing, rejoin yarn at neck edge and complete to correspond with first side, reversing shaping by working 1 row less where indicated.

BACK

Work as given for Front until back meas 7 (8, 8, 9) cm, ending with a K row.

Divide for Back Opening

Next Row - P41 (45, 53, 57), cast off next 7 sts, P to end.

Cont in stst on last set of 41 (45, 53, 57) sts for Right Back until piece meas 12 (13, 15, 16) cm from start of back opening ending with a K row.

Next Row - (Decrease) P1, [P3tog] 5 (3, 7, 5) times, [P2tog] 11 (16, 14, 19) times, P3. - 20 (23, 25, 28) sts.

*** Work first 8 rows in patt from Chart 3 repeating the 8 patt sts twice across and working the first 3 (6, 4,

7) sts and the last 1 (1, 5, 5) sts on right side rows and the first 1 (1, 5, 5) sts and last 3 (6, 4, 7) sts on wrong side rows as indicated.

Shape Armhole:

Keeping patt correct as set, cast off 1 (3, 1, 3) sts at beg of next row. Work 1 row (omit this row for 2nd side). Dec one st at armhole edge on every row until 17 (17, 21, 21) sts rem. Work straight until Back meas same as Front to start of shoulder shaping, ending at armhole edge.

Shape Shoulder

Cast off 6 (6, 8, 7) sts at beg of next row and 6 (5, 7, 7) sts at beg of foll alt row. Cast off rem 5 (6, 6, 7) sts. Return to rem 41 (45, 53, 57) sts and with right side of work facing, rejoin yarn and cont in stst until piece meas 12 (13, 15, 16) cm from start of back opening, ending with a K row. **Next Row** - (Decrease) P3, [P2tog] 11 (16, 14, 19) times, [P3tog] 5 (3, 7, 5) times, P1 - 20 (23, 25, 28) sts.

**** Work first 9 rows from chart 3 but reversing patt by reading odd numbered (right side) rows from left to right and even numbered (wrong side) rows from right to left, repeating the 8 patt sts twice across and working the first 1 (1, 5, 5) sts and last 3 (6, 4, 7) sts on right side rows and the first 3 (6, 4, 7) sts and last 1 (1, 5, 5) sts on wrong side rows as indicated.

Complete as given for first side from Shape Armhole to end, working 1 row less where indicated.

SLEEVES

With 3.25mm ndls cast on 27 (29, 31, 31) sts.

1st Row - (Right side) K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep last 2 rows 3 times more, then 1st row again.

Next Row - (Increase) Rib 3 (3, 2, 2), * inc in next st, rib 3 (1, 2, 2); rep from * to last 4 (4, 2, 2) sts, inc in next st, rib to end - 33 (41, 41, 41) sts.

Change to 4mm ndls and work 6 rows in patt from Chart 1. Keeping patt correct, inc one st at beg and end of next and foll 6th (8th, 6th, 6th) row - 37 (45, 45, 45) sts.

Work 3 (1, 3, 3) rows straight, thus ending with row 4 of chart.

Cont in stst, inc one st at beg and end of every foll 6th (8th, 6th, 6th)

row from previous inc until there are 39 (47, 51, 53) sts. Work straight until Sleeve meas 11 (13, 15, 17) cm, ending with a P row.

Shape Top:

Cast off 1 (3, 1, 3) sts at beg of next 2 rows. Dec one st at beg and end of next 2 (2, 3, 3) rows. Cast off rem 33 (37, 43, 41) sts.

BUTTONHOLE BAND:

With right side of work facing and 3.25mm ndls, pick up evenly and K69 (75, 83, 91) sts down right side of back opening. Starting with a 2nd row, work 2 rows in rib as given for Sleeves.

Buttonhole row - Rib 3 (3, 2, 3), [cast off 2 sts, rib 8 (9, 9, 10) (including st on ndl after casting off) 6 (6, 7, 7) times, cast off 2 sts, rib to end.

Next Row - Rib to end casting on 2 sts over those cast off on previous row.

Work 3 rows more in rib. Cast off in rib.

BUTTON BAND

With right side of work facing and 3.25mm ndls, pick up evenly and K69 (75, 83, 91) sts up left side of back opening. Starting with a 2nd row, work 7 rows in rib as given for Sleeves. Cast off in rib.

COLLAR (make 2)

With 3.25mm ndls cast on 37 (41, 45, 45) sts and work 4 cm in rib as given for Sleeves. Cast off in rib.

TO MAKE UP

Sew shoulder seams. Sew lower edges of bands in place to cast off sts at back opening. Sew cast off edge of collar pieces to neck edge starting at centre back and finishing at centre front. Sew sleeves neatly into armholes. Sew up side and sleeve seams. Sew on buttons.

SUIT IN 8 PLY

RIGHT LEG

With 3.25mm ndls cast on 31 (35, 39, 43) sts and work 11 rows in rib as given for Sleeves of Dress.

Next Row - Rib 3, inc in every st to last 2 sts, rib 2 - 57 (65, 73, 81) sts. Change to 4mm ndls and work 12 rows in patt from Chart 1, then work rows 1 to 4 again.

Cont in stst starting with a K row, inc one st at beg and end of next and every foll 2nd (2nd, 4th, 6th) row until there are 71 (79, 85, 93) sts.

Cont straight until leg meas 14 (15, 17, 21) cm, ending with a P row.

Shape Crotch

Cast off 3 (3, 3, 4) sts at beg of next 2 rows.

Dec one st at beg and end of next 3 rows, then foll 2 (3, 3, 3) alt rows - 55 (61, 67, 73) sts.

P1 row. Break off yarn and slip sts onto a holder.

LEFT LEG

Work as given for Right Leg but leave sts on ndl and do not break yarn.

BODY

1st Row - K to last st of Left Leg, then with right side of Right Leg facing knit tog last st of Left Leg with first st of Right Leg, K across rem sts of Right leg - 109 (121, 133, 145) sts. P1 row.

Shape Back Opening

Cast off 3 sts at beg of next 2 rows - 103 (115, 127, 139) sts.

Cont straight until work meas 12 (13, 15, 16) cm from start of back opening ending with a K row.

Next Row - (Decrease) P2, [P2tog, P4 (5, 4, 5)] 3 (3, 4, 4) times, P2tog, P4 (4, 3, 5), [P2tog, P5 (6, 5, 5)] 7 (7, 9, 9) times, P2tog, P4 (3, 3, 5), [P2tog, P4 (5, 4, 5)] 3 (3, 4, 4) times, P2tog, P2 - 87 (99, 107, 119) sts. Break yarn.

Divide for Backs and Front

With right side of work facing slip first 20 (23, 25, 28) sts onto a holder for Left Back, slip next 47 (53, 57, 63) sts onto a holder for Front and slip rem 20 (23, 25, 28) sts onto a holder for Right Back.

With right side of work facing, rejoin yarn to sts on holder for Front. Work as given for Front of Dress from ** to end.

With right side of work facing, rejoin yarn to sts on holder for Right Back. Work as given for Back of Dress from *** to end.

With right side of work facing, rejoin yarn to sts on holder for Left Back. Work as given for Back of Dress from **** to end.

SLEEVES, BUTTON BAND, BUTTONHOLE BAND AND COLLAR

Work as given for Dress.

TO MAKE UP

Sew shoulder, inside Leg and crotch seams. Complete as given for Dress.

DRESS IN 4 PLY

FRONT

With 3.25mm ndls cast on 105 (121, 137, 145) sts and work 12 rows in patt from Chart 1, then rep rows 1 to 4 once more.

Beg and ending with a K row (right side), work in stst until work meas 19 (21, 23, 25) cm, from cast on edge.

Next Row - (Decrease) P4 (4, 3, 4), * P2tog; rep from * to last 5 (5, 2, 5) sts, P5 (5, 2, 5) - 57 (65, 71, 77) sts.

**Commence Bodice Patt:

Work first 8 rows from Chart 4, repeating the 8 patt sts 6 (7, 7, 9) times across and working the first 4 (4, 7, 2) sts and last 5 (5, 8, 3) sts on right side rows and the first 5 (5, 8, 3) sts and last 4 (4, 7, 2) sts on wrong side rows as indicated.

Shape Armholes:

Keeping patt correct as set, cast off 1 (3, 3, 3) sts at beg of next 2 rows, then dec one st at beg and end of every row until 49 (49, 57, 57) sts rem.

Cont straight in patt until armholes meas 6 (6, 7, 7) cm, measured from start of armhole shaping and ending with a wrong side row.

Shape Neck:

Next Row - Patt 19 (18, 22, 22), cast off next 11 (13, 13, 13) sts, patt to end.

Cont in patt on these 19 (18, 22, 22) sts. Dec one st at neck edge on next 3 rows, then foll 2 (2, 2, 3) alt rows - 14 (13, 17, 16) sts.

Work 5 (7, 7, 7) rows straight, (work one row less here for 2nd side) thus ending at side edge.

Shape Shoulder:

Cast off 7 (7, 9, 8) sts at beg of next row. Work 1 row.

Cast off rem 7 (6, 8, 8) sts.

Return to rem 19 (18, 22, 22) sts, and with wrong side of work facing, rejoin yarn at neck edge and complete to correspond with first side, reversing shaping by working 1 row less where indicated.

BACK

Work as given for Front until back meas 7 (8, 8, 9) cm, ending with a K row.

Divide for Back Opening

Next Row - P49 (57, 65, 69), cast off next 7 sts, P to end. Cont in stst on

last set of 49 (57, 65, 69) sts for Right Back until piece meas 12 (13, 15, 16) cm from start of back opening, ending with a K row.

Next Row - (Decrease) P2, [P3tog] 5 (5, 7, 5) times, [P2tog] 14 (18, 19, 24) times, P4 - 25 (29, 32, 35) sts.

*** Work first 8 rows in patt from Chart 5, repeating the 8 patt sts 2 (3, 3, 4) times across and working the first 4 (4, 7, 2) sts and last 5 (1, 1, 1) sts on right side rows and the first 5 (1, 1, 1) sts and last 4 (4, 7, 2) sts on wrong side rows as indicated.

Shape Armhole

Keeping patt correct as set, cast off 1 (3, 3, 3) sts at beg of next row. Work 1 row (omit this row for 2nd side). Dec one st at armhole edge on every row until 21 (21, 25, 25) sts rem. Work straight until Back meas same as Front to start of shoulder shaping, ending at armhole edge.

Shape Shoulder

Cast off 7 (7, 9, 8) sts at beg of next row and 7 (6, 8, 8) sts at beg of foll alt row. Cast off rem 7 (8, 8, 9) sts.

Return to rem 49 (57, 65, 69) sts and with right side of work facing, rejoin yarn and cont in stst until piece meas 12 (13, 15, 16) cm from start of back opening, ending with a K row.

Next Row - (Decrease) P4, [P2tog] 14 (18, 19, 24) times, [P3tog] 5 (5, 7, 5) times, P2 - 25 (29, 32, 35) sts.

**** Work first 9 rows from Chart 5 but reversing patt by reading odd numbered (right side) rows from left to right and even numbered (wrong side) rows from right to left, repeating the 8 patt sts 2 (3, 3, 4) times across and working first 5 (1, 1, 1) sts and last 4 (4, 7, 2) sts on right side rows and the first 4 (4, 7, 2) sts and last

5 (1, 1, 1) sts on wrong side rows as indicated.

Complete as given for first side from Shape Armhole to end working 1 row less where indicated.

SLEEVES

With 2.75mm ndls cast on 35 (37, 39, 39) sts.

1st Row - (Right side) K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep last 2 rows 5 times more, then 1st row again.

Next Row - (Increase) Rib 2 (2, 1, 1), * inc in next st, rib 5 (2, 3, 3); rep from * to last 3 (2, 2, 2) sts, inc in

next st, rib to end

- 41 (49, 49, 49) sts.

Change to 3.25mm ndls and work 6 rows in patt from Chart 1. Keeping patt correct as set, inc one st at beg and end of next and every foll 6th (6th, 4th, 4th) row 2 (2, 3, 3) times in all - 45 (53, 55, 55) sts. Work 3 (3, 1, 1) rows straight thus ending with row 4 of Chart.

Cont in stst inc one st at beg and end of every foll 6th (6th, 4th, 4th) row from previous inc until there are 49 (59, 65, 67) sts. Work straight until Sleeve meas 11 (13, 15, 17) cm, ending with a P row.

Shape Top

Cast off 1 (3, 3, 3) sts at beg of next 2 rows.

Dec one st at beg and end of next 2 (4, 4, 6) rows.

Cast off rem 43 (45, 51, 49) sts.

BUTTONHOLE BAND

With right side of work facing and 2.75mm ndls, pick up evenly and K83 (93, 103, 113) sts down right side of back opening.

Starting with a 2nd row, work 4 rows in rib as given for Sleeves.

Buttonhole row - Rib 4 (3, 5, 3), [cast off 2 sts, rib 10 (12, 11, 13) (including st left on ndl after casting off)] 6 (6, 7, 7) times, cast off 2 sts, rib to end.

Next Row - Rib to end casting on 2 sts over those cast off on previous row.

Work 3 rows more in rib. Cast off in rib.

BUTTON BAND

With right side of work facing and 2.75mm ndls, pick up evenly and K83 (93, 103, 113) sts up left side of back opening.

Starting with a 2nd row work 9 rows in rib as given for Sleeves. Cast off in rib.

COLLAR (Make 2)

With 2.75mm ndls cast on 39 (45, 45, 47) sts and work 4 cm in rib as given for Sleeves. Cast off in rib.

TO MAKE UP

Sew shoulder seams. Sew lower edges of bands in place to cast off sts at back opening.

Sew cast off edge of collar pieces to neck edge starting at centre back and finishing at centre front. Sew sleeves neatly into armholes. Sew up side and sleeve seams. Sew on buttons.

☐ = K on odd (right side) rows and P on even (wrong side) rows.

☐ = P on odd (right side) rows and K on even (wrong side) rows.

When working from Charts read odd numbered (right side) rows from right to left and even numbered (wrong side) rows from left to right unless otherwise indicated.

CHART 1




CHART 2




CHART 3




CHART 4





CHART 5



SUIT IN 4 PLY

RIGHT LEG

With 2.75mm ndls cast on 39 (43, 47, 53) sts and work 15 rows in K1, P1 rib as given for Sleeves of Dress. **Next Row** - Rib 2 (2, 2, 4), inc in every st to last 3 (3, 3, 5) sts, rib to end - 73 (81, 89, 97) sts.

Change to 3.25mm ndls and work 12 rows of patt from Chart 1, then work rows 1 to 4 again.

Cont in stst, starting with a K row, inc one st at beg and end of next and every foll 2nd (2nd, 3rd, 4th) row until there are 89 (99, 107, 117) sts.

Cont straight until leg meas 14 (15, 17, 21) cm, ending with a P row.

Shape Crotch

Cast off 3 (4, 4, 4) sts at beg of next 2 rows.

Dec one st at beg and end of next 3 rows, then foll 3 (5, 4, 5) alt rows - 71 (75, 85, 93) sts.

P1 row. Break off yarn and slip sts onto a holder.

LEFT LEG

Work as given for Right Leg but leave sts on ndl and do not break yarn.

BODY

1st Row - K to last st of Left Leg, then with right side of Right Leg facing knit tog last st of Left Leg with first st of Right Leg, K across rem sts of Right Leg - 141 (149, 169, 185) sts. P one row.

Shape Back Opening

Cast off 4 sts at beg of next 2 rows - 133 (141, 161, 177) sts.

Cont straight until work meas 12 (13, 15, 16) cm from start of back opening ending with a K row.

Next Row - (Decrease) P2 (2, 3, 2), [P2tog, P3 (7, 4, 4)] 5 (3, 5, 6) times, P2tog, P4 (7, 5, 10), [P2tog, P3 (5, 4, 3)] 13 (9, 13, 15) times, P2tog, P4 (7, 6, 10), [P2tog, P3 (7, 4, 4)] 5 (3, 5, 6) times, P2tog, P2 (2, 3, 2) - 107 (123, 135, 147) sts. Break yarn.

Divide for Backs and Front

With right side of work facing slip first 25 (29, 32, 35) sts onto a holder

for Left back, slip next 57 (65, 71, 77) sts onto a holder for Front, then slip rem 25 (29, 32, 35) sts onto a holder for Right Back.

With right side of work facing, rejoin yarn to sts on holder for Front. Work as given for Front of Dress from ** to end.

With right side of work facing, rejoin yarn to sts on holder for Right Back. Work as given for Back of Dress from *** to end.

With right side of work facing, rejoin yarn to sts on holder for Left Back. Work as given for Back of Dress from **** to end.

SLEEVES, BUTTON BAND, BUTTONHOLE BAND AND COLLAR

Work as given for Dress.

TO MAKE UP

Sew shoulder, inside Leg and crotch seams. Complete as given for Dress.

Sweater and Cardigan

MEASUREMENTS

To fit chest size 35 40 45 50 cm
Sweater

Finished garment measures 39 44 49 55 cm

Cardigan

Finished garment measures 42 47 52 57 cm

Length to

back neck 21 23 25 28 cm

Sleeve seam 11 12 15 17 cm

MATERIALS

Thorobred

Soft for Tots 8 ply (25g)

Sweater 4 5 6 6 balls

Cardigan 5 5 6 7 balls

NEEDLES

One pair each 3.25mm (UK 10, US 3) and 4mm (UK 8, US 6) knitting needles. 3 snap fasteners for Sweater. 6 buttons for Cardigan.

Thorobred

Soft for Tots 4 ply (25g)

Sweater 3 4 4 5 balls

Cardigan 3 4 5 5 balls

NEEDLES

One pair each 2.75mm (US 12, US 1) and 3.25mm (UK 10, US 3) knitting needles. 3 press studs for Sweater. 6 buttons for Cardigan.

TENSION

8 ply - 32 sts and 30 rows to 10 cm over patt on 4mm ndls.

4 ply - 34 sts and 36 rows to 10 cm over patt on 3.25mm ndls.

NOTE

Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

SWEATER IN 8 PLY

BACK

With 3.25mm ndls cast on 43 (49, 53, 59) sts.

1st Row - K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep last 2 rows until rib meas 3 (3, 4, 4) cm from beg, ending with a 1st row.

Next Row - Rib 2 (3, 1, 2), * inc in

next st, rib 1; rep from * to last 3 (4, 2, 3) sts, inc in next st, rib to end - 63 (71, 79, 87) sts.

Change to 4mm ndls and work in patt as follows:

1st Row - (Right side) K10 (2, 6, 10), * P2, yon, sl.1, K2tog, pssso, yfrn, P2, K5; rep from * to last 17 (9, 13, 17) sts, P2, yon sl.1, K2tog, pssso, yfrn, P2, K to end.

2nd and every alt row - P10 (2, 6, 10), * K2, P3, K2, P5; rep from * to last 17 (9, 13, 17) sts, K2, P3, K2, P to end.

3rd Row - K10 (2, 6, 10), * P2, K1, yfwd, sl.1, K1, pssso, P2, K5; rep from * to last 17 (9, 13, 17) sts, P2, K1, yfwd, sl.1, K1, pssso, P2, K to end.

5th Row - K10 (2, 6, 10), * P2, K3, P2, K5; rep from * to last 17 (9, 13, 17) sts, P2, K3, P2, K to end.

6th Row - As 2nd row.

These 6 rows form the patt.

Cont in patt until work meas 11 (12, 13, 16) cm from beg, ending with a wrong side row.

Shape Raglans

Cast off 2 (4, 5, 5) sts at beg of next 2 rows.

Next Row - K1, sl.1, K1, pssso, patt to last 3 sts, K2tog, K1.

Next Row - P2, patt to last 2 sts, P2. **

Rep last 2 rows 10 (11, 13, 13) times more, ending with a wrong side row - 37 (39, 41, 49) sts.

Next Row - K1, sl.1, K1, pssso, patt to last 3 sts, K2tog, K1.

Next Row - P1, P2tog, patt to last 3 sts, P2tog, P1.

Rep last 2 rows 2 (2, 2, 3) times more.

Leave rem 25 (27, 29, 33) sts on a holder for Neckband.

FRONT

Work as given for Back to **.

Rep last 2 rows until 43 (45, 47, 55) sts rem, ending with a wrong side row.

Divide for Neck

Next Row - K1, sl.1, K1, pssso, patt 13 (13, 13, 15), turn and leave rem sts until required.

***Cont in patt, dec one st at raglan edge on every alt row as before, AT THE SAME TIME, dec one st at neck edge on every row until 8 (8, 8, 10) sts rem.

Next Row - K1, sl.1, K1, pssso, patt to end.

Next Row - Patt to last 3 sts, P2tog, P1.

Rep last 2 rows until 2 sts rem.

Next Row - K2tog and fasten off. ***
With right side of work facing, slip first 11 (13, 15, 19) sts onto a holder for Neckband, rejoin yarn to rem 16 (16, 16, 18) sts, patt to last 3 sts, K2tog, K1.

**** Cont in patt, dec one st at raglan edge on every alt row as before, AT THE SAME TIME, dec one st at neck edge on every row until 8 (8, 8, 10) sts rem.

Next Row - Patt to last 3 sts, K2tog, K1.

Next Row - P1, P2tog, patt to end.
Rep last 2 rows until 2 sts rem.

Next Row - K2tog and fasten off. ****

SLEEVES

With 3.25mm ndls, cast on 27 (29, 29, 31) sts.

Work 3 (3, 4, 4) cm in rib as given for Back, ending with a 1st row.

Next Row - Rib 4 (6, 2, 4), * inc in next st; rep from * to last 3 (5, 1, 3) sts, rib to end - 47 (47, 55, 55) sts.

Change to 4mm ndls and work 4 rows in patt as given for 2nd (2nd, 3rd, 3rd) size of Back. Cont in patt as set and bringing inc sts into stst,

shape sides by inc one st at beg and end of next and every foll 2nd (2nd, 4th, 4th) row until there are 59 (63, 65, 67) sts.

Work straight until sleeve meas 11 (12, 15, 17) cm, from beg ending with a wrong side row.

Shape Raglans

Cast off 2 (4, 5, 5) sts at beg of next 2 rows.

Next Row - K1, sl.1, K1, pssso, patt to last 3 sts, K2tog, K1.

Next Row - P2, patt to last 2 sts, P2.
Rep last 2 rows 3 (5, 9, 10) times more - 47 (43, 35, 35) sts.

Next Row - K1, sl.1, K1, pssso, patt to last 3 sts, K2tog, K1.

Next Row - P1, P2tog, patt to last 3 sts, P2tog, P1.

Rep last 2 rows until 7 sts rem. Leave these 7 sts on a holder for Neckband.

NECKBAND

Sew up raglan seams, leaving left back raglan seam open. With right side of work facing and using 3.25mm ndls, pick up and K across 7 sts from left sleeve, pick up evenly and K10 (10, 10, 12) sts down left side of front neck, K across 11 (13, 15, 19) sts from centre front, pick up evenly and K10 (10, 10, 12) sts up right side of front neck, K across 7 sts from right sleeve, then K across 25 (27, 29, 33) sts from back dec one st at centre - 69 (73, 77, 89) sts.
Starting with a 2nd row, work 5 rows in rib as given for Back. Cast off in rib.

BACK UNDERLAY

Sew up left back raglan seam leaving neckband and upper 4 cm of raglan open.

With right side of work facing and 3.25mm ndls, pick up evenly and K15 sts down left back raglan edge. Starting with a 2nd row, work 3 rows in rib as given for Back. Cast off in rib. Slip stitch lower side edge under sleeve.

TO MAKE UP

Sew up side and sleeve seams. Sew press studs in place along raglan opening.
Press seams lightly on wrong side.

CARDIGAN IN 8 PLY

BACK AND SLEEVES

Work as given for Back and Sleeves of Sweater in 8 ply.

LEFT FRONT

With 3.25mm ndls cast on 21 (25, 27, 29) sts and work 3 (3, 4, 4) cm in rib as given for Back of Sweater, ending with a 1st row.

Next Row - Rib 1 (3, 2, 1), * inc in next st, rib 1; rep from * to last 2 (4, 3, 2) sts, inc in next st, rib to end - 31 (35, 39, 43) sts.

Change to 4mm ndls and work in patt as follows:

1st Row - (Right side) K10 (2, 6, 10), [P2, yon, sl.1, K2tog, pssso, yfrn, P2, K5] 1 (2, 2, 2) times, P2, yon, sl.1, K2tog, pssso, yfrn, P2, K2.

2nd and every alt row - P2, [K2, P3, K2, P5] 1 (2, 2, 2) times, K2, P3, K2, P to end.

3rd Row - K10 (2, 6, 10), [P2, K1, yfwd, sl.1, K1, pssso, P2, K5] 1 (2, 2, 2) times, P2, K1, yfwd, sl.1, K1, pssso, P2, K2.

5th Row - K10 (2, 6, 10), [P2, K3, P2, K5] 1 (2, 2, 2) times, P2, K3, P2, K2.

6th Row - As 2nd row.

These 6 rows form the patt.

Cont in patt until front meas 11 (12, 13, 16) cm from beg, ending with a wrong side row.

Shape Raglan

Cast off 2 (4, 5, 5) sts at beg of next row. Work 1 row straight.

Next Row - K1, sl.1, K1, pssso, patt to end.

Next Row - Patt to last 2 sts, P2.
Rep last 2 rows until 21 (22, 23, 27) sts rem, ending with a right side row.

Shape Neck

Next Row - Cast off 5 (6, 7, 9) sts, patt to last 2 sts, P2.

Next Row - K1, sl.1, K1, pssso, patt to end.

Complete as given for Front of Sweater from *** to ***.

RIGHT FRONT

With 3.25mm ndls, cast on 21 (25, 27, 29) sts and work 3 (3, 4, 4) cm in rib as given for Back of Sweater, ending with a 1st row.

Next Row - Rib 1 (3, 2, 1), * inc in next st, rib 1; rep from * to last 2 (4, 3, 2) sts, inc in next st, rib to end - 31 (35, 39, 43) sts.

Change to 4mm ndls and work in patt as follows:

1st Row - (Right side) K2, [P2, yon, sl.1, K2tog, pssso, yfrn, P2, K5] 1 (2, 2, 2) times, P2, yon, sl.1, K2tog, pssso, yfrn, P2, K10 (2, 6, 10).

2nd and every alt row - P10 (2, 6, 10), [K2, P3, K2, P5] 1 (2, 2, 2) times,

K2, P3, K2, P2.

3rd Row - K2, [P2, K1, yfwd, sl.1, K1, psso, P2, K5] 1 (2, 2, 2) times, P2, K1, yfwd, sl.1, K1, psso, P2, K10 (2, 6, 10).

5th Row - K2, [P2, K3, P2, K5] 1 (2, 2, 2) times, P2, K3, P2, K10 (2, 6, 10).

6th Row - As 2nd row.

These 6 rows form the patt.

Cont in patt until front meas 11 (12, 13, 16) cm from beg, ending with a right side row.

Shape Raglan

Cast off 2 (4, 5, 5) sts at beg of next row.

Next Row - Patt to last 3 sts, K2tog, K1.

Next Row - P2, patt to end.

Rep last 2 rows until 21 (22, 23, 27) sts rem ending with a wrong side row.

Shape Neck

Next Row - Cast off 5 (6, 7, 9) sts, patt to last 3 sts. K2tog, K1.

Complete as given for Front of Sweater from **** to ****.

NECKBAND

Sew up raglan seams.

With right side of work facing and 3.25mm ndls, pick up evenly and K15 (16, 17, 21) sts round right front neck, K across 7 sts from right sleeve, 25 (27, 29, 33) sts from Back, 7 sts from left sleeve, then pick up evenly and K15 (16, 17, 21) sts round left front neck - 69 (73, 77, 89) sts. Starting with a 2nd row, work 5 rows in rib as given for Back. Cast off in rib.

BUTTON BAND

With right side of Right Front facing for boy or Left Front facing for girl and with 3.25mm ndls, pick up evenly and K53 (57, 63, 67) sts evenly along front edge. Starting with a 2nd row, work 7 rows in rib as given for Back. Cast off loosely in rib.

BUTTONHOLE BAND

With right side of Left Front facing for boy or Right Front facing for girl and with 3.25mm ndls, pick up evenly and K53 (57, 63, 67) sts evenly along front edge. Starting with a 2nd row, work 2 rows in rib as given for Back.

Buttonhole Row - Rib 3, * cast off next 2 sts, rib 7 (8, 9, 10) sts (including st left on ndl after cast off); rep from * to last 5 (4, 5, 4) sts, cast off

next 2 sts, rib to end.

Next Row - Rib to end, casting on 2 sts over those cast off on previous row.

Work 3 more rows in rib.

Cast off loosely in rib.

TO MAKE UP

Sew up side and sleeve seams.

Sew on buttons to match button-holes.

Press seams lightly on wrong side.

SWEATER IN 4 PLY

BACK

With 2.75mm ndls, cast on 55 (63, 69, 75) sts.

1st Row - K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep last 2 rows until rib meas 3 (3, 4, 4) cm from beg, ending with a 1st row.

Next Row - Rib 1 (5, 4, 3), * inc in next st, rib 3; rep from * to last 2 (6, 5, 4) sts, inc in next st, rib to end. - 69 (77, 85, 93) sts.

Change to 3.25mm ndls and work in patt as follows:

1st Row - (Right side) K1 (5, 9, 1), * P2, yon, sl.1, K2 tog, psso, yfrn, P2, K5; rep from * to last 8 (12, 16, 8) sts, P2, yon, sl.1, K2tog, psso, yfrn, P2, K to end.

2nd and every alt row - P1 (5, 9, 1), * K2, P3, K2, P5; rep from * to last 8 (12, 16, 8) sts, K2, P3, K2, P to end.

3rd Row - K1 (5, 9, 1), * P2, K1, yfwd, sl.1, K1, psso, P2, K5; rep from * to last 8 (12, 16, 8) sts, P2, K1, yfwd, sl.1, K1, psso, P2, K to end.

5th Row - K1 (5, 9, 1), * P2, K3, P2, K5; rep from * to last 8 (12, 16, 8) sts, P2, K3, P2, K to end.

6th Row - As 2nd row.

These 6 rows form patt.

Cont in patt until work meas 11 (12, 13, 16) cm from beg, ending with a wrong side row.

Shape Raglans

Cast off 3 (4, 5, 5) sts at beg of next 2 rows.

Next Row - K1, sl.1, K1, psso, patt to last 3 sts, K2tog, K1.

Next Row - P2, patt to last 2 sts, P2 **.

Rep last 2 rows until 29 (31, 33, 47) sts rem, ending with a wrong side row.

4th size only

Next Row - K1, sl.1, K1, psso, patt to

last 3 sts, K2 tog, K1.

Next Row - P1, P2tog, patt to last 3 sts, P2 tog, tbl, P1.

Rep last 2 rows twice more.

All sizes

Leave rem 29 (31, 33, 35) sts on a holder for Neckband.

FRONT

Work as given for Back to **.

Rep last 2 rows until 43 (45, 47, 59) sts rem, ending with a wrong side row.

Divide for Neck

Next Row - K1, sl.1, K1, psso, patt 12 (12, 12, 18), turn and leave rem sts until required.

*** Cont in patt, dec one st at raglan edge on every alt row as before, AT THE SAME TIME, dec one st at neck edge on every row until 5 (5, 5, 10) sts rem.

Keeping neck edge straight, dec one st on every alt row at raglan edge as before until 2 (2, 2, 8) sts rem, ending with a wrong side row.

4th size only

Next Row - K1, sl.1, K1, psso, patt to end.

Next Row - Patt to last 3 sts, P2tog tbl, P1.

Rep last 2 rows until 2 sts rem.

All sizes

Next Row - K2tog and fasten off. *** With right side of work facing, slip first 13 (15, 17, 17) sts onto a holder for Neckband, rejoin yarn to rem 15 (15, 15, 21) sts, patt to last 3 sts, K2 tog, K1.

**** Cont in patt, dec one st at raglan edge on every alt row as before, AT THE SAME TIME, dec one st at neck edge on every row until 5 (5, 5, 10) sts rem.

Keeping neck edge straight, cont to dec one st on every alt row at raglan edge as before until 2 (2, 2, 8) sts rem, ending with a wrong side row.

4th size

Next row - Patt to last 3 sts, K2 tog, K1.

Next Row - P1, P2tog, patt to end. rep last 2 rows until 2 sts rem.

All sizes

Next Row - K2tog, and fasten off. ****

SLEEVES

With 2.75mm ndls, cast on 33 (35,

37, 39) sts.

Work 3 (3, 4, 4) cm in rib as given for Back, ending with a 1st row.

Next Row - Rib 5 (4, 3, 3), * inc in each of next 1 (2, 1, 2) sts, rib 1; rep from * to last 6 (7, 4, 6) sts, inc in each of next 1 (2, 1, 2) sts, rib to end - 45 (53, 53, 61) sts.

Change to 3.25mm ndls and work 4 rows in patt as given for 1st (2nd, 2nd, 3rd) size of Back. Cont in patt as set and bringing inc sts into stst, shape sides by inc 1 st at each end of next and every foll 2nd (4th, 4th, 8th) row until there are 65 (67, 69, 71) sts.

Work straight until sleeve meas 11 (12, 15, 17) cm from beg ending with a wrong side row.

Shape Raglans

Cast off 3 (4, 5, 5) sts at beg of next 2 rows.

Next Row - K1, sl.1, K1, psso, patt to last 3 sts, K2tog, K1.

Next Row - P2, patt to last 2 sts, P2. Rep last 2 rows 8 (12, 16, 15) times more - 41 (33, 25, 29) sts.

Next Row - K1, sl.1, K1, psso, patt to last 3 sts, K2tog, K1.

Next Row - P1, P2tog, patt to last 3 sts, P2tog tbl, P1.

Rep last 2 rows until 9 sts rem. Leave these 9 sts on a holder for Neckband.

NECKBAND

Sew up raglan seams leaving left back raglan seam open. With right side of work facing and 2.75mm ndls, K across 9 sts from left sleeve, pick up evenly and K10 (10, 10, 12) sts down left side of front neck, K across 13 (15, 17, 17) sts from centre front, pick up evenly and K10 (10, 10, 12) sts up right side of front neck, K across 9 sts from right sleeve, then knit across 29 (31, 33, 35) sts from back, dec one st at centre - 79 (83, 87, 93) sts.

Starting with a 2nd row, work 7 rows in rib as given for Back. Cast off in rib.

BACK UNDERLAY

Sew up left back raglan seam leaving neckband and upper 4 cm of raglan open.

With right side of work facing and 2.75mm ndls, pick up evenly and K19 sts down left back raglan edge. Starting with a 2nd row, work 5 rows in rib as given for Back. Cast off in rib. Slip stitch lower side edge under sleeve.

TO MAKE UP

Sew up side and sleeve seams.

Sew press studs in place along raglan opening.

Press seams lightly on wrong side.

CARDIGAN IN 4 PLY

BACK AND SLEEVES

Work as given for Back and Sleeves of Sweater in 4 ply.

LEFT FRONT

With 2.75mm ndls cast on 27 (31, 35, 37) sts and work 3 (3, 4, 4) cm in rib as given for Back of Sweater, ending with a 1st row.

Next Row - Rib 1 (3, 2, 2), * inc in next st, rib 3 (3, 4, 3), rep from * to last 2 (4, 3, 3) sts, inc in next st, rib 1 (3, 2, 2) - 34 (38, 42, 46) sts.

Change to 3.25mm ndls and work in patt as follows:

1st Row - (Right side) K1 (5, 9, 1), [P2, yon, sl.1, K2tog, psso, yfrn, P2, K5] 2 (2, 2, 3) times, P2, yon, sl.1, K2tog, psso, yfrn, P2, K2.

2nd and every alt row - P2 [K2, P3, K2, P5] 2 (2, 2, 3) times, K2, P3, K2, P to end.

3rd Row - K1 (5, 9, 1), [P2, K1, yfwd, sl.1, K1, psso, P2, K5] 2 (2, 2, 3) times, P2, K1, yfwd, sl.1, K1, psso, P2, K2.

5th Row - K1 (5, 9, 1), [P2, K3, P2, K5] 2 (2, 2, 3) times, P2, K3, P2, K2.

6th Row - As 2nd row.

These 6 rows form the patt.

Cont in patt until front meas 11 (12, 13, 16) cm from beg, ending with a wrong side row.

Shape Raglan

Cast off 3 (4, 5, 5) sts at beg of next row. Work 1 row straight.

Next Row - K1, sl.1, K1, psso, patt to end.

Next Row - Patt to last 2 sts, P2.

Rep last 2 rows until 21 (22, 23, 29) sts rem, ending with a right side row.

Shape Neck

Next Row - Cast off 6 (7, 8, 8) sts, patt to last 2 sts, P2.

Next Row - K1, sl.1, K1, psso, patt to end.

Complete as given for Front of Sweater from *** to ***.

RIGHT FRONT

Work as given for Left Front to *****. Change to 3.25mm ndls and work in patt as follows:

1st Row - (right side) K2, [P2, yon, sl.1, K2tog, psso, yfrn, P2, K5] 2 (2, 2,

3) times, P2, yon, sl.1, K2tog, psso, yfrn, P2, K1 (5, 9, 1).

2nd and every alt row - P1 (5, 9, 1), [K2, P3, K2, P5] 2 (2, 2, 3) times, K2, P3, K2, P2.

3rd Row - K2, [P2, K1, yfwd, sl.1, K1, psso, P2, K5] 2 (2, 2, 3) times, P2, K1, yfwd, sl.1, K1, psso, P2, K to end.

5th Row - K2, [P2, K3, P2, K5] 2 (2, 2, 3) times, P2, K3, P2, K to end.

6th Row - As 2nd row.

these 6 rows form the patt.

Cont in patt until Front meas 11 (12, 13, 16) cm from beg, ending with a right side row.

Shape Raglan

Cast off 3 (4, 5, 5) sts at beg of next row.

Next row - Patt to last 3 sts, K2tog, K1.

Next Row - P2, patt to end.

Rep last 2 rows until 21 (22, 23, 29) sts rem, ending with a wrong side row.

Shape Neck

Next Row - Cast off 6 (7, 8, 8) sts, patt to last 3 sts, K2tog, K1.

Complete as given for Front of Sweater from **** to ****.

NECKBAND

Sew up raglan seams.

With right side of work facing and 2.75mm ndls, pick up evenly and K16 (17, 18, 20) sts round right front neck, K across 9 sts from right sleeve, 29 (31, 33, 35) sts from back, 9 sts from left sleeve, then pick up and K16 (17, 18, 20) sts round left front neck - 79 (83, 87, 93) sts.

Starting with a 2nd row, work 7 rows in rib as given for Back. Cast off in rib.

BUTTON BAND

With right side of Right Front facing for boy or Left Front facing for girl and with 2.75mm ndls, pick up evenly and K69 (73, 79, 83) sts evenly along front edge.

Starting with a 2nd row, work 9 rows in rib as given for Back.

Cast off loosely in rib.

BUTTONHOLE BAND

With right side of Left Front facing for boy or Right Front facing for girl and with 2.75mm ndls, pick up evenly and K69 (73, 79, 83) sts evenly along front edge. Starting with a 2nd row, work 3 rows in rib as given for Back.

Buttonhole Row - Rib 3, * cast off

next 2 sts, rib 10 (11, 12, 13) (including st left on ndl after cast off); rep from * to last 6 (5, 6, 5) sts, cast off next 2 sts, rib to end.
Next Row - Rib to end casting on 2 sts over those cast off on previous

row.
 Work 4 more rows in rib. Cast off loosely in rib.

TO MAKE UP

Sew up side and sleeve seams.

Sew on buttons to match button-holes.
 Press seams lightly on wrong side.

Dress and Jacket

MEASUREMENTS

To fit chest size 35 40 45 50 cm

Dress

Finished garment

at chest meas 40 46 50 56 cm

Length to

shoulder 33 34 35 37 cm

Sleeve seam 7 7 7 7 cm

Jacket

Finished garment

at chest meas 44 50 54 61 cm

Length

to shoulder 26 27 28 30 cm

Sleeve seam 12 14 17 19 cm

MATERIALS

Thorobred

Soft for Tots 4 ply (25g)

Dress

Colour A 5 5 6 6 balls

1 ball each in colours B and C.

Jacket

Colour A 5 5 6 7 balls

1 ball each in colours B and C.

NEEDLES

One pair each 3mm (UK 11, US 2) and 3.25mm (UK 10, US 3) knitting needles. 3 buttons and length of ribbon for Dress.

4 buttons and length of ribbon for Jacket.

TENSION

26 sts and 35 rows to 10 cm over eyelet patt on 3. 25mm ndls.

28 sts and 36 rows to 10 cm over stst on 3.25mm ndls.

NOTE

Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

DRESS

BACK

With 3.25mm ndls and A, cast on 103 (111, 119, 127) sts. Beg with a K row, work 4 rows in stst.

Picot row - K1, * yfwd, K2tog; rep

from * to end.

Beg with a P row, work 5 rows in stst, dec one st at end of last row - 102 (110, 118, 126) sts.

Work border patt as follows:

NOTE - Number of sts varies within patt rows.

1st Row - (Right side) With A, knit.

2nd Row - With A, purl.

3rd Row - With B, K3 (7, 11, 5),

* (K1, yfwd, K1, yfwd, K1, yfwd, K1) into next st, K9; rep from * to last 9

(3, 7, 11) sts, (K1, yfwd, K1, yfwd, K1, yfwd, K1) into next st, K to end.

4th Row - With B, knit.

5th Row - With A, K2 (6, 10, 4),

* K2tog, K5, sl.1, K1, psso, K7; rep from * to last 16 (10, 14, 18) sts,

K2tog, K5, sl.1, K1, psso, K to end.

6th Row - With A, P7 (1, 5, 9),

* P2tog tbl, P1, sl.1, wyf, P1, P2tog, P7; rep from * to last 9 (13, 17, 11)

sts, P2tog tbl, P1, sl.1, wyf, P1, P2tog, P to end.

7th Row - With A, K2 (6, 10, 4),

* K2tog, sl.1, wyb, sl.1, K1, psso, K7; rep from * to last 12 (6, 10, 14) sts,

K2tog, sl.1, wyb, sl.1, K1, psso, K to end - 102 (110, 118, 126) sts.

8th Row - With A, purl.

9th Row - With A, knit.

10th Row - With A, purl.

11th Row - With C, K8 (2, 6, 10),

* (K1, yfwd, K1, yfwd, K1, yfwd, K1) into next st, K9; rep from * to last 4

(8, 12, 6) sts, (K1, yfwd, K1, yfwd, K1, yfwd, K1) into next st, K to end.

12th Row - With C, knit.

13th Row - With A, k7 (1, 5, 9),

* K2tog, K5, sl.1, K1, psso, K7; rep from * to last 11 (15, 19, 13) sts,

K2tog, K5, sl.1, k1, psso, K to end.

14th Row - With A, P2 (6, 10, 4),

* P2tog tbl, P1, sl.1, wyf, P1, P2tog, P7; rep from * to last 14 (8, 12, 16)

sts, P2tog tbl, P1, sl.1, wyf, P1, P2tog, P to end.

15th Row - With A, K7 (1, 5, 9),

* K2tog, sl.1, wyb, sl.1, K1, psso, K7; rep from * to last 7 (11, 15, 9) sts,

K2tog, sl.1, wyb, sl.1, K1, psso, K to end - 102 (110, 118, 126) sts.

16th Row - With A, purl.

These 16 rows complete border patt.

Cont in A only and beg with a K row, work 2 rows in stst, inc one st at end of last row - 103 (111, 119, 127) sts.

Work eyelet patt as follows:

1st Row - Knit.

2nd and every alt row - Purl.

3rd Row - K2, yfwd, sl.1, K2tog, psso, yfwd, * K5, yfwd, sl.1, K2tog, psso, yfwd; rep from * to last 2 sts, K2.

5th Row - K3, yfwd, sl.1, K1, psso, * K6, yfwd, sl.1, K1, psso; rep from * to last 2 sts, K2.

7th Row - Knit.

9th Row - Knit.

11th Row - K1, * K5, yfwd, sl.1, K2tog, psso, yfwd; rep from * to last 6 sts, K6.

13th Row - K7, * yfwd, sl.1, K1, psso, K6; rep from * to end.

15th Row - Knit.

16th Row - Purl.

These 16 rows form eyelet patt.

Cont in eyelet patt until work meas approx 22 (22, 22, 23) cm from Picot row, ending with an 8th (8th, 8th, 10th) row of patt.

Next Row - K2 (2, 4, 1), * [K2tog] 12 (4, 3, 2) times, K1; rep from * 3 (11, 15, 24) times more, K1 (1, 3, 1) - 55 (63, 71, 77) sts.

Next Row - Purl (tie a coloured thread at each end of this row to mark start of tuck on bodice).

Beg with a K row, work 2 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 3 rows in stst (tie a coloured thread at each end of last row to mark end of tuck). Knit 1 row.

Purl 1 row inc 1 st at beg of row for 1st, 2nd and 4th sizes and dec 1 st at beg of row for 3rd size - 56 (64, 70, 78) sts.

Beg with a K row, work 6 (8, 8, 8) rows in stst.

Shape Armholes

Cont in stst, cast off 3 (4, 5, 6) sts at

beg of next 2 rows, then dec one st at beg and end of next and every foll alt row until 42 (46, 50, 54) sts rem.**

Work 1 (1, 5, 7) rows straight so ending with a P row.

Divide for Back Opening

Next Row - K19 (21, 23, 25), cast off next 4 sts, K to end.

Cont straight in stst on last 19 (21, 23, 25) sts until armhole meas 8 (9, 10, 11) cm measured straight from start of armhole shaping and ending at armhole edge.

Shape Shoulder

Cast off 5 (5, 6, 7) sts at beg of next row and 5 (5, 6, 6) sts at beg of foll alt row. Cast off rem 9 (11, 11, 12) sts.

With wrong side of work facing, rejoin yarn to rem sts at edge of back opening and P to end - 19 (21, 23, 25) sts.

Complete to correspond with first side.

FRONT

Work as given for Back to **.

Work straight until Front is 12 (14, 14, 14) rows shorter than Back to start of shoulder shaping so ending with a P row.

Shape Neck

Next Row - K16 (18, 20, 21), cast off next 10 (10, 10, 12) sts, K to end.

Cont in stst on last 16 (18, 20, 21) sts, dec one st at neck edge on next 4 (6, 6, 6) rows, then on foll 2 alt rows - 10 (10, 12, 13) sts.

Work 4 rows straight (work 1 row less here for 2nd side), so ending at armhole edge.

Shape Shoulder

Cast off 5 (5, 6, 7) sts at beg of next row.

Work 1 row. Cast off rem 5 (5, 6, 6) sts.

With wrong side of work facing, rejoin yarn to rem 16 (18, 20, 21) sts at neck edge and complete to correspond with first side, reversing shaping where indicated.

SLEEVES

With 3.25mm ndls and A, cast on 49 (57, 57, 65) sts.

Beg with a K row, work 4 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 7 rows in stst.

Eyelet Row - K1, * yfwd, K2tog, K2;

rep from * to end.

Beg with a P row, work 3 rows in stst, dec one st at each end of last row - 47 (55, 55, 63) sts.

Work the 16 rows of eyelet patt as given for Back.

Shape top

Keeping patt correct, cast off 3 (4, 5, 6) sts at beg of next 2 rows.

Dec one st at beg and end of next and every foll alt row until 27 (35, 27, 31) sts rem, then on every row until 21 sts rem.

Cast off 3 sts at beg of next 2 rows.

Cast off rem 15 sts.

NECK EDGING

Sew up both shoulder seams.

With right side of work facing, 3.25mm ndls and A, pick up evenly and K8 (10, 10, 11) sts across left back neck, 10 (14, 14, 14) sts down left front neck, 9 (9, 9, 11) sts across centre front; 10 (14, 14, 14) sts up right front neck and 8 (10, 10, 11) sts across right back neck - 45 (57, 57, 61) sts.

Beg with a P row, work 3 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 3 rows in stst. Cast off loosely.

BUTTON BAND

Fold neckband in half to wrong side along Picot row and slip stitch in place.

With right side of work facing, 3mm ndls and A, pick up evenly and K 23 sts along left side of back opening working through both thicknesses of neck edging.

1st Row - P1, * K1, P1; rep from * to end.

2nd Row - K1, * P1, K1; rep from * to end.

Rep last 2 rows once more, then 1st row again.

Cast off in rib.

BUTTONHOLE BAND

With right side of work facing, 3mm ndls and A, pick up evenly and K23 sts along right side of back opening working through both thicknesses of neck edging.

Work 2 rows in rib as given for Button Band.

Buttonhole Row - Rib 2, * cast off 2 sts, rib 6 (including st left on ndl after cast off); rep from * once more, cast off 2 sts, rib to end.

Next Row - Rib to end, casting on 2 sts over those cast off, work 1 more

row in rib. Cast off in rib.

TO MAKE UP

Using B and C alternately, embroider back, front and sleeves as illustrated (see diagrams).

Complete tuck at bodice on back and front as follows:

Fold along Picot row with wrong sides of work together and slip stitch the 2 marked rows together.

Join side and sleeve seams.

Insert sleeves easing fullness at top.

Fold edgings along Picot rows to wrong side and slip stitch in position.

Catch down lower edges of bands placing button band behind buttonhole band.

Sew on buttons.

Thread ribbon through eyelet holes on sleeves and tie.

Press seams lightly on wrong side.

JACKET

BACK

With 3.25mm ndls and A, cast on 119 (127, 137, 143) sts.

Beg with a K row, work 4 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 5 rows in stst, dec one st at end of last row - 118 (126, 136, 142) sts.

Work the 16 rows of border patt as given for 3rd (4th, 4th, 1st) size of Back of Dress.

Cont in A only and beg with a K row, work 2 rows in stst, inc one st at end of last row for 1st, 2nd and 4th sizes and dec 1 st at end of last row for 3rd size.

- 119 (127, 135, 143) sts.

Work 26 (26, 26, 32) rows in eyelet patt as given for Back of Dress, so ending with a 10th (10th, 10th, 16th) row of patt.

Next Row - K1 (1, 2, 1), [K2tog] 28 (25, 25, 17) times, [K2tog, K1] 1 (8, 10, 24) times, [K2tog] 29 (25, 25, 17) times, K1 (2, 3, 2) - 61 (69, 75, 85) sts.

Next Row - Purl (tie a coloured thread at each end of this row to mark start of tuck on bodice).

Beg with a K row, work 2 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 3 rows in stst (tie a coloured thread at each end of last row to mark end of tuck).

Work 2 rows in stst, dec one st at

end of last row - 60 (68, 74, 84) sts.
Beg with a K row, work 4 rows in stst.

Shape Armholes

Cont in stst, cast off 3 (4, 5, 6) sts at beg of next 2 rows, then dec one st at beg and end of next and every foll alt row until 46 (50, 54, 60) sts rem. Cont straight until armhole meas 10 (11, 12, 13) cm, measured straight from start of armhole shaping and ending with a P row.

Shape Shoulders

Cast off 6 (6, 7, 8) sts at beg of next 4 rows.

Cast off rem 22 (26, 26, 28) sts.

LEFT FRONT

With 3.25mm ndls and A, cast on 57 (63, 67, 71) sts.

Beg with a K row, work 4 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 5 rows in stst, dec one st at end of last row - 56 (62, 66, 70) sts.

Work the 16 rows of border patt as given for 4th (1st, 4th, 2nd) size of Back of Dress.

Cont in A only and beg with a K row, work 2 rows in stst, inc one st at end of last row - 57 (63, 67, 71) sts.

Work eyelet patt as follows:

1st Row - (Right side) Knit.

2nd and every alt row - Purl.

3rd Row - K7 (2, 8, 2), yfwd, sl.1, K2tog, psso, yfwd, * K5, yfwd, sl.1, K2tog, psso, yfwd; rep from * to last 7 (2, 8, 2) sts, K to end.

5th Row - K8 (3, 9, 3), yfwd, sl.1, K1, psso, * K6, yfwd, sl.1, K1, psso; rep from * to last 7 (2, 8, 2) sts, K to end.

7th Row - Knit.

9th Row - Knit.

11th Row - K3 (6, 4, 6), yfwd, sl.1, K2tog, psso, yfwd, * K5, yfwd, sl.1, K2tog, psso, yfwd; rep from * to last 3 (6, 4, 6) sts, K to end.

13th Row - K4 (7, 5, 7), yfwd, sl.1, K1, psso, * K6, yfwd, sl.1, K1, psso; rep from * to last 3 (6, 4, 6) sts, K to end.

15th Row - Knit.

16th Row - Purl.

These 16 rows form eyelet patt.

Work 10 (10, 10, 16) rows more in eyelet patt.

Next Row - K1 (1, 3, 5), * K2tog, rep from * to last 0 (2, 4, 6) sts, K0 (2, 4, 6) - 29 (33, 37, 41) sts.

Next Row - Purl (tie a coloured thread at each end of this row to

mark start of tuck on bodice).

Beg with a K row, work 2 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 3 rows in stst (tie a coloured thread at each end of last row to mark end of tuck).

Work 2 rows in stst, dec one st at end of last row on 3rd size only

- 29 (33, 36, 41) sts.

Beg with a K row, work 4 rows in stst (work 1 row more here for Right Front).

Shape Armhole

Cont in stst, cast off 3 (4, 5, 6) sts at beg of next row.

Work one row (omit this row for Right Front).

Dec one st at armhole edge on next and every alt row until 22 (24, 26, 29) sts rem. Cont straight until front is 13 (15, 15, 15) rows shorter than Back to start of shoulder shaping, so ending with a right side row (work 1 more row here for Right Front).

Shape Neck

Cast off 4 (4, 4, 5) sts at beg of next row.

Dec one st at neck edge on next 4 (6, 6, 6) rows, then on foll 2 alt rows - 12 (12, 14, 16) sts.

Work 4 rows straight so ending at armhole edge.

Shape Shoulder

Cast off 6 (6, 7, 8) sts at beg of next row. Work 1 row.

Cast off rem 6 (6, 7, 8) sts.

RIGHT FRONT

Work as given for Left Front reversing shaping by working 1 row more and 1 row less where indicated.

SLEEVES

With 3.25mm ndls and A, cast on 55 (63, 63, 71) sts.

Beg with a K row, work 4 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Beg with a P row, work 7 rows in stst, inc one st at each end of last row - 57 (65, 65, 73) sts.

Eyelet Row - K1, * yfwd, K2tog, K2; rep from * to end.

Beg with a P row, work 3 rows in stst, dec one st at each end of last row - 55 (63, 63, 71) sts.

Work straight in eyelet patt as given for Back of Dress until work meas approx 12 (14, 17, 19) cm from Picot

row, ending with an 8th or 16th row of patt.

Shape Top

Keeping patt correct, cast off 3 (4, 5, 6) sts at beg of next 2 rows.

Dec one st at beg and end of next and every foll alt row until 31 (35, 27, 35) sts rem, then on every row until 25 sts rem.

Cast off 3 sts at beg of next 2 rows. Cast off rem 19 sts.

NECKBAND

Sew up both shoulder seams.

With right side of work facing, 3mm ndls and A, pick up evenly and K18 (20, 20, 20) sts up right side of neck, 21 (25, 25, 27) sts across back neck and 18 (20, 20, 20) sts down left side of neck - 57 (65, 65, 67) sts.

1st row - P1, * K1, P1; rep from * to end.

2nd Row - K1, * P1, K1; rep from * to end.

Rep last 2 rows twice more, then 1st row again.

Cast off in rib.

TO MAKE UP

Using B and C alternately embroider back, fronts and sleeves as illustrated (see diagrams).

Complete tuck at bodice on back and fronts as follows:

Fold along Picot row with wrong sides of work together and slip stitch the 2 marked rows together.

Join side and sleeve seams.

Insert sleeves easing fullness at top.

Fold edgings along Picot rows to wrong side and slip stitch in position.

BUTTON BAND

With right side of work facing, 3mm ndls and A, pick up evenly and K73 (73, 75, 83) sts along Left Front edge from top of neckband to bottom of Picot hem working through all thicknesses of Picot edging at bodice and Picot hem.

Work 7 rows in rib as given for Neckband. Cast off in rib.

BUTTONHOLE BAND

With right side of work facing, 3mm ndls and A, pick up evenly and K73 (73, 75, 83) sts along Right Front edge from bottom of Picot hem to top of Neckband.

Work 3 rows in rib as given for Neckband.

Buttonhole Row - Rib 29 (29, 27, 30), [cast off 2 sts, rib 11 (11, 12, 14)

(including st left on ndl after cast off) 3 times, cast off 2 sts, rib to end.
Next Row - Rib to end, casting on 2 sts over those cast off.
 Work 2 more rows in rib.
 Cast off in rib.




Fig 1
 Bring the needle through to the right side and hold the yarn with your thumb. Insert the needle where it last emerged and bring it out a short way from where it entered. Pull the yarn through, keeping it under the needle.

Sew on buttons.
 Thread ribbon through eyelet holes on sleeves and tie.
 Press seams lightly on wrong side.



Fig 2
 Fasten off with a short holding stitch.



Fig 3.
 Bring the needle through to the right side in same position as start of the previous stitch. Complete as for Figs 1 & 2.

Coat and Dungarees

MEASUREMENTS

To fit chest size 35 40 45 50 cm

Coat

Length to shoulder 22 24 25 27 cm

Sleeve Seam 11 12 15 17 cm

Dungarees

Length to shoulder 41 45 49 55 cm

Inside leg seam (excluding turnback) 14 15 17 21 cm

MATERIALS

Thorobred

Soft for Tots 4 ply (25g)

Coat 4 5 6 7 balls

Dungarees 4 5 6 7 balls

NEEDLES

One pair each 2.75mm (UK 12, US 2) and 3.25mm (UK 10, US 3) knitting needles. 3 buttons for Coat and 5 (6, 6, 6) buttons for Dungarees.

Thorobred

Soft for Tots 8 ply (25g)

Coat 5 6 7 8 balls

Dungarees 5 6 6 7 balls

NEEDLES

One pair each 3.25mm (UK 10, US 3)

and 4mm (UK 8, US 6) knitting needles. 2 (3, 3, 3) buttons for Coat and 5 (6, 6, 6) buttons for Dungarees.

TENSION

4 ply - 28 sts and 36 rows to 10 cm over stst, using 3.25mm ndls.

8 ply - 22sts and 30 rows to 10 cm over stst, using 4 mm ndls.

NOTE - Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

COAT IN 4 PLY

BACK

With 3.25mm ndls cast on 100 (106, 112, 118) sts.

Starting K, work 7 rows in stst. K 1 row to mark hemline.

Starting K, cont in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a P row.

Shape Armholes

Cast off 3 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows - 88 (94, 100, 106) sts.

Work 2 rows straight.

Next Row - P1, [P3tog, P1] 10 (7, 7, 4) times, [P2tog, P1] 1 (11, 13, 23)

times, [P3tog, P1] 11 (8, 8, 5) times - 45 (53, 57, 65) sts.

Work the 8 rows from Chart 1, repeating the 6 patt sts 6 (8, 8, 10) times across and working first 5 (3, 5, 3) sts and last 4 (2, 4, 2) sts on right side rows and first 4 (2, 4, 2) sts and last 5 (3, 5, 3) sts on wrong side rows as indicated.

Cont straight in patt until Back meas 22 (24, 25, 27) cm from hemline, ending with a wrong side row. Cast off.

LEFT FRONT

****** With 3.25mm ndls cast on 51 (54, 57, 60) sts.

Starting K, work 7 rows in stst. K 1 row to mark hemline.

Starting K, cont in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a P row (work 1 more row here for Right Front).

Shape Armhole

Cast off 3 sts at beg of next row. ****** Work 1 row. Dec one st at armhole edge on next 3 rows - 45 (48, 51, 54) sts. Work 2 rows straight.

Next Row - P1, [P2tog, P1] 0 (5, 6, 11) times, [P3tog, P1] 11 (8, 8, 5) times - 23 (27, 29, 33) sts.

Work the 8 rows from Chart 2, repeating the 6 patt sts 3 (4, 4, 5) times across and working first 5 (3, 5, 3) sts on right side rows and last 5 (3, 5, 3) sts on wrong side rows as indicated.

Cont in patt from Chart until Front meas 17 (18, 19, 21) cm from hemline, ending at front edge.

Shape neck

Keeping continuity of Chart, cast off 4 (5, 5, 6) sts at beg of next row. Dec one st at neck edge on every row until 11 (14, 14, 15) sts rem. Cont straight until Front meas same as Back to shoulder, ending with a wrong side row. Cast off.

RIGHT FRONT

Work as given for Left Front from ** to ** working 1 more row where indicated.

Dec one st at armhole edge on next 3 rows - 45 (48, 51, 54) sts. Work 2 rows straight.

Next Row - P1, [P3tog, P1] 11 (8, 8, 5) times, [P2tog, p1] 0 (5, 6, 11) times - 23 (27, 29, 33) sts.

Work the 8 rows from Chart 2, reversing patt by reading odd numbered rows (right side) from left to right and even numbered rows (wrong side) from right to left, repeating the 6 patt sts 3 (4, 4, 5) times across and working last 5 (3, 5, 3) sts on right side rows and first 5 (3, 5, 3) sts on wrong side rows as indicated.

Complete to match Left Front.

SLEEVES

With 2.75mm ndls cast on 34 (36, 36, 40) sts.

Starting K, work 7 rows in stst. K1 row to mark hemline.

Starting K, work a further 7 rows in stst.

Next Row - P3 (4, 1, 2), * inc in next st, P3 (3, 2, 3); rep from * to last 3 (4, 2, 2) sts, inc in next st, P to end - 42 (44, 48, 50) sts.

Change to 3.25mm ndls and starting with a K row work in stst inc one st at beg and end of 5th (5th, 3rd, 3rd) and every foll 2nd (2nd, 4th, 4th) row until there are 62 (68, 68, 72) sts. Cont straight until sleeve meas 11 (12, 15, 17) cm from hemline, ending with a wrong side row.

Shape Top

Cast off 3 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows - 50 (56, 56, 60) sts. Cast off.

COLLAR

With 3.25mm ndls cast on 63 (67, 69, 73) sts.

Starting K, work 4 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Work 7 rows more in stst.

13th Row - K to last 4 sts, turn.

14th Row - Sl.1, P to last 4 sts, turn.

15th Row - Sl.1, K to last 6 sts, turn.

16th Row - Sl.1, P to last 6 sts, turn.

17th Row - Sl.1, K to last 8 sts, turn.

18th Row - Sl.1, P to last 8 sts, turn.

19th Row - Sl.1, K to end.

20th Row - P to end. Cast off.

BUTTON BAND

With right side of Left Front facing and 3.25mm ndls, pick up and K45 (51, 53, 59) sts evenly down front to hemline.

Starting P, work 5 rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Work 5 rows more in stst. Cast off.

BUTTONHOLE BAND

With right side of Right Front facing and 3.25mm ndls, pick up and K45 (51, 53, 59) sts evenly up front from hemline. P1 row.

Buttonhole Row - K31 (37, 39, 45), [cast off 2 sts, K3 (including st used in casting off)] twice, cast off 2 sts, K to end

Next Row - P to end casting on 2 sts over those cast off on previous row.

Work 2 rows more in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Work 2 rows more in stst.

Next Row - P2, [cast off 2 sts, P3 (including st used in casting off)] twice, cast off 2 sts, P to end.

Next Row - K to end, casting on 2 sts over those cast off on previous row.

P1 row. Cast off.

TO MAKE UP

Set in sleeves, join side and sleeve seams. Fold hems to wrong side along hemline and slip stitch in position. Fold front bands, and collar edgings to wrong side along picot row and slip stitch in position. Sew cast off edge of collar to neck edge starting and finishing half way across front bands. Sew on buttons.

DUNGAREES IN 4 PLY

LEFT LEG

With 2.75mm ndls cast on 45 (53, 63, 71) sts.

1st Row - K1, * P1, k1; rep from * to

end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep the last 2 rows until rib meas 5 cm from beg, ending with a 1st row.

Next Row - Rib 6 (8, 3, 8), * inc in next st, rib 1 (1, 3, 2); rep from * to last 7 (9, 4, 9) sts, inc in next st, rib to end - 62 (72, 78, 90) sts.

Change to 3.25mm ndls and starting K, work in stst until work meas 16 (17, 19, 23) cm from cast on edge, ending with a P row. ** Break off yarn. Leave sts on a holder.

RIGHT LEG

Work as given for Left Leg to **.

Next Row - Cast on 5 sts, K these 5sts, K62 (72, 78, 90) sts, turn and cast on 9 sts, turn and with right side of work facing, K62 (72, 78, 90) sts across Left Leg, turn and cast on 5 sts - 143 (163, 175, 199) sts.

Work a further 7 cm straight in stst, ending with a Purl row.

Shape Front Opening

Cast off 3 sts at beg of next 2 rows - 137 (157, 169, 193) sts.

Cont in stst until Front Opening meas 8 (10, 12, 13) cm, ending with a K row.

Next Row - P11 (1, 7, 20), * P2tog, P3 (3, 2, 1); rep from * to last 11 (1, 6, 20) sts, P2tog, P to end - 113 (125, 129, 141) sts.

Work the 8 rows from Chart 3, working first 3 (3, 2, 2) sts and last 2 (2, 1, 1) sts on right side rows and first 2 (2, 1, 1) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated, thus ending with a wrong side row.

Divide for Right Front

Keeping continuity of Chart, patt 23 (26, 27, 30) sts, turn and leave rem sts on a holder.

Dec one st at beg of next and at this same edge on every row until 20 (21, 23, 24) sts rem. Work 4 (8, 9, 11) rows straight, thus ending with a wrong side row.

Shape Neck

Keeping armhole edge straight, cast off 2 sts at beg of next row. Dec one st at neck edge on every row until 8 (9, 10, 11) sts rem. Work straight until armhole meas 10 (11, 11, 12) cm, ending with a wrong side row. Cast off.

Divide for Back

With right side of work facing, return to sts on holder. Cast off first

CHART 1




CHART 2




CHART 3





CHART 4



□ = K on right side rows, P on wrong side rows.

— = P on right side rows, K on wrong side rows.

When working from Charts read odd numbered (right side) rows from right to left and even numbered (wrong side) rows from left to right unless otherwise indicated.

SLEEVES

With 3.25mm ndls cast on 27 (29, 29, 31) sts.

Starting K, work 5 rows in stst. K 1 row to mark hemline.

Starting K, work a further 5 rows in stst.

Next Row - P3 (4, 1, 2), * inc in next st, P2; rep from * to last 3 (4, 1, 2) sts, inc in next st, P2 (3, 0, 1) - 35 (37, 39, 41) sts.

Change to 4mm ndls and starting K, work in stst, inc one st at beg and end of 3rd and every foll 2nd (2nd, 4th, 4th) row until there are 51 (55, 55, 59) sts. Cont straight until sleeve meas 11 (12, 15, 17) cm from hem-

line, ending with a wrong side row.

Shape Top

Cast off 2 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows - 41 (45, 45, 49) sts. Cast off.

COLLAR

With 4mm ndls cast on 49 (53, 55, 57) sts.

Starting K, work 2 rows in stst.

Picot row - K1, * yfwd, K2tog; rep from * to end.

Work 6 rows more in stst.

10th Row - P to last 2 sts, turn.

11th Row - Sl.1, K to last 2 sts, turn.

12th Row - Sl.1, P to last 4 sts, turn.

13th Row - Sl.1, K to last 4 sts, turn.

14th Row - Sl.1, P to last 6 sts, turn.

15th Row - Sl.1, K to last 6 sts, turn.

16th Row - Sl.1, P to end. Cast off.

BUTTON BAND

With right side of Left Front facing and 3.25mm ndls, pick up and K39 (43, 45, 47) sts evenly down front to hemline.

Starting P, work 5 rows in stst.

Picot row - K1, * yfwd, K2tog; rep from * to end.

Work 5 more rows in stst. Cast off.

BUTTONHOLE BAND

With right side of Right Front facing and 3.25mm ndls, pick up and K39 (43, 45, 47) sts evenly up front from hemline. P1 row.

Buttonhole Row - K27 (31, 33, 35), [cast off 2 sts, K2 (including st used in casting off)] twice, cast off 2 sts, K2.

Next Row - P to end, casting on 2 sts over those cast off on previous row. Work 2 more rows in stst.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Work 2 rows more in stst.

Next Row - P2, [cast off 2 sts, P2 (including st used in casting off)] twice, cast off 2 sts, P to end.

Next Row - K to end casting on 2 sts over those cast off on previous row. Work 1 row. Cast off.

TO MAKE UP

Work as given for 4 Ply Coat.

DUNGAREES IN 8 PLY

LEFT LEG

With 3.25mm ndls cast on 35 (43, 49, 57) sts.

1st Row - K1, * P1, K1; rep from * to end.

2nd Row - P1, * K1, P1; rep from * to end.

Rep the last 2 rows until rib meas 5 cm from beg, ending with a 1st row.

Next Row - Rib 5 (3, 4, 7), * inc in next st, rib 1 (2, 3, 2); rep from * to last 6 (4, 5, 8) sts, inc in next st, rib to end - 48 (56, 60, 72) sts.

Change to 4mm ndls and starting K, work in stst until work meas 16 (17, 19, 23) cm from cast on edge, ending with a P row. ** Break off yarn. Leave sts on a holder.

RIGHT LEG

Work as given for Left Leg to **.

Next Row - Cast on 4 sts, K these 4 sts, K48 (56, 60, 72) sts, turn and cast on 7 sts, turn and with right side of work facing, K48 (56, 60, 72) sts

8sts, patt 51 (57, 59, 65) (including st used in casting on), turn and leave rem sts on first holder.
Dec one st at beg and end of every row until 45 (47, 51, 53) sts rem.
Work 4 (8, 9, 11) rows straight, thus ending with a wrong side row.

Shape Neck

Next Row - Patt 18 (19, 21, 22) sts, turn and leave rem sts on 2nd holder.
Keeping armhole edge straight, dec one st at neck edge on every row until 8 (9, 10, 11) sts rem.
Cont straight until armhole meas same as Right Front armhole, ending with a wrong side row. Cast off.
With right side of work facing, return to sts on 2nd holder.
Slip first 9 sts onto a holder for neck border, rejoin yarn and patt to end.
Complete to match first side.

Divide for Left Front

With right side of work facing, return to sts on first holder.
Cast off first 8 sts, patt to end - 23 (26, 27, 30) sts. Dec one st at end of next and at this same edge on every row until 20 (21, 23, 24) sts rem.
Work 5 (9, 10, 12) rows straight, thus ending with a right side row.
Complete to match Right Front reversing all shapings.

ARMHOLE BORDERS

With right side facing and 3.25mm ndls, pick up and K63 (67, 67, 73) sts evenly round armhole.
*** Starting P, work 3 rows in stst.
Picot Row - K1, * yfwd, K2tog; rep from * to end.
Work 3 more rows in stst. Cast off.

NECK BORDER

Sew up shoulder seams. With right side of work facing and 3.25mm ndls, pick up and K25 (25, 26, 26) sts up right side of front neck, 23 (23, 24, 24) sts down right side of back neck, K9 sts across centre back, pick up and K23 (23, 24, 24) sts up left side of back neck and 25 (25, 26, 26) sts down left side of front neck - 105 (105, 109, 109) sts.
Work as given for Armhole Borders from *** to ***.

BUTTON BAND

Sew centre front seam of dungarees. Sew down crotch and inside leg seams. Fold Neck Border in half to wrong side along picot row and slip

st in position.

With right side of Left Front facing and 2.75mm ndls, pick up and K45 (55, 61, 69) sts evenly down Left Front working through both thicknesses of Neck Border.
1st Row - P1, * K1, P1; rep from * to end.

2nd Row - K1, * P1, K1; rep from * to end.

Rep these 2 rows once more, then the 1st row again.
Cast off in rib.

BUTTONHOLE BAND

With right side of Right Front facing and 2.75mm ndls, pick up and K45 (55, 61, 69) sts evenly up Right Front working through both thicknesses of Neck Border.
Next Row - P1, * K1, P1; rep from * to end.

Buttonhole Row - Rib 3 (4, 5, 3), [cast off 2 sts, rib 7 (7, 8, 10) (including st used in casting off)] 4 (5, 5, 5) times, cast off 2 sts, rib to end.
Next Row - Rib to end casting on 2 sts over those cast off on previous row.
Work 2 more rows in rib. Cast off in rib.

TO MAKE UP

Catch down bands at base of opening, overlapping Buttonhole Band. Sew on buttons.
Fold cuffs and Armhole Borders in half to wrong side and slip stitch in position.

COAT IN 8 PLY

BACK

With 4mm ndls cast on 78 (84, 88, 92) sts.
Starting K, work 5 rows in stst. K 1 row to mark hemline.
Starting K, cont in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a P row.

Shape Armholes

Cast off 2 sts at beg of next 2 rows.
Dec one st at beg and end of next 3 rows - 68 (74, 78, 82) sts.
Work 2 rows straight.
Next Row - P1, [P3tog, P1] 8(7, 6, 3) times, [P2tog, P1] 1 (7, 11, 19) times, [P3tog, P1] 8 (6, 5, 3) times - 35 (41, 45, 51) sts.
Work the 8 rows from Chart 3, repeating the 6 patt sts 5 (6, 7, 8) times across and working first 3 (3, 2, 2) sts and last 2 (2, 1, 1) sts on right side rows and first 2 (2, 1, 1) sts and last 3 (3, 2, 2) sts on wrong side rows

as indicated.

Cont in patt until Back meas 22 (24, 25, 27) cm from hemline, ending with a wrong side row. Cast off.

LEFT FRONT

** With 4mm ndls cast on 40 (43, 45, 47) sts.
Starting K, work 5 rows in stst. K 1 row to mark hemline.
Starting K, work in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a P row (work 1 more row here for Right Front).

Shape Armhole

Cast off 2 sts at beg of next row. **
Work 1 row. Dec one st at armhole edge on next 3 rows - 35 (38, 40, 42) sts. Work 2 rows straight.
Next Row - P0 (1, 1, 2), [P3tog, P1] 8 (7, 6, 4) times, [P2tog, P1] 1 (3, 5, 8) times - 18 (21, 23, 26) sts.
Work the 8 rows from Chart 4, repeating the 6 patt sts 2 (3, 3, 4) times across and working first 3 (3, 2, 2) sts and last 3 (0, 3, 0) sts on right side rows and first 3 (0, 3, 0) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated.
Cont in patt from Chart until Front meas 17 (18, 19, 21) cm from hemline, ending at front edge.

Shape Neck

Keeping continuity of Chart, cast off 4 sts at beg of next row.
Dec one st at neck edge on every row until 11 (11, 12, 12) sts rem.
Cont straight until front meas same as Back to shoulder, ending with a wrong side row. Cast off.

RIGHT FRONT

Work as given for Left Front from ** to ** working 1 more row where indicated.
Dec one st at armhole edge on next 3 rows - 35 (38, 40, 42) sts. Work 2 rows straight.
Next Row - [P1, P2tog] 1 (3, 5, 8) times, [P1, P3tog] 8 (7, 6, 4) times, P0 (1, 1, 2) - 18 (21, 23, 26) sts.
Work the 8 rows from Chart 4 but reversing patt by reading odd numbered rows (right side) from left to right and even numbered rows (wrong side) from right to left, working the 6 patt sts 2 (3, 3, 4) times across and working first 3 (0, 3, 0) sts and last 3 (3, 2, 2) sts on right side rows and first 3 (3, 2, 2) sts and last 3 (0, 3, 0) sts on wrong side rows as indicated.
Complete as given for Left Front.

across Left Leg, turn and cast on 4sts - 111 (127, 135, 159) sts.
Work a further 7 cm straight in stst, ending with a P row.

Shape Front Opening

Cast off 3 sts at beg of next 2 rows. Cont in stst until Front Opening meas 7 (9, 11, 13) cm, ending with a K row.

Next Row - P7 (10, 6, 15), * P2tog, P4 (2, 2, 1); rep from * to last 8 (11, 7, 15) sts, P2tog, P to end - 89 (95, 99, 111) sts. Work the 8 rows from Chart 3, working the first 3 (3, 2, 2) sts and last 2 (2, 1, 1) sts on right side rows and first 2 (2, 1, 1) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated, thus ending with a wrong side row.

Divide for Right Front

Keeping continuity of Chart, patt 20 (21, 22, 26), turn and leave rem sts on holder.

Dec one st at beg of next and at this same edge on every row until 17 (17, 19, 22) sts rem. Work 4 (7, 8, 9) rows straight, thus ending with a wrong side row.

Shape Neck

Keeping armhole edge straight, cast off 3 sts at beg of next row. Dec one st at neck edge on every row until 6 (7, 8, 9) sts rem. Work straight until armhole meas 10 (11, 11, 12) cm, ending with a wrong side row. Cast off.

Divide for Back

With right side of work facing, return to sts on holder. Cast off first 4 sts, patt 41 (45, 47, 51) (including st used in casting off), turn and leave rem sts on first holder, dec one st at beg and end of next and on every row until 35 (37, 41, 43) sts rem. Work 4 (7, 8, 9) rows straight, thus ending with a wrong side row.

Shape Neck

Next Row - Patt 14 (15, 17, 18) sts, turn and leave rem sts on 2nd holder.

Keeping armhole edge straight, dec one st at neck edge on every row until 6 (7, 8, 9) sts rem. Cont straight until armhole meas same as Right Front armhole, ending with wrong side row. Cast off.

With right side of work facing, return to sts on 2nd holder, slip first 7 (9, 9, 9) sts onto a holder for neck border, rejoin yarn and patt to end.

Complete to match first side.

Divide for Left Front

With right side of work facing, return to sts on first holder. Cast off first 4 sts, patt to end. Dec one st at end of next and at this same edge on every row until 17 (17, 19, 22) sts rem. Work 5 (8, 9, 10) rows straight, thus ending with a right side row. Complete to match Right Front.

ARMHOLE BORDERS

With right side facing and 4mm ndls, pick up and K51 (55, 55, 59) sts evenly round armhole.

*** P3 rows.

Picot Row - K1, * yfwd, K2tog; rep from * to end.

Work 3 more rows in stst.

Cast off. ***

NECK BORDER

Sew up shoulder seams. With right side facing and 4mm ndls, pick up and K20 sts up right side of front neck, 18 sts down right side of back neck, K7 (9, 9, 9) sts across centre back, pick up and K18 sts up left side of back neck and 20 sts down left side of front neck

- 83 (85, 85, 85) sts.

Work as given for Armhole Borders from *** to ***.

BUTTON BAND

Sew centre front seam of Dungarees. Sew down crotch and inside leg seams. Fold Neck Border in half to wrong side along picot row and slip stitch in position.

With right side of Left Front facing and 3.25mm ndls, pick up and K39 (47, 49, 57) sts evenly down Left Front working through both thicknesses of Neck Border.

1st Row - P1, * K1, P1; rep from * to end.

2nd Row - K1, * P1, K1; rep from * to end.

Rep these 2 rows once more, then the 1st row again. Cast off in rib.

BUTTONHOLE BAND

With right side of Right Front facing and 3.25mm ndls, pick up and K39 (47, 49, 57) sts evenly up Right Front, working through both thicknesses of Neck Border.

Work 2 rows in rib as given for Button Band.

Buttonhole Row - Rib 2, [yfwd, K2tog, rib6 (6, 6, 8)] 4 (5, 5, 5) times, yfwd, K2tog, rib to end.

Work 2 more rows in rib.

Cast off in rib.

TO MAKE UP

Catch down bands at base of opening, overlapping Buttonhole Band over Button Band. Sew on buttons.

Fold cuffs and Armhole Borders in half to wrong side and slip stitch in position.

CREDITS

Editor	Vanessa Kemp
Garment Design/Pattern Writing	Lillian Fearn
Photography	Sal Criscillo
Styling	Kathy Heath
Models	Zarae Davis
	Sarah Camm
	Lucy McKenzie
	Daniel Selby
	Marshall Gurney
Production	Jan Morgan
Book Design	Jenny Ralston Art



Sweater and Leggings
See Pattern Page 1.





Sweaters and Cardigans
See Pattern Page 4.




Christening dress and shawl
See Pattern Page 7.







Dress and Suit
See Pattern Page 9.



Sweater and Cardigan
See Pattern Page 13.



Dress and Jacket
See Pattern Page 17.



Coat and Dungarees
See Pattern Page 20.