

THOROBRED
We've fashioned the pleasure of knitting

1218

PRICE CODE A

4 Ply

SOFT *for* TOTS

592
\$ 2.95



TENSION:

4 ply: 28 sts and 36 rows to 10cm over stst, using 3¼mm ndls.

8 ply: 22 sts and 30 rows to 10cm over stst, using 4mm ndls.

NOTE: Figures in round brackets represent the larger sizes, whilst figures or instructions in square brackets should be repeated as stated after the brackets.

COAT IN 4 PLY

BACK:

With 3¼mm ndls cast on 100 (106, 112, 118) sts.

Starting k, work 7 rows in stst. K 1 row to mark hemline. Starting k, cont in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a p row.

Shape Armholes:

Cast off 3 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows — 88 (94, 100, 106) sts.

Work 2 rows straight.

Next row: P1, [p3tog, p1] 10 (7, 7, 4) times, [p2tog, p1] 1 (11, 13, 23) times, [p3tog, p1] 11 (8, 8, 5) times — 45 (53, 57, 65) sts.

Work the 8 rows from Chart 1, repeating the 6 patt sts 6 (8, 8, 10) times across and working first 5 (3, 5, 3) sts and last 4 (2, 4, 2) sts on right side rows and first 4 (2, 4, 2) sts and last 5 (3, 5, 3) sts on wrong side rows as indicated.

Cont straight in patt until Back meas 22 (24, 25, 27) cm from hemline, ending with a wrong side row. Cast off.

LEFT FRONT:

****** With 3¼mm ndls cast on 51 (54, 57, 60) sts.

Starting k, work 7 rows in stst. K 1 row to mark hemline. Starting k, cont in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a p row (work 1 more row here for Right Front).

Shape Armhole:

Cast off 3 sts at beg of next row. ******

Work 1 row. Dec one st at armhole edge on next 3 rows — 45 (48, 51, 54) sts. Work 2 rows straight.

Next row: P1, [p2tog, p1] 0 (5, 6, 11) times, [p3tog, p1] 11 (8, 8, 5) times — 23 (27, 29, 33) sts.

Work the 8 rows from Chart 2, repeating the 6 patt sts 3 (4, 4, 5) times across and working first 5 (3, 5, 3) sts on right side rows and last 5 (3, 5, 3) sts on wrong side rows as indicated. Cont in patt from Chart until Front meas 17 (18, 19, 21) cm from hemline, ending at front edge.

Shape Neck:

Keeping continuity of Chart, cast off 4 (5, 5, 6) sts at beg of next row. Dec one st at neck edge on every row until 11 (14, 14, 15) sts rem. Cont straight until Front meas same as Back to shoulder, ending with a wrong side row. Cast off.

RIGHT FRONT:

Work as given for Left Front from ****** to ****** working 1 more row where indicated.

Dec one st at armhole edge on next 3 rows — 45 (48, 51, 54) sts. Work 2 rows straight.

Next row: P1, [p3tog, p1] 11 (8, 8, 5) times, [p2tog, p1] 0 (5, 6, 11) times — 23 (27, 29, 33) sts.

Work the 8 rows from Chart 2, reversing patt by reading odd numbered rows (right side) from left to right and even numbered rows (wrong side) from right to left, repeating the 6 patt sts 3 (4, 4, 5) times across and working last 5 (3, 5, 3) sts on right side rows and first 5 (3, 5, 3) sts on wrong side rows as indicated.

Complete to match Left Front.

MEASUREMENTS:

To fit chest size	14	16	18	20	inch
	35	40	45	50	cm

Coat

Length to shoulder	22	24	25	27	cm
Sleeve seam	11	12	15	17	cm

Dungarees

Length to shoulder (approx)	41	45	49	55	cm
Inside leg seam (excluding turnback)	14	15	17	21	cm

MATERIALS:

Thorobred

Soft for Tots 4 ply (25g):

Coat	4	5	6	7	balls
Dungarees	4	5	6	7	balls

One pair each 2¾mm (UK 12, US 2) and 3¼mm (UK 10, US 3) knitting needles, 3 buttons for Coat and 5 (6, 6, 6) buttons for Dungarees.

Soft for Tots 8 ply (25g):

Coat	5	6	7	8	balls
Dungarees	5	6	6	7	balls

One pair each 3¼mm (UK 10, US 3) and 4mm (UK 8, US 6) knitting needles, 2 (3, 3, 3) buttons for Coat and 5 (6, 6, 6) buttons for Dungarees.

SLEEVES:

With 2¾mm ndls cast on 34 (36, 36, 40) sts.

Starting k, work 7 rows in stst. K 1 row to mark hemline.

Starting k, work a further 7 rows in stst.

Next row: P3 (4, 1, 2), * inc in next st, p3 (3, 2, 3); rep from * to last 3 (4, 2, 2) sts, inc in next st, p to end — 42 (44, 48, 50) sts.

Change to 3¼mm ndls and starting with a k row work in stst inc one st at beg and end of 5th (5th, 3rd, 3rd) and every foll 2nd (2nd, 4th, 4th) row until there are 62 (68, 68, 72) sts. Cont straight until sleeve meas 11 (12, 15, 17) cm from hemline, ending with a wrong side row.

Shape Top:

Cast off 3 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows — 50 (56, 56, 60) sts. Cast off.

COLLAR:

With 3¼mm ndls cast on 63 (67, 69, 73) sts.

Starting k, work 4 rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 7 rows more in stst.

13th row: K to last 4 sts, turn.

14th row: Sl.1, p to last 4 sts, turn.

15th row: Sl.1, k to last 6 sts, turn.

16th row: Sl.1, p to last 6 sts, turn.

17th row: Sl.1, k to last 8 sts, turn.

18th row: Sl.1, p to last 8 sts, turn.

19th row: Sl.1, k to end.

20th row: P to end. Cast off.

BUTTON BAND:

With right side of Left Front facing and 3¼mm ndls, pick up and k45 (51, 53, 59) sts evenly down front to hemline.

Starting p, work 5 rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 5 rows more in stst. Cast off.

BUTTONHOLE BAND:

With right side of Right Front facing and 3¼mm ndls, pick up and k45 (51, 53, 59) sts evenly up front from hemline. P 1 row.

Buttonhole row: K31 (37, 39, 45), [cast off 2 sts, k3 (including st used in casting off)] twice, cast off 2 sts, k to end.

Next row: P to end casting on 2 sts over those cast off on previous row.

Work 2 rows more in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 2 rows more in stst.

Next row: P2, [cast off 2 sts, p3 (including st used in casting off)] twice, cast off 2 sts, p to end.

Next row: K to end, casting on 2 sts over those cast off on previous row.

P 1 row. Cast off.

POCKETS:

With 3¼mm ndls cast on 23 sts. Starting k, work 2 rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

4th and every alt row: K2, p to last 2 sts, k2.

5th row: P2, k to last 2 sts, p2.

7th row: P2, sl.1, k1, pss, k to last 4 sts, k2tog, p2.

8th row: As 4th row.

Rep last 2 rows until 7 sts rem, thus ending with a wrong side row.

Next row: P2, sl.1, k2tog, pss, p2.

Next row: K1, sl.1, k2tog, pss, k1.

Next row: P3tog, and fasten off.

TO MAKE UP:

Set in sleeves, join side and sleeve seams. Fold hems to wrong side along hemline and slip stitch in position. Fold front bands, pocket and collar edgings to wrong side along picot row and slip stitch in position. Sew cast off edge of collar to neck edge starting and finishing half way across front bands. Sew on pockets and buttons.

CORRECT TENSION IS ESSENTIAL: If there are less sts to 10cm than stated, your tension is too loose; use smaller needles. If there are more sts, your tension is too firm; use larger needles. Best results will be achieved by using the specified THOROBRED yarns as this pattern has been specifically written for THOROBRED.

GENERAL ABBREVIATIONS: Alt, alternate; approx, approximately; beg, beginning; cm, centimetres; cont, continue; dec, decrease; foll, following; inc, increase (by working into front and back of stitch); k, knit, meas, measures; nd(s), needle(s); patt, pattern; p, purl; rem, remain(ing); rep, repeat; st(s), stitch(es); tog, together; stst, stocking stitch (1 row knit, 1 row purl).

DUNGAREES IN 4 PLY

LEFT LEG:

With 2¾mm ndls cast on 45 (53, 63, 71) sts.

1st row: K1, * p1, k1; rep from * to end.

2nd row: P1, * k1, p1; rep from * to end.

Rep the last 2 rows until rib meas 5cm from beg, ending with a 1st row.

Next row: Rib 6 (8, 3, 8), * inc in next st, rib 1 (1, 3, 2); rep from * to last 7 (9, 4, 9) sts, inc in next st, rib to end — 62 (72, 78, 90) sts.

Change to 3¼mm ndls and starting k, work in stst until work meas 16 (17, 19, 23) cm from cast on edge, ending with a p row. ** Break off yarn. Leave sts on a holder.

RIGHT LEG:

Work as given for Left Leg to **.

Next row: Cast on 5 sts, k these 5 sts, k62 (72, 78, 90) sts, turn and cast on 9 sts, turn and with right side of work facing, k62 (72, 78, 90) sts across Left Leg, turn and cast on 5 sts — 143 (163, 175, 199) sts.

Work a further 7cm straight in stst, ending with a p row.

Shape Front Opening:

Cast off 3 sts at beg of next 2 rows — 137 (157, 169, 193) sts. Cont in stst until Front Opening meas 8 (10, 12, 13) cm, ending with a k row.

Next row: P11 (1, 7, 20), * p2tog, p3 (3, 2, 1); rep from * to last 11 (1, 6, 20) sts, p2tog, p to end — 113 (125, 129, 141) sts.

Work the 8 rows from Chart 3, working first 3 (3, 2, 2) sts and last 2 (2, 1, 1) sts on right side rows and first 2 (2, 1, 1) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated, thus ending with a wrong side row.

Divide for Right Front:

Keeping continuity of Chart, patt 23 (26, 27, 30) sts, turn and leave rem sts on a holder.

Dec one st at beg of next and at this same edge on every row until 20 (21, 23, 24) sts rem. Work 4 (8, 9, 11) rows straight, thus ending with a wrong side row.

Shape Neck:

Keeping armhole edge straight, cast off 2 sts at beg of next row. Dec one st at neck edge on every row until 8 (9, 10, 11) sts rem. Work straight until armhole meas 10 (11, 11, 12) cm, ending with a wrong side row. Cast off.

Divide for Back:

With right side of work facing, return to sts on holder. Cast off first 8 sts, patt 51 (57, 59, 65) (including st used in casting off), turn and leave rem sts on first holder.

Dec one st at beg and end of every row until 45 (47, 51, 53) sts rem. Work 4 (8, 9, 11) rows straight, thus ending with a wrong side row.

Shape Neck:

Next row: Patt 18 (19, 21, 22) sts, turn and leave rem sts on 2nd holder.

Keeping armhole edge straight, dec one st at neck edge on every row until 8 (9, 10, 11) sts rem.

Cont straight until armhole meas same as Right Front armhole, ending with a wrong side row. Cast off.

With right side of work facing, return to sts on 2nd holder.

Slip first 9 sts onto a holder for neck border, rejoin yarn and patt to end. Complete to match first side.

Divide for Left Front:

With right side of work facing, return to sts on first holder. Cast off first 8 sts, patt to end — 23 (26, 27, 30) sts. Dec one st at end of next and at this same edge on every row until 20 (21, 23, 24) sts rem. Work 5 (9, 10, 12) rows straight, thus ending with a right side row.

Complete to match Right Front reversing all shapings.

ARMHOLE BORDERS:

With right side facing and 3¼mm ndls, pick up and k63 (67, 73) sts evenly round armhole.

*** Starting p, work 3 rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 3 more rows in stst. Cast off. ***

NECK BORDER:

Sew up shoulder seams. With right side of work facing and 3¼mm ndls, pick up and k25 (25, 26, 26) sts up right side of front neck, 23 (23, 24, 24) sts down right side of back neck, k9 sts across centre back, pick up and k23 (23, 24, 24) sts up left side of back neck and 25 (25, 26, 26) sts down left side of front neck — 105 (105, 109, 109) sts.

Work as given for Armhole Borders from *** to ***.

BUTTON BAND:

Sew centre front seam of dungarees. Sew down crotch and inside leg seams. Fold Neck Border in half to wrong side along picot row and slip st in position.

With right side of Left Front facing and 2¾mm ndls, pick up and k45 (55, 61, 69) sts evenly down Left Front working through both thicknesses of Neck Border.

1st row: P1, * k1, p1; rep from * to end.

2nd row: K1, * p1, k1; rep from * to end.

Rep these 2 rows once more, then the 1st row again.

Cast off in rib.

BUTTONHOLE BAND:

With right side of Right Front facing and 2¾mm ndls, pick up and k45 (55, 61, 69) sts evenly up Right Front working through both thicknesses of Neck Border.

Next row: P1, * k1, p1; rep from * to end.

Buttonhole row: Rib 3 (4, 5, 3), [cast off 2 sts, rib 7 (7, 8, 10) (including st used in casting off)] 4 (5, 5, 5) times, cast off 2 sts, rib to end.

Next row: Rib to end casting on 2 sts over those cast off on previous row.

Work 2 more rows in rib. Cast off in rib.

TO MAKE UP:

Catch down bands at base of opening, overlapping Buttonhole Band over Button Band. Sew on buttons.

Fold cuffs and Armhole Borders in half to wrong side and slip stitch in position.

COAT IN 8 PLY

BACK:

With 4mm ndls cast on 78 (84, 88, 92) sts.

Starting k, work 5 rows in stst. K 1 row to mark hemline.

Starting k, cont in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a p row.

Shape Armholes:

Cast off 2 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows — 68 (74, 78, 82) sts.

Work 2 rows straight.

Next row: P1, [p3tog, p1] 8 (7, 6, 3) times, [p2tog, p1] 1 (7, 11, 9) times, [p3tog, p1] 8 (6, 5, 3) times — 35 (41, 45, 51) sts.

Work the 8 rows from Chart 3, repeating the 6 patt sts 5 (6, 7, 8) times across and working first 3 (3, 2, 2) sts and last 2 (2, 1, 1) sts on right side rows and first 2 (2, 1, 1) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated.

Cont in patt until Back meas 22 (24, 25, 27) cm from hemline, ending with a wrong side row. Cast off.

LEFT FRONT:

** With 4mm ndls cast on 40 (43, 45, 47) sts.

Starting k, work 5 rows in stst. K 1 row to mark hemline.

Starting k, work in stst until work meas 11 (12, 13, 14) cm from hemline, ending with a p row (work 1 more row here for Right Front).

Shape Armhole:





Cast off 2 sts at beg of next row.**

Work 1 row. Dec one st at armhole edge on next 3 rows — 35 (38, 40, 42) sts. Work 2 rows straight.

Next row: P0 (1, 1, 2), [p3tog, p1] 8 (7, 6, 4) times, [p2tog, p1] 1 (3, 5, 8) times — 18 (21, 23, 26) sts.

Work the 8 rows from Chart 4, repeating the 6 patt sts 2 (3, 3, 4) times across and working first 3 (3, 2, 2) sts and last 3 (3, 0, 3) sts on right side rows and first 3 (0, 3, 0) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated.

Cont in patt from Chart until Front meas 17 (18, 19, 21) cm from hemline, ending at front edge.



KEY

- = K on right side rows, P on wrong side rows.
- = P on right side rows, K on wrong side rows.

When working from Charts read odd numbered rows (right side) from right to left and even numbered rows (wrong side) from left to right unless otherwise indicated.

Shape Neck:

Keeping continuity of Chart, cast off 4 sts at beg of next row. Dec one st at neck edge on every row until 11 (11, 12, 12) sts rem. Cont straight until front meas same as Back to shoulder, ending with a wrong side row. Cast off.

RIGHT FRONT:

Work as given for Left Front from ** to ** working 1 more row where indicated.

Dec one st at armhole edge on next 3 rows — 35 (38, 40, 42) sts. Work 2 rows straight.

Next row: [P1, p2tog] 1 (3, 5, 8) times, [p1, p3tog] 8 (7, 6, 4) times, p0 (1, 1, 2) — 18 (21, 23, 26) sts.

Work the 8 rows from Chart 4 but reversing patt by reading odd numbered rows (right side) from left to right and even numbered rows (wrong side) from right to left, working the 6 patt sts 2 (3, 3, 4) times across and working first 3 (0, 3, 0) sts and last 3 (3, 2, 2) sts on right side rows and first 3 (3, 2, 2) sts and last 3 (0, 3, 0) sts on wrong side rows as indicated. Complete as given for Left Front.

SLEEVES:

With 3/4mm ndls cast on 27 (29, 29, 31) sts.

Starting k, work 5 rows in stst. K 1 row to mark hemline. Starting k, work a further 5 rows in stst.

Next row: P3 (4, 1, 2), * inc in next st, p2; rep from * to last 3 (4, 1, 2) sts, inc in next st, p2 (3, 0, 1) — 35 (37, 39, 41) sts. Change to 4mm ndls and starting k, work in stst, inc one st at beg and end of 3rd and every foll 2nd (2nd, 4th, 4th) row until there are 51 (55, 55, 59) sts. Cont straight until sleeve meas 11 (12, 15, 17) cm from hemline, ending with a wrong side row.

Shape Top:

Cast off 2 sts at beg of next 2 rows. Dec one st at beg and end of next 3 rows — 41 (45, 45, 49) sts. Cast off.

COLLAR:

With 4mm ndls cast on 49 (53, 55, 57) sts.

Starting k, work 2 rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 6 rows more in stst.

10th row: P to last 2 sts, turn.

11th row: Sl1, k to last 2 sts, turn.

12th row: Sl1, p to last 4 sts, turn.

13th row: Sl1, k to last 4 sts, turn.

14th row: Sl1, p to last 6 sts, turn.

15th row: Sl1, k to last 6 sts, turn.

16th row: Sl1, p to end. Cast off.

BUTTON BAND:

With right side of Left Front facing and 3/4mm ndls, pick up and k39 (43, 45, 47) sts evenly down front to hemline.

Starting p, work 5 rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 5 more rows in stst. Cast off.

BUTTONHOLE BAND:

With right side of Right Front facing and 3/4mm ndls, pick up and k39 (43, 45, 47) sts evenly up front from hemline.

P 1 row.

Buttonhole row: K27 (31, 33, 35), [cast off 2 sts, k2(including st used in casting off)] twice, cast off 2 sts, k2.

Next row: P to end, casting on 2 sts over those cast off on previous row.

Work 2 more rows in stst.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 2 rows more in stst.

Next row: P2, [cast off 2 sts, p2(including st used in casting off)] twice, cast off 2 sts, p to end.

Next row: K to end casting on 2 sts over those cast off on previous row.

Work 1 row. Cast off.

POCKETS:

With 4mm ndls cast on 19 sts. Starting k, work 2 rows in stst. Complete as given for 4 Ply Pockets.

TO MAKE UP:

Work as given for 4 Ply Coat.

DUNGAREES IN 8 PLY LEFT LEG:

With 3/4mm ndls cast on 35 (43, 49, 57) sts.

1st row: K1, * p1, k1; rep from * to end.

2nd row: P1, * k1, p1; rep from * to end.

Rep the last 2 rows until rib meas 5cm from beg, ending with a 1st row.

Next row: Rib 5 (3, 4, 7), * inc in next st, rib 1 (2, 3, 2); rep from * to last 6 (4, 5, 8) sts, inc in next st, rib to end — 48 (56, 60, 72) sts.

Change to 4mm ndls and starting k, work in stst until work meas 16 (17, 19, 23) cm from cast on edge, ending with a p row. ** Break off yarn. Leave sts on a holder.

RIGHT LEG:

Work as given for Left Leg to **.

Next row: Cast on 4 sts, k these 4 sts, k48 (56, 60, 72) sts, turn and cast on 7 sts, turn and with right side of work facing, k48 (56, 60, 72) sts across Left Leg, turn and cast on 4 sts — 111 (127, 135, 159) sts.

Work a further 7cm straight in stst, ending with a p row.

Shape Front Opening:

Cast off 3 sts at beg of next 2 rows. Cont in stst until Front Opening meas 7 (9, 11, 13) cm, ending with a k row.

Next row: P7 (10, 6, 15), * p2tog, p4 (2, 2, 1); rep from * to last 8 (11, 7, 15) sts, p2tog, p to end — 89 (95, 99, 111) sts. Work the 8 rows from Chart 3, working the first 3 (3, 2, 2) sts and last 2 (2, 1, 1) sts on right side rows and first 2 (2, 1, 1) sts and last 3 (3, 2, 2) sts on wrong side rows as indicated, thus ending with a wrong side row.

Divide for Right Front:

Keeping continuity of Chart, patt 20 (21, 22, 26), turn and leave rem sts on a holder.

Dec one st at beg of next and at this same edge on every row until 17 (17, 19, 22) sts rem. Work 4 (7, 8, 9) rows straight, thus ending with a wrong side row.

Shape Neck:

Keeping armhole edge straight, cast off 3 sts at beg of next row. Dec one st at neck edge on every row until 6 (7, 8, 9) sts rem. Work straight until armhole meas 10 (11, 11, 12) cm, ending with a wrong side row. Cast off.

Divide for Back:

With right side of work facing, return to sts on holder. Cast off first 4 sts, patt 41 (45, 47, 51) (including st used in casting off), turn and leave rem sts on first holder, dec one st at beg and end of next and on every row until 35 (37, 41, 43) sts rem. Work 4 (7, 8, 9) rows straight, thus ending with a wrong side row.

Shape Neck:

Next row: Patt 14 (15, 17, 18) sts, turn and leave rem sts on 2nd holder.

Keeping armhole edge straight, dec one st at neck edge on every row until 6 (7, 8, 9) sts rem. Cont straight until armhole meas same as Right Front armhole, ending with wrong side row. Cast off.

With right side of work facing, return to sts on 2nd holder, slip first 7 (9, 9, 9) sts onto a holder for neck border, rejoin yarn and patt to end. Complete to match first side.

Divide for Left Front:

With right side of work facing, return to sts on first holder. Cast off first 4 sts, patt to end. Dec one st at end of next and at this same edge on every row until 17 (17, 19, 22) sts rem. Work 5 (8, 9, 10) rows straight, thus ending with a right side row. Complete to match Right Front.

ARMHOLE BORDERS:

With right side facing and 4mm ndls, pick up and k51 (55, 55, 59) sts evenly round armhole.

*** P 3 rows.

Picot row: K1, * yfwd, k2tog; rep from * to end.

Work 3 more rows in stst. Cast off.***

NECK BORDER:

Sew up shoulder seams. With right side facing and 4mm ndls, pick up and k20 sts up right side of front neck, 18 sts down right side of back neck, k7 (9, 9, 9) sts across centre back, pick up and k18 sts up left side of back neck and 20 sts down left side of front neck — 83 (85, 85, 85) sts.

Work as given for Armhole Borders from *** to ***.

BUTTON BAND:

Sew centre front seam of Dungarees. Sew down crotch and inside leg seams. Fold Neck Border in half to wrong side along picot row and slip stitch in position.

With right side of Left Front facing and 3/4mm ndls, pick up and k39 (47, 49, 57) sts evenly down Left Front working through both thicknesses of Neck Border.

1st row: P1, * k1, p1; rep from * to end.

2nd row: K1, * p1, k1; rep from * to end.

Rep these 2 rows once more, then the 1st row again. Cast off in rib.

BUTTONHOLE BAND:

With right side of Right Front facing and 3/4mm ndls, pick up and k39 (47, 49, 57) sts evenly up Right Front, working through both thicknesses of Neck Border. Work 2 rows in rib as given for Button Band.

Buttonhole row: Rib 2, [yfwd, k2tog, rib 6 (6, 6, 8)] 4 (5, 5, 5) times, yfwd, k2tog, rib to end.

Work 2 more rows in rib. Cast off in rib.

TO MAKE UP:

Catch down bands at base of opening, overlapping Buttonhole Band over Button Band. Sew on buttons. Fold cuffs and Armhole Borders in half to wrong side and slip stitch in position.

THOROBRED

We've fashioned the pleasure of knitting

