

trio
KNITTING

Nº 91

15¢

4Ply 5Ply 8Ply



Designed for Lincoln, Gleckheaton or any standard ply yarn.

5Ply Instructions (LEMON SHIRT)

ABBREVIATIONS: tr.—treble; h.tr.—half treble; d.c.—double crochet; ch.—chain; st.—stitch; y.o.h.—yarn over hook; W.S.F.—wrong side facing. Decrease one stitch — insert hook in next st, draw loop through, draw another loop through next d.c., yarn over hook and draw through all 3 loops on hook.

MATERIALS:

Any LINCOLN 5 ply—Long sleeves

Short sleeves

No. 10 and No. 9 crochet hooks, 3 small buttons.

MEASUREMENTS: Length from top of shoulder

Long sleeve seam

TENSION: 2 groups and 7½ rows to 2 inches with No. 9 hook.

BACK: Using No. 10 hook make

1st row: (1 h.tr., 1 ch., 1 h.tr.) into every 3rd ch., ending row with 1 h.tr. into last ch., 1 ch., 1 h.tr. into every 1 ch. space between two h.tr., ending row with 1 h.tr. into 2 ch. space

2nd row: (1 h.tr., 1 ch., 1 h.tr.) into every 1 ch. space between two h.tr., ending row with 1 h.tr. into 2 ch. space

Repeat 2nd row for pattern.

Pattern 3 rows more. Change to No. 9 hook and continue in pattern until work measures

ending on wrong side. **SHAPE RAGLAN:** **1st row:** Slip stitch over 2 gr., 2 ch., pattern to last, 2 gr., 1 h.tr. into next st, turn with 2 ch. (Always turn with 2 ch.) **** 2nd row:** Pattern. **3rd row:** 1 h.tr. into first gr., pattern to last gr., 1 h.tr. into last gr., 1 h.tr. into 2 ch. space, 2 ch. to turn (1 h.tr. decreased each end of row). **4th row:** Miss first 2 h.tr., pattern to last gr., 1 gr. into last gr., miss next h.tr., 1 h.tr. into 2 ch. space. (1 h.tr. decreased each end of row). **5th row:** Pattern.

6th row: Pattern. Repeat the last 4 rows

Then repeat 3rd and 4th rows only

Fasten off remaining

FRONT: Work as back to **. **Divide for Front Opening.**

Next row: Pattern

1 h.tr. into next st, turn.

1st row: Pattern to last gr., 1 h.tr. into last gr., 1 h.tr. into 2 ch. space.

2nd row: Miss first 2 h.tr., pattern to end.

3rd and 4th rows: Pattern.

Repeat the last 4 rows

Then work 1st and 2nd rows

and 1st row once more.

SHAPE NECK: **1st row:** Miss first 2 h.tr., pattern

1 h.tr. into next st., turn.

2nd row: 1 h.tr. into first gr., pattern

1 h.tr. into last gr., 1 h.tr. into 2 ch. space.

FOR LAST 2 SIZES ONLY: **Next row:** Miss first 2 h.tr., 3 (3) gr., 1 h.tr. into 2 ch. space. **Next row:** 1 h.tr. into first gr., 1 (1) gr., 1 h.tr. into last gr., 1 h.tr. into 2 ch. space.

FOR ALL SIZES: **Next row:** 1 gr., 1 h.tr. into last space.

Next row: 1 h.tr. into gr., 1 h.tr. into last space.

Next row: 1 h.tr. into 2 ch. space.

Return to remaining sts, miss 2 gr. at centre front, join in yarn with 2 ch.

into next st, pattern

2 ch. to turn.

1st row: 1 h.tr. into first gr., pattern to end, 2 ch. to turn.

2nd row: Pattern to last gr., 1 gr. into last gr., miss next h.tr., 1 h.tr. into 2 ch. space.

3rd and 4th rows: Pattern. Repeat the 4 rows

Then repeat 1st and 2nd rows

and 1st row once more.

SHAPE NECK: **1st row:** Slip stitch over 2 gr., 2 ch., pattern

1 h.tr. into 2 ch. space, 2 ch. to turn.

2nd row: 1 h.tr. into first gr., pattern

1 h.tr. into last gr., 1 h.tr. into 2 ch. space.

FOR LAST 2 SIZES ONLY: **Next row:** Miss first 2 h.tr., pattern 3 (3) gr., 1 h.tr. into 2 ch. space. **Next row:** 1 h.tr. into first gr., 1 (1) gr., 1 h.tr. into next gr., 1 h.tr. into 2 ch. space.

FOR ALL SIZES: Finish as for other side.

LONG SLEEVES: Using No. 10 hook make

Work as for back and increase 1 h.tr. each end of 9th and every following

Work increased h.tr. into groups. When increased to

continue without shaping until sleeve seam measures

SHAPE RAGLAN: As for back, but work the last 4 rows

Then the 3rd and 4th rows

in all. Fasten off remaining

SHORT SLEEVES: Using No. 10 hook make

1st row: (1 gr. into third ch., 1 gr. into second ch.)

ending with 1 h.tr. into last ch.

For 3rd size finish with 1 gr. into 3rd ch. and 1 h.tr. into last ch.

Work 1 row in pattern on

Change to No. 9 hook and pattern

more, increasing 1 h.tr. each end of first and following alternate rows.

Work increased h.tr. into groups. When increased to

end on wrong side. **SHAPE RAGLAN:** As for long sleeves.

UNDERWRAP AND NECK BAND: Join raglan seams. Right side of work facing, using No. 10 hook join in yarn at base of opening and

up to neck corner, (1 d.c., 1 ch., 1 d.c.) into corner

along neck edge,

along top of right sleeve and

across back of neck. Complete left sleeve, neck and underwrap as for right side.

Next row:

*2 ch., miss 2 d.c.,

repeat from * once, 2 ch., miss 2 d.c., 1 d.c., increase at corner, d.c. round neck and decrease (see abbr.) 1 st of each raglan seam and 1 st at centre of back, increase at neck corner, d.c. to end. D.C. 2 rows more and increase at neck corners of the first row only and work 2 d.c. into each buttonhole space.

TO MAKE UP: Press work lightly on wrong side with warm iron over damp cloth. Join side and sleeve seams. D.C. 1 row of short sleeve hem adjusting required width. Sew on buttons.

SIZES	22	24	26	28	30
balls	8	9	11	13	15
balls	6	7	9	11	13

inches	13½	14½	16	17½	19½
inches	8	9½	11	12½	14

ch.	75	81	87	93	99
into last ch., 2ch. to turn.					

groups	24	26	28	30	32
--------	----	----	----	----	----

inches	8½	9	10	11	12
--------	----	---	----	----	----

times	1	1	1	2	2
times	4	5	6	5	6

groups	8	8	8	10	10
--------	---	---	---	----	----

groups	9	10	11	12	13
--------	---	----	----	----	----

times	1	1	1	2	2
times	1	2	3	1	2

groups	3	3	3	5	5
--------	---	---	---	---	---

groups	1	1	1	3	3
--------	---	---	---	---	---

groups	9	10	11	12	13
--------	---	----	----	----	----

times	1	1	1	2	2
times	1	2	3	1	2

groups	3	3	3	5	5
--------	---	---	---	---	---

times	1	1	1	2	2
times	1	2	3	1	2

groups	3	3	3	5	5
--------	---	---	---	---	---

groups	1	1	1	3	3
--------	---	---	---	---	---

ch.	45	45	48	51	51
row	8	6	6	6	6

groups	16	18	19	20	22
inches	8½	9½	11	12½	14

times	2	2	3	3	3
times	2	3	2	3	4

groups	2	2	3	2	2
ch.	38	43	46	48	48

times	7	8	8	9	9
-------	---	---	---	---	---

groups	14	16	17	18	18
rows	4	4	6	6	8

groups	16	18	19	20	22
--------	----	----	----	----	----

d.c.	17	20	23	26	29
d.c.	11	11	11	15	15

d.c.	6	6	9	6	6
d.c.	20	20	20	26	26

d.c.	3	4	5	6	7
d.c.	5	5	6	6	7

4Ply Instructions

(Short Sleeve Pullover)

MATERIALS:		SIZES	24	26	28	30
LINCOLN 4 ply Bri Nylon		balls	5	5	6	7
A No. 10 crochet hook; 4 small buttons.						
Note: Use only the specified yarn for this garment.						
MEASUREMENTS: Length from top of shoulder		inches	14	15½	17½	19½
Sleeve seam		inches	1½	1½	2	2
TENSION: 4 groups to 2 inches.						
FRONT: Using No. 10 hook make		ch.	79	85	91	97
1st row: 2 tr. into 4th ch. from hook, 1 ch., * miss 2 ch., 2 tr. into next ch.,						
1 ch., repeat from * to end.						
2nd row: 2 ch., * 2 tr. into 1 ch. space, 1 ch. (1 group), repeat from * to end,						
working last gr. into 2 ch. space —		groups	26	28	30	32
Repeat 2nd row for pattern.						
When work measures approx.		inches	8¾	10¼	11¼	13¾
end on wrong side.						
SHAPE ARMHOLES:						
Next row: Slip stitch over 2 spaces, work to last 2 spaces, turn.						
1st row: 2 ch., 1 tr. into first space, 1 ch., work to last space, 1 tr. into last						
space, 1 ch.						
2nd row: 2 ch., miss space between 1 tr. and next gr., pattern to last 2 spaces,						
1 tr. into each space, 1 ch.						
3rd row: 2 ch., miss first 2 tr., 1 tr. into next space, pattern to last space, 1 tr.						
into last space, 1 ch.						
4th row: As 2nd row.						
5th row: 2 ch., miss first 2 tr., 1 ch., pattern to end.						
Continue working in pattern on		groups	18	20	22	24
until armhole measures		inches	3½	3½	4½	4½
ending on wrong side.						
SHAPE NECK:						
1st row: 2 ch., pattern		groups	6	7	7	8
turn.						
2nd row: 2 ch., 1 tr., 1 ch. into first space, pattern to end.						
3rd row: 2 ch., pattern to last 2 spaces, 1 tr. each into last 2 spaces, 1 ch.						
4th row: 2 ch., pattern		groups	5	6	6	7
SHAPE SHOULDER:						
Next row: Slip stitch over		spaces	2	2	2	3
1 ch., pattern to end and fasten off.						
Return to remaining groups, miss		spaces	6	6	8	8
at centre of neck, join in yarn into next space with 2 ch, 1 gr. into same space,						
pattern to end.						
2nd row: 2 ch., pattern		groups	5	6	6	7
1 tr. into 2 ch. space, 1 ch.						
3rd row: 2 ch., miss first space, pattern		groups	5	6	6	7
4th row: Pattern.						
SHAPE SHOULDER:						
Next row: 2 ch., pattern		groups	2	3	3	4
(1 h.tr., 1 d.c.) into next space, fasten off with slip stitch.						
BACK:						
Work as front to armholes.						
Shape armholes and Divide for Opening.						
Next row: Slip stitch over 2 spaces, 2 ch., pattern		groups	11	12	13	14
turn.						
1st row: 2 ch., pattern to last space, 1 tr. into last space, 1 ch.						
2nd row: 2 ch., miss space between 1 tr. and next gr., pattern to end.						
Repeat last 2 rows once.						
Continue without shaping on		groups	9	10	11	12
until same number of rows as for front to shoulder, ending at opening edge, turn,						
break yarn.						
SHAPE SHOULDER: Next row: Miss first		spaces	4	4	5	5
for back of neck, join in yarn with 3 ch. into next space, 1 gr. in same space,						
pattern		groups	1	2	2	3
(1 h.tr., 1 d.c.) into next space, fasten off with slip stitch.						
Return to remaining pattern groups, join in yarn with 3 ch. into first space at						
opening, work		groups	11	12	13	14
turn. Finish to correspond with other side, working shapings at opposite ends of						
rows.						
UNDERWRAP: Right side of work facing, commencing at the base of opening		d.c.	23	23	25	25
up opening edge.						
Next row: 1 ch., 1 d.c., * 1 ch., miss 1 d.c.		d.c.	4	4	5	5
repeat from * twice, 1 ch., miss 1 d.c., d.c. to end.						
D.c. 1 row more; fasten off. Join in yarn at neck corner and d.c. 3 rows,						
omitting buttonholes.						
SLEEVES: Make loosely		ch.	43	43	45	45
1st row: Miss first ch. * 1 d.c. into next ch., repeat from * to end.						
2nd row: 3 ch., * 1 gr. into every second d.c.						
repeat from * to end		groups	21	21	22	22
Pattern until sleeve seam measures		inches	1½	1½	2	2
ending on wrong side.						
SHAPE TOP:						
Next row: Slip stitch over 2 spaces ending on top of next tr., work to last 2						
spaces, turn. Then work the first 4 rows as for front armhole shaping until		rows	8	8	10	10
of shaping are completed.						
TO MAKE UP: Press work on wrong side with warm iron over dry cloth. Join shoulder, side and sleeve seams.						
Set in sleeves. Using No. 10 hook		d.c.	67	67	73	73
evenly round neck edge. Work SCALLOP EDGE round neck and sleeves and round hem of lower edge as follows — (1						
d.c., miss 2 sts, 6 tr. into next st, miss 2 sts) — repeat ending with d.c. When working round hem, work d.c. and shells						
into spaces between the 2 tr. Press seams. Sew on buttons.						

8Ply Instructions

(PINK SHIRT)

MATERIALS:

LINCOLN or CLECKHEATON 8 ply wool or 8 ply Bri Nylon —
for Long Sleeves
for Short Sleeves

SIZES	22	24	26	28	30
balls	10	11	12	14	16
balls	8	9	10	12	14

1 ball less for each size is used for Bri Nylon;
No. 10 and No. 9 hook for wool and No. 9 and No. 8 hook for Bri Nylon; 4 small buttons.
Note: Use only the specified yarn for this garment.

MEASUREMENTS: Length from top of shoulder	inches	13½	14½	15½	17½	19½
Long sleeve seam	inches	9½	10	11	12½	14

TENSION: 8½ h.tr. and 7 rows to 2 inches.

BACK:

Using No. 9 (Bri Nylon No. 8) hook make ch. 49 53 59 63 69
1st row: Miss first ch., * 1 d.c. into next ch., repeat from * to end.
2nd row: 1 ch., * 1 d.c. into next d.c., repeat from * to end.

Repeat 2nd row once.

Next row: W.S.F., 2 ch., * 1 h.tr. into next d.c., repeat from * to end h.tr. 48 52 58 62 68

Next row: 2 ch., * 1 h.tr. into st on top of each h.tr. of previous row.
(The 2 ch. is not counted in pattern sts).

Repeat last row for pattern. When work measures inches	8½	8½	9½	11½	12½
--	----	----	----	-----	-----

SHAPE RAGLAN:

Next row: Slip stitch over sts 4 4 4 4 5
pattern to last sts 4 4 4 4 5
turn.

1st row: Pattern. 2nd row: 2 ch. 1 h.tr., decrease 1 st (dec. as follows — y.o.h., insert hook into next st, y.o.h. and pull loop through, insert hook into next st, y.o.h. and pull loop through. y.o.h. and pull loop through all 4 loops on hook), h.tr. to last 3 sts, decrease 1 st, 1 h.tr. into last st.

Repeat last 2 rows until ** h.tr. 30 32 38 40 42

remain, ending on wrong side. Pattern rows 6 6 8 8 8
and decrease 1 st each end within the end st in every row, having for back of neck h.tr. 18 20 22 24 26

FRONT: Work as back to armhole ending on wrong side. Shape Raglan and divide for Front Opening.

1st row: Slip stitch over sts 4 4 4 4 5
pattern h.tr. 18 20 23 25 27
make 6 ch. for underwrap, turn.

2nd row: Miss 2 ch., 1 h.tr. each into next 4 ch., h.tr. to end.

3rd row: 2 ch., 1 h.tr., decrease 1 st, h.tr. 19 21 24 26 28

Working even at front edge, continue raglan shaping on every second row until remain, ending on wrong side. ** h.tr. 17 18 21 22 23

Decrease for raglan on next rows	1	1	3	3	3
ending at neck edge and h.tr.	16	17	18	19	20

SHAPE NECK:

1st row: Slip stitch over sts 6 7 8 9 10
7 h.tr., decrease 1 st, 1 h.tr. into last st.

2nd row: 2 ch., decrease 1 st, 4 h.tr., turn.

3rd row: 2 ch., decrease 1 st, 1 h.tr., decrease 1 st.

4th row: 2 ch., decrease 1 st, fasten off.

Return to remaining sts, join in yarn with 2 ch. in last st worked, h.tr. 22 24 27 29 31

turn. Work as for other side shaping for raglan at opposite ends of rows to **. Decrease for raglan on next rows 1 1 3 3 3

ending at armhole edge. h.tr. 7 8 9 10 11

SHAPE NECK: 1st row: 2 ch., 1 h.tr., decrease 1 st, h.tr. to last 1 d.c. into next st, turn.

2nd row: Slip stitch over 3 sts, 4 h.tr., decrease 1 st.

4th row: 2 ch., decrease 1 st, fasten off.

LONG SLEEVES: Using No. 9 (No. 8) hook make ch. 29 29 31 33 33

Work as back and increase 1 st each end on every 6th row to h.tr. 36 38 40 42 46

Increase row: 2 ch., 1 h.tr., 2 h.tr. into next st, h.tr. to last 2 sts, 2 h.tr. into next st, 1 h.tr. into last st.

Continue without shaping until sleeve seam measures inches	9½	10	11	12½	14
--	----	----	----	-----	----

ending on wrong side.

SHAPE RAGLAN:

As for back until ** and 20 h.tr. remain, ending on wrong side. Pattern 8 rows more and decrease on every row. Fasten off remaining 4 h.tr.

SHORT SLEEVES:

Using No. 10 (No. 9) hook make ch. 31 33 35 37 39
Work 4 rows in d.c. Change to No. 9 (No. 8) hook and work in pattern increasing h.tr. 6 6 6 6 8

evenly on first row. Continue even until sleeve seam measures inches 1½ 2 2 2½ 2½

ending on wrong side. Shape Raglan as for long sleeves.

COLLAR: Using No. 9 (No. 9) hook make ch. 47 49 51 53 55

Work 2 rows in d.c.

Next row: Pattern.

Next row: 2 ch., h.tr. 7 9 7 8 9

* 2 h.tr. into next st, h.tr. 5 5 6 6 6

repeat from * 4 times; 2 h.tr. into next st, h.tr. to end.

Pattern rows 4 4 6 6 8

more. Fasten off. Right side facing d.c. 1 row round outer edges, having 2 d.c. in each corner.

TO MAKE UP: Press work lightly with warm iron over damp cloth (dry cloth for Bri Nylon). Join raglan, side

and sleeve seams. Right side of work facing, using No. 10 (No. 9) hook, d.c. 1 row round opening and neck edge

having d.c. 20 21 22 23 24

on each front edge, d.c. 12 13 14 15 16

each side of neck, 4 d.c. over top of each sleeve and d.c. 15 17 19 21 23

across back of neck. Sew collar to neck edge 2 h.tr. from front edges.

Sew on buttons evenly spaced using pattern holes to button up. Press seams.