

trio
KNITS

E / Eileen

Nº 92

15¢

8Ply & 12Ply



Designed for Lincoln, Gledh... or any standard ply yarn.

ABBREVIATIONS: K—knit; P—purl; st(s)—stitch(es); st.st—stocking stitch; tog.—together; sl.—slip; p.s.s.o.—pass slip stitch over; t.b.l.—through back of loop; TB—knit into back of second stitch on left hand needle, then into back of first stitch and slip both stitches off needle; TF—knit into front of second stitch on left hand needle, then into front of first stitch and slip both stitches off needle.

PANEL A:

1st row: Purl.

2nd row: Knit.

PANEL B:

1st row: P1, sl. next 2 sts on to a cable needle and leave at front of work, K2, K2 from cable needle, P1.

2nd and 4th rows: K1, P4, K1.

3rd row: P1, K4, P1.

PANEL C: Note: Figures in parentheses () are for 12 ply instructions.

1st row: P6 (5), K3 t.b.l., P6 (5).

2nd row: K6 (5), P3 t.b.l., K6 (5).

3rd row: P5 (4), sl. next st on to a cable needle and leave at back of work, K1 t.b.l., purl st from cable needle — referred to as CB — K1 t.b.l., sl. next st on to cable needle and leave at front of work, P1, K t.b.l. the st from cable needle — referred to as CF — P5 (4).

4th row: K5 (4), [P1 t.b.l., K1] twice, P1 t.b.l., K5 (4).

5th row: P4 (3), CB, P1, K1 t.b.l., P1, CF, P4 (3).

6th row: K4 (3), [P1 t.b.l., K2] twice, P1 t.b.l., K4 (3).

7th row: P3 (2), CB, P2, K1 t.b.l., P2, CF, P3 (2).

8th row: K3 (2), [P1 t.b.l., K3] twice, P1 t.b.l., K3 (2).

9th row: P2 (1), CB, P3, K1 t.b.l., P3, CF, P2 (1).

10th row: K2 (1), [P1 t.b.l., K4] twice, P1 t.b.l., K2 (1).

11th row: P1 (0), CB, P4, K1 t.b.l., P4, CF, P1 (0).

12th row: K1 (0), [P1 t.b.l., K5] twice, P1 t.b.l., K1 (0).

CB SL 1 K1 TBL P FROM CAB
CF K1 TBL SL 1 P1 K TBL

FOR 8 PLY ONLY:

13th row: CB, P5, K1 t.b.l., P5, CF.

14th row: [P1 t.b.l., K6] twice, P1 t.b.l.

PANEL D:

1st row: (TB, TF) to end.

2nd row: Purl.

3rd row: (TF, TB) to end.

4th row: Purl.

CHART FOR 8 PLY INSTRUCTIONS:





CHART FOR 12 PLY INSTRUCTIONS:



12Ply Instructions

MATERIALS:

Any LINCOLN 12 ply
1 pair each No. 9 and No. 5 knitting needles or the size required to give

SIZES	24	26	28	30	32
balls	14	16	18	21	24
inches	15	17	18½	20½	22
inches	11	13	14½	15½	16½

the correct tension; 7 buttons for cardigan.

MEASUREMENTS: Length from top of shoulder
Sleeve seam
TENSION: 4½ sts and 6 rows to 1 inch over st.st.

PULLOVER AND CARDIGAN:

BACK: Using No. 9 needles cast on
1st row: K1, * K1, P1, repeat from * to last 2 sts, K2.

sts 67 71 75 81 85

2nd row: * K1, P1, repeat from * to last st, K1.

Repeat the 2 rows for rib 5 times more increasing 7 sts evenly across last row to

sts 74 78 82 88 92

Change to No. 5 needles and work pattern panels in order shown on chart having for panel A

sts 2 4 6 9 11

When work measures
end on a wrong side row.

inches 9 10½ 11½ 13 14

SHAPE RAGLAN: Cast off
at beginning of next 2 rows.

sts 4 4 4 5 5

1st row: K2, sl.1, K1, p.s.s.o., keeping pattern in order work to last 4 sts, K2 tog., K2.

2nd row: K2, P1, pattern to last 3 sts, P1, K2.

Repeat last 2 rows until
remain, ending on wrong side. For pullover leave sts on holder. Cast off for cardigan.

sts 28 30 30 32 32

FRONT FOR PULLOVER: Work as back until
remain in raglan shaping ending on a decrease row.

sts 40 44 44 46 46

SHAPE NECK: Next row: Work
turn, leave remaining sts on spare needle. Work on first set of sts and shape neck by decreasing 1 st on next and then on alternate rows

sts 11 13 13 14 14

The same time continue raglan shaping as before working the last few decreases at outer edge of raglan. When decreased to 2 sts, turn and P2 tog. Return to remaining sts, slip 18 sts on to stitch holder, pattern to end remaining

times 3 4 4 5 5

Finish to correspond with other side.

sts 11 13 13 14 14

SLEEVES (for both garments):
Using No. 9 needles cast on
and work in K1, P1 rib for 2 inches. Change to No. 5 needles and work as follows:

sts 36 36 38 38 40

1st row: Knit

sts 1 1 2 2 3

P1, work panels C, B, C, P1, knit

sts 1 1 2 2 3

2nd row: Purl

sts 1 1 2 2 3

K1, work panels C, B, C, K1, purl to end.

Continue this way and increase 1 st each end of 5th and every following 6th rows thereafter. Work increased sts into panel B, then panel A. When increased to

sts 52 54 58 62 66

continue without shaping until sleeve seam measures
ending on wrong side.

inches 11 13 14½ 15½ 16½

SHAPE RAGLAN: As for back until 6 sts remain, ending on wrong side. Cast off.

NECK BAND:
Using flat seam join raglan seams leaving left back seam open. Using No. 9 needles knit up

sts 84 86 92 100 104

evenly round neck edge including sts from holder.
Work in rib for

inches 2½ 2½ 3 3 3

Cast off on No. 5 needle. Fold band in half and stitch down.

LEFT FRONT FOR CARDIGAN: Using No. 9 needles cast on
and work in rib for 12 rows increasing 1 st at side edge of last row for last 2 sizes only.

sts 45 47 49 51 53

Change to No. 5 needles and work on
as follows:

sts 36 38 40 43 45

1st row: Work panels A, B, C, B and 8 sts. from panel D, K1, turn, leave remaining 9 sts on a pin for front band. Continue pattern as now set, knitting the K1 stitch at front edge of every row. When work measures the same as back to armhole end at side edge.

SHAPE RAGLAN: Cast off
at beginning of next row.

sts 4 4 4 5 5

Next row: Pattern to last 3 sts, P1, K2.

Next row: K2, sl.1, K1, p.s.s.o., pattern to end.
Repeat last 2 rows until

sts 19 20 21 22 22

remain, end at neck edge.

SHAPE NECK:
Cast off 5 sts at beginning of next row.
Decrease 1 st of next

rows 7 8 8 9 9

The same time continue raglan shaping until decreased to 3 sts, ending on wrong side.

Next row: K1, K2 tog.
Next row: P2 tog. Fasten off.

BUTTON BAND:
Slip the 9 sts onto No. 9 needle, join in yarn at inner edge and rib until

inches 13 15 16 18 19½

band measures
end on wrong side and leave sts on a pin. Using flat seam attach band to front edge. Place markers for buttons — the first ½ inch from hem, the last to be worked in the second row of neck band and space the others evenly between.

RIGHT FRONT:
Work to correspond with left front working shapings in reverse and make the first buttonhole ½ inch from hem.

BUTTONHOLES: Rib 3 sts, cast off 2 sts, rib to end.
When working next row cast on 2 sts in place of those cast off in previous row.

BUTTONHOLE BAND: Work as button band and make buttonholes opposite markers.

NECK BAND: Using flat seam join raglan seams. Right side facing, slip 9 sts from pin onto No. 9 needle, join in yarn and knit up

sts 63 67 67 73 73

evenly round neck edge, rib sts from pin. Rib for

inches 1 1 1½ 1½ 1½

and make the last buttonhole in second row. Cast off 9 sts at beginning of next 2 rows. Continue in rib for facing for further

inches 1 1 1½ 1½ 1½

Cast off on No. 5 needle. Fold facing to inside and stitch down.

TO FINISH OFF: Press work on wrong side with warm iron over damp cloth. Join side and sleeve seams using flat seam for ribbed parts. Sew on buttons. Press seams.

8Ply Instructions

MATERIALS:

Any LINCOLN 8 ply
1 pair each No. 10 and No. 7 knitting needles or the size required to give the

MEASUREMENTS: Length from top of shoulder

Sleeve seam

TENSION: 11 sts and 15 rows to 1 inch over st.st.

PULLOVER AND CARDIGAN:

BACK: Using No. 10 needles cast on

1st row: K1, * K1, P1, repeat from * to last 2 sts, K2.

2nd row: * K1, P1, repeat from * to last st, K1.

Repeat the 2 rows 7 times and increase 11 sts evenly across the last row to Change to No. 7 needles and work pattern panels having for panel A

When work measures end on a wrong side row.

Shape raglan. Cast off at beginning of next 2 rows.

1st row: K2, sl.1, K1, p.s.s.o., keeping pattern in order work to last 4 sts, K2 tog., K2.

2nd row: K2, P1, pattern to last 3 sts, P1, K2.

Repeat last 2 rows until remain, ending on wrong side. Leave sts on holder for pullover. Cast off for cardigan.

FRONT FOR PULLOVER:

Work as back until remain in raglan shaping, ending on a decrease row.

SHAPE NECK:

Next row: Work

turn, leave remaining sts on spare needle. Shape neck by decreasing 1 st on next and alternate rows

The same time continue raglan shaping, working the last few decreases at

Return to remaining sts, slip 18 sts on to stitch holder, pattern to end

Finish to correspond with other side.

SLEEVES: (for both garments).

Using No. 10 needles cast on

and work in K1, P1 rib for 2 inches. Change to No. 7 needles and work as follows:

1st row: Knit

P1, work panels C, B, C, P1, knit

2nd row: Purl

K1, work panels C, B, C, K1, purl to end.

Continue this way and increase 1 st each end of 5th and every following 6th row thereafter.

Work increased sts into panel B, then into panel A. When increased to

continue without shaping until sleeve seam measures ending on a wrong side row.

SHAPE RAGLAN: As for back until decreased to then decrease on every 4th row to ending on wrong side. Cast off.

NECK BAND:

Using flat seam join raglan seams leaving left back seam open. Using No. 10 needles knit up

round neck. Work in K1, P1 rib for

Cast off on No. 7 needle. Fold band in half to inside stitch down.

LEFT FRONT FOR CARDIGAN:

Using No. 10 needles cast on and work in rib as for back increasing 1 st at side edge for first, third and fifth sizes only. Change to No. 7 needles and work as follows:

1st row: Work panels A, B, C, B and 8 sts from panel D, K1, turn, leave remaining

on a pin for front band. Continue in pattern as now set, knitting the K1 stitch at front edge of every row. When work measures the same as back to armhole, end at side edge.

SHAPE RAGLAN: Cast off at beginning of next row.

Next row: Pattern to last 3 sts, P1, K2.

Next row: K2, sl.1, K1, p.s.s.o., pattern to end. Repeat last 2 rows until

remain, ending at neck edge.

SHAPE NECK:

Cast off 4 sts at beginning of next row. Decrease 1 st of next

The same time continue raglan shaping until 3 sts remain ending on wrong side.

Next row: K1, K2 tog. Fasten off on next row.

RIGHT FRONT:

Work to correspond with left front, working shapings in reverse and making first buttonhole 1/4 inch from hem.

BUTTONHOLES: Rib 3 sts, cast off 3 sts, rib to end.

When working next row, cast on 3 sts in place of those cast off in previous row.

BUTTON BAND: Slip sts from pin onto No. 10 needle, join in yarn at inner edge and rib until band measures

end on wrong side and leave sts on a pin.

Using flat seam attach band to front edge. Place markers for buttons, the first 1/4 inch from hem, the last to be worked in second row of neck band and space the others evenly between.

BUTTONHOLE BAND: Work as button band making buttonholes opposite markers.

NECK BAND: Using flat seam join raglan seams. Right side facing slip the sts from pin on to No. 10 needle, join in yarn and knit up

evenly round neck edge, rib sts from pin.

Work in rib for

and make last buttonhole in second row of neck band. Cast off

at beginning of next 2 rows. Continue in rib on remaining sts for facing

for further

Cast off on No. 7 needle. Fold facing to inside and stitch down.

TO FINISH OFF: Press work on wrong side with warm iron over damp cloth. Join side and sleeve seams, using flat seam for ribbed parts. Sew on buttons on cardigan. Press seams.

SIZES	24	26	28	30	32
balls	11	12	13	15	17
correct tension: 7 buttons for Cardigan.					
inches	15	17	18½	20½	22
inches	11	13	14½	15½	16½
sts	73	79	85	91	97
sts	84	90	96	102	108
sts	5	8	11	14	17
inches	9	10½	11½	13	14
sts	4	4	4	5	5
sts	30	32	34	34	36
sts	48	50	54	54	56
sts	15	16	18	18	19
times	5	6	7	7	8
sts	15	16	18	18	19
sts	42	42	44	44	46
sts	2	2	3	3	4
sts	2	2	3	3	4
sts	2	2	3	3	4
sts	58	64	70	74	78
inches	11	13	14½	15½	16½
sts	12	10	12	14	14
sts	8	8	10	10	10
sts	94	96	110	114	116
inches	2½	2½	3	3	3
sts	49	53	55	61	63
sts	9	9	9	11	11
sts	4	4	4	5	5
sts	22	23	25	25	26
rows	9	10	11	11	12
sts	81	83	93	93	95
inches	1	1	1½	1½	1½
sts	9	9	9	11	11
inches	1	1	1½	1½	1½