




Twilleys *of* Stamford

Beautiful Babies

CROCHET COLLECTION



DESIGN I

LACY JACKET

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	47.5 18 ¹ / ₄	52 20 ¹ / ₂	56.5 22 ¹ / ₂	61.5 24 ¹ / ₄	cm in
Length to Shoulder	25 9 ¹ / ₄	27 10 ¹ / ₂	30 11 ¹ / ₄	34 13 ¹ / ₂	cm in
Sleeve Seam	15 6	17 6 ¹ / ₂	20 8	25 9 ¹ / ₄	cm in
Southern Comfort. Col. 78 White (70g) (Inset Col. 11 Cream)	2	2	2	3	Balls
2.00mm and 1.75mm hooks. 5(5, 6, 6) small buttons.					

TENSION

31 sts and 14 rows to 10cm/ 4ins measured over rows of trebles using 2.00mm hook.

4¹/₄ Fan Patterns and approx. 13 rows to 10cm/ 4ins using 2.00mm hook.

Before commencing, check the tension by working a 10cm(4in) square in trebles as below beginning with 33 ch. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

Note the garment is begun by working the yoke pieces first, afterwards adding the Fan Pattern downwards to lower edges.

Using size 2.00mm hook, make 78(84, 92, 98) ch loosely.

Foundation row: (r.s. row) 1 tr in 4th ch from hook, 1 tr in each ch to end. 76(82, 90, 96) tr, counting 3 ch at beg of row as first tr.

treble row: 3 ch, miss first tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch at beg previous row.

Shape Raglan Armholes

row 1: 1 ss in each of first 5 tr, 2 ch, 1 tr in next tr, 1 tr in each tr to last 5 tr and 3 ch, 2 tr tog over next 2 tr, turn leaving 4 sts unworked. 66(72, 80, 86) sts.

row 2: 2 ch, miss 2 tr tog, 1 tr in each tr to last 2 tr, 2 tr tog over last 2 tr, turn. 64(70, 78, 84) sts.

Rep row 2, 6(8, 10, 12) more times. 52(54, 58, 60) sts.

next row: 2 ch, miss 2 tr tog, 2 tr tog over next 2 sts, 1 tr in each tr to last 3 tr, 3 tr tog over last 3 tr, turn.

folll row: 2 ch, miss 3 tr tog, 2 tr tog over next 2 tr, 1 tr in each tr to last 2 tr and 2 tr tog, 3 tr tog over last 3 sts, turn. 44(46, 50, 52) sts.

Rep last row 4 more times. 28(30, 34, 36) sts. Fasten off.

Shape Raglan Armhole

row 1: 1 ss in each of first 5 tr, 2 ch, 1 tr in next tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn. 33(36, 40, 43) sts.

row 2: 3 ch, miss first tr, 1 tr in each tr to last 2 tr, 2 tr tog over last 2 tr, turn.

row 3: 2 ch, miss 2 tr tog, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn. 31(34, 38, 41) sts.

Rep rows 2 and 3, 2(3, 4, 5) more times and row 2 once again, thus ending w.s. row. 26(27, 29, 30) sts.

Shape Front Neck

neck row 1: 2 ch, miss 2 tr tog, 2 tr tog over next 2 tr, 1 tr in each of next 14(14, 17, 17) tr, 2 tr tog over next 2 tr, turn leaving last 6(7, 6, 7) sts unworked. 16(16, 19, 19) sts.

neck row 2: 2 ch, miss 2 tr tog, 1 tr in each tr to last 2 tr and 2 tr tog, 3 tr tog over last 3 sts, turn. 13(13, 16, 16) sts.

neck row 3: 2 ch, miss 3 tr tog, 2 tr tog over next 2 tr, 1 tr in each tr to last 2 tr, 2 tr tog over last 2 tr. 10(10, 13, 13) sts.

Rep neck rows 2 and 3, 1(1, 2, 2) more times. 4 sts.

last row: 2 ch, miss 2 tr tog, 3 tr tog over last 3 sts. Fasten off.

RIGHT FRONT

Work as Left Front to **.

Shape Raglan Armhole

row 1: 3ch, miss first tr, 1 tr in each tr to last 5 tr and 3 ch, 2 tr tog over next 2 sts, turn leaving last 4 sts unworked. 33(36, 40, 43) sts.

row 2: 2 ch, miss 2 tr tog, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn.

row 3: 3 ch, miss first tr, 1 tr in each tr to last 2 tr, 2 tr tog over last 2 tr, turn. 31(34, 38, 41) sts.

Rep rows 2 and 3, 2(3, 4, 5) more times and row 2 once again, thus ending w.s. row. 26(27, 29, 30) sts. Fasten off.

Shape Front Neck

neck row 1: rejoin yarn to 8th(9th, 8th, 9th) tr, 2 ch, miss next tr, 1 tr in each tr to last 2 tr and 2 tr tog, 3 tr tog over last 3 sts, turn. 16(16, 19, 19) sts.

LEFT FRONT

Using size 2.0mm hook make 40(43, 47, 50) ch loosely.

Work foundation row and treble row as for Back. 38(41, 45, 48) tr. **

neck row 2: 2 ch, miss 3 tr tog, 2 tr tog over next 2 tr, 1 tr in each tr to last 2 tr, 2 tr tog over last 2 sts, turn. 13(13, 16, 16) sts.

neck row 3: 2 ch, miss 2 tr tog, 2 tr tog over next 2 tr, 1 tr in each tr to last 2 tr and 2 tr tog, 3 tr tog over last 3 sts. 10(10, 13, 13) sts.

Rep neck rows 2 and 3, 1(1, 2, 2) more times. 4 sts.

last row: 2 ch, miss 2 tr tog, 3 tr tog over last 3 sts. Fasten off.

LOWER BODY

Join side seams at underarms.

With r.s. of work facing, using size 2.00mm hook, join yarn to base of last tr of first row at Left Front corner.

row 1: 1 ch, 1 dc in base of same tr, 1 dc in base of each tr all round, working 2 dc tog 4(2, 4, 2) times evenly spaced, ending at Right Front corner. 148(162, 176, 190) dc.

Fan Pattern

1st row: 2 ch, miss first dc, 1 tr in next dc, * miss 1 dc, 3 tr in next dc, 1 ch, 3 tr in next dc, miss 1 dc, 2 tr tog over next and foll alt dc, rep from * ending 2 tr tog over last 2 dc, turn. 21(23, 25, 27) fan patts.

patt row: 2 ch, 1 tr in sp before first fan, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over sp after last fan and sp before next fan, rep from * ending 2 tr tog over sp after last fan and top of next tr, turn.

Rep patt row until work measures 24.5(26.5, 29.5, 33.5) cm / 9½(10 ½, 11 ½, 13 ½) ins from neck edge at centre back.

last row: 1 ch, 2 dc tog over 2 tr tog and next tr, * 1 dc in each of next 2 tr, 2 dc in 1 ch sp, 1 dc in each of next 2 tr, 3 dc tog over next tr, 2 tr tog and foll tr, rep from * ending 2 dc tog over last 2 tr. Fasten off.

SLEEVES (Make 2)

Using size 2.00mm hook make 59(66, 73, 80) ch loosely.

foundation row: (r.s. row) 1 tr in 4th ch from hook, 1 tr in each ch to end, turn. 57(64, 71, 78) tr counting first 3 ch as 1 tr.

next row: 3 ch, miss first tr, 1 tr in each tr, ending 1 tr in 3rd of 3 ch, turn.

Shape Raglan Sleeve

row 1: 1 ss in each of first 5 tr, 2 ch, 1 tr in next tr, 1 tr in each tr to last 5 tr and 3 ch, 2 tr tog over next 2 tr, turn leaving 4 sts unworked. 47(54, 61, 68) sts.

row 2: 2 ch, miss 2 tr tog, 1 tr in each tr to last 2 tr, 2 tr tog over last 2 tr, turn. 45(52, 59, 66) sts.

Rep row 2, 3(4, 4, 5) more times. 39(44, 51, 56) sts.

next row: 2 ch, miss 2 tr tog, 2 tr tog over next 2 tr, 1 tr in each tr to last 3 tr, 3 tr tog over last 3 tr, turn.

foll row: 2 ch, miss 3 tr tog, 2 tr tog over next 2 tr, 1 tr in each tr to last 2 tr and 2 tr tog, 3 tr tog over last 3 sts, turn. 31(36, 43, 48) sts.

Rep last row 7(8, 10, 11) more times. 3(4, 3, 4) sts. Fasten off.

Lower Sleeve

With r.s. of work facing using size 2.00mm hook join yarn to base of last tr of first row of Sleeve.

row 1: 1 ch, 1 dc in base of first tr, 1 dc in base of each tr ending 1 dc in base of 3 ch, turn. 57(64, 71, 78) dc.

Fan Pattern

Work 1st row and patt row as for Lower Body. 8(9, 10, 11) fan patts.

Rep patt row until Sleeve measures 13.5(15.5, 18.5, 23.5) cm / 5¼(6, 7½, 9½) ins from beg of raglan shaping.

Change to size 1.75mm hook. Work patt row twice more.

Work last row as for Lower Body.

COLLAR

Join raglan seams. With r.s. of work facing, using size 1.75 mm hook join yarn at top of Right Front edge.

row 1: 1 ch, work 18(20, 22, 24) dc evenly spaced along neck edge to seam, 3(4, 3, 4) dc across top edge of Sleeve, 28(30, 34, 36) dc across back neck edge, 3(4, 3, 4) dc across top edge of Sleeve and 18(20, 22, 24) dc evenly spaced along neck edge to top of Left Front edge, turn. 70(78, 84, 92) dc.

row 2: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

row 3: as row 2, working 2 dc tog 6(7, 6, 7) times evenly spaced. 64(71, 78, 85) sts.

row 4: as row 2.

Work 1st row and patt row as for Lower Body. 9(10, 11, 12) fan patts.

Change to size 2.00mm hook.

Rep patt row 4(4, 5, 5) more times.

Work last row as for Lower Body.

Join Sleeve seams.

BUTTON BAND

With r.s. of work facing, using size 1.75mm hook, join yarn to last dc row at top of Left Front edge.

row 1: 1 ch, 1 dc in side edge of each dc row, 2 dc in side edge of each tr row and each patt row to lower corner, turn.

row 2: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn. Rep row 2 twice more. Fasten off.

BUTTONHOLE BAND

Mark positions on Button Band for 5(5, 6, 6) buttons, the top one level with dc Collar rows, the lowest one 7.5cm (3") from lower edge and 3(3, 4, 4) more evenly spaced between.

With r.s. of work facing using 1.75mm hook join yarn at lower corner of Right Front.

Work to match Button Band, working buttonholes as follows: on row 3, work [3 ch, miss 3 dc] to match each marker and on row 4 work 3 dc in each 3 ch sp.

Sew on buttons to match buttonholes.

Press as instructed on ball bands.

Design 2



DESIGN 2

LACY JUMPER

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	45 17 1/4	50 19 1/4	55 21 1/4	60 23 1/4	cm in
Length to Shoulder	25 9 1/4	27 10 1/4	30 11 1/4	34 13 1/2	cm in
Sleeve Seam	15 6	17 6 1/2	20 8	25 9 1/4	cm in
Southern Comfort Col. 11 Cream (70g)	2	2	2	3	Balls
2.00mm and 1.75mm hooks. 2 small buttons. (Hat - Design 11 minus motif)					

TENSION

4 Fan Patterns and approx. 13 rows to 10cm(4in) using 2.00mm hook.

Before commencing, check the tension by working a 10cm(4in) square in Fan Pattern as below, beginning with 31 ch and foundation row. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

BACK

Using size 2.00mm hook, make 66(73, 80, 87) ch loosely.

Foundation row: 1 tr in 3rd ch from hook, * miss 1 ch, 3 tr in next ch, 1 ch, 3 tr in next ch, miss 1 ch, 2 tr tog over next ch and foll alt ch, rep from * ending last 2 tr tog over last 2 ch, turn. 9(10, 11, 12) fan patts.

Fan Pattern

patt row: 2 ch, miss 2 tr tog, 1 tr in space before first fan, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over space after last fan and space before next fan, rep from * ending last 2 tr tog over space after last fan and next tr, turn. Rep patt row until Back measures 12.5(14.5, 16.5, 20.5)cm/ 5(5 1/4, 6 1/4, 8)ins.

Place a marker at each end last row. **

Rep patt row until Back measures 25(27, 30, 34)cm/ 9 1/4(10 1/4, 11 1/4, 13 1/2)ins ending with a w.s. row.

last row: (r.s. row) 2 ch, miss 2 tr tog, 1 htr in space before

first fan, * 3 ch, miss 3 tr, 1 ss in 1 ch sp, 3 ch, miss 3 tr, 2 htr tog over space after last fan and space before next fan, rep from * ending last 2 htr tog over space after last fan and next tr. Fasten off.

Underlay

With r.s. of Back facing using size 1.75mm hook rejoin yarn to top of first htr at beg of last row.

1st and 2nd Sizes Only

1st row: 1 ch, 1 dc in first htr, [3 dc in 3 ch sp, 1 dc in 1 ss, 3 dc in 3 ch sp, 1 dc in 2 htr tog] 2 times, 3 dc in 3 ch sp, 1 dc in 1 ss, turn.

3rd and 4th Sizes Only

1st row: 1 ch, 1 dc in first htr, [3 dc in 3 ch sp, 1 dc in 1 ss, 3 dc in 3 ch sp, 1 dc in 2 htr tog] 3 times, turn.

All Sizes

21(21, 25, 25) dc.

2nd row: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn. Rep 2nd row twice more. Fasten off.

FRONT

Work as Back to **.

Rep patt row until Front measures 6(6, 8, 8) Fan Pattern rows less than Back, thus ending w.s. row.

1st and 2nd Sizes Only

Shape Front Neck: First Side

row 1: 2 ch, miss 2 tr tog, 1 tr in next sp as set, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over next 2 sps as set, rep from * twice more, miss 3 tr, 1 tr in next 1 ch sp, turn.

row 2: 2 ch, miss [1 tr and 2 tr tog], 1 tr in next sp, patt as set to end, turn.

row 3: 2 ch, miss 2 tr tog, 1 tr in next sp as set, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over next 2 sps as set, rep from * once more, miss 3 tr, 3 tr in next 1 ch sp, 1 ch, 1 tr in next tr, turn.

row 4: 3 ch, miss first tr, 3 tr in 1 ch sp, patt as set to end, turn.

row 5: as row 3, ending [3 tr, 1 ch, 1 tr] under 3 ch at beg previous row.

row 6: as row 4.

last row: 2 ch, miss 2 tr tog, 1 htr in next sp as set, * 3 ch, miss 3 tr, 1 ss in 1 ch sp, 3 ch, miss 3 tr, 2 htr tog over next 2 sps as set, rep from * once more, 3 ch, miss 3 tr, 1 ss in 3rd of 3 ch. Fasten off.

Shape Front Neck: Second Side

With right side of Front facing, using size 2.00mm hook, rejoin yarn to 1 ch sp into which last tr of row 1 of First Side is worked.

row 1: * 3 ch, miss 3 tr, 2 htr tog over next 2 sps as set, 3 ch, miss 3 tr, 1 ss in 1 ch sp, rep from * 1(2) more times, 3 ch, miss 3 tr, 2 tr tog over next 2 sps as set, patt as set to end, turn.

row 2: 2 ch, miss 2 tr tog, 1 tr in next sp as set, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over next 2 sps as set, rep from * once more, miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, 2 tr tog over next sp as set and 3rd of 3 ch at beg previous row, turn.

row 3: 1 ss in 2 tr tog, 1 ss in each of next 3 tr, 1 ss in 1 ch sp, 4 ch, 3 tr in same 1 ch sp, patt as set to end, turn.

row 4: patt as set ending [3 tr, 1 ch, 1 tr] under 4 ch, turn.

row 5: 3 ch, miss first tr, 3 tr in 1 ch sp, patt as set to end, turn.

row 6: as last row of First Side without fastening off.

Second Side measures 1 row less than First Side.

Buttonhole Band

Change to size 1.75mm hook.

1st row: 1 ch, * 1 dc in 1 ss, 3 dc in 3 ch sp, 1 dc in 2 htr tog, 3 dc in 3 ch sp, rep from *, ending 1 dc in last tr, turn. 21 dc.

2nd row: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

3rd row: 1 ch, 1 dc in first dc, [3 ch, miss 3 dc, 1 dc in each of next 7 dc] twice to end, turn.

4th row: as 2nd row working 3 dc in each 3 ch sp. Fasten off.

3rd and 4th Sizes Only

Shape Front Neck: First Side

row 1: 2 ch, miss 2 tr tog, 1 tr in next sp as set, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over next 2 sps as set, rep from * 3 more times, turn. 4 fan patts.

row 2: 2 ch, miss 2 tr tog and 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, patt as set to end, turn.

row 3: as row 1, repeating from * 2 more times and ending miss 3 tr, 1 tr in 1 ch sp, turn.

row 4: 2 ch, miss first tr and 2 tr tog, 1 tr in next sp, patt as set to end, turn. 3 fan patts.

rows 5 - 8: as patt row.

last row: 2 ch, miss 2 tr tog, 1 htr in next sp as set, * 3 ch, miss 3 tr, 1 ss in 1 ch sp, miss 3 tr, 2 htr tog over next 2 sps as set, rep from * ending last 2 htr tog over sp after last fan and next tr. Fasten off.

Second Side

With r.s. of Front facing rejoin yarn to top of last 2 tr tog of row 1 of First Side.

row 1: [3 ch, miss 3 tr, 1 ss in 1 ch sp, 3 ch, miss 3 tr, 2 htr tog over next 2 sps as set] (3, 4) times, 4 patts as set to end, turn.

row 2: 2 ch, miss 2 tr tog, 1 tr in next sp as set, * miss 3 tr, [3 tr, 1 ch, 3 tr] in 1 ch sp, miss 3 tr, 2 tr tog over next 2 sps as set, rep from * 3 more times ending last rep with 1 htr in 2 htr tog, turn.

row 3: 1 ss in first htr, 1 ss in each of first 3 tr, 1 ss in 1 ch

sp, 3 ch, miss 3 tr, patt as set to end, turn.

row 4: as row 2, repeating from * twice more, ending last rep with 2 tr tog over sp after last fan and under 3 ch at beg previous row, turn. 3 fan patts.

Work patt row 3 more times, thus ending r.s. row.

Work last row as for First Side without fastening off.

Buttonhole Band

Change to size 1.75mm hook.

1st row: 1 ch, * 1 dc in 2 htr tog, 3 dc in 3 ch sp, 1 dc in 1 ss, 3 dc in 3 ch sp, rep from *, ending 1 dc in last htr, turn. 25 dc.

2nd row: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

3rd row: 1 ch, 1 dc in first dc, [3 ch, miss 3 dc, 1 dc in each of next 9 dc] twice to end, turn.

4th row: as 2nd row working 3 dc in each 3 ch sp. Fasten off.

SLEEVES (make 2)

Using size 2.00mm hook make 52(52, 59, 59) ch.

Work foundation row as for Back. 7(7, 8, 8) patts.

Rep patt row as for Back until Sleeve measures 11(13, 16, 21)cm / 4 1/4(5, 6 1/4, 8 1/4)ins.

Shape Sleeve

1st row: 6 ch, 2 tr tog over 2 tr tog and sp before first fan, patt as set ending 2 tr tog over sp after last fan and top of last tr, 3 ch, 1 tr in last tr, turn.

2nd row: 3 ch, 2 tr in first tr, patt as set ending 3 tr in 3rd of 6 ch, turn.

3rd row: 3 ch, [1 tr, 1 ch, 3 tr] in first tr, patt as set ending [3 tr, 1 ch, 2 tr] in 3rd of 3 ch, turn.

4th row: 3 ch, miss 2 tr, [2 tr, 1 ch, 3 tr] in 1 ch sp, patt as set ending [3 tr, 1 ch, 2 tr] in last 1 ch sp, 1 tr in 3rd of 3 ch, turn.

5th row: 2 ch, 1 tr in sp after first tr, patt as set ending 2 tr tog over last sp and 3rd of 3 ch, turn.

6th row: 2 ch, miss 2 tr tog, 1 htr in sp before first fan, * 3 ch, miss 3 tr, 1 ss in 1 ch sp, 3 ch, miss 3 tr, 2 htr tog over 2 sps as set, rep from * ending 2 htr tog over last sp and 3rd of 3 ch. Fasten off.

TO MAKE UP

Lap Buttonhole Band over Underlay at right shoulder and slip stitch together at armhole edge. Sew top edges of

Sleeves to armhole edges between markers. Join side and Sleeve seams.

CUFFS (Make 2)

With r.s. of work facing, using size 1.75mm hook join yarn at base of Sleeve seam.

round 1: 1 ch, 1 dc in base of each st and 1 dc in each 1 ch sp to end, ending 1 ss in first dc of round.

round 2: 1 ch, 1 dc in first dc, * 2 ch, 1 ss in dc at base of these 2 ch, 1 dc in each of next 2 dc, rep from * to end, 1 ss in first dc of round. Fasten off.

Lower Border

With r.s. of work facing, using size 1.75mm hook join yarn at base of one side seam.

Work rounds 1 and 2 as for Cuff. Fasten off.

Neck Edge

With r.s. of work facing, using size 1.75mm hook, join yarn to last row of Underlay at neck edge.

row 1: 1 ch, work all round neck edge: 1 dc in side edge of each row of Underlay, 2 dc in side edge of each patt row, 3 dc in each 3 ch sp and 1 dc in each 2 tr tog and each ss, ending at last row of Buttonhole Border, turn.

row 2: 1 ch, 1 dc in first dc, 1 dc in each dc, working 2 dc tog at each front neck corner and back neck corner, turn.

row 3: 1 ch, 1 dc in first dc, * 2 ch, 1 ss in dc at base of these 2 ch, 1 dc in each of next 2 dc, rep from * to end. Fasten off.

Sew on buttons to match buttonholes.

Press as instructed on ball bands.

Design 3



DESIGN 3

BLOSSOM JACKET (V NECK)

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	46 18	51 20	56 22	61 24	cm in
Length to Shoulder	23 9	25 9 1/4	27.5 11	32.5 11 1/4	cm in
Sleeve Seam	15 6	17 6 1/2	20 8	25 9 1/4	cm in
Lycordet Col. A White 78 (100g) Col. B Lemon 88 (25g) (Inset Col. A White 78 & Col. B Pink 87)	1 1	2 1	2 1	2 1	Balls Ball
2.00mm and 2.50mm hooks. 1 Plastic Popper Fastener 25 cm / 10 ins narrow white ribbon.					

TENSION

22 half trebles and 16 rows to 10cm(4in) using 2.50mm hook.

Before commencing, check the tension by working a 10cm(4in) square in Half Treble rows beginning with 24 ch and foundation row. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

BACK

Using size 2.50mm hook and col.A make 52(58, 64, 70) ch.
foundation row (r.s. row): 1 htr in 3rd ch from hook, 1 htr in each ch to end, turn. 50(56, 62, 68) sts. (Note 2 ch at beg of row do not count as 1 st.)

patt row (half treble row): 2 ch, 1 htr in first htr, 1 htr in each htr to end, turn.

Rep patt row until Back measures 11(12, 13, 16.5) cm (4 1/4 (4 1/4, 5, 6 1/2) in) in all ending w.s. row.

Shape Raglan Armholes

dec row 1: 1 ss in each of first 3 htr, 2 ch, 1 htr in htr at base of these 2 ch, 1 htr in each htr to last 2 htr, turn leaving last 2 sts unworked. 46(52, 58, 64) htr.

dec row 2: as patt row.

dec row 3: 2 ch, 2 htr tog over first 2 htr, 1 htr in each htr to last 2 htr, 2 htr tog over last 2 htr, turn.

dec row 4: 2 ch, 2 htr tog over top of 2 htr tog and next htr, 1 htr in each htr to last 2 sts, 2 htr tog over last htr and top of 2 htr tog, turn. 42(48, 54, 60) sts.

Rep dec row 4, 12(14, 16, 18) more times. 18(20, 22, 24) sts rem. Fasten off.

LEFT FRONT

Using size 2.50mm hook and col.A make 19(22, 25, 28) ch.

Shape Front Edge

row 1 (r.s. row): 1 htr in 3rd ch from hook, 1 htr in each of next 15(18, 21, 24) ch, 2 htr in last ch, turn. 18(21, 24, 27) htr.

row 2: 2 ch, 2 htr in first htr, 1 htr in each htr to end, turn.
row 3: 2 ch, 1 htr in first htr, 1 htr in each htr to last 2 htr, 2 htr in last htr, turn. 20(23, 26, 29) htr.

rows 4 and 5: as rows 2 and 3. 22(25, 28, 31) htr.

row 6: as row 2.

row 7: 2 ch, 1 htr in first htr, 1 htr in each htr to end, turn. 23(26, 29, 31) htr.

row 8: as row 2.

row 9: as row 7.

row 10: as row 2. 25(28, 31, 34) htr.

Rep row 7 until length matches Back at beg of armhole shaping ending w.s. row.

Shape Raglan Armhole and Front Neck

dec row 1: 1 ss in each of first 3 htr, 2 ch, 1 htr in htr at base of these 2 ch, 1 htr in each htr to last 2 htr, 2 htr tog over last 2 htr, turn.

dec row 2: 2 ch, 1 htr in 2 htr tog, 1 htr in each htr to end, turn. 22(25, 28, 31) sts.

dec row 3: 2 ch, 2 htr tog over first 2 sts, 1 htr in each htr to last 2 htr, 2 htr tog over last 2 htr, turn.

dec row 4: 2 ch, 1 htr in 2 htr tog, 1 htr in each htr to last htr and 2 htr tog, 2 htr tog over last 2 sts, turn. 19(22, 25, 28) sts.

Rep dec rows 3 and 4, 5(6, 7, 8) more times. 4 sts.

next row: 2 ch, 2 htr tog over first 2 sts, 2 htr tog over last 2 sts, turn.

folll row: 2 ch, 2 htr tog over rem 2 sts. Fasten off.

RIGHT FRONT

Using size 2.50mm hook and col.A make 19(22, 25, 28) ch.

Shape Front Edge

row 1 (r.s. row): 2 htr in 3rd ch from hook, 1 htr in each ch to end, turn. 18(21, 24, 27) htr.

row 2: 2 ch, 1 htr in first htr, 1 htr in each htr to last 2 htr, 2 htr in last htr, turn.

row 3: 2 ch, 2 htr in first htr, 1 htr in each htr to end, turn. 20(23, 26, 29) htr.

rows 4 and 5: as rows 2 and 3. 22(25, 28, 31) htr.

row 6: as row 2.

row 7: 2 ch, 1 htr in first htr, 1 htr in each htr to end, turn. 23(26, 29, 31) htr.

row 8: as row 2.

row 9: as row 7.

row 10: as row 2. 25(28, 31, 34) htr.

Rep row 7 until length matches Back at beg of armhole shaping ending w.s. row.

Shape Raglan Armhole and Front Neck

dec row 1: 2 ch, 2 htr tog over first 2 htr, 1 htr in each htr to last 2 htr, turn leaving last 2 sts unworked.

dec row 2: 2 ch, 1 htr in each htr, ending 1 htr in 2 htr tog, turn. 22(25, 28, 31) sts.

dec row 3: 2 ch, 2 htr tog over first 2 sts, 1 htr in each htr to last 2 htr, 2 htr tog over last 2 htr, turn.

dec row 4: 2 ch, 2 htr tog over 2 htr tog and next htr, 1 htr in each htr, ending 1 htr in 2 htr tog, turn. 19(22, 25, 28) sts. Rep dec rows 3 and 4, 5(6, 7, 8) more times. 4 sts.

next row: 2 ch, 2 htr tog over first 2 sts, 2 htr tog over last 2 sts, turn.

folll row: 2 ch, 2 htr tog over rem 2 sts. Fasten off.

TO MAKE UP

Join raglan seams. Join side and sleeve seams.

CUFFS (Make 2)

With r.s. of work facing using size 2.00mm hook join col.A at base of Sleeve seam.

round 1: 1 ch, 1 dc in base of each htr all round, ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc, working 2 dc tog 1 or more times evenly spaced as required to make a multiple of 3 sts, ending 1 ss under 1 ch at beg of round.

scallop round: * 2 ch, 2 tr in st at base of these 2 ch, miss 2 dc, 1 ss in next dc, rep from * all round ending 1 ss in st at base of 2 ch at beg of round. Fasten off.

Front, Neck and Lower Edge

With r.s. of work facing using size 2.00mm hook join col.A at base of one side seam.

round 1: 1 ch, 1 dc in base of each htr along lower edge, 3 dc in side edge of every 2 rows up front edge to corner, 1 dc in each htr across back neck, 3 dc in side edge of every 2 rows down front edge and 1 dc in base of each htr along lower edge, ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc, working 2 dc tog at each back neck corner and ending 1 ss under 1 ch at beg of round.

scallop round: work as for Cuff. If necessary, miss 3 dc instead of 2 dc one or more times in order to end with a complete number of scallops.

Flower Trim

Using size 2.00mm hook and col.B, make 5 ch and join into a ring with 1 ss in first ch made.

* [2 ch, 1 tr into ring, 2 ch, 1 ss into ring] twice, 2 ch, 1 tr into ring (2½ petals made), 8 ch, 1 ss into 5th ch from hook to make ring at centre of next flower, rep from * until work matches length required to fit all round front, neck and lower edges just inside scallop edging, ending by working [to] 5 times in last ring (diagram 1).

Work back along lower edge of trim; ** 2 ch, 1 tr in same ring, miss 2 ch joining to next flower, 1 ss in next ch (6 petals of flower complete), 1 ss in last tr of next flower, 2 ch, 1 ss in next ring. [to] twice in same ring, rep from * ending [to] 3 times in first ring made (diagram 2). Fasten off.

Beginning at centre back, pin, tack and stitch trim in place as illustrated.

Sew popper to fasten at centre front.

Tie ribbon in a small bow and sew to right front edge at centre front matching position of popper.

Press as instructed on ball bands.

SLEEVES (Both Alike)

Using size 2.50 mm hook and col.A make 36(38, 40, 42) ch. Work foundation row and patt row as for Back. 34(36, 38, 40) htr.

Shape Sleeve

inc row 1: 2 ch, 2 htr in first htr, 1 htr in each htr to end, turn.

inc row 2: as inc row 1.

inc rows 3 and 4: as patt row. 36(38, 40, 42) htr.

Rep these 4 rows 3(4, 6, 7) more times. 42(46, 52, 56) htr.

Rep patt row until Sleeve measures 14.5(16.5, 19.5, 24.5) cm (5½(6½, 7½, 9½) in) in all ending w.s. row.

Shape Raglan

dec row 1: 1 ss in each of first 3 htr, 2 ch, 1 htr in htr at base of these 2 ch, 1 htr in each htr to last 2 htr, turn leaving last 2 sts unworked. 38(42, 48, 52) htr.

dec row 2: as patt row.

dec row 3: 2 ch, 2 htr tog over first 2 htr, 1 htr in each htr to last 2 htr, 2 htr tog over last 2 htr, turn.

dec row 4: 2 ch, 2 htr tog over top of 2 htr tog and next htr, 1 htr in each htr to last 2 sts, 2 htr tog over last htr and top of 2 htr tog, turn. 34(38, 44, 48) sts.

Rep dec row 4, 10(12, 14, 16) more times. 14(14, 16, 16) sts rem.

next row: 2 ch, 3 htr tog over first 3 sts, 1 htr in each htr to last 3 sts, 3 htr tog over last 3 sts.

Rep this row once more. 6(6, 8, 8) sts. Fasten off.



DESIGN 4

ROUND NECK CARDIGAN

With optional flower motifs; make the cardigan plain if your prefer.

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	46 18	51 20	56 22	61 24	cm in
Length to Shoulder	24 9½	27 10½	29 11½	34 13½	cm in
Sleeve Seam	15 6	17 6½	20 8	25 9¾	cm in
Lycordet Col. A Lemon 88 (100g) Col. B White 78 (25g) (optional) (Inset Col. A White 78 & Col. B Lilac 81)	1 1	1 1	2 1	2 1	Balls Ball
2.50mm and 2.00mm hooks 5(6, 6, 7) small buttons (Hat models own)					

TENSION

22 sts and 13½ rows to 10cm/ 4ins measured over rows of Trebles using 2.50mm hook. Before commencing, check the tension by working a 10cm(4in) square in Trebles as below beginning with 24 ch. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

BACK

Using size 2.50mm hook, make 52(58, 64, 70) ch loosely.

Foundation row: (r.s. row) 1 tr in 4th ch from hook, 1 tr in each ch to end, turn, 50(56, 62, 68) sts, counting 3 ch at beg of row as first st.

treble row: 3 ch, miss first tr, 1 tr in each tr, ending 1 tr in 3rd of 3 ch at beg previous row, turn.

Rep this row until Back measures 23.5(26.5, 28.5, 33.5)cm / 9¼(10½, 11¼, 13½)ins in all ending w.s. row. Fasten off.

LEFT FRONT

Using size 2.50mm hook make 27(30, 33, 36) ch loosely.

Work foundation row and treble row as for Back. 25(28, 31, 34) sts.

Rep treble row until Front measures 8(8, 10, 10) rows less than Back ending w.s. row. **

Shape Front Neck

1st row: 3 ch, miss first tr, 1 tr in each of next 15(17, 19, 21) tr, 2 tr tog over next 2 tr, turn leaving 7(8, 9, 10) sts unworked.

2nd row: 2 ch, miss 2 tr tog, patt as set to end, turn.

3rd row: patt as set to last 2 tr, 2 tr tog over last 2 tr, turn. 15(17, 19, 21) sts.

4th row: as 2nd row.

5th row: patt as set ending 1 tr in last tr, turn. 14(16, 18, 20) sts.

Work treble row 3(3, 5, 5) times thus matching length of Back ending w.s. row. Fasten off.

RIGHT FRONT

Work as Left Front to **. Fasten off.

Shape Front Neck

1st row: Rejoin col.A to 8th(9th, 10th, 11th) tr; 2 ch, patt as set to end, turn.

2nd row: patt as set to last 2 tr, 2 tr tog over last 2 tr, turn.

3rd row: 2 ch, miss 2 tr tog, patt as set to end.

4th row: as 2nd row.

5th row: 3 ch, miss 2 tr tog, patt as set to end. 14(16, 18, 20) sts.

Work treble row 3(3, 5, 5) times thus matching length of Back ending w.s. row. Fasten off.

SLEEVES (Make 2)

Using size 2.50mm hook make 34(36, 38, 40) ch loosely.

Work foundation row and treble row as for Back. 32(34, 36, 38) sts.

Shape Sleeve

inc row 1: 3 ch, 1 tr in first tr, patt as set to end. 33(35, 37, 39) sts.

Rep this row 15(17, 23, 27) more times. 48(52, 60, 66) sts.

Rep treble row as for Back until Sleeve measures 14.5(16.5, 19.5, 24.5)cm / 5 $\frac{7}{8}$ (6 $\frac{1}{4}$, 7 $\frac{1}{4}$, 9 $\frac{1}{2}$)ins in all. Fasten off.

TO MAKE UP

Join shoulder seams. Place markers on side edges, 11(12, 13.5, 15)cm / 4 $\frac{1}{4}$ (4 $\frac{1}{4}$, 5 $\frac{1}{4}$, 6)ins to each side of shoulder seams, and sew top edges of Sleeves between markers. Join side and sleeve seams.

CUFFS (Make 2)

With r.s. of work facing using size 2.00mm hook join col.A at base of sleeve seam.

round 1: 1 ch, 1 dc in base of each ch, ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc ending 1 ss under 1 ch at beg of round.

round 3: as round 2. Fasten off.

Lower Border

With r.s. of work facing using size 2.00mm hook join col.A at corner of Left Front.

row 1: 1 ch, 1 dc in same place, 1 dc in base of each ch along lower edge to Right Front corner, turn.

row 2: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

row 3: as row 2. Fasten off.

Buttonhole Band

With r.s. of work facing using size 2.00mm hook join col.A to last row of Border at Right Front corner.

row 1: 1 ch, 1 dc in same place, 1 dc in side edge of each of

next 2 Border rows, 2 dc in side edge of each treble row to beg of neck shaping, turn.

buttonhole row: 1 ch, 1 dc in first dc, [2 ch, miss 2 dc, 1 dc in each of next 7(8, 9, 9) dc] 3(4, 4, 5) times, 2 ch, miss 2 dc, 1 dc in each dc to end, turn. 4(5, 5, 6) buttonholes in all.

row 3: 1 ch, 1 dc in first dc, 1 dc in each dc and 2 dc in each 2 ch sp to end. Fasten off.

Button Band

With r.s. of work facing using size 2.00mm hook join col.A to Left Front edge at beg of neck shaping.

row 1: 1 ch, 1 dc in same place, 2 dc in side edge of each treble row and 1 dc in side edge of each Border row, turn.

row 2: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

row 3: as row 2. Fasten off.

Neck Border

With r.s. of work facing using size 2.00mm hook join col.A at top corner of Buttonhole Band.

row 1: 1 ch, 1 dc in same place, 1 dc in side edge of each of next 2 rows of Buttonhole Band, 1 dc in each tr and 2 dc in side edge of each treble row around neck edge and 1 dc in side edge of each row of Button Band, turn.

buttonhole row: 1 ch, 1 dc in first dc, 1 dc in each dc to last 3 dc, 2 ch, miss 2 dc, 1 dc in last dc, turn.

row 3: 1 ch, 1 dc in first dc, 2 dc in 2 ch sp, 1 dc in each dc to end. Fasten off.

Sew on buttons to match buttonholes.

Flower Motifs (make about 10, or as required)

Using size 2.00mm hook and col.B, make 5 ch and join into a ring with 1 ss in first ch made.

round 1: (work over starting end) [2 ch, 1 tr into ring, 2 ch, 1 ss into ring] 6 times, fasten off leaving a long end.

Pull gently on starting end to tighten centre. Trim off starting end.

Arrange motifs on cardigan following photograph as a guide, or as desired. Use the long ends to sew in place.

Press as instructed on ball bands.



DESIGN 5

RIB JACKET

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	48 19	52.5 20 1/4	57 22 1/2	62.5 24 1/2	cm in
Length to Shoulder	25 9 1/4	27 10 1/2	29.5 11 1/2	34 13 1/2	cm in
Sleeve Seam	15 6	17 6 1/2	20 8	25 9 1/4	cm in
Lyscordet Col. Navy 82 (100g)	2	2	2	2	Balls
2.50mm and 2.00mm hooks 4 small buttons.					

TENSION

24 sts and 13 rows to 10cm/ 4ins measured over Rib Pattern using 2.50mm hook.

Before commencing, check the tension by working a 10cm(4in) square in Rib Pattern as below beginning with 27 ch. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

Special Abbs: **tr b** - yrh, insert hook in sp before next st from back through to front (as work faces you) and out to back through next sp, complete tr in normal way.
tr f - yrh, insert hook in sp before next st from front through to back (as work faces you) and out to front through next sp, complete tr in normal way.

BACK

Using size 2.50mm hook, make 60(66, 72, 80) ch loosely.

Foundation row: (r.s. row) 1 tr in 3rd ch from hook, 1 tr in each ch to end, turn. 59(65, 71, 79) tr, counting 2 ch at beg of row as first tr.

next row: 2 ch, miss first tr, 1 tr in next tr, * 1 tr b around next tr, 1 tr in each of next 2 tr, rep from * to end, working last tr in 2nd of 2 ch, turn.

Rib Pattern

row 1: (r.s. row) 2 ch, miss first tr, 1 tr in next tr, * 1 tr f around tr b, 1 tr in each of next 2 tr, rep from * to end, working last tr in 2nd of 2 ch, turn.

row 2: 2 ch, miss first tr, 1 tr in next tr, * 1 tr b around tr f, 1 tr in each of next 2 tr, rep from * to end, working last tr in 2nd of 2 ch, turn.

Rep rows 1 and 2 until Back measures 24(27, 29.5, 34)cm / 9 1/4(10 1/4, 11 1/4, 13 1/2)ins in all ending w.s. row. Fasten off.

LEFT FRONT

Using size 2.50mm hook make 30(33, 36, 39) ch loosely.

Work foundation row and next row as for Back. 29(32, 35, 38) sts.

Work in Rib Pattern, rep rows 1 and 2 until Front measures 12(13, 16, 17)cm / 4 1/4(5, 6 1/4, 6 1/2)ins in all ending w.s. row. **

Shape Front Neck

Note: when working 2 tr tog, keep patt constant by inserting hook as for tr b or tr f where required.

1st row: patt as set ending 2 tr tog over last 2 sts, turn.

2nd row: 2 ch, miss 2 tr tog, patt as set to end, turn.

3rd row: patt as set to last 2 tr, 2 tr tog over last 2 sts, turn. Rep 2nd and 3rd rows, 4(6, 6, 7) more times.

1st and 4th Sizes Only

Rep 2nd row once more.

All Sizes

17(17, 20, 20) sts. Cont in Rib Pattern as set until length matches Back ending w.s. row. Fasten off.

RIGHT FRONT

Work as Left Front to **.

Shape Front Neck

1st row: patt as set.

2nd row: patt as set to last 2 tr; 2 tr tog, turn leaving 2nd of 2 ch unworked.

3rd row: 2 ch, miss 2 tr tog, patt as set to end.

Rep 2nd and 3rd rows, 4(6, 6, 7) more times.

1st and 4th Sizes Only

Rep 2nd row once more.

All Sizes

17(17, 20, 20) sts. Cont in Rib Pattern as set until length matches Back ending w.s. row. Fasten off.

SLEEVES make 2

Using size 2.50mm hook make 39(42, 48, 51) ch loosely.

Work foundation row and next row as for Back. 38(41, 47, 50) sts.

Work 2 rows Rib Pattern as for Back.

Shape Sleeve

inc row 1: 2 ch, 1 tr in first tr, patt as set to end.

inc row 2: as 1st row. 40(43, 49, 52) sts.

Work extra sts into patt as set:

Work 0(0, 2, 2) patt rows.

Rep these 2(2, 4, 4) rows, 4 more times. 48(51, 57, 60) sts.

Work inc rows 1 and 2 once more. 50(53, 59, 62) sts.

Cont in patt as set until Sleeve measures 15(17, 20, 25)cm / 6(6 $\frac{1}{4}$, 8, 9 $\frac{1}{2}$)ins in all. Fasten off.

FRONT, NECK AND LOWER BORDER

Mark positions for 4 buttonholes on Left or Right Front edge as required, the top one just below beginning of neck shaping, the lower one about 2.5cm/1inch from lower edge and 2 more evenly spaced between. With r.s. of work facing, using size 2.00mm hook, join yarn at base of one side seam.

round 1: 1 ch, 1 dc in base of each tr to front corner, 3 dc in same place at corner, 3 dc in side edge of every 2 rows to shoulder seam, 1 dc in each st across back neck, 3 dc in side edge of every 2 rows to front corner, 3 dc in same place at corner, 1 dc in base of each tr ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc and 3 dc in same place at each corner, making buttonholes to match markers as follows: 3 ch, miss 3 dc and ending 1 ss under 1 ch at beg of round.

round 3: 1 ch, 1 dc in each dc, 3 dc in same place at each corner and 3 dc in each 3 ch sp, ending 1 ss under 1 ch at beg of round. Fasten off.

Sew on buttons to match buttonholes.

CUFFS (Make 2)

With r.s. of work facing, using size 2.00mm hook join yarn at base of sleeve seam.

round 1: 1 ch, 1 dc in base of each tr ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc ending 1 ss under 1 ch at beg of round.

Rep round 2 once more. Fasten off.

TO MAKE UP

Join shoulder seams. Place markers 11(12, 13, 14)cm / 4 $\frac{1}{4}$ (4 $\frac{1}{4}$, 5, 5 $\frac{1}{2}$)ins down side edges at either side of shoulder seams, join top edges of Sleeves between markers. Join side and Sleeve seams.



DESIGN 6

STRIPED TOP

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	46 18	51 20	56 22	61 24	cm in
Length to Shoulder	22 8 ⁷ / ₈	25 10	27.5 11	32 12 ¹ / ₂	cm in
Sleeve Seam	5 2	6 2 ¹ / ₄	7 2 ³ / ₄	7.5 3	cm in
Lycordet Col. A Cream 21 (100g) Col. B Navy 82 (100g)	1 1	1 1	1 1	1 1	Ball Ball
2.50mm and 2.00mm hooks 1 small button					

TENSION

22 sts and 17 rows to 10cm(4in) using 2.50mm hook measured over Stripe Pattern as below. Before commencing, check the tension by working a 10cm(4in) square in Stripe Pattern, beginning with 24 ch, foundation row and next row. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

BACK

Using size 2.50mm hook and col.A, make 52(58, 64, 70) ch loosely.

Foundation row: 1 tr in 4th ch from hook, 1 tr in each ch to end, turn. 50(56, 62, 68) tr, counting first 3 ch as first tr.
next row: 3 ch, miss first tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch and changing to col.B for last pull through, turn.

Stripe Pattern

Note: do not fasten off cols after each stripe, but carry loosely up side edge of work.

row 1: (using col.B) 1 ch, 1 dc in first tr, 1 dc in each tr ending 1 dc in 3rd of 3 ch, turn.

row 2: 1 ch, 1 dc in first dc, 1 dc in each dc to end, changing to col.A for last pull through, turn.

row 3: (using col.A) 3 ch, miss first dc, 1 tr in each dc to end, turn.

row 4: 3 ch, miss first tr, 1 tr in each tr, ending 1 tr in 3rd of 3 ch, changing to col.B for last pull through, turn.

Rep patt rows 1 - 4 until Back measures 11(13, 15, 17.5)cm/4¹/₂(5, 6, 7)ins ending patt row 4. Fasten off col.A.

Shape Sleeves

next row: (using col.B) 11(13, 15, 17) ch, 1 dc in 2nd ch from hook, 1 dc in each of next 9(11, 13, 15) ch, 1 dc in each tr ending 1 dc in 3rd of 3 ch, turn.

fol row: 11(13, 15, 17) ch, 1 dc in 2nd ch from hook, 1 dc in each of next 9(11, 13, 15) ch, 1 dc in each dc to end, joining in col.A for last pull through, turn. 70(80, 90, 100) dc.
**

Beg patt row 3, work a further 18(18, 22) patt rows ending patt row 4. Fasten off.

FRONT

Work as Back to **.

Work patt rows 3 and 4 as set.

Divide for Front Neck: First Side

next row: (using col.B) 1 ch, 1 dc in first tr, 1 dc in each of next 34(39, 44, 49) tr, turn. Work on these sts only.

Work 7(7, 7, 11) more Stripe Pattern rows thus ending patt row 4.

Shape Front Neck

1st row: (using col.B) 1 ch, 1 dc in first tr, 1 dc in each of next 29(33, 38, 42) tr, turn.

2nd row: 1 ch, miss first dc, 1 dc in each dc to end, changing to col.A as set, turn. 29(33, 38, 42) dc.

3rd row: (using col.A) 3 ch, miss first dc, 1 tr in each dc to last 2 dc, 2 tr tog over last 2 dc, turn.

4th row: 2 ch, miss 2 tr tog, 1 tr in each tr ending 1 tr in 3rd of 3 ch, changing to col.B as set, turn. 27(31, 36, 40) tr.

5th row: (using col.B) 1 ch, 1 dc in first tr, 1 dc in each tr to last 2 tr, 2 dc tog over last 2 tr, turn.

6th row: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.
26(30, 35, 39) dc.

7th row: as 3rd row. 25(29, 34, 38) tr.

1st and 2nd Sizes Only

8th row: 3 ch, miss 2 tr tog, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn.

3rd and 4th Sizes Only

8th row: as 4th row.

All Sizes

25(29, 33, 37) tr. Work patt rows 1 and 2. Fasten off.

Second Side

With r.s. side of Front facing using size 2.50mm hook rejoin col.B at centre front.

next row: (using col.B) 1 ch, 1 dc in tr at base of this ch, 1 dc in each tr ending 1 dc in 3rd of 3 ch, turn. 35(40, 45, 50) dc.

Work 7(7, 7, 11) more Stripe Pattern rows thus ending patt row 4. Fasten off both cols.

Shape Front Neck

1st row: with r.s. of Front facing, rejoin col.B to 6th(7th, 7th, 8th) tr, 1 ch, 1 dc in same tr, 1 dc in each tr ending 1 dc in 3rd of 3 ch, turn. 30(34, 39, 43) dc.

2nd row: 1 ch, 1 dc in first dc, 1 dc in each dc ending 2 dc tog over last 2 dc, joining in col.A as set, turn. 29(33, 38, 42) dc.

3rd row: (using col.A) 2 ch, miss first dc, 1 tr in each dc to end, turn.

4th row: 3 ch, miss first tr, 1 tr in each tr ending 2 tr tog over last 2 tr, changing to col.B as set, turn. 27(31, 36, 40) tr.

5th row: (using col.B) 1 ch, miss first tr, 1 dc in each tr ending 1 dc in 3rd of 3 ch, turn.

6th row: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.
26(30, 35, 39) dc.

7th row: as 3rd row. 25(29, 34, 38) tr.

1st and 2nd Sizes Only

8th row: 3 ch, miss first tr, 1 tr in each tr to end, turn.

3rd and 4th Sizes Only

8th row: as 4th row.

All Sizes

25(29, 33, 37) tr. Work patt rows 1 and 2. Fasten off.

TO MAKE UP

Join shoulder seams for 25(29, 33, 37) sts on each side. Join side and sleeve seams.

Neck Edge

With r.s. of work facing, using size 2.00mm hook join col.B at right shoulder seam.

round 1: 1 ch, 1 dc in each tr across back neck edge, 1 dc in side edge of each dc row and 2 dc in side edge of each tr row down front neck shaping, 1 dc in each tr to corner, make button loop: (may be worked at opposite corner if required) 7 ch, 1 dc in same place as base of this ch, work down side edge of opening in same way as front neck shaping, 3 dc tog at base of opening, complete second side of front neck to match first side working 3 dc in same place at corner and ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc, working 10 dc into 7 ch loop and 3 dc in same place at opposite corner, and 2 dc tog at base of front opening, ending 1 ss under 1 ch at beg of round. Fasten off.

Sew on button to match loop.

Lower Edge

With r.s. of work facing, using size 2.00mm hook, join col.B at base of one side seam.

round 1: 1 ch, 1 dc in base of each tr ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc ending 1 ss under 1 ch at beg of round. Fasten off.

Sleeve Edges (make 2)

With r.s. of work facing, using size 2.00mm hook, join col.B at base of one sleeve seam.

round 1: 1 ch, 1 dc in side edge of each dc row and 3 dc in side edge of every 2 tr rows all round, ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in each dc ending 1 ss under 1 ch at beg of round. Fasten off.

DESIGN 7

CUT-OFF PANTS

MATERIALS AND MEASUREMENTS

To Fit Hips	41 16	46 18	51 20	56 22	cm in
Actual Measurement	51 20	56 22	61 24	66 26	cm in
Length to Waist	26 10 ¹ / ₄	30 12	34 13 ¹ / ₄	38 15	cm in
Lycordet Col. Navy 82 (100g)	1	2	2	2	Balls
2.50mm and 2.00mm hooks					
Narrow black elastic to fit waist plus 2.5cm / 1 inch					

TENSION

22 sts and 13¹/₄ rows to 10cm(4in) using 2.50mm hook measured over Trebles as below. Before commencing, check the tension by working a 10cm(4in) square in Trebles, beginning with 24 ch and foundation row. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

RIGHT HALF

Using size 2.50mm hook, make 72(72, 74, 74) ch loosely.

Foundation row: (r.s. row) 1 tr in 4th ch from hook, 1 tr in each ch to end, turn. 70(70, 72, 72) tr; counting first 3 ch as first tr:

treble row: 3 ch, miss first tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch at beg previous row, turn.

Shape Leg

inc row: 3 ch, 1 tr in first tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn.

Rep this row 11(15, 19, 23) more times. 82(86, 92, 96) tr. Rep treble row until work measures 10(13, 17, 20)cm / 4(5, 6¹/₄, 8)ins in all ending w.s. row. * Place a marker at end of last row.

Shape Crotch

1st row: 2 ch, miss first tr, 1 tr in each tr to last 7 tr and 3 ch, 2 tr tog over next 2 tr, turn leaving 6 sts unworked. 74(78, 84, 88) sts.

**** 2nd row:** 2 ch, miss 2 tr tog, 1 tr in each tr ending 2 tr tog over last 2 tr, turn. 72(76, 82, 86) sts.

Rep 2nd row 4 more times. 64(68, 74, 78) sts.

Rep treble row until work measures 26(30, 34, 38)cm / 10¹/₄(12, 13¹/₄, 15)ins in all ending w.s. row. **

Shape Waist

row 1: 1 ss in each of first 13(14, 15, 16) tr; 1 htr in next tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn.

row 2: 3 ch, miss first tr, 1 tr in each of next 36(38, 42, 44) tr; 1 htr in next tr, turn.

row 3: 1 ss in htr, 1 ss in each of next 12(13, 14, 15) tr; 1 htr in next tr; 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn.

row 4: 3 ch, miss first tr, 1 tr in each of next 10(11, 12, 13) tr; 1 htr in next tr. Fasten off.

LEFT HALF

Work as Right Half to *. Place a marker at beg of last row.

Shape Crotch

1st row: 1 ss in each of first 7 tr; 2 ch, 1 tr in each tr ending 2 tr tog over last tr and 3rd of 3 ch, turn. 74(78, 84, 88) sts. Work as Right Half from ** to **.

Shape Waist

row 1: 3 ch, miss first tr, 1 tr in each of next 49(52, 57, 60) tr; 1 htr in next tr, turn.

row 2: 1 ss in each of first 13(14, 15, 16) tr; 1 htr in next tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn.

row 3: 3 ch, miss first tr, 1 tr in each of next 23(24, 27, 28) tr; 1 htr in next tr, turn.

row 4: 1 ss in htr, 1 ss in each of next 12(13, 14, 15) tr; 1 htr in next tr, 1 tr in each tr ending 1 tr in 3rd of 3 ch, turn. Fasten off.

TO MAKE UP

Join centre front seam from top edge down to markers. Join centre back seam. Join leg seams.

Waistband

Overlap ends of elastic to form a circle to fit waist comfortably and stitch to secure.

With r.s. of work facing, using size 2.50mm hook, join yarn at top of centre back seam.

round 1: 1 ch, then hold elastic ring in place and work over it and into top edge: 1 dc in each tr all round, thus enclosing elastic; end 1 ss under 1 ch at beg of round.

round 2: change to size 2.00mm hook, 1 ch, 1 dc in each dc ending 1 ss under 1 ch at beg of round. Fasten off.

Leg Border (make 2)

With r.s. of work facing, using size 2.00mm hook join yarn at base of leg seam.

round 1: 1 ch, 1 dc in base of each tr all round ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, 1 dc in first dc, 1 dc in each dc ending 1 ss under 1 ch at beg of round.

Rep round 2 once more. Fasten off.

Press as instructed on ball bands.

DESIGN 8

SUNHAT

MATERIALS AND MEASUREMENTS

To Fit Head	46 18	51 20	cm in
Lyscordet Col. Cream 21 (100g)	1	1	Ball
2.50mm and 2.00mm hooks			

TENSION

First 4 rounds should measure 6 cm / 2 1/4 ins across using 2.50mm hook. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

HAT

Using size 2.50mm hook, make 4 ch and join into a ring with 1 ss in first ch made.

round 1: (work over starting end of yarn) 2 ch, 7 tr into ring, 1 ss in 2nd of 2 ch at beg of round. 8 sts.

round 2: 2 ch, 1 tr in st at base of these 2 ch, 2 tr in each tr ending 1 ss in 2nd of 2 ch. 16 sts.

round 3: 2 ch, 1 tr in st at base of these 2 ch, 2 tr in each tr ending 1 ss in 2nd of 2 ch. 32 sts.

round 4: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in next tr, 2 tr in foll tr, rep from * ending 1 tr in last tr, 1 ss in 2nd of 2 ch. 48 sts.

Pull gently on starting end of yarn to tighten centre and then check tension.

round 5: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in each of next 2 tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 2 tr, 1 ss in 2nd of 2 ch. 64 sts.

round 6: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in each of next 7 tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 7 tr, 1 ss in 2nd of 2 ch. 72 sts.

round 7: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in each of next 8 tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 8 tr, 1 ss in 2nd of 2 ch. 80 sts.

round 8: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in each of next 9 tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 9 tr, 1 ss in 2nd of 2 ch. 88 sts.

round 9: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in each of next 10 tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 10 tr, 1 ss in 2nd of 2 ch. 96 sts.

Second Size Only

round 10: 2 ch, 1 tr in st at base of these 2 ch, * 1 tr in each of next 11 tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 11 tr, 1 ss in 2nd of 2 ch. 104 sts.

Both Sizes

96(104) sts.

plain round: 2 ch, miss tr at base of these 2 ch, 1 tr in each tr ending 1 ss in 2nd of 2 ch at beg of round.

Rep plain round until Hat measures 11.5(13.5)cm / 4 1/2 (5 1/4)ins from centre to outside edge ending with a complete round.

Change to size 2.00mm hook. Rep plain round twice more.

Brim

Change to size 2.50mm hook.

Underside

1st round: 2 ch, 1 tr in back lp only of tr at base of these 2 ch, * 1 tr in back lp only of each of next 11(12) tr, 2 tr in back lp only of foll tr, rep from * ending 1 tr in back lp only of each of last 11(12) tr, 1 ss in 2nd of 2 ch. 104(112) sts.

2nd round: 2 ch, 1 tr in tr at base of these 2 ch, * 1 tr in each of next 12(13) tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 12(13) tr, 1 ss in 2nd of 2 ch. 112(120) sts.

3rd round: 2 ch, 1 tr in tr at base of these 2 ch, * 1 tr in each of next 13(14) tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 13(14) tr, 1 ss in 2nd of 2 ch. 120(128) sts.

4th round: 2 ch, 1 tr in tr at base of these 2 ch, * 1 tr in each of next 14(15) tr, 2 tr in foll tr, rep from * ending 1 tr in each of last 14(15) tr, 1 ss in 2nd of 2 ch. 128(136) sts.

Rep plain round 2(3) times ending with a complete round. Fasten off.

Topside

With r.s. of work facing using size 2.50mm hook rejoin yarn to front lp of first tr of last row worked with 2.00mm hook.

next round: as 1st round of Underside, working into front lps only all round.

Work 2nd - 4th rounds as for Underside, and plain round 2(3) times ending with a complete round.

joining round: 1 ch, 1 dc in tr at base of this ch and through corresponding tr of Underside, 1 dc in each tr (through both thicknesses) all round, ending 1 ss under 1 ch at beg of round. Fasten off.

Press as instructed on ball bands.

(If desired, Sunhat may be trimmed with a contrasting flower motif from design 4.)



DESIGN 9

ROSEBUD DRESS

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	46 18	51 20	56 22	61 24	cm in
Centre Back Length	30.5 12	38 15	45.5 18	56 22	cm in
Sleeve Seam	4 1½	5 2	6 2½	7 2¾	cm in
Southern Comfort Col. A Cream 11 (70g) Col. B Peach 39 (70g) Col. C Green 84 (70g)	2 1 1	2 1 1	2 1 1	3 1 1	Balls Ball Ball
2.00mm and 1.75mm hooks. 2 small buttons.					

TENSION

13½ Vee Patterns and approx. 17 rows to 10cm(4in) using 2.00mm hook.
Before commencing, check the tension by working an approx. 10cm(4in) square in Vee Pattern as below, beginning with 33 ch and foundation row. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

BACK

BODICE

Using size 2.00mm hook and col.A, make 65(73, 81, 89) ch loosely.

Foundation row (r.s. row): 2 tr in 5th ch from hook, * miss 1 ch, 2 tr in next ch, rep from * to last 2 ch, miss 1 ch, 1 tr in last ch, turn. 30(34, 38, 42) patts.

Vee Pattern

patt row: 3 ch, miss first 2 tr, * 2 tr in space between 2 tr worked in same place, miss 2 tr, rep from * ending 1 tr in 3rd of 3 ch, turn.

Rep patt row until Back measures 3(3.5, 4, 5)cm/ 1½(1½, 1¾, 2)ins ending r.s. or w.s. row.

Shape Raglan Armholes

1st dec row: 1 ss in each of first 5 tr, 2 ch, 1 tr in next sp as set, patt as set to last 3 complete patts, 2 tr tog over next sp as set and foll alt tr; turn leaving last 4 tr unworked. 24(28, 32, 36) patts.

2nd dec row: 3 ch, miss 2 tr tog, patt as set ending 1 tr in last tr, turn.

3rd dec row: 2 ch, 1 tr in next sp as set, patt as set to last complete patt, 2 tr tog over next sp as set and 3rd of 3 ch, turn. 22(26, 30, 34) patts. *

Rep 2nd and 3rd dec rows, 7(8, 9, 10) more times. 17(19, 21, 23) shaping rows complete. 8(10, 12, 14) patts. Fasten off.

SKIRT

With r.s. of Bodice facing, using size 2.00mm hook, rejoin col.A to base of first ch made.

row 1: 1 ch, 1 dc in same place, 1 dc in base of each ch along lower edge working 2 dc in same place 3(1, 2, -) times evenly spaced. 64(70, 79, 85) dc.

row 2: 3 ch, miss first dc, * 2 tr in next dc, 1 tr in each of next 2 dc, rep from * to end. 86(94, 105, 113) tr (first 3 ch counts as 1 tr).

Work in Vee Pattern: rep patt row as for Bodice until length at centre back measures 27(34.5, 42, 52.5) cm/10½(13½, 16½, 20½) ins in all, or length required minus 3.5 cm/1½ ins, ending r.s. or w.s. row. Fasten off.

FRONT

BODICE

Work as Back Bodice to *.

Rep 2nd and 3rd row 3(4, 5, 6) more times, and 2nd row once again. 16(18, 20, 22) patts.

Shape Front Neck: First Side

neck row 1: 2 ch, miss 2 tr, 1 tr in next sp as set, 4 patts as set, 2 tr tog over next sp as set and foll alt tr, turn.

neck row 2: 3 ch, miss 2 tr tog, patt as set ending 1 tr in last tr, turn.

neck row 3: 2 ch, miss 2 tr, 1 tr in next sp as set, 2 patts as set, 2 tr tog over next sp as set and 3rd of 3 ch, turn.

neck row 4: 3 ch, miss 2 tr tog, patt as set ending 1 tr in last tr, turn.

neck row 5: 2 ch, miss 2 tr, 1 tr in next sp as set, 1 patt as set, 1 tr in 3rd of 3 ch, turn.

neck row 6: 3 ch, miss 2 tr, 2 tr in next sp as set, 1 tr in last tr, turn.

neck row 7: 2 ch, miss 2 tr, 2 tr tog over next sp as set and 3rd of 3 ch. Fasten off.

Second Side

With same side of last row facing, leave [1 tr, 2(4, 6, 8) patts, 1 tr] at centre front, using size 2.00mm hook rejoin col.A to next tr.

neck row 1: 2 ch, miss 2 tr, 1 tr in next sp as set, 4 patts as set, 2 tr tog over last sp as set and 3rd of 3 ch, turn.

neck rows 2 - 4: as First Side.

neck row 5: 3 ch, 1 patt as set, 2 tr tog over last sp and 3rd of 3 ch, turn.

neck rows 6 and 7: as First Side.

SKIRT

Work as for Back Skirt.

SLEEVES (Make 2)

Using size 2.00mm hook and col.A make 57(61, 65, 69) ch. Work foundation row as for Back. 26(28, 30, 32) patts. Rep patt row as for Back until Sleeve measures 4(5, 6, 7) cm/ 1½(2, 2½, 2¾) ins ending r.s. or w.s. row to match Back Bodice at beg raglan shaping.

Shape Raglan Sleeve

Work 1st dec row as for Back Bodice. 20(24, 28, 32) patts. Rep 2nd and 3rd dec rows as for Back Bodice, 7 times in all. 6(10, 14, 18) patts. 15 shaping rows complete.

next row: 2 ch, miss 2 tr tog and next tr, 1 tr in next sp as set, patt as set to last complete patt, 2 tr tog over next sp and foll alt tr, turn. 4(8, 12, 16) patts.

Rep this row 1(3, 5, 7) more times. 2 patts. 17(19, 21, 23) shaping rows in all. Fasten off.

TO MAKE UP

Join raglan seams, leaving 12 rows open at top of right back raglan. Join side and sleeve seams.

Neck Border

With r.s. of work facing, using 1.75mm hook and col.A, join yarn at top right corner of back neck edge.

round 1: 1 ch, 1 dc in same place, 1 dc in each tr and 2 dc in side edge of each row all round to opposite corner of opening, 3 dc in same place at corner, 2 dc in side edge of each row down first side of opening, 3 dc tog at base of opening, 2 dc in side edge of each row of second side of opening, ending 1 dc in same place as first dc, 1 ss in first dc of round.

round 2: 1 ch, * 2 ch, miss 1 dc, 1 dc in next dc, rep from * to opposite corner of opening; work down first side of opening: 3 ch, miss 3 dc, 1 dc in each of next 9 dc, 3 ch, miss 3 dc, 1 dc in each dc to base of opening, 2 dc tog; work up second side of opening: 1 dc in each dc ending 1 ss in first ch of round.

round 3: 1 ch, [1 ss, 2 htr] in each 2 ch sp to corner, then 1 dc in each dc and 3 dc in each 3 ch sp to base of opening, 2 dc tog, 1 dc in each dc to corner ending 1 ss under 1 ch at beg of round. Fasten off.

Sew on buttons to match buttonholes.

Sleeve Borders (make 2)

With r.s. of work facing using size 1.75mm hook join col.A at base of sleeve seam.

round 1: 1 ch, 1 dc in same place, 1 dc in base of each ch all round, working 2 dc tog once if necessary to make an even number of dc, ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, * 2 ch, miss 1 dc, 1 dc in next dc, rep from * ending 1 ss in 1 ch at beg of round.

round 3: 1 ch, [1 ss, 2 htr] in each 2 ch sp all round, ending 1 ss under 1 ch at beg of round. Fasten off.

Lower Border

With r.s. of work facing using size 1.75mm hook, join col.A at base of 1 side seam.

round 1: 1 ch, 1 dc in same place, 1 dc in each tr all round ending 1 ss under 1 ch at beg of round.

rounds 2 & 3: as for Sleeve Border.

ROSEBUD (Make about 9)

Flower

Using size 1.75mm hook and col.B, make 5 ch and join into a ring with 1 ss in first ch made.

work in a spiral: [3 dc, 3 htr, 3 tr] over starting end and into ring, then work in back loops only, beg in first dc made: [2 tr in each of next 2 sts, 1 tr in next st] 3 times, 2 htr in next st, 1 htr in next st, 1 dc in each of next 2 sts, 1 ss in next st. Fasten off leaving a long end.

Pull gently on starting end to tighten centre of flower.

Pair of Leaves

Using size 1.75mm hook and col.C, make 15 ch.

row 1: 1 dc in 2nd ch from hook, * 1 htr in next ch, 1 tr in each of next 2 ch, 1 htr in next ch, 1 dc in next ch, 1 ss in next ch *, 1 dc in next ch, rep from * to * to end, turn.

row 2: 1 ch, miss 1 ss, * 1 dc in next st, 1 htr in next st, 1 tr in each of next 2 sts, 1 htr in next st, 1 dc in next st, 1 ss in next st, * rep from * to end. Fasten off leaving a long end.

Arrange the Flowers and Leaves following the photograph as a guide: one motif on Bodice and 8 more evenly spaced around Skirt. Sew in place using long ends of cols. B and C. Press as instructed on ball bands.



DESIGN 10

ROSEBUD JUMPER

MATERIALS AND MEASUREMENTS

To Fit Chest	41 16	46 18	51 20	56 22	cm in
Actual Measurement	46 18	51 20	56 22	61 24	cm in
Length to Shoulder	24 9½	27 10¾	29 11½	34 13½	cm in
Sleeve Seam	15 6	17 6½	20 8	25 9¾	cm in
Southern Comfort Col. A Cream 11 (70g) Col. B Peach 39 (70g) Col. C Green 84 (70g)	2 1 1	2 1 1	2 1 1	3 1 1	Balls Ball Ball
2.00 and 1.75mm hooks, 2 small buttons.					

TENSION

13½ Vee Patterns and approx. 17 rows to 10cm(4in) using 2.00mm hook.

Before commencing, check the tension by working an approx. 10cm(4in) square in Vee Pattern as below, beginning with 33 ch and foundation row. Press as instructed on ball bands. If the tension is tight, use a larger hook, if loose use a finer hook.

BACK

Using size 2.00mm hook and col.A, make 65(73, 81, 89) ch loosely.

Foundation row (r.s. row): 2 tr in 5th ch from hook, * miss 1 ch, 2 tr in next ch, rep from * to last 2 ch, miss 1 ch, 1 tr in last ch, turn. 30(34, 38, 42) patts.

Vee Pattern

patt row: 3 ch, miss first 2 tr; * 2 tr in space between 2 tr worked in same place, miss 2 tr, rep from * ending 1 tr in 3rd of 3 ch, turn.

Rep patt row until Back measures 12(13.5, 14, 18)cm/ 4¼(5¼, 5½, 7)ins ending r.s. or w.s. row.

Shape Raglan Armholes

1st dec row: 1 ss in each of first 5 tr, 2 ch, 1 tr in next sp as set, patt as set to last 3 complete patts, 2 tr tog over next sp as set and foll alt tr, turn leaving last 4 tr unworked. 24(28, 32, 36) patts.

2nd dec row: 3 ch, miss 2 tr tog, patt as set ending 1 tr in last tr, turn.

3rd dec row: 2 ch, 1 tr in next sp as set, patt as set to last complete patt, 2 tr tog over next sp as set and 3rd of 3 ch, turn. 22(26, 30, 34) patts. *

Rep 2nd and 3rd dec rows, 7(8, 9, 10) more times. 17(19, 21, 23) shaping rows complete. 8(10, 12, 14) patts. Fasten off.

FRONT

Work as Back to *.

Rep 2nd and 3rd row 3(4, 5, 6) more times, and 2nd row once again. 16(18, 20, 22) patts.

Shape Front Neck: First Side

neck row 1: 2 ch, miss 2 tr, 1 tr in next sp as set, 4 patts as set, 2 tr tog over next sp as set and foll alt tr, turn.

neck row 2: 3 ch, miss 2 tr tog, patt as set ending 1 tr in last tr, turn.

neck row 3: 2 ch, miss 2 tr, 1 tr in next sp as set, 2 patts as set, 2 tr tog over next sp as set and 3rd of 3 ch, turn.

neck row 4: 3 ch, miss 2 tr tog, patt as set ending 1 tr in last tr, turn.

neck row 5: 2 ch, miss 2 tr, 1 tr in next sp as set, 1 patt as set, 1 tr in 3rd of 3 ch, turn.

neck row 6: 3 ch, miss 2 tr, 2 tr in next sp as set, 1 tr in last tr, turn.

neck row 7: 2 ch, miss 2 tr, 2 tr tog over next sp as set and 3rd of 3 ch. Fasten off.

Second Side

With same side of last row facing, leave [1 tr, 2(4, 6, 8) patts, 1 tr] at centre front, using size 2.00mm hook rejoin col.A to next tr.

neck row 1: 2 ch, miss 2 tr, 1 tr in next sp as set, 4 patts as set, 2 tr tog over last sp as set and 3rd of 3 ch, turn.

neck rows 2 - 4: as First Side.

neck row 5: 3 ch, 1 patt as set, 2 tr tog over last sp and 3rd of 3 ch, turn.

neck rows 6 and 7: as First Side.

SLEEVES (Make 2)

Using size 2.00mm hook and col.A make 45(49, 53, 57) ch. Work foundation row as for Back. 20(22, 24, 26) patts. Work patt row as set.

Shape Sleeve

inc row 1: 3 ch, 1 tr in first tr, patt as set ending 2 tr in 3rd of 3 ch, turn.

inc row 2: 3 ch, 1 tr in sp between first and second tr, patt as set ending 2 tr in sp between last tr and 3 ch, turn.

inc row 3: as inc row 2.

inc row 4: 3 ch, 2 tr in sp between first and second tr, patt as set ending 3 tr in sp between last tr and 3 ch, turn.

inc rows 5 and 6: as patt row. 22(24, 26, 28) patts.

Rep these 6 rows 2(3, 4, 5) more times. 26(30, 34, 38) patts.

Rep patt row until Sleeve measures 14(16, 19, 24) cm/
5½(6½, 7½, 9½) ins

ending r.s. or w.s. row to match Back at beg raglan shaping.

Shape Raglan Sleeve

Work 1st dec row as for Back. 20(24, 28, 32) patts.

Work 2nd and 3rd dec rows as for Back, 7 times in all. 6(10, 14, 18) patts. 15 shaping rows complete.

next row: 2 ch, miss 2 tr tog and next tr, 1 tr in next sp as set, patt as set to last complete patt, 2 tr tog over next sp as set and foll alt tr, turn. 4(8, 12, 16) patts.

Rep this row 1(3, 5, 7) more times. 2 patts. 17(19, 21, 23) shaping rows in all. Fasten off.

TO MAKE UP

Join raglan seams, leaving 12 rows open at top of right back raglan. Join side and sleeve seams.

Neck Border

With r.s. of work facing, using 1.75mm hook and col.A, join yarn at top right corner of back neck edge.

round 1: 1 ch, 1 dc in same place, 1 dc in each tr and 2 dc in side edge of each row all round to opposite corner of opening, 3 dc in same place at corner, 2 dc in side edge of each row down first side of opening, 3 dc tog at base of opening, 2 dc in side edge of each row of second side of opening, ending 1 dc in same place as first dc, 1 ss in first dc of round.

round 2: 1 ch, * 2 ch, miss 1 dc, 1 dc in next dc, rep from * to opposite corner of opening; work down first side of opening: 3 ch, miss 3 dc, 1 dc in each of next 9 dc, 3 ch, miss 3 dc, 1 dc in each dc to base of opening, 2 dc tog; work up second side of opening: 1 dc in each dc ending 1 ss in first ch of round.

round 3: 1 ch, [1 ss, 2 htr] in each 2 ch sp to corner, then 1 dc in each dc and 3 dc in each 3 ch sp to base of opening, 2 dc tog, 1 dc in each dc to corner ending 1 ss under 1 ch at beg of round. Fasten off.

Sew on buttons to match buttonholes.

Sleeve Borders (make 2)

With r.s. of work facing using size 1.75mm hook join col.A at base of sleeve seam.

round 1: 1 ch, 1 dc in same place, 1 dc in base of each ch all round, working 2 dc tog once if necessary to make an even number of dc, ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, * 2 ch, miss 1 dc, 1 dc in next dc, rep from * ending 1 ss in 1 ch at beg of round.

round 3: 1 ch, [1 ss, 2 htr] in each 2 ch sp all round, ending 1 ss under 1 ch at beg of round. Fasten off.

Lower Border

With r.s. of work facing using size 1.75mm hook, join col.A at base of 1 side seam.

round 1: 1 ch, 1 dc in same place, 1 dc in each tr all round ending 1 ss under 1 ch at beg of round.

rounds 2 & 3: as for Sleeve Border.

ROSEBUD (Make about 10)

Work as for Rosebud Dress.

Arrange the Flowers and Leaves following the photograph as a guide: 3 motifs on Back and Front and 2 on each Sleeve.

Sew in place using long ends of cols. B and C.

Press as instructed on ball bands.

DESIGN 11

ROSEBUD HAT

MATERIALS AND MEASUREMENTS

To Fit Head	46 18	48.5 19	51 20	cm in
Southern Comfort Col. A Cream 11 (70g) Col. B Peach 39 (Oddment) Col. C Green 84 (Oddment)	1 1 1	1 1 1	1 1 1	Ball Ball Ball
2.00mm and 1.75mm hooks.				

TENSION

First 4 rounds should measure 6 cm /2 1/4 ins across. If the tension is tight, use a larger hook, if loose use a finer hook.

HAT

Using size 2.00mm hook and col.A, make 4 ch and join into a ring with 1 ss in first ch made.

round 1: 2 ch, 15 tr into ring, 1 ss under 2 ch at beg of round. 16 tr, counting first 2 ch as 1 tr.
round 2: 2 ch, 3 tr in same sp as base of these 2 ch, [miss 2 tr, 4 tr in sp before next tr] 7 times, 1 ss under 2 ch at beg of round. 32 tr, counting first 2 ch as 1 tr.

round 3: 2 ch, 1 tr in same sp as base of these 2 ch, * miss 2 tr, 2 tr in sp before next tr, rep from * ending miss 2 ch, 1 ss under 2 ch at beg of round. 16 Vee patts.

round 4: 2 ch, 3 tr in same sp as base of these 2 ch, * miss 2 tr, 2 tr in sp before next tr, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, miss 2 tr, 2 tr in sp before next tr, miss 2 tr, 1 ss under 2 ch at beg of round.

round 5: as round 3. 24 Vee patts.
round 6: 2 ch, 3 tr in same sp as base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] twice, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] twice, miss 2 tr, 1 ss under 2 ch at beg of round.

round 7: as round 3. 32 Vee patts.
round 8: 2 ch, 3 tr in same sp as base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] 3 times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] 3 times, miss 2 tr, 1 ss under 2 ch at beg of round.

round 9: as round 3. 40 Vee patts.
round 10: 2 ch, 3 tr in same sp as base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] 4 times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] 4 times, miss 2 tr, 1 ss under 2 ch at beg of round.

round 11: as round 3. 48 Vee patts.
round 12: 2 ch, 3 tr in same sp as base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] 5 times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] 5 times, miss 2 tr, 1 ss under 2 ch at beg of round.

round 13: as round 3. 56 Vee patts.

2nd Size Only

round 14: 2 ch, 3 tr in sp at base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] 13 times, miss 2 tr, 4 tr in sp before next tr, rep from * twice more, [miss 2 tr, 2 tr in sp before next tr] 13 times, miss 2 tr, 1 ss under 2 ch at beg of round.

round 15: as round 3. 60 Vee patts.

3rd Size Only

round 14: 2 ch, 3 tr in same sp as base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] 6 times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] 6 times, miss 2 tr, 1 ss under 2 ch at beg of round.

round 15: as round 3. 64 Vee patts.

All Sizes

56(60, 64) Vee patts.
Rep round 3 until Hat measures 13(14.5, 16) cm/5(5 1/4, 6 1/4) ins from centre ending with a complete round.

dec round: 2 ch, miss 2 tr, 1 tr in next sp, * [miss 2 tr, 2 tr in next sp] 5(5, 6) times, [miss 2 tr, 1 tr in next sp] twice, rep from * 6 times, [miss 2 tr, 2 tr in next sp] 5(5, 6) times, 1 ss under 2 ch at beg of round.
Change to 1.75mm hook.

Rep round 3, 3 more times. 48(52, 56) Vee patts.

BRIM

Change to size 2.00mm hook.

1st brim round: 2 ch, 3 tr in sp at base of these 2 ch, * [miss 2 tr, 2 tr in sp before next tr] 5(12, 6) times, miss 2 tr, 4 tr in sp before next tr, rep from * ending [miss 2 tr, 2 tr in sp before next tr] 5(12, 6) times, miss 2 tr, 1 ss under 2 ch at beg of round.

2nd brim round: as round 3. 56(56, 64) patts.

3rd brim round: 2 ch, 3 tr in sp at base of these 2 ch, * [miss 2 tr, 2 tr in next sp] 6(6, 7) times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] 6(6, 7) times, miss 2 tr, 1 ss under 2 ch at beg of round.

4th brim round: as round 3. 64(64, 72) Vee patts.

5th brim round: 2 ch, 3 tr in sp at base of these 2 ch, * [miss 2 tr, 2 tr in next sp] 7(7, 8) times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] 7(7, 8) times, miss 2 tr, 1 ss under 2 ch at beg of round.

6th brim round: as round 3. 72(72, 80) Vee patts.

2nd and 3rd Sizes Only

7th brim round: 2 ch, 3 tr in sp at base of these 2 ch, * [miss 2 tr, 2 tr in next sp] (8, 9) times, miss 2 tr, 4 tr in sp before next tr, rep from * 6 more times, [miss 2 tr, 2 tr in sp before next tr] (8, 9) times, miss 2 tr, 1 ss under 2 ch at beg of round.

8th brim round: as round 3. (80, 88) Vee patts.

All Sizes

72(80, 88) Vee patts.
Work round 3, 1(1, 2) more times.

Border

Change to size 1.75mm hook.

round 1: 1 ch, 1 dc in each tr all round ending 1 ss under 1 ch at beg of round.

round 2: 1 ch, * 2 ch, miss 1 dc, 1 dc in next dc, rep from * ending 1 ss in 1 ch at beg of round.

round 3: 1 ch, [1 ss, 2 htr] in each 2 ch sp all round ending 1 ss under 1 ch at beg of round. Fasten off.

Pull gently on starting end of yarn to tighten centre of hat and secure ends.

ROSEBUD (Make 1)

Make one Rosebud Motif as for Rosebud Dress. Fold brim up at centre front and arrange Flower and Leaves following the photograph as a guide. Sew in place through both thicknesses using long ends of cols. B and C.
Press as instructed on ball bands.



DESIGN 12

TEDDY BEAR

MATERIALS AND MEASUREMENTS

Height Approx	30 12	cm in
Lycordet Col. Ecru 86 (100g)	1	Ball
2.00mm and 1.75mm hooks. 2 Safety toy eyes. Toy filling Optional: Approx. 50cm / 19 ins. ribbon. Note: If the teddy is for a very young baby, you may prefer to embroider the eyes with black yarn.		

TENSION

24 sts and 28 rows to 10 cm / 4 ins measured over rows of dc using size 2.00mm hook. Before commencing, make a 10 cm / 4 ins square of rows of dc, beginning with 25 ch. If the tension is tight, use a larger hook, if loose use a finer hook. Tension is not crucial if a change in size is acceptable, but if your tension is too loose the bear will not hold its shape and extra yarn may be required.

BACK

Left Leg

Using size 2.00mm hook and col.A, make 11 ch.

row 1: 1 dc in 2nd ch from hook, 1 dc in each ch to end, turn. 10 dc.

row 2: 1 ch, 2 dc in first dc, 1 dc in each dc to last dc, 2 dc in last dc, turn. 12 dc.

row 3: as row 2. 14 dc.

rows 4, 5 and 6: 1 ch, 1 dc in each dc to end, turn.

row 7: 1 ch, 1 dc in each dc to last 2 dc, 2 dc tog, turn. 13 dc.

row 8: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to end, turn. 12 dc.

row 9: 1 ch, 1 dc in each of first 8 dc, 2 dc tog, turn leaving 2 dc unworked. 9 sts.

rows 10 - 12: as row 4.

row 13: as row 2. 11 sts.

rows 14 - 16: as row 4.

Rep these 4 rows once more and rows 13 and 14 once again, 15 sts. Fasten off.

Right Leg

Work rows 1 - 6 as Left Leg.

row 7: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to end, turn. 13 dc.

row 8: 1 ch, 1 dc in each dc to last 2 dc, 2 dc tog, turn. 12 dc.

row 9: 1 ss in each of first 3 dc, 1 ch, 1 dc in each of next 9 dc, turn. 9 sts.

Work as Left Leg from row 10 to end. Do not fasten off but continue: *

Back Body

1st row: 1 ch, 1 dc in each of 15 dc of Right Leg, with r.s.

of Left Leg facing work 1 dc in each of 15 dc across top edge, turn. 30 dc.

2nd - 22nd rows: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

23rd row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 dc, 2 dc tog, turn. 28 sts.

24th - 26th rows: as 2nd row.

27th row: 1 ch, 2 dc in first dc, 1 dc in each dc to last dc, 2 dc in last dc, turn. 30 dc.

28th row: as 27th row. 32 dc.

Shape Arms

29th row: 16 ch, 2 dc in 2nd ch from hook, 1 dc in each of next 14 ch, 1 dc in each of 32 dc, turn. 48 dc.

30th row: 16 ch, 2 dc in 2nd ch from hook, 1 dc in each of next 14 ch, 1 dc in each dc to last dc, 2 dc in last dc, turn. 65 dc.

31st row: 1 ch, 2 dc in first dc, 1 dc in each dc to last dc, 2 dc in last dc. 67 dc.

32nd row: 1 ch, 2 dc in first dc, 1 dc in each dc to end, turn. 68 dc.

33rd row: 1 ch, 1 dc in each of first 32 dc, [2 dc tog over next 2 dc] twice, 1 dc in each dc to end. 66 sts.

34th - 36th rows: as 2nd row.

37th row: 1 ch, 1 dc in each of first 31 dc, [2 dc tog over next 2 dc] twice, 1 dc in each dc to end. 64 sts.

38th - 40th rows: as 2nd row.

41st row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each of next 28 dc, [2 dc tog over next 2 dc] twice, 1 dc in each of 28 dc to last 2 dc, 2 dc tog, turn. 60 sts.

42nd row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 dc, 2 dc tog, turn. 58 sts. Fasten off.

Sides and Back of Head

row 1: with r.s. of Back facing, leave first 24 sts, rejoin yarn to next dc, 11 ch, 1 dc in 2nd ch from hook, 1 dc in each of next 9 ch, 1 dc in dc at base of 11 ch, 1 dc in each of next 9 dc of Back, turn leaving 24 dc of Back unworked. 20 dc.

row 2: 11 ch, 1 dc in 2nd ch from hook, 1 dc in each of next 9 ch, 1 dc in dc at base of 11 ch, 1 dc in each of 19 dc to end, turn. 30 dc.

row 3: 1 ch, 2 dc in first dc, 1 dc in each of next 13 dc, [2 dc in next dc] twice, 1 dc in each of next 13 dc, 2 dc in last dc, turn. 34 dc.

row 4: 1 ch, 2 dc in first dc, 1 dc in each dc to last dc, 2 dc in last dc. 36 dc.

row 5: 1 ch, 2 dc in first dc, 1 dc in each of next 16 dc, [2 dc in next dc] twice, 1 dc in each of next 16 dc, 2 dc in last dc, turn. 40 dc.

row 6: as row 4. 42 dc.

row 7: 1 ch, 2 dc in first dc, 1 dc in each of next 19 dc, [2 dc in next dc] twice, 1 dc in each of next 19 dc, 2 dc in last dc, turn. 46 dc.

row 8: as row 4. 48 dc.

row 9: 1 ch, 2 dc in first dc, 1 dc in each of next 22 dc, [2 dc in next dc] twice, 1 dc in each of next 22 dc, 2 dc in last dc, turn. 52 dc.

rows 10 - 12: 1 ch, 1 dc in each dc to end, turn.

Shape Nose

row 13: 1 ss in each of first 5 dc, 1 ch, 1 dc in each of next 42 dc, turn leaving 5 dc unworked.

row 14: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 dc, 2 dc tog, turn. 40 sts.

row 15: 1 ch, 2 dc tog over first 2 sts, 1 dc in each dc to last dc and 2 dc tog, 2 dc tog over last 2 sts, turn. 38 sts.

rows 16 - 22: as row 15. 24 sts.

Head Gusset

rows 23 - 26: as row 10.

row 27: as row 14. 22 sts.

rows 28 - 36: as row 15. 4 sts.

row 37: 1 ch, 2 dc tog over first 2 sts, 2 dc tog over last 2 sts, turn.

row 38: 1 ch, 2 dc tog over 2 rem sts. Fasten off.

First Ear

1st row: with r.s. of Head Gusset facing, insert hook under stem of first st of row 23 (first row of Head Gusset), yrh, pull through a lp, 1 ch, 1 dc around stem of each of next 6 dc, turn.

2nd row: 1 ch, 1 dc in each of first 2 dc, [2 dc in next dc] twice, 1 dc in each of last 2 dc, turn. 8 dc.

3rd row: 1 ch, 1 dc in each of first 3 dc, [2 dc in next dc] twice, 1 dc in each of last 3 dc, turn. 10 dc.

4th row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 dc, 2 dc tog over last 2 dc, turn. 8 sts.

5th and 6th rows: as 4th row. 4 sts. Fasten off.

Second Ear

With r.s. of Head gusset facing, leave 10 dc at centre, rejoin yarn to next dc and work to match First Ear.

FRONT

Work as Back to *.

Front Body

1st row: 1 ch, 1 dc in each of first 14 dc of Right Leg, 2 dc in last dc, with r.s. of Left Leg facing work 2 dc in first dc and 1 dc in each of rem 14 dc across top edge, turn. 32 dc.

2nd row: 1 ch, 1 dc in first dc, 1 dc in each dc to end, turn.

3rd row: 1 ch, 1 dc in each of first 15 dc, [2 dc in next dc] twice, 1 dc in each dc to end, turn. 34 dc.

4th row: as 2nd row.

5th row: 1 ch, 1 dc in each of first 16 dc, [2 dc in next dc] twice, 1 dc in each dc to end, turn. 36 dc.

6th - 10th rows: as 2nd row.

11th row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 dc, 2 dc tog, turn. 34 sts.

12th - 14th rows: as 2nd row.

Rep 11th - 14th rows, 3 more times. 28 sts.

27th - 34th rows: as 27th - 34th rows of Back Body. 66 sts.

35th row: 1 ch, 1 dc in each of first 31 dc, [2 dc tog over next 2 dc] twice, 1 dc in each dc to end, turn. 64 sts.

36th row: as 2nd row.

37th row: 1 ch, 1 dc in each of first 30 dc, [2 dc tog over next 2 dc] twice, 1 dc in each dc to end. 62 sts.

38th row: as 2nd row.

Shape Shoulder and Front Neck: First Side

39th row: 1 ch, 1 dc in each of first 27 dc, 2 dc tog over next 2 dc, turn. 28 sts.

40th row: 1 ch, 2 dc tog over first 2 sts, 1 dc in each dc to end, turn. 27 sts.

41st row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 sts, 2 dc tog over last dc and 2 dc tog, turn. 25 sts.

42nd row: 1 ch, 1 dc in each st to last 2 sts, 2 dc tog over last dc and 2 dc tog. 24 sts. Fasten off.

Second Side

With r.s. of Front facing, leave 4 dc at centre, rejoin yarn to next dc.

39th row: 1 ch, 2 dc tog over next 2 dc, 1 dc in each dc to end, turn. 28 sts.

40th row: 1 ch, 1 dc in each dc to last 2 sts, 2 dc tog, turn. 27 sts.

41st row: 1 ch, 2 dc tog over first 2 dc, 1 dc in each dc to last 2 sts, 2 dc tog over last dc and 2 dc tog, turn. 25 sts.

42nd row: 1 ch, 2 dc tog over first 2 sts, 1 dc in each st to end. 24 sts. Fasten off.

TO MAKE UP

Place Front and Back with r.s. together, matching arms and legs, and back stitch firmly around edges, leaving neck edge open, and an opening of about 5 cm / 2 ins at one underarm. Join straight edges at base of Head to Front neck shaping, meeting at centre. Join up to point of nose. Sew Head Gusset in place, with point at nose.

Turn r.s. out. Attach safety eyes about 2.5 cm / 1 inch up from point of nose and the same distance apart.

Insert toy filling. Use the blunt end of a pencil or similar to push the filling into the arms and legs. Fill quite firmly. Slip stitch to close the opening.

Use oddment of black yarn to embroider mouth and nose following photograph as a guide. Embroider 3 lines at end of each arm and leg as shown, pulling stitches tightly to form paws.

Tie ribbon in a bow around neck. Stitch bow in place if desired.


Other Crochet Books Available




395



396



398



391



392



393



394

Twillleys of Stamford
A member of the Thomas Ramsden Group

Little Casterton Road, Stamford, Lincs. PE9 1BG
Telephone: 01780 752661 Fax: 01780 765215

e-mail: twillleys@tbramsden.co.uk