

VillaWool

best of baby crochet



Designs for Baby Crochet
from Birth to 18 months

Crocheted in 3,4,5 & 8ply yarns

\$1.50

(Illustrated Front Cover)

Materials:

VILLAWOOL BABY WOOL (3 PLY)
(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY)
(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY)
(100% machine washable acrylic)
No. 2.50 (No. 12), No. 3.00 (No. 10) Aero Crochet Hooks.
Ribbon. 3 Small Astor Buttons.

MEASUREMENTS:

Actual garment size	cm	44.5	49.5	54.5
	in.	17½	19½	21½
Length from Shoulder		66	71	76
		26	28	30
Sleeve seam		14	14	14
		5½	5½	5½

TENSION: 12 h tr and 9 rows of h tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTES: (1 dc 1 ch) at beg of h tr row stands for 1 h tr, always work the last st on next row into top ch of (1 dc 1 ch).

L Vst = large V st: (1 tr 3 ch 1 tr) in next st.

S Vst = small V st: (1 tr 1 ch 1 tr) in next st.

cl = cluster: (yoh, insert hook in next st, yoh and draw up a lp to 1 cm (½ in.) in height) 3 times, yoh and draw through all lps on hook.

pc = picot: 3 ch, sl st in top of prev dc.

(4 ch and 1 tr) at beg of rnd in Skirt stands for 1st S Vst.

FRONT YOKE: With No. 3.00 hook, make 56, (61 : 66) ch.

1st row: (wrong side) (1 dc 1 ch) in 2nd ch from hook, 1 h tr in each ch to end (55 : 60 : 65 h tr).

2nd row: (1 dc 1 ch) in 1st h tr, 1 h tr in each h tr to end.

Cont in h tr. Work 1 row more. *

Shape Armholes:

1st row: Sl st in each of first 4 h tr, 1 dc in next h tr, 1 h tr in next and in each h tr to last 5 h tr, 1 dc in next h tr, sl st in next h tr, **turn**.

2nd row: Sl st in each of next 1 dc and 1 h tr, (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to last h tr, **turn**.

3rd row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to last h tr, **turn**.

Cont on rem 41, (46 : 51) h tr until 7 rows of h tr in Armholes have been worked.

Shape Neck:

1st row: (1 dc 1 ch) in 1st h tr, 1 h tr in each of next 15, (17 : 19) h tr, **turn**.

2nd row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to end.

3rd row: (1 dc 1 ch) in 1st h tr, 1 h tr in each h tr to last h tr, **turn**.

Rep last 2 rows once, then 2nd row once more (11 : 13 : 15 h tr rem).

Work 1 row more, fasten off.

Miss centre 9, (10 : 11) h tr, join yarn to next h tr, finish to correspond with other side reversing shapling.

BACK YOKE: Work as Front Yoke to *.

Divide for Opening and Shape Armhole:

1st row: Sl st in each of first 4 h tr, 1 dc in next h tr, 1 h tr in each of next 21, (24 : 26) h tr, **turn**.

2nd row: (1 dc 1 ch) in 1st h tr, 1 h tr in each h tr to last h tr, **turn**.

3rd row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to end (19 : 22 : 24 h tr rem).

Cont until 11 rows of h tr have been worked, ending at Opening edge.

Shape Neck:

Next row: Sl st in each of first 6, (7 : 7) h tr, 1 dc in next h tr, 1 h tr in each h tr to end.

Next row: (1 dc 1 ch) in 1st h tr, 1 h tr in each h tr to last h tr, **turn** (11 : 13 : 15 h tr rem).

Work 1 row more, fasten off.

Miss centre 3, (2 : 3) h tr, join yarn to next h tr, work to correspond with other side reversing all shapings.

With flat seam, neatly and securely sew up side seams.

SKIRT: With wrong side facing, No. 3.00 hook, join yarn to the ch at centre Back, 1 ch, 1 dc in same ch as join, 1 dc in each ch to end, sl st to 1st dc, **turn** (110 : 120 : 130 dc).

1st rnd: 4 ch, 1 tr in same dc as sl st, (4 ch, miss 2 dc, L Vst in next dc, 4 ch, miss 1 dc, S Vst in next dc) rep omitting S Vst in last rep, sl st to 3rd of 4 ch, then in next ch, **turn** (22 : 24 : 26 L Vsts).

2nd rnd: 4 ch, 1 tr in sp of 1st S Vst, (3 ch, 1 dc in next ch lp, 5 dc in sp of next L Vst, 1 dc in next ch lp, 3 ch, S Vst in sp of next S Vst) rep omitting S Vst in last rep, sl st to 3rd of 4 ch, then in next ch, **turn**.

3rd rnd: 4 ch, 1 tr in sp of 1st S Vst, (1 ch, miss 1 dc, 1 cl and 2 ch in each of next 5 dc, S Vst in sp of next S Vst) rep omitting S Vst in last rep, sl st to 3rd of 4 ch, then in next ch, **turn**.

4th rnd: 4 ch, 1 tr in sp of 1st S Vst, (2 ch, miss 1 ch sp, 1 dc in sp between 1st and 2nd cls, 1 pc, 1 dc in sp between 2nd and 3rd cls, 3 ch, 1 dc in sp between 3rd and 4th cls, 1 pc, 1 dc in sp between 4th and 5th cls, 2 ch, S Vst in sp of S Vst) rep omitting S Vst in last rep, sl st to 3rd of 4 ch, then in next ch, **turn**.

5th rnd: 4 ch, 1 tr in sp of 1st S Vst, (4 ch, L Vst in 3 ch lp between pcs, 4 ch, S Vst in sp of S Vst) rep omitting S Vst in last rep, sl st to 3rd of 4 ch, then in next ch, **turn**.

Rep last 4 rnds inclusive for patt. Cont until work measures 66, (71 : 76) cm (26 : 28 : 30 in.) from Shoulder or length req ending on 3rd rnd of patt.

**** Next rnd:** 4 ch, 1 tr in sp of 1st S Vst, * 2 ch, miss 1 ch sp, (1 dc in sp between 2 cls, 1 pc) 3 times, 1 dc in

sp between cls, 2 ch, S Vst in sp of S Vst *, rep from * to * omitting S Vst in last rep, sl st to 3rd of 4 ch, fasten off **.

SLEEVES: With No. 3.00 hook, make 37 ch (all sizes). Work in h tr as before until work measures 7.5 cm (3 in.) or length req ending on wrong side (36 h tr).

Next row: Sl st in each of first 4 h tr, 1 dc in next h tr, 1 h tr in next and in each h tr to last 5 h tr, 1 dc in next h tr, sl st in next h tr, **turn**.

Next row: Sl st in each of next 1 dc and 1 h tr, 1 dc in 2nd h tr, 1 h tr in each h tr to last 2 h tr, 1 dc in next h tr, sl st in next h tr, **turn**.

Rep last row once (18 h tr rem).

Next row: Sl st in each of next 1 dc and 1 h tr, (1 dc 1 ch) in 2nd h tr, 1 h tr in next and in each h tr to last h tr, **turn**.

Cont to dec 1 h tr each end of every row until 8 h tr rem, fasten off. With flat seam, neatly and securely sew up side seams.

RUFFLES: With wrong side facing, No. 3.00 hook, join yarn at Sleeve seam, 1 ch, evenly work 36 dc round lower edge of Sleeve, sl st to 1st dc, **turn**.

Next rnd: 4 ch, 1 tr in same dc as sl st, (4 ch, miss 2

dc, L Vst in next dc, 4 ch, miss 2 dc, S Vst in next dc) rep omitting S Vst in last rep, sl st to 3rd of 4 ch, then in next ch, **turn** (6 L Vsts).

Beg with 2nd rnd, work 6 rnds more in patt as Skirt, then work from ** to ** of Skirt.

TO FINISH OFF: Lightly press on wrong side. With flat seam sew up Shoulders. Set Sleeves into Armholes.

EDGING FOR NECK AND OPENINGS: With right side facing, No. 2.50 hook, join yarn to lower end of Left Opening, 1 ch, evenly work in dc to top corner, 3 dc in corner, work in dc round Neck, 3 dc in next corner, work in dc on Right opening edge, **turn**. Work 1 row more in dc working 3 dc at each corner.

Mark off 3 Buttonhole Positions: 1st one 2 cm ($\frac{3}{4}$ in.) up from lower end, 3rd one at Neck edge, 2nd one evenly spaced between.

To Make a Buttonhole: 4 ch, miss 1 dc at each marker. Work 1 row more in dc, making Buttonholes as marked off and working 3 dc at each corner, fasten off. (Lap Back opening with buttonholes on top and stitch down to 2 missed dc in centre).

Thread a length of Ribbon through sps round 1st rnd of Chest and Wrists, and tie at Front. Sew on Buttons.

4 Ply Instructions

PONCHO

Design 2

(Illustrated Page 24, bottom)

Materials:

VILLAWOOL 4 PLY 25g balls

(100% machine washable shrinkproof wool)

Main Colour (MC) 5

or

CAROUSEL 4 PLY 20g balls

(100% machine washable acrylic)

Main Colour (MC) 4

Small quantity of Contrast Colour (CC) for both yarns.

No. 3.00 (No. 10) Aero Crochet Hook.

MEASUREMENTS:

Length 23 cm (9 in.)

TENSION: 11 tr and 5 rows of tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: pc = picot: 4 ch, sl st back into first ch.

Beg at Neck and with MC make 64 ch.

1st row: 1 tr in 5th ch from hook, (3 tr in next ch, 1 tr in next ch, miss 2 ch, 1 tr in next ch) rep to last 4 ch, 3 tr in next ch, 1 tr in next ch, miss 1 ch, 1 tr in last ch (12 grs).

2nd row: 3 ch, miss first 2 tr, (1 tr in next tr, 5 tr in next tr, 1 tr in next tr, miss 2 tr) rep ending miss 1 tr, 1 tr in 3rd ch of turning ch.

3rd row: 3 ch, miss first 2 tr, (1 tr in each of next 2 tr, 3 tr in next tr, 1 tr in each of next 2 tr, miss 2 tr) rep ending miss 1 tr, 1 tr in 3rd ch of turning ch.

4th row: 3 ch, miss first 2 tr, (1 tr in each of next 2 tr, 5 tr in next tr, 1 tr in each of next 2 tr, miss 2 tr) rep ending miss 1 tr, 1 tr in 3rd ch of turning ch.

5th row: 3 ch, miss first 2 tr, (1 tr in each of next 3 tr, 3 tr in next tr, 1 tr in each of next 3 tr, miss 2 tr) rep ending miss 1 tr, 1 tr in 3rd ch of turning ch (9 tr for each gr).

Rep 4th and 5th rows inclusive at same time working extra tr at each side of centre of group.

Cont until 13 rows have been worked (17 tr for each gr).

Next rnd: 3 ch, miss first 2 tr, (1 tr in each of next 7 tr, 5 tr in next tr, 1 tr in each of next 7 tr, miss 2 tr) rep to end, sl st in 3rd ch of 3 ch, **turn**.

Next rnd: Sl st in each of first 2 tr, 3 ch, 1 tr in each of next 7 tr, (3 tr in next tr, 1 tr in each of next 8 tr, miss 2 tr, 1 tr in each of next 8 tr) rep to end, sl st in 3rd ch of 3 ch, sl st in next tr, **turn**.

Next rnd: Sl st in each of first 2 tr, 3 ch, 1 tr in each of next 7 tr, (5 tr in next tr, 1 tr in each of next 8 tr, miss 2 tr, 1 tr in each of next 8 tr) rep to end, sl st in 3rd ch of 3 ch, **turn**.

Turning at end of each rnd, cont working in rnds and inc as before until 8 rnds (or length req) have been worked.

Next rnd: Sl st in each of first 2 tr, 3 ch, 1 tr in each of next 11 tr, (1 tr 1 pc 1 tr in next tr, 1 tr in each of next 12 tr, miss 2 tr, 1 tr in each of next 12 tr) rep to end, sl st to 3rd ch of 3 ch, fasten off.

TO FINISH OFF:

Right side facing, join CC to first sp at Neck, 4 ch, 1 tr in same sp, (1 ch 1 tr) twice in each 2 ch sp to end, work 2 ch, 2 dc in each sp on both sides of Front opening.

With MC and CC tog make a twisted cord and thread through sps at Neck. With MC and CC make small tassels and attach to ends of cord.



Design 6

Coat with
Hood

(See Page 8)

Design 7

Angel Top
with Short or
Long Sleeves

(See Page 10)



Design 4

Poncho

(See Page 6)



(Illustrated Page 15)

Materials:

VILLAWOOL BABY WOOL (3 PLY)
(100% machine washable shrinkproof wool)

Dress		4	5	5
Bonnet		1	1	1
Bootees		1	1	1

25g balls

or

STARLITE BABY BRI-NYLON (3 PLY)
(100% machine washable Bri-Nylon)

Dress		4	5	5
Bonnet		1	1	1
Bootees		1	1	1

25g balls

or

CAROUSEL BABY YARN (3 PLY)
(100% machine washable acrylic)

Dress		4	5	5
Bonnet		1	1	1
Bootees		1	1	1

20g balls

No. 3.00 (No. 10) Aero Crochet Hook. 3 Astor Buttons. Ribbon.

MEASUREMENTS:

Dress: To fit Chest

cm	40	45	50
in.	16	18	20
	33	35.5	38
	13	14	15
	6.5	6.5	6.5
	2½	2½	2½

Length from Shoulder

Sleeve seam

TENSION: 12 tr and 6 rows of tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: tr cl = Treble Cluster: (yoh, draw through a lp in next tr, yoh and draw through 2 lps) 3 times, yoh and draw through 4 lps on hook.

DRESS

FRONT YOKE:

With hook, make 53, (59:65) ch, 1 tr in 4th ch from hook, 1 tr in each ch to end (51:57:63 tr).

Shape Armholes:

1st row: Sl st in each of first 3, (4:5) tr, 3 ch, 1 tr in each tr to last 2, (3:4) tr **turn** (47:51:55 tr).

2nd row: 3 ch, dec 1 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

3rd row: As 2nd row (43:47:51 tr).

4th row: 3 ch, 1 tr in each tr to end.

5th row: As 4th row.

Shape Neck:

Next row: 3 ch, 1 tr in each of next 15, (16:17) tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.

Next row: Sl st in each of next 1 dc 1 h tr and 1 tr, 3 ch, dec 1 tr, 1 tr in each tr to end (15:16:17 tr).

Next row: 3 ch, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr, fasten off.

Miss centre, 5, (7:9) tr, join yarn to next tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to end.

Next row: 3 ch, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr (15:16:17 tr).

Next row: 3 ch, dec 1 tr, 1 tr in each tr to end, fasten off.

LEFT BACK YOKE:

With hook, make 27, (30:33) ch, 1 tr in 4th ch from hook, 1 tr in each ch to end (25:28:31 tr).

Shape Armhole:

Next row: Sl st in each of first 3, (4:5) tr, 3 ch, 1 tr in each tr to end (23:25:27 tr).

Next row: 3 ch, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

Next row: 3 ch, dec 1 tr, 1 tr in each tr to end (21:23:25 tr).

Next row: 3 ch, 1 tr in each tr to end.

Next row: 3 ch, 1 tr in each tr to end.

Shape Neck:

Next row: Sl st in each of first 3, (4:5) tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to end.

Next row: 3 ch, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr (15:16:17 tr).

Next row: 3 ch, dec 1 tr, 1 tr in each tr to end (14:15:16 tr), fasten off.

RIGHT BACK YOKE:

With hook, make 27, (30:33) ch, 1 tr in 4th ch from hook, 1 tr in each ch to end (25:28:31 tr).

Shape Armhole:

Next row: 3 ch, 1 tr in each tr to last 2, (3:4) tr **turn**

(23:25:27 tr).

Next row: 3 ch, dec 1 tr, 1 tr in each tr to end.

Next row: 3 ch, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr (21:23:25 tr).

Next row: 3 ch, 1 tr in each tr to end.

Next row: 3 ch, 1 tr in each tr to end.

Shape Neck:

Next row: 3 ch, 1 tr in each of next 15, (16:17) tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.

Next row: Sl st in each of next 1 dc 1 h tr and 1 tr, 3 ch, dec 1 tr, 1 tr in each tr to end (15:16:17 tr).

Next row: 3 ch, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr (14:15:16 tr), fasten off.

TO MAKE UP:

Lightly press on wrong side. Using flat seam sew up underarms. Press seams.

SKIRT:

Right side facing, join yarn to first foundation ch at centre Back, 1 ch, 1 dc in same ch as join, 1 dc in each ch to end (101:113:125 dc).

Next row: 3 ch, 1 dc in 2nd dc, (3 ch, 1 dc in next dc, 3 ch, miss 1 dc, 1 dc in next dc) rep to end (67:75:83 lps).

Proceed as follows:

1st row: 3 ch, 1 tr in same dc as 3 ch, (3 tr in centre ch of 3 ch lp) rep to turning ch lp, 2 tr in 2nd ch of turning ch.

2nd row: 3 ch, 1 tr in each tr to end.

3rd row: 2 ch, 1 tr in next tr, (3 ch, tr cl) rep to last 2 tr, 3 ch, (yoh, draw lp through next tr, yoh and draw through 2 lps on hook) twice, yoh and draw through 3 lps on hook.

4th row: 3 ch, (1 dc in next 3 ch lp, 3 ch) rep to last 3 ch lp, 1 dc in last 3 ch lp, 1 ch, 1 dc in last tr.

Rep last 4 rows inclusive until work measures 33, (35.5:38) cm (13:14:15 in) or length req ending on 4th row of patt, fasten off.

TO MAKE UP:

Lightly press on wrong side. Using flat seam sew Shoulders and Back seams to within 2.5 cm (1 in.) below Yoke. Press seams.

SLEEVES:

Right side facing, join yarn at underarm and evenly work 39 dc (all sizes) round Armhole.

Next row: (3 ch, miss 1 dc, 1 dc in next dc) rep to end (19 lps).

Rep 4 rows of patt as for Skirt until Sleeves measure 5.5 cm (2¼ in.) ending on 3rd row of patt.

Next row: 2 ch, (1 dc in next 3 ch lp, 1 ch) rep to end, 1 dc in last tr.

Next row: 2 ch, (1 dc in next ch sp, 1 dc in next dc) rep to end.

Next row: 2 ch, 1 dc in each dc to end.

Rep last row once, fasten off.

NECK EDGING:

Wrong side facing, hook, join yarn to end of opening and work in dc to Neck edge, 3 dc in corner of Neck edge, work in dc round Neck, 3 dc in corner of Neck edge, work in dc to end of opening, **turn**.

Mark off 3 Buttonloops on Right Back: 1st one 4 dc from end of opening, 3rd one at Neck edge and 2nd one evenly spaced between.

To Make a Buttonloop: 3 ch, miss 1 dc.

Next row: 2 ch, work in dc to Neck edge, work 3 dc in corner, (3 ch, tr cl) rep round Neck, 3 ch, 3 dc in corner, 1 dc in each dc to end **at same time** make Buttonloops as marked off, fasten off.

Next row: Join yarn at Neck edge, (3 ch, 1 dc in next 3 ch sp) rep round Neck, fasten off.

TO FINISH OFF:

Sew up Sleeve seams. Press seams. Sew on Buttons. Thread ribbon through holes at Waist and tie at Front.

BONNET

Beg at Crown. With hook, make 4 ch, 10 (11:12) tr in 4th ch from hook, sl st to 3rd ch of 4 ch (11:12:13 tr).

1st rnd: 3 ch, 1 tr in same place as sl st, 2 tr in each tr to end, sl st to 3rd ch of 3 ch (22:24:26 tr).

2nd rnd: 3 ch, 1 tr in same place as sl st, (1 tr in next tr, 2 tr in next tr) rep to last tr, 1 tr in last tr, sl st to 3rd ch of 3 ch (33:36:39 tr).

3rd rnd: 3 ch, (2 tr in next tr, 1 tr in each of next 2 tr) rep ending 2 tr in next tr, 1 tr in next tr, sl st to 3rd ch of 3 ch (44:48:52 tr).

4th rnd: 3 ch, 1 tr in each tr to end **at same time** evenly inc 10, (11:12) tr, sl st to 3rd ch of 3 ch (54:59:64 tr).

5th rnd: 3 ch, 1 tr in each tr to end **at same time** evenly inc 7, (8:9) tr, sl st to 3rd ch of 3 ch (61:67:73 tr).

6th rnd: 3 ch, 1 tr in each tr to end, sl st to 3rd ch of 3 ch.

Beg with 3rd row of patt, cont in patt as for Skirt of Dress until work measures 7 cm (2¾ in.) from beg of patt ending on 2nd row of patt.

Next row: 2 ch, (miss 1 tr, 1 dc in each of next 2 tr) rep to last tr, 1 dc in last tr.

Next row: 2 ch, 1 dc in each dc to end.

Next row: 2 ch, 1 dc in each dc to end, cont in dc round Neck, sl st to first dc, fasten off.

TO FINISH OFF:

Lightly press on wrong side. Sew on ribbon.

BOOTEES

With hook, make 8 ch, 1 dc in 2nd ch from hook, 1 dc in each ch to end (7 dc).

1st row: 3 ch, 1 tr in each dc to end.

2nd row: 1 ch, 1 dc in each tr to end.

Rep last 2 rows twice. Make 27 ch and sl st to join at beg of last row, 1 ch, work 8 dc on side of Instep, 7 dc across and 8 dc on other side of Instep, 1 dc in each ch of 27 ch (50 dc), join with sl st to first ch.

1st rnd: 3 ch, 1 tr in each dc to end, join with sl st to 3rd ch, **turn**.

2nd rnd: 1 ch, 1 dc in each tr to end, join with sl st to first ch, **turn**.

Rep last 2 rnds once. Rep 1st and 2nd rnds once dec on each rnd 3 sts at toe and 3 sts at heel (38 sts rem), join with sl st to a ch, fasten off.

To Make Ribbonholes: Join yarn at centre heel, 3 ch, (miss 1 st, 1 ch, 1 tr in next st) rep to last dc round Ankle, miss 1 dc, 1 ch, join with sl st to 3rd ch of turning ch (17 sps).

1st row: 3 ch, 1 tr in each ch and tr to end, **turn** (34 tr).

Beg with 3rd row, work 6 rows of patt and fasten off.

TO FINISH OFF:

Lightly press on wrong side. Sew Soles and back seams. Thread ribbon through holes.

3 Ply Instructions

PONCHO

Design 4

(Illustrated Page 4, bottom)

Materials:

VILLAWOOL BABY WOOL (3 PLY)

(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY)

(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY)

(100% machine washable acrylic)

No. 3.00 (No. 10) Aero Crochet Hook.

MEASUREMENTS:

To fit Chest

cm 45 to 50

in. 18 to 20

TENSION: 6 tr to 2.5 cm (1 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: The ch at beg of row stands for 1 st.

With hook, make 120 ch, join with sl st to 1st ch to form circle.

Next row: 3 ch, 1 tr in each of next 2 ch, (miss 1 ch, 3 tr in next ch, miss 1 ch, 1 tr in each of next 3 ch) rep to last 3 ch, miss 1 ch, 3 tr in next ch, miss 1 ch, sl st to 1st tr, **turn** (20-3 tr grs).

Proceed as follows:—

1st row: 6 ch, (miss 1 tr, 1 dc in next tr, 3 ch, miss 1 tr, 1 tr in each of next 3 tr, 3 ch) rep to last 5 tr, miss 1 tr, 1 dc in next tr, 3 ch, miss 1 tr, 1 tr in each of next 2 tr, sl st to 3rd ch of 6 ch, **turn**.

2nd row: 3 ch, 1 tr in each of next 2 tr, (1 dc in next 3 ch lp, 3 ch, 1 dc in next 3 ch lp, 1 tr in each of next 3 tr) rep to last two 3 ch lps, 1 dc in next 3 ch lp, 3 ch, 1 dc in next 3 ch lp, sl st to 1st tr, **turn**.

3rd row: 3 ch, (3 tr in next 3 ch lp, 1 tr in each of next 3 tr) rep to last 3 ch lp, 3 tr in last 3 ch lp, 1 tr in each of last 2 tr, sl st to 1st tr, **turn**.

4th row: 3 ch, 1 tr in each of next 2 tr, (3 ch, miss 1 tr, 1 dc in next tr, 3 ch, miss 1 tr, 1 tr in each of next 3 tr) rep to last 3 tr, 3 ch, miss 1 tr, 1 dc in next tr, 3 ch, sl st to 1st tr, **turn**.

5th row: 3 ch, (1 dc in next 3 ch lp, 3 ch, 1 dc in next 3 ch lp, 1 tr in each of next 3 tr) rep to last two 3 ch

lps, 1 dc in next 3 ch lp, 3 ch, 1 dc in next 3 ch lp, 1 tr in each of next 2 tr, sl st to 1st tr, **turn**.

6th row: 3 ch, 1 tr in each of next 2 tr, (3 tr in next 3 ch lp, 1 tr in each of next 3 tr) rep to last 3 ch lp, 3 tr in last 3 ch lp, sl st to 1st tr, **turn**.

Rep last 6 rows inclusive. Cont in patt **but** inc 1 tr in each tr panel by working 2 tr in centre tr of each panel on next and every foll 4th row until there are 8 trs in each tr panel. Work 2 more rows and fasten off.

NECK EDGING:

Right side facing, join yarn to 1st ch of foundation ch, 4 ch, (miss 1 ch, 1 tr in next ch, 1 ch) rep to end, sl st to 3rd ch of 4 ch.

Next rnd: 2 ch, 2 dc in each ch sp to end, sl st to 1st dc and fasten off.

TO FINISH OFF:

Press lightly on wrong side. With hook and yarn double, make a ch 91.5 cm (36 in.) long and thread through Neck. Make 2 small Pom Poms and attach to ends of ch. Tie at Front.

TO FRINGE:

Cut 3 lengths of yarn 13 cm (5 in.) long and make a tassel in each 3 ch lp and every 2nd tr.

Materials:

VILLAWOOL BABY WOOL (3 PLY)
(100% machine washable shrinkproof wool)

25g balls 16

or

STARLITE BABY BRI-NYLON (3 PLY)
(100% machine washable Bri-Nylon)

25g balls 16

or

CAROUSEL BABY YARN (3 PLY)
(100% machine washable acrylic)
Nos. 4.00 (No. 8), 3.50 (No. 9) Aero Crochet Hooks.

20g balls 15

MEASUREMENTS:

Approx 127 cm (50 in.) in diameter.

TENSION: 6 tr to 2.5 cm (1 in.) on No. 3.50 hook or hook size to give correct tension.

NOTES:

1 shell = (3 tr 2 ch 3 tr) in 2 ch sp of shell.

inc shell = (3 tr 2 ch 3 tr 2 ch 3 tr) in 2 ch sp.

pc = picot: 4 ch, 1 dc back into 1st ch.

With No. 3.50 hook, make 3 ch, join with sl st to form circle.

1st rnd: 3 ch, 2 tr, (2 ch, 3 tr) 3 times in circle, join with h tr to 3rd ch of 3 ch.

2nd rnd: 3 ch, 2 tr over h tr of prev rnd, (2 ch, 1 shell) 3 times, 2 ch, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

3rd rnd: 3 ch, 2 tr over h tr of prev rnd, (2 ch 3 tr in next sp, 2 ch, 1 shell) 3 times, 2 ch, 3 tr in next sp, 2 ch, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

4th and inc rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 3 tr, 1 tr in next sp, 2 ch, inc shell) 3 times, 2 ch, 1 tr in next sp, 1 tr in each of next 3 tr, 1 tr in next sp, 2 ch, 1 shell in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

5th rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 5 tr, 1 tr in next sp, 2 ch, 1 shell, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

6th rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 7 tr, 1 tr in next sp, 2 ch, 1 shell, 2 ch, 1 shell) 3 times, 2 ch, 1 tr in next sp, 1 tr in each of next 7 tr, 1 tr in next sp, 2 ch, 1 shell, 2 ch, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

7th rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 9 tr, 1 tr in next sp, 2 ch, inc shell, 2 ch, inc shell) 3 times, 2 ch, 1 tr in next sp, 1 tr in each of next 9 tr, 1 tr in next sp, 2 ch, inc shell, 2 ch, 1 shell in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

8th rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 11 tr, 1 tr in next sp, 2 ch, 1 shell

twice, miss 2 ch, 1 shell twice) 3 times, 2 ch, 1 tr in next sp, 1 tr in each of next 11 tr, 1 tr in next sp, 2 ch, 1 shell twice, miss 2 ch, 1 shell, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

9th rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 13 tr, 1 tr in next sp, 2 ch, 1 shell 4 times) 3 times, 2 ch, 1 tr in next sp, 1 tr in each of next 13 tr, 1 tr in next sp, 2 ch, 1 shell 3 times, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

10th and 11th rnds: As 9th rnd but working 2 tr more in each of tr panels.

12th rnd: 3 ch, 2 tr over h tr, (2 ch, 1 tr in next sp, 1 tr in each of next 19 tr, 1 tr in next sp, 2 ch, 1 shell, inc shell in each of next 2 ch sps, 1 shell) 3 times. Work 4 rnds making a shell in each 2 ch sp of shell and working 2 more tr in each of tr panels.

17th rnd: As 12th rnd but work 2 inc shells in 2 centre shells of each shell panel and work 2 more tr in each tr panel.

Rep last 5 rnds until tr panel has been increased to 73 tr. Work should measure 41 cm (16 in.), length can be increased at this point by working extra rnds as before. Change to No. 4.00 hook and proceed as follows:

Next rnd: 3 ch, 2 tr over h tr, 1 shell in first and every 6th tr of tr panel and 1 shell in every shell to end working 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

Next rnd: 3 ch, 2 tr over h tr, (1 ch, 1 shell) rep ending 1 ch, 3 tr in same place as 2 tr, join with h tr to 3rd ch of 3 ch.

Rep last rnd 10 times.

Next rnd: 4 ch, 3 d tr over h tr, 4 d tr, 1 pc, 4 d tr in every shell to end, 3 d tr, 1 pc in same place as 3 d tr, sl st to 4th ch of 4 ch, fasten off.

VILLAWOOL

*The more you wash it,
the better it looks*

(Illustrated Page 4)

Materials:

VILLAWOOL BABY WOOL (3 PLY)

(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY)

(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY)

(100% machine washable acrylic)

No. 2.50 (No. 12), No. 3.00 (No. 10) Aero Crochet Hooks.

3 Small Astor Buttons.

MEASUREMENTS:

	cm	45	50	55
Actual garment size	in.	18	20	22
Length from centre Back Neck		28	30.5	33
		11	12	13
Sleeve seam		14	14.5	15
		5½	5¾	6

TENSIONS: 12 tr and 6 rows of tr to 5 cm (2 in.) on No. 3.00 hook on Yoke or hook size to give correct tension. (1 pc shell, 1 V st) twice to 6.5 cm (2½ in.) and 4 rows of patt to 4 cm (1½ in.) on No. 3.00 hook on 3rd patt row or hook size to give correct tension.

NOTES: (1 dc 2 ch) at beg of a row stands for 1 tr and always work the last st on next row into top ch of (1 dc 2 ch).

4 ch at beg of row stands for (1 tr and 1 ch).

pc = popcorn: (yoh, insert hook in next ch or sp, yoh and draw through) 3 times in same place, yoh and draw through 6 lps on hook, yoh and draw through rem 2 lps on hook.

pc shell or **pc fan** = **popcorn shell** or **popcorn fan**: (1 pc, 2 ch) twice or 3 times for pc fan, then 1 pc all in same place.

V st = (1 tr, 1 ch, 1 tr) in same place.

YOKE: Beg at Neck edge. With No. 3.00 hook, make 65, (69 : 73) ch.

1st row: (wrong side) (1 dc 2 ch) in 2nd ch from hook, 1 tr in each of next 4, (3 : 2) ch, inc 1 tr, (1 tr in each of next 5 ch, inc 1 tr) 9, (10 : 11) times, 1 tr in each of last 4, (3 : 2) ch (74 : 79 : 84 tr).

2nd row: (1 dc 2 ch) in 1st tr, 1 tr in each tr to end, at same time inc 1 tr in 2nd tr of each prev inc (10 : 11 : 12 tr inc).

Rep last row 6 times (144 : 156 : 168 tr).

Next row: 1 ch, 1 dc in each of first 22, (25 : 28) tr, make 10 ch for underarm, miss 28 tr for Sleeve, 1 dc in each of next 44, (50 : 56) tr, make 10 ch for other underarm, miss next 28 tr for other Sleeve, 1 dc in each of last 22, (25 : 28) tr, **turn**, (108 : 120 : 132 sts for body).

Proceed for patt as follows:

1st row: (1 dc 2 ch 1 tr) in 1st st, miss 1 st, 1 pc shell in next st, (miss 2 sts, 1 Vst in next st, miss 2 sts, 1 pc shell in next st) rep to last 3 sts, miss 2 sts, 2 tr in last st (18 : 20 : 22 pc shells).

****2nd row:** 4 ch, 2 tr in 1st tr, 1 Vst in top of centre pc of next pc shell, *(2 tr, 1 ch, 1 tr, 1 ch, 2 tr) in sp of next V st, 1 Vst in top of centre pc of next pc shell*, rep from * to * to last 2 tr, (2 tr, 1 ch, 1 tr) in last tr.

3rd row: (1 dc 2 ch 1 tr) in 1st tr, 1 pc shell in sp of next Vst, (miss 2 tr, 1 Vst in next tr, miss 2 tr, 1 pc shell in sp of next Vst) rep ending with 1 pc shell in last Vst, miss 2 tr, 2 tr in 3rd ch of 4 ch**.

Rep last 2 rows until 18 cm (7 in.), then work 2nd row of patt once.

Next row: Work as 3rd row of patt but working 1 pc fan instead of 1 pc shell each time.

Next row: 4 ch, 2 tr in 1st tr, (1 tr 2 ch 1 tr) in centre sp of next pc fan, *(2 tr, 1 ch, 1 tr, 1 ch, 2 tr) in sp of next Vst, (1 tr 2 ch 1 tr) in centre sp of next pc fan*, rep from * to * to last 2 tr, (2 tr, 1 ch, 1 tr) in last tr. Rep last 2 rows until 26, (28.5 : 31) cm (10¼ : 11¼ : 12¼ in.) from centre Back Neck or length req, then work 1 row more ending on pc fan row, fasten off.

Ret to 10 ch at underarm, with right side facing, No. 3.00 hook, join yarn to centre ch of 10 ch, **proceed for Sleeve as follows:**—

1st rnd: 4 ch, 1 tr in same ch as join, miss 3 sts, 1 pc shell in next st, (miss 2 sts, 1 Vst in next st, miss 2 sts, 1 pc shell in next st) rep to last 3 sts, sl st to 3rd ch of 4ch, then in next 1 ch sp, **turn**, (6 pc shells).

2nd rnd: (4 ch, 2 tr) in same sp as sl st, 1 Vst in top

of centre pc of next pc shell, *(2 tr, 1 ch, 1 tr, 1 ch, 2 tr) in sp of next Vst, 1 Vst in top of centre pc of next pc shell*, rep from * to * to end, (2 tr, 1 ch) in same sp as 4 ch, sl st to 3rd ch of 4ch, **turn**.

3rd rnd: 4 ch, 1 tr in same ch as sl st, 1 pc shell in sp of next Vst, (miss 2 tr, 1 Vst in next tr, miss 2 tr, 1 pc shell in sp of next Vst) rep to end, sl st to 3rd ch of 4 ch, then in next 1 ch sp, **turn**.

Rep last 2 rnds until Sleeve measures 13, (14 : 15) cm (5 : 5½ : 6 in.) or length req ending on pc shell rnd, **turn**.

Next rnd: 1 ch, 1 dc in 2nd tr of 1st Vst, work 1 dc in top of each pc and in each sp between pcs except 2nd pc on each pc shell and work 1 dc in each tr of each Vst (36 dc), sl st to 1st dc, **turn**.

Work 4 rnds more in dc, fasten off.

Work other Sleeve same.

HOOD: With right side facing, No. 3.00 hook, join yarn to 1st st on Right Front Neck corner, 1 ch, working into base of each tr, work 1 dc in each tr round Neck to end, **turn**, (64 : 68 : 72 dc).

Next row: (1 dc 2 ch) in 1st dc, 1 tr in each dc to end, at same time evenly inc 4 tr (68 : 72 : 76 tr).

Cont in tr without inc until Hood measures 14, (14 : 15) cm (5½ : 5½ : 6 in.), fasten off. Neatly and securely sew up top edge of Hood.

CUFF FOR HOOD: Right side facing, No. 3.00 hook, join yarn to base of Hood at right front edge, 1 ch, evenly and neatly work 64, (64 : 71) dc on front edge of Hood, **turn**.

1st row: (1 dc 2 ch 1 tr) in 1st dc, miss 3 dc, 1 pc shell in next dc, (miss 2 dc, 1 Vst in next dc, miss 3 dc, 1 pc shell in next dc) rep to last 3 dc, 2 tr in last dc (9 : 9 : 10 pc shells). Work from ** to ** of Body twice, fasten off.

With right side of Cuff facing, No. 2.50 hook, join yarn to 1st st of Cuff, 1 ch, 1 dc in each st of each pc shell and each Vst at same time work (1 dc, 3 ch, sl st to prev dc) instead of dc in top of centre pc of each pc shell, fasten off.

TO MAKE UP: Lightly press on wrong side.

RIGHT FRONT BAND: Right side facing, No. 2.50 hook, join yarn to lower edge, 1 ch, evenly work in dc to top edge, **turn**. Work 1 row more in dc.

Mark off 3 Buttonhole positions: 1st one at lower edge of Yoke, 3rd one at 2 dc below Neck edge, 2nd one evenly spaced between.

To make Buttonhole: 2 ch, miss 2 dc. On next row

Design 10

Layette

(See Page 16)



work 2 dc in each 2 ch sp.
Making Buttonholes on next row, work 2 rows more in dc, fasten off.
LEFT FRONT BAND: Beg at top edge of left front and omitting making Buttonholes, work 4 rows in dc, then cont to work **Trimming for all edges as follows:** 1 ch, 1 dc in each dc to lower edge, 3 dc in corner, work 4 dc on lower edge of Front Band, work 1 dc in each st of each pc fan and each Vst **at same time** work (1 dc,

3 ch, sl st to prev dc, 1 dc) in centre sp of each pc fan on lower edge, work 4 dc on lower edge of Front Band, 3 dc in corner, 1 dc in each dc to top edge of Right Front, fasten off.
TO FINISH OFF: Turn Cuff on Hood to right side and neatly attach into position. Sew on Buttons. Make a twisted cord 94 cm (37 in.) long or length req for Tie. Thread Cord through sps between trs evenly round neck and tie at front.

3 Ply Instructions

ANGEL TOP WITH SHORT OR LONG SLEEVES

Design 7

(Illustrated Page 4, top)

Materials:

VILLAWOOL BABY WOOL (3 PLY)
(100% machine washable shrinkproof wool)

Short Sleeves
Long Sleeves

or
STARLITE BABY BRI-NYLON (3 PLY)
(100% machine washable Bri-Nylon)

Short Sleeves
Long Sleeves

or
CAROUSEL BABY YARN (3 PLY)
(100% machine washable acrylic)

Short Sleeves
Long Sleeves

No. 2.50 (No. 12), No. 3.00 (No. 10) Aero Crochet Hooks.
3 Small Astor Buttons.

MEASUREMENTS:

Actual garment size

Length from Shoulder

Sleeve seam: **Short**

Long

SIZES	cm	40	45	50
	in.	16	18	20

25g balls				
		4	4	5
		4	5	6

25g balls				
		4	4	5
		4	5	6

20g balls				
		3	4	5
		4	5	6

cm	45	50	55
in.	18	20	22
	28	30.5	33
	11	12	13
	4.5	4.5	4.5
	1¾	1¾	1¾
	14	15	16.5
	5½	6	6½

TENSION: 13 tr to 5 cm (2 in.) and 6 rows of tr to 4.5 cm (1¾ in.) on No. 2.50 hook or hook size to give correct tension.

NOTES: (1 dc 2 ch) at beg of tr row stands for 1 tr and always work the last st on next row into top ch of (1 dc 2 ch).

shell = (2 tr 2 ch 2 tr) in same place.

V st = (1 tr 2 ch 1 tr) in same place.

pc shell = popcorn shell: * (yoh, insert hook, yoh and draw through) 3 times in sp, yoh and draw through all lps on hook — 1 pc is made, 3 ch *, rep from * to * once, then work 1 pc as before, 1 ch to fasten. These 3 pc and 2 lps form 1 pc shell.

YOKE:

Beg at Neck and worked in one piece. With No. 2.50 hook, make 61, (65 : 69) ch.

1st row: (1 dc 2 ch) in 2nd ch from hook, 1 tr in each of next 5, (4 : 3) ch, inc 1 tr in next ch, (1 tr in each of next 5 ch, inc 1 tr in next ch) 8, (9 : 10) times, 1 tr in each of last 5, (4 : 3) ch (69 : 74 : 79 tr).

2nd row: (1 dc 2 ch) in 1st tr, 1 tr in each tr to end **at same time** inc 1 tr in 2nd tr of each prev inc (9 : 10 : 11 tr inc).

Rep last row 6 times (132 : 144 : 156 tr and 8 rows of tr have been worked).

Next row: 1 ch, 1 dc in 1st tr, (miss 2 tr, 1 shell in next tr, miss 2 tr, 1 dc in next tr) rep ending with miss 1 tr and 1 dc in last tr (22 : 24 : 26 shells).

Next row: 4 ch, (1 shell in sp of next shell, 1 Vst in dc between shells) rep to last shell, 1 shell in sp of last shell, 1 d tr in last dc.

Next row: 4 ch, (1 shell in sp of next shell, 1 Vst in sp of next Vst) rep to last shell, 1 shell in sp of last shell, 1 d tr in 4th ch of 4 ch (43 : 47 : 51 ch sps).

Proceed for Body as follows:—

1st rnd: (right side) 3 ch, 1 pc shell in each of next 7, (8 : 9) ch sps, make 10 ch (all sizes) for underarm, miss next 7 ch sps (all sizes) for Sleeve, 1 pc shell in each of next 15, (17 : 19) ch sps, make 10 ch for other underarm, miss next 7 ch sps for other Sleeve, 1 pc shell in each of last 7, (8 : 9) ch sps, sl st to top of 3 ch, **turn**.

2nd rnd: 3 ch, * (2 ch, 1 dc in 1st lp of pc shell, 2 ch, 1 dc in 2nd lp of same pc shell, 2 ch, 1 tr in sp before next pc shell) rep to 1 pc shell before 10 ch for underarm, 2 ch, 1 dc in 1st lp of next pc shell, 2 ch, 1 dc in 2nd lp of same pc shell, 2 ch, 1 tr in 1st ch of 10 ch, (2 ch, miss 2 ch, 1 tr in next ch) 3 times *, rep from * to * once, (2 ch, 1 dc in 1st lp of pc shell, 2 ch, 1 dc in 2nd lp of same pc shell, 2 ch 1 tr in sp before next pc shell)

rep to end **but** omitting the tr in last rep, sl st to 3rd ch of 5 ch, **turn**.

3rd rnd: 2 ch, 1 pc shell in each of the centre ch sps between 2 dc **at same time** work 1 pc shell in centre ch sp at each underarm, sl st to top of 2 ch, **turn**.

4th rnd: 3 ch, (2 ch, 1 dc in 1st lp of pc shell, 2 ch, 1 dc in 2nd lp of same pc shell, 2 ch, 1 tr in sp before next pc shell) rep omitting the tr in last rep, sl st to 3rd ch of 5 ch, **turn**.

Rep last 2 rnds inclusive for patt. Work 6 more rnds. Change to No. 3.00 hook. Cont in patt until 28, (30.5 : 33) cm (11 : 12 : 13 in.) from Shoulder or length req ending on pc shell rnd, fasten off.

SLEEVES:

Right side facing, No. 2.50 hook, join yarn to base of 1st of the 4 tr at underarm, 2 ch, 1 pc shell in centre 2 ch sp of three 2 ch sps, sl st to base of pc shell at underarm, 1 pc shell in each of next 7 ch sps for Sleeve, sl st to base of pc shell at underarm then top of 2 ch, **turn**.

Cont on these 8 pc shell. Rep 4th and 3rd rnds of Body twice for **Short Sleeves**, or cont until 14, (15 : 16.5) cm (5½ : 6 : 6½ in.) from underarm or length req for **Long Sleeves** ending on pc shell rnd, fasten off.

Work the same for other Sleeve.

TO MAKE UP:

Lightly press on wrong side.

BUTTONBAND:

Right side facing, No. 2.50 hook, join yarn to lower end of Left Back Opening, work 3 rows of dc on Left Back opening edge, then cont to work in dc round Neck and on Right Back opening edge **at same time** work (1 dc 2 ch 1 dc) at each of outer corners, fasten off. Evenly make 3 Buttonlips on Right Back opening edge by working (5 ch, sl st in next dc), fasten off.

Sew on Buttons.

(Illustrated Page 24, top)

Materials:

VILLAWOOL 5 PLY

(100% machine washable shrinkproof wool)

or

CAROUSEL 5 PLY

(100% machine washable acrylic)

No. 3.00 (No. 10), No. 3.50 (No. 9) Aero Crochet Hooks.
Ribbon. 1 Astor Button.

MEASUREMENTS:

Actual garment size

Length from Centre Back Neck

Sleeve seam

SIZES	cm	40	45	50
	in.	16	18	20
25g balls		5	6	7
20g balls		5	6	6

cm	45	50	55
in.	18	20	22
	26.5	28	29
	10½	11	11½
	14	15	16.5
	5½	6	6½

TENSIONS: 10 tr and 5 rows of tr to 5 cm (2 in.) on No. 3.50 hook or hook size to give correct tension.

(1 tr, 1 shell) twice to 6 cm (2¼ in.) and 4 rows of patt to 5 cm (2 in.) on No. 3.50 hook or hook size to give correct tension.

NOTES: (1 dc 2 ch) at beg of row stands for 1 tr, and always work the last st on next row into top ch of (1 dc 2 ch).

0 means work no sts for particular size.

shell = (2 tr 2 ch 2 tr) in same place.

BACK YOKE: With No. 3.50 hook, make 46, (51 : 56) ch.
1st row: (right side) (1 dc 2 ch) in 2nd ch from hook, 1 tr in each ch to end (45 : 50 : 55 tr).

2nd row: (1 dc 2 ch) in 1st tr, 1 tr in each tr to end.

Shape Armholes:

1st row: Sl st in each of first 2, (3 : 4) tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to last 4, (5 : 6) tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.

2nd row: Sl st in each of next 1 dc and 1 h tr, (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

3rd row: (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr (33 : 36 : 39 tr rem).
Work 5 rows more in tr without dec.

Shape Shoulders and Neck:

Next row: (1 dc 2 ch) in 1st tr, 1 tr in each of next 8, (9 : 10) tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.

Next row: Sl st in each of next 1 dc and 1 h tr, (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to last 5 tr, 1 h tr in each of next 2 tr, 1 dc in each of next 2 tr, sl st in last tr, fasten off.

Miss centre 9, (10 : 11) tr, join yarn to next tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to end.

Next row: Sl st in first tr, 1 dc in each of next 2 tr, 1 h tr in each of next 2 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr, fasten off.

LEFT FRONT YOKE: With No. 3.50 hook, make 22, (24 : 27) ch. Work 2 rows in tr as Back (21 : 23 : 26 tr).

Shape Armhole and Front:

1st row: Sl st in each of first 2, (3 : 4) tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

Cont in tr and dec 1 tr at **Front edge** on next 6 rows at same time dec 1 tr at Armhole edge on next 2, (2 : 3) rows. Cont on rem 8, (9 : 10) tr, work until 9 rows in Armhole without dec.

Shape Shoulder:

Next row: (1 dc 2 ch) in 1st tr, 1 tr in each tr to last 5 tr, 1 h tr in each of next 2 tr, 1 dc in each of next 2 tr, sl st in last tr, fasten off.

RIGHT FRONT YOKE: Work as Left Front Yoke until 2 rows of tr have been worked.

Shape Front and Armhole:

1st row: (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to last 4, (5 : 6) tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.

2nd row: Sl st in each of next 1 dc and 1 h tr, (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

Cont in tr and dec 1 tr at **Front edge** on next 5 rows at same time dec 1 tr at **Armhole edge** on next 1, (1 : 2) rows. Cont on rem 8, (9 : 10) tr, work until 9 rows in Armhole without dec.

Shape Shoulder:

Next row: Sl st in 1st tr, 1 dc in each of next 2 tr, 1 h tr in each of next 2 tr, 1 tr in each tr to end, fasten off.

SKIRT: With flat seam neatly sew up Shoulders and side seams (87 : 96 : 107 sts round Chest). Right side facing, No. 3.50 hook, join yarn to Left Front lower edge, proceed as follows:—

1st row: (1 dc 2 ch) in same place as join, 1 shell in next st, miss 0, (1 : 0) st, 1 tr in next st, (miss 1 st, 1 shell in next st, miss 1 st, 1 tr in next st) rep to end (22 : 24 : 27 shells).

2nd row: (1 dc 2 ch) in 1st tr, (1 shell in centre sp of shell, 1 tr in next single tr) rep to end.

3rd row: As 2nd row.

4th row: (1 dc 2 ch) in 1st tr, * (3 tr, 2 ch, 3 tr) in centre sp of shell, 1 tr in next single tr *, rep from * to * to end.

Rep last row until work measures 26.5, (28 : 29) cm (10½ : 11 : 11½ in.) from centre Back Neck or length req ending on right side, fasten off.

SLEEVES: With No. 3.00 hook, make 29, (31 : 33) ch.
1st row: (right side) 1 dc in 2nd ch from hook, 1 dc in each ch to end (28 : 30 : 32 dc).

Work 4 rows more in dc. Change to No. 3.50 hook.

Next row: (1 dc 2 ch) in 1st dc, 1 tr in each dc to end. Cont in tr. Inc 1 tr in 2nd tr from each end on every 3rd row until 34, (36 : 38) tr. Cont until Sleeves measure 14, (15 : 16.5) cm (5½ : 6 : 6½ in.) or length req.

Next row: Sl st in each of first 2, (3 : 4) tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to last 4, (5 : 6) tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.

Next row: Sl st in each of next 1 dc and 1 h tr, (1 dc 2 ch) in next tr, dec 1 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

Cont to dec 1 tr each end of next 3 rows.


Next row: * 1 ch, 1 dc in 2nd tr, 1 h tr in next tr, 1 tr in each tr to last 3 tr, 1 h tr in next tr, 1 dc in next tr, sl st in last tr.

Next row: Sl st in each of next 1 dc and 1 h tr, work from * to * of last row, fasten off.

LEFT FRONT BAND: With No. 3.00 hook, make 6 ch. Work in dc until work slightly stretched fits to centre Back Neck at same time for Boy make Buttonhole at beg of Front shaping on left side row by working 1 ch, 1 dc in 1st dc, 2 ch, miss 2 dc, 1 dc in each of last 2 dc, fasten off.

RIGHT FRONT BAND: Work as Left Front Band but for Girl make Buttonhole at beg of Front shaping on right side row by working 1 ch 1 dc in each of first 2 dc, 2 ch, miss 2 dc, 1 dc in last dc, fasten off.

TO FINISH OFF: Set Sleeves into Armholes. With flat seam neatly join Bands tog. Matching seam to centre Back Neck, neatly attach Band to Fronts and round Neck edge. Sew on Button. Thread Ribbon through sps round chest and tie at Front.



Design 14

Shoettes

(See Page 23)

Design 13

Bootees

(See Page 22)



(Illustrated Page 20)

Materials:

VILLAWOOL 4 PLY

(100% machine washable shrinkproof wool)

Jacket

Bonnet

or CAROUSEL 4 PLY

(100% machine washable acrylic)

Jacket

Bonnet

No. 3.00 (No. 10) Aero Crochet Hook.

3 Astor Buttons. Ribbon.

MEASUREMENTS:

Jacket: To fit Chest

Length from Shoulder

Sleeve seam

Bonnet: Width round Face

25g balls

4

1

20g balls

4

1

cm 48 to 50

in. 19 to 20

23

9

14

5½

31

12¼

TENSION: 11 tr and 5 rows to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: 3 ch at beg of row on Yoke stands for 1 tr.

JACKET

Beg at Neck edge. With hook make 64 ch.

Foundation row: 1 tr in 6th ch from hook, (1 ch, miss 1 ch, 1 tr in next ch) rep to end (30 sps).

Shape Yoke as follows:

1st row: (right side) 3 ch, 1 tr in first tr, 2 tr in first sp, (1 tr in next tr, 2 tr in next sp) rep to last tr and 6 ch, 1 tr in last tr, 2 tr in sp formed by turning ch, 2 tr in 4th of 6 ch (93 tr).

2nd row: 4 ch, 1 tr in 3rd tr, (1 ch, miss 1 tr, 1 tr in next tr) rep to last tr and 3 ch, 1 ch, miss last tr, 1 tr in top of 3 ch (46 sps).

3rd row: As 1st row, but working last 2 tr in 3rd of 4 ch (141 tr).

4th row: As 2nd row (70 sps).

5th row: 3 ch, 2 tr in first sp, 1 tr in next tr, (2 tr in next sp, 1 tr in next tr, 1 tr in next sp, 1 tr in next tr) rep to 4 ch, 2 tr in 4 ch lp, 1 tr in 3rd of 4 ch (177 tr).

6th row: As 2nd row (88 sps).

Work in patt for Skirt and Divide for Armholes as follows:

1st row: 3 ch, 1 dc in 2nd tr, * 3 ch, 1 dc in next tr *, rep from * to * 11 times more, make 9 ch loosely, miss 18 sps, 1 dc in next tr, rep from * to * 26 times more, make 9 ch loosely, miss 18 sps, 1 dc in next tr, rep from * to * to turning ch, 3 ch, 1 dc in 3rd of turning ch.

2nd row: 3 ch, 1 dc in first 3 ch sp, * 5 tr in next 3 ch sp, 1 dc in next 3 ch sp, 3 ch, 1 dc in next 3 ch sp *, rep from * to * 3 times more, 5 tr in first of 9 ch, ** miss 2 ch, 1 dc in next ch, 3 ch, miss 1 ch, 1 dc in next ch, miss 2 ch, 5 tr in next ch **, 1 dc in next 3 ch sp, 3 ch, 1 dc in next 3 ch sp, rep from * to * 8 times more, 5 tr in first of 9 ch, rep from ** to ** once more, 1 dc in next 3 ch sp, 3 ch, 1 dc in next 3 ch sp, rep from * to * 3 times more, 5 tr in next 3 ch sp, 1 dc 2 ch 1 dc in last 3 ch sp (20-5 tr shells).

3rd row: 3 ch, 1 dc in 2nd tr of first shell, 3 ch, 1 dc in 4th tr of same shell, * 3 ch, 1 dc in 3 ch sp, 3 ch, 1 dc in 2nd tr of next shell, 3 ch, 1 dc in 4th tr of same shell, rep from * to turning ch, 3 ch, 1 dc in 2nd of turning ch.

4th row: 3 ch, 1 dc in first 3 ch sp, * 5 tr in next 3 ch sp, 1 dc in next 3 ch sp, 3 ch, 1 dc in next 3 ch sp, rep from * to last two 3 ch sps, 5 tr in next 3 ch sp, 1 dc 2 ch 1 dc in last 3 ch sp.

Rep 3rd and 4th rows until Skirt measures 15 cm (6 in.) from underarm ending on 4th patt row, fasten off.

Right side facing, join yarn to centre ch at underarm and work Sleeve as follows:

1st row: 2 ch, 1 dc in sp before shell, 3 ch, 1 dc in sp after shell, 3 ch, miss corner tr, 1 dc in first tr of Yoke, 3 ch, 1 dc in next tr, (3 ch, miss next tr, 1 dc in next tr, 3 ch, 1 dc in next tr) rep 4 times more, 3 ch, miss corner tr, 1 dc in sp before shell, 3 ch, 1 dc in sp after shell, 2 ch, 1 dc in first of 2 starting ch.

2nd row: 3 ch, 1 dc in 2nd sp, (5 tr in next 3 ch sp, 1 dc

in next 3 ch sp, 3 ch, 1 dc in next 3 ch sp) rep 3 times more, 5 tr in next 3 ch sp, 1 dc in next 3 ch sp, 3 ch, 1 dc in first of turning ch (5-5 tr shells).

Rep 3rd and 4th rows of patt as given for Skirt until Sleeve measures 14 cm (5½ in.) from underarm ending on 4th patt row. Break off yarn and fasten off. Work other Sleeve in same manner.

TO MAKE UP: Lightly press on wrong side. With a flat seam sew Sleeve seams. Press seams.

RIGHT FRONT EDGING: With hook, right side facing, join yarn at lower edge and work 2 ch, then 37 dc evenly along Front edge to Neck.

Next row: (making Buttonloops) 3 ch, 1 dc in 3rd dc, 1 dc in each of next 3 dc, (3 ch, miss 1 dc, 1 dc in each of next 4 dc) rep once more, 1 dc in each dc to 2 ch, 1 dc in top of 2 ch, fasten off.

LEFT FRONT EDGING: With hook, right side facing, join yarn at Neck edge, work 2 ch, then 37 dc evenly along Front edge to lower edge.

Next row: 2 ch, 1 dc in 2nd dc, 1 dc in each dc to 2 ch made at beg of prev row, 1 dc in top of 2 ch, fasten off.

TO FINISH OFF: Sew on Buttons to correspond with Buttonloops. Thread length of ribbon through sps round Neck.

BONNET

Beg at centre of Crown. With hook make 4 ch, sl st in first ch to form a circle.

Foundation rnd: 4 ch, (1 tr 1 ch) 11 times into circle, sl st in 3rd of 4 ch (12 sps).

Shape Crown:

1st rnd: Sl st in first ch sp, 3 ch, 1 tr in same sp, (2 tr in next ch sp) rep 10 times more, sl st in top of 3 ch.

2nd rnd: 4 ch, 1 tr in first tr, (1 ch, 1 tr in next tr) rep 21 times more, 1 ch, sl st in 3rd of 4 ch (24 sps).

3rd rnd: 3 ch, 1 dc in first tr, (3 ch, 1 dc in next tr) rep 21 times more, 3 ch, sl st in first of 3 ch made at beg of rnd, turn.

Cont working in rows instead of rnds.

Next row: 3 ch, 1 dc in first 3 ch sp, (5 tr in next 3 ch sp, 1 dc in next 3 ch sp, 3 ch, 1 dc in next 3 ch sp) rep 6 times more, 5 tr in next 3 ch sp, 1 dc 2 ch 1 dc in last 3 ch sp (8-5 tr shells). Place a marker at each end of last row.

Rep 3rd and 4th rows of patt as given for Skirt of Coat until Bonnet measures 14 cm (5½ in.) from centre of Crown ending on 4th patt row, **do not turn**.

Work edging along Neck edge as follows:

1st row: 2 ch, work 14 dc along first side of Neck edge to first marker, then 15 dc from second marker along second side of Neck edge.


2nd row: 2 ch, 1 dc in 2nd dc, 1 dc in each rem dc to 2 ch made at beg of prev row, 1 dc in top of 2 ch, fasten off.

TO MAKE UP: Lightly press on wrong side. Sew seam from markers to division at Crown. Press seam. Make Rosettes and attach to each side. Sew on ribbon.

Design 5

Shawl

(See Page 7)



Design 3

Dress, Bonnet
and Bootees

(See Page 5)



Materials:

VILLAWOOL 4 PLY 25g balls
(100% machine washable shrinkproof wool)

Dress	7	8
Matinee Jacket	5	6
Bootees and Bonnet	2	2

or

CAROUSEL 4 PLY 20g balls
(100% machine washable acrylic)

Dress	7	8
Matinee Jacket	5	6
Bootees and Bonnet	2	2

Nos. 3.50 (No. 9), 3.00 (No. 10), 2.50 (No. 12) Aero Crochet Hooks.
6 Astor Buttons. Ribbon.

MEASUREMENTS:

Dress				
To fit Chest	cm	40	45	
	in.	16	18	
Length from Shoulder		33	35.5	
		13	14	
Sleeve seam		5	5	
		2	2	
Jacket				
To fit Chest		40	45	
		16	18	
Length from Shoulder		25	28.5	
		9¾	11¼	
Sleeve seam		14	16.5	
		5½	6½	

TENSION: 11 h tr and 8 rows of h tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTES: (1 dc 1 ch) at beg of h tr row stands for 1 h tr and always work the last st on next row into top ch of (1 dc 1 ch).

3 ch at beg of patt row stands for 1 tr.

Shell = (2 tr 1 ch 2 tr) in same st.

DRESS

FRONT YOKE: With No. 3.00 hook, make 47, (53) ch.

1st row: (1 dc 1 ch) in 2nd ch from hook, 1 h tr in each ch to end (46 : 52 h tr).

2nd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to end. **

Shape Armholes:

Next row: Sl st in each of first 2 h tr, (1 dc 1 ch) in next h tr, 1 h tr in each h tr to last 2 h tr, **turn**.

Next row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to last h tr (1 h tr at each end has been dec).

Rep last row once (38 : 44 h tr). Work 4, (6) rows without shaping.

Shape Neck:

1st row: (1 dc 1 ch) in first h tr, 1 h tr in each of next 5, (7) h tr, 1 dc in each of next 2 h tr, sl st in next h tr, fasten off.

2nd row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to end.

3rd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to last h tr, **turn** (11 : 14 h tr rem).

Work 2 rows in patt.

Shape Shoulder:

Next row: (1 dc 1 ch) in first h tr, 1 h tr in each of next 5, (7) h tr, 1 dc in each of next 2 h tr, sl st in next h tr, fasten off.

Miss next 12 sts, join yarn in next h tr, (1 dc 1 ch) in same h tr as join, 1 h tr in each h tr to end.

Finish to correspond with other side reversing all shapings.

BACK YOKE: Work as Front Yoke to **.

Shape Armhole and Divide for Back Opening:

1st row: Sl st in each of first 2 h tr, (1 dc 1 ch) in next h tr, 1 h tr in each of next 20, (23) h tr, **turn**.

2nd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to last h tr, **turn**.

3rd row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to end.

Work 9, (11) rows more without shaping.

Shape Shoulder:

Sl st in each of first 3, (4) h tr, 1 dc in each of next 2 h tr, 1 h tr in each h tr to end, fasten off.

Join yarn to rem sts and finish to correspond with other side reversing shapings.

BACK SKIRT:

Right side facing, No. 3.50 hook, join yarn to first ch of foundation row of Back Yoke.

1st row: 3 ch, (shell in next ch, miss 1 ch) rep to last ch, 1 tr in last ch (22 : 25 shells).

2nd row: (1 dc 1 ch) in first tr, (shell in next ch sp) rep to 3 ch, 1 tr in top of 3 ch.

Rep 2nd row until work measures 23, (25.5) cm (9 : 10 in.) from beg of Skirt ending on right side, fasten off.

FRONT SKIRT:

Work same as Back Skirt.

SLEEVES: With No. 3.00 hook, make 38, (42) ch.

1st row: (1 dc 1 ch) in 2nd ch from hook, 1 h tr in each ch to end (37 : 41 h tr).

2nd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to end.

Rep 2nd row 3 times.

Shape Top:

Next row: Sl st in each of first 2 h tr, (1 dc 1 ch) in next h tr, 1 h tr in each h tr to last 2 h tr, **turn**.

Next row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to last h tr, **turn** (1 h tr at each end has been dec).

Dec 1 h tr at each end of every row until 19 h tr rem, fasten off.

TO MAKE UP: Lightly press on wrong side. Join side and Shoulder seams. Set in Sleeves. Press seams. With No. 2.50 hook, work 2 rows of dc around lower edge of each Sleeve, dec on first row to gather in.

Picot row: (3 ch, 1 dc back into first ch, 1 dc in each of next 3 dc) rep around edge, fasten off.

EDGING FOR NECK AND BACK OPENING:

With No. 2.50 hook, work 2 rows of dc around Neck edge and Back opening beg at lower edge of opening and making 3 Buttonloops on right side.

Next row: Work picot row as for Sleeves.

TO FINISH OFF: Sew on Buttons to correspond with Buttonloops and thread ribbon through Waist.

MATINEE JACKET

YOKE: Worked in one piece to underarm. With No. 3.00 hook, make 101, (107) ch.

1st row: (1 dc 1 ch) in 2nd ch from hook, 1 h tr in each ch to end (100 : 106 h tr).

2nd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to end.

Divide for Right Front:

3rd row: (1 dc 1 ch) in first h tr, 1 h tr in each of next 21, (22) h tr, **turn**.

Cont on these sts.

4th row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to end.

5th row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to last h tr, **turn**.

Rep 4th and 5th rows 2, (3) times, then 4th row once.

Shape Neck:

Next row: Sl st in each of first 3, (2) h tr, (1 dc 1 ch) in next h tr, 1 h tr in each h tr to last h tr, **turn**.

Cont in h tr, dec 1 h tr at each end of next 4 rows (3 h tr rem for both sizes).

Next row: (1 dc 1 ch) in 2nd h tr, 1 h tr in next h tr, fasten off.

BACK: Miss next 6, (6) h tr, join yarn to next h tr, (1 dc 1 ch) in same h tr as join, 1 h tr in each of next 43, (47) h tr, **turn**.

Next row: (1 dc 1 ch) in 2nd h tr, 1 h tr in each h tr to last h tr, **turn** (1 h tr at each end has been dec).

Rep last row until 18, (18) h tr rem, fasten off.

LEFT FRONT: Miss next 6, (6) h tr, join yarn to next st and work to correspond with Right Front reversing shapings.

SKIRT: With No. 3.00 hook and working along foundation ch of Yoke, right side facing, work as follows:

Foundation row: 3 ch, miss 1 ch, 1 shell in next ch, (miss 2 ch, 1 shell in next ch) rep to last ch, 1 tr in last ch (33 : 35 shells).

Patt row: (1 dc 1 ch) in first tr, (shell in next ch sp) rep to 3 ch, 1 tr in top of 3 ch.

Work in shell patt changing to No. 3.50 hook when Skirt measures 6.5 cm (2½ in.), then cont in patt until Skirt measures 15, (19) cm (6 : 7 in.) from beg ending on right side, fasten off.

SLEEVES: With No. 3.00 hook, make 32, (36) ch.

1st row: (1 dc 1 ch) in 2nd ch from hook, 1 h tr in each ch to end (31 : 35 h tr).

2nd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to end.

Cont in h tr. Inc 1 h tr in 2nd h tr from each end of next and foll 3rd row until 43, (47) h tr. Cont straight until side edge measures 13, (15) cm (5 : 6 in.) from beg ending on wrong side.

Shape Top:

Next row: Sl st in each of first 4 h tr, (1 dc 1 ch) in next h tr, 1 h tr in each h tr to last 4 h tr, **turn**.

Dec 1 h tr at each end of every row until 7, (7) h tr rem, fasten off.

TO MAKE UP: Lightly press on wrong side. Join Sleeve seams and sew in Sleeves. Press seams.

EDGING: With No. 2.50 hook, work 2 rows of dc along Front edges and round Neck making 3 Buttonloops on right side, then work picot row as for Sleeves of Dress. Work edging round each Sleeve drawing in as necessary.

TO FINISH OFF: Sew on Buttons to correspond with Buttonloops.

BOOTEES

With No. 3.00 hook, make 8, (10) ch.

1st row: (1 dc 1 ch) in 2nd ch from hook, 1 h tr in each ch to end (7 : 9 h tr).

2nd row: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to end.

Work 4 more rows in h tr, make 25, (27) ch for Ankle, sl st to first h tr of prev row.

Shape Sole:

1st rnd: 1 ch, (1 dc 1 ch) in same place as sl st, evenly work 9 h tr on side edge of h tr rows, 1 h tr in each of next 7, (9) foundation ch, evenly work 10 h tr on other side edge of h tr rows, 1 h tr in each of next 25, (27) ch for Ankle, sl st to first h tr, **turn**. Work 2 more rnds in h tr, turning at end of each rnd.

Next rnd: (1 dc 1 ch) in first h tr, 1 h tr in each h tr to end at same time dec 1 h tr at each side of Toes and work (dec 1 h tr) twice at centre back of Heel, sl st to first h tr, **turn**.

Rep last rnd twice, fasten off.

Ret to ch at Ankle, join yarn at centre back of Heel, 1 ch, 1 dc in each ch and h tr round Ankle, sl st to first dc, **turn** (32 : 36 dc).

Next rnd: 4 ch, 2 tr in same place as sl st, (miss 3 dc, 1 shell in next dc) rep to last 3 dc, miss 3 dc, 1 tr in same place as 4 ch, sl st to 3rd ch of 4 ch, then in next ch sp, **turn** (8 : 9 shells).

Next rnd: 4 ch, 2 tr in same place as 4 ch, 1 shell in ch sp of each shell to end, 1 tr in same place as 4 ch, sl st to 3rd ch of 4 ch, then in next ch sp, **turn**.

Rep last rnd 3 times, fasten off.

TO MAKE UP: Lightly press on wrong side. Sew seam and thread ribbon through sps of shells.

BONNET

Make Motif for back Basis: With No. 3.00 hook, make 4 ch, join with sl st to form circle.

1st rnd: 12 dc into circle, sl st in first dc.

2nd rnd: 3 ch, (1 tr, 1 d tr, 2 tr) in first dc, * 1 dc in next dc, (2 tr, 1 d tr, 2 tr) in next dc *, rep from * to * 4 times, 1 dc in next dc, fasten off.

Join yarn into any petal on motif and work as follows:

Next rnd: (3 ch, 1 tr, 1 ch, 2 tr) in petal, shell in 2nd tr of next petal, miss 1 tr, shell in next tr, shell in each of next 2 petals, 2 shells in next petal, shell in next petal, sl st in 3rd ch at beg, **turn** (8 shells).

Next rnd: Sl st in first ch sp, (3 ch, 1 tr, 1 ch, 2 tr) in sp, shell in each ch sp to end, inc by working a shell between second and third, fourth and fifth, sixth and seventh shells, sl st in 3rd ch at beg, **turn** (11 shells).

Next rnd: Sl st in first ch sp, patt to end, working shell between fourth and fifth, seventh and eighth shells, sl st in 3rd ch at beg, **turn** (13 shells).

Next rnd: Sl st in first ch sp, patt to end, working shell between second and third, third and fourth, tenth and eleventh, eleventh and twelfth shells, sl st in 3rd ch at beg, **turn** (17 shells).

Working in rows, proceed as follows:

Next row: 3 ch, patt to end, 1 tr in last tr.

Work 11 rows without shaping, fasten off.

TO FINISH OFF: Work 1 row of dc round lower edge of Bonnet to neaten. Lightly press on wrong side. Attach ribbon. Fold back Front as req.

(Illustrated Page 24)

FIRST BONNET:

Materials:

VILLAWOOL BABY WOOL (3 PLY)

(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY)

(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY)

(100% machine washable acrylic)

No. 2.50 (No. 12) and No. 3.00 (No. 10) Aero Crochet Hooks.

Ribbon.

MEASUREMENTS: To fit from birth to 3 months.

TENSION: 12 tr and 6 rows of tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTES: 3 ch at beg of rnd stands for 1 tr, and always work sl st to top ch of 3 ch at end to form rnd.

cl = cluster: leaving last lp of each tr on hook work 3 tr in same place, yoh and draw through 4 lps on hook.

2 tr tog = 2 treble together: leaving last lp of each tr on hook, work 1 tr in each of next 2 lps, yoh and draw through 3 lps on hook.

0 means work no stitches for particular size.

SIZES	cm	40	45	50
	in.	16	18	20
25g balls		1	1	1
25g balls		1	1	1
20g balls		1	1	1

Beg at centre top. With No. 3.00 hook, make 4 ch, sl st to 1st ch to form circle.

1st rnd: 3 ch, 9, (10 : 11) tr in circle, sl st to top ch of 3 ch.

2nd rnd: 3 ch, 1 tr in same place as joining sl st, 2 tr in each tr to end, sl st to top of 3 ch (20 : 22 : 24 tr).

3rd rnd: 3 ch, work 1 tr in each tr to end, **at same time** inc 1 tr in every 2nd tr, sl st to top of 3 ch.

Cont in rnds of tr until 6 rnds from beg, **at same time** evenly inc 10, (11 : 12) tr on every rnd (60 : 66 : 72 tr).

Proceed for patt as follows:

1st row: Sl st in each of first 2, (1 : 0) tr, * 1 dc in next tr, 3 ch, miss 3 tr, (1 cl, 2 ch, 1 cl) in next tr, 3 ch, miss 3 tr *, rep from * to * 6, (7 : 8) times more ending with 3 ch and miss 3, (3 : 2) tr, 1 dc in next tr, **turn**.

2nd row: 3 ch, 1 tr in next ch lp, * 3 ch, (1 dc, 3 ch, sl st in top of prev dc) twice and 1 dc all in sp between cls, 3 ch, 2 tr tog *, rep from * to * to last 2 cls, 3 ch, (1 dc 3 ch, sl st in top of prev dc) twice and 1 dc all in sp between cls, 3 ch, leaving last lp of each tr on hook work 1 tr in last ch lp and in last dc, yoh and draw through 2 lps on hook.

3rd row: 3 ch, 2 tr in 1st tr, (3 ch, 5 tr in top of 2 tr tog) rep ending with 3 tr in top of 3rd ch of 3 ch instead of 5 tr in top of 2 tr tog in last rep.

4th row: 3 ch, 1 tr in each tr and 3 tr in each ch lp to end.

Rep last 4 rows once, then rep 1st and 2nd rows once, then with No. 2.50 hook, cont to work in dc round Neck edge until 3 rows, fasten off.

Cut Ribbon and neatly attach to each front corner.

SECOND BONNET:

Materials:

VILLAWOOL BABY WOOL (3 PLY)

(100% machine washable shrinkproof wool)

Main Colour (MC)

Contrast Colour (CC)

or

STARLITE BABY BRI-NYLON (3 PLY)

(100% machine washable Bri-Nylon)

Main Colour (MC)

Contrast Colour (CC)

or

CAROUSEL BABY YARN (3 PLY)

(100% machine washable acrylic)

Main Colour (MC)

Contrast Colour (CC)

No. 2.50 (No. 12) and No. 3.00 (No. 10) Aero Crochet Hooks.

Ribbon.

MEASUREMENTS: To fit from birth to 3 months.

TENSION: 12 tr and 6 rows of tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTES: 3 ch at beg of rnd stands for 1 tr, and always work sl st to top of 3 ch at end to form rnd.

shell: work 1 tr and (1 ch, 1 tr) 4 times all in same place.

cl = cluster: leaving last lp of each tr on hook, work 1 tr in same tr as prev dc and in each of next 5 tr, yoh and draw through all lps on hook, 1 ch to fasten.

SIZES	cm	40	45	50
	in.	16	18	20
25g balls		1	1	1
25g balls		1	1	1
20g balls		1	1	1
		1	1	1
		1	1	1

Beg at Back. With MC and No. 3.00 hook, make 4 ch, sl st to 1st ch to form circle.

1st rnd: 3 ch, 9, (10 : 11) tr in circle, sl st to top of 3 ch.

2nd rnd: 3 ch, 1 tr in same place as joining sl st, 2 tr in each tr to end, sl st to top of 3 ch (20 : 22 : 24 tr).

3rd rnd: 3 ch, work 1 tr in each tr to end, **at same time** evenly inc 10, (11 : 12) tr, sl st to top of 3 ch.

Cont in rnds of tr until 6 rnds from beg, **at same time** evenly inc 10, (11 : 12) tr on every rnd (60 : 66 : 72 tr).

Proceed for patt as follows:

1st row: 1 ch, 1 dc in same tr as joining sl st, (miss 2 tr, 1 shell in next tr, miss 2 tr, 1 dc in next tr) rep ending with miss 1 tr and 1 dc in last tr (10 : 11 : 12 shells), break yarn.

2nd row: With CC, 3 ch, leaving last lp of each tr on hook work 1 tr in each of next 3 tr, yoh and draw through all lps on hook (half cl has ben worked), 3 ch, 1 dc in same tr as last st, * 3 ch, 1 cl, 3 ch, 1 dc in

same tr as last st *, rep from * to * ending with 1 dc in centre of last shell, 3 ch, 1 dc in same tr as last st, 3 ch, leaving last lp of each tr on hook work 1 tr in same tr as last dc and in each of last 3 tr, then yoh and draw through all lps on hook (half cl has been worked).

3rd row: 4 ch, (1 tr, 1 ch, 1 tr) in same place as 4 ch, 1 dc in the dc between cls, (1 shell in centre of cl, 1 dc in the dc between cls) rep to last half cl, (1 tr 1 ch) twice and 1 tr in 3rd ch of 3 ch, break yarn.

4th row: With MC, 1 ch, 1 dc in 1st tr, work from * to * of 2nd row ending with 1 dc in 3rd ch of 4 ch.

5th row: 1 ch, 1 dc in 1st dc, (1 shell in centre of cl, 1 dc in the dc between cls) rep ending with 1 dc in last dc, break yarn.

Rep last 4 rows twice, then with No. 2.50 hook cont to work evenly in dc round Neck edge until 3 rows, fasten off. Turn back 2.5 cm (1 in.) at Front for Cuff.

Cut Ribbon and neatly attach to each front corner.

FIRST HELMET:

Materials:

VILLAWOOL BABY WOOL (3 PLY)

(100% machine washable shrinkproof wool)

Main Colour (MC)

Second Contrast (C2)

or

STARLITE BABY BRI-NYLON (3 PLY)

(100% machine washable Bri-Nylon)

Main Colour (MC)

Second Contrast (C2)

or

CAROUSEL BABY YARN (3 PLY)

(100% machine washable acrylic)

Main Colour (MC)

Second Contrast (C2)

Small quantity of First Contrast (C1) for each yarn.

No. 2.50 (No. 12) and 3.00 (No. 10) Aero Crochet Hooks.

MEASUREMENTS: To fit from birth to 3 months.

TENSION: 12 tr and 6 rows of tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: 3 ch at beg of row or rnd stands for 1 tr.

SIZES	cm	40	45	50
	in.	16	18	20

25g balls

1	1	1
1	1	1

25g balls

1	1	1
1	1	1

20g balls

1	1	1
1	1	1

CENTRE PANEL: With MC, No. 3.00 hook, make 19, (21 : 23) ch.

1st row: (right side) (1 dc 2 ch) in 2nd ch from hook, 1 tr in each ch to end (18 : 20 : 22 tr).

2nd row: 3 ch, 1 tr in each tr to end, ending with 1 tr in top of (1 dc 2 ch).

3rd row: 3 ch, 1 tr in each tr to end, ending with 1 tr in top of 3 ch.

Cont in tr until work measures 23, (24 : 25.5) cm (9 : 9½ : 10 in.), fasten off.

SIDE PANEL: Make 2. With C1, No. 3.00 hook, make 4 ch, sl st to 1st ch to form circle.

1st rnd: 3 ch, 11 tr in circle, sl st to top of 3 ch.

2nd rnd: 3 ch, 1 tr in same place as sl st, 2 tr in next tr, (2 ch, 2 tr in each of next 2 tr) 5 times, 2 ch, sl st to top of 3 ch, break yarn.

3rd rnd: With C2, 3 ch, 1 tr in each of next 3 tr, (working in front of ch lp work 1 d tr in base of 2 tr of same gr of 2nd rnd, 2 ch, working in front of ch lp work 1 d tr in base of 2 tr of next gr of 2nd rnd, 1 tr in each of next 4 tr) rep ending with 1 d tr 2 ch 1 d tr, working as before, sl st to top of 3 ch.

4th rnd: 3 ch, 1 tr in each of next 3 tr and 1 d tr, * working over ch lp of last rnd work (1 d tr 2 ch 1 d tr) in ch lp of 2nd rnd, 1 tr in each of next 6 sts *, rep

from * to * 4 times, working over ch lp of last rnd work (1 d tr 2 ch 1 d tr) in last ch lp of 2nd rnd, 1 tr in next d tr, sl st to top of 3 ch. (There should be 6 grs of 8 sts), fasten off.

5th rnd: Join MC to a 2 ch sp, 4 ch, 1 tr in same sp as 4 ch, (2 tr in 1st st, 1 tr in each of next 6 sts, 2 tr in last st) over each gr of 8 sts, **at same time** work (1 tr 1 ch 1 tr) in each sp, sl st to 3rd ch of 4 ch, **fasten off for size 40 (16) only.**

For sizes 45 : 50 (18 : 20):

Next rnd: Sl st in 1st sp, 4 ch, 1 tr in same sp as 4 ch, * 2 tr in next tr, 1 tr in each tr to 1 tr before next sp, 2 tr in tr before sp, (1 tr 1 ch 1 tr) in next sp *, rep from * to * omitting (1 tr 1 ch 1 tr) in sp in last rep, sl st to 3rd ch of 4 ch.

For size 45 (18), fasten off, and **for size 50 (20),** rep last rnd once more and fasten off.

TO MAKE UP: Lightly press on wrong side of each Panel. With flat seam neatly join edges of Side Panels to side edges of centre Panel, leaving 1 and 2 halves free. With No. 2.50 hook, right side facing, join MC at centre Back on lower edge, 1 ch, evenly work in dc round all outer edges, sl st to 1st dc, fasten off. Make two twisted cords and attach to each Side panel in positions.

SECOND HELMET:

Materials:

VILLAWOOL BABY WOOL (3 PLY)

(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY)

(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY)

(100% machine washable acrylic)

No. 2.50 (No. 12) and No. 3.00 (No. 10) Aero Crochet Hooks.

MEASUREMENTS: To fit from birth to 3 months.

TENSION: 12 tr and 6 rows of tr to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: 3 ch at beg of row or rnd stands for 1 tr.

SIZES	cm	40	45	50
	in.	16	18	20

25g balls

1	1	1
---	---	---

25g balls

1	1	1
---	---	---

20g balls

1	1	1
---	---	---

Beg at centre top. With No. 3.00 hook, make 4 ch, sl st to 1st ch to form circle.

1st rnd: 3 ch, 9, (10 : 11) tr in circle, sl st to top of 3 ch, **turn.**

2nd rnd: 3 ch, 1 tr in same place as joining sl st, 2 tr in each tr to end, sl st to top of 3 ch, **turn.**

3rd rnd: 3 ch, work 1 tr in each tr to end, **at same time** inc 1 tr in every 2nd tr, sl st to top ch of 3 ch, **turn** (30 : 33 : 36 tr).

4th rnd: 3 ch, work 1 tr in each tr to end, **at same time** inc 1 tr in every 3rd tr, sl st to top ch of 3 ch, **turn.**

Cont in tr, turning at end of each rnd and inc 10, (11 : 12) tr on every rnd twice, then on every foll 2nd rnd twice more (80 : 88 : 96 tr) then cont in rnds of tr, turning at end of each rnd until 14, (15 : 16) rnds from beg, **turn.**

Shape Neck and ear:

**** 1st row:** 3 ch, * leaving last lp of each tr on hook

work 1 tr in each of next 3 tr, yoh and draw through all lps on hook *, 1 tr in each of next 18, (20 : 22) tr, rep from * to * once, 1 tr in next tr, **turn** (22 : 24 : 26 tr).

2nd row: Sl st in 2nd tr, 3 ch, dec 1 tr, 1 tr in each tr to last 4 tr, dec 1 tr, 1 tr in next tr, **turn** (4 tr have been dec).

Rep last row until 6, (4 : 6) tr rem, then dec 1 tr each end of next row **for sizes 40 : 50 (16 : 20) only ****, fasten off **for all sizes.** Miss centre Front 28, (32 : 36) tr from last st on 1st row of Neck and ear shaping, join yarn to next tr, then work from ** to **, then with No. 2.50 hook, cont to work in dc evenly on front edge of ear and forehead, then on front edge of other ear until 3 rows, then at end of 3rd row, do not break yarn but cont to work evenly in dc on lower edge of ears and round Neck, **at same time** work 3 dc at each corner, sl st to 1st dc, fasten off. Make two twisted cords and securely attach to lower edge of each ear.

Design 9

Jacket and
Bonnet

(See Page 13)



Materials:**VILLAWOOL 8 PLY**

(100% machine washable shrinkproof wool)

Main Colour (MC)

First Contrast (C1)

Second Contrast (C2)

25g balls

17

1

1

or

CAROUSEL 8 PLY

(100% machine washable acrylic)

Main Colour (MC)

First Contrast (C1)

Second Contrast (C2)

20g balls

17

1

1

No. 3.50 (No. 9), No. 4.00 (No. 8) Aero Crochet Hooks.

50 cm (20 in.) Aero Zipper.

MEASUREMENTS:

Garment size at underarm

cm 65

in. 26

Length from Shoulder

63

25

Sleeve seam

13

5

TENSION: 8½ tr and 4 rows of tr to 5 cm (2 in.) on No. 4.00 hook or hook size to give correct tension.**NOTES:** (1 dc 2 ch) at beg of tr row stands for 1 tr and always work last st in top ch of (1 dc 2 ch) at end of next row. 3 ch at beg of tr rnd stands for 1 tr.**BACK:** With No. 4.00 hook, MC, make 68 ch.**1st row:** (right side) (1 dc 2 ch) in 2nd ch from hook, 1 tr in each ch to end (67 tr).**2nd row:** (1 dc 2 ch) in 1st tr, 1 tr in each tr to end.

Cont in tr. Work 6 more rows.

Next row: (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

Cont to dec 1 tr each end in this way on every foll 6th row until 55 tr rem. Cont until work measures 52 cm (20½ in.) or length req ending on right side row. Drop lp from hook. Join MC from another ball at beg of prev row, make 20 ch, fasten off. Ret to dropped lp, and proceed for Sleeves as follows:

Next row: Make 21 ch, (1 dc 2 ch) in 2nd ch from hook, 1 tr in each ch and tr to end (95 tr).

Work 6 more rows in tr.

Shape Neck:**Next row:** (1 dc 2 ch) in 1st tr, 1 tr in each of next 36 tr, dec 1 tr, 1 tr in next tr, **turn** (39 tr).**Next row:** (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to end (38 tr rem), fasten off.

Miss centre 15 tr, join MC to next tr, (1 dc 2 ch) in same tr as join, dec 1 tr, 1 tr in each tr to end.

Next row: (1 dc 2 ch) in 1st tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr, fasten off.**LEFT FRONT:** With No. 4.00 hook, MC, make 34 ch. Work as Back until 8 rows of tr have been worked (33 tr). ***Next row:** (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to end.**Cont to dec 1 tr **at side edge** on every foll 6th row until 27 tr rem. Cont until work measures same as Back to Underarm ending on right side row.** Drop lp from hook, join MC to beg of prev row, make 20 ch, fasten off. Ret to the dropped lp, proceed as follows:**Next row:** (1 dc 2 ch) in 1st tr, 1 tr in each tr and ch to end (47 tr).

Work 4 more rows in tr.

Shape Neck:**Next row:** (1 dc 2 ch) in 1st tr, 1 tr in each of next 39 tr, 1 h tr in next tr, 1 dc in next tr, sl st in next tr, **turn**.**Next row:** Sl st in each of next 1 dc and 1 h tr, (1 dc 2 ch) in 1st tr, dec 1 tr, 1 tr in each tr to end.Cont to dec 1 tr **at Neck edge** on next row (38 tr rem), then work 1 more row in tr without dec, fasten off.**RIGHT FRONT:** Work as Left Front to *.**Next row:** (1 dc 2 ch) in 1st tr, 1 tr in each tr to last 3 tr, dec 1 tr, 1 tr in last tr.

Work as Left Front from ** to **.

Next row: Make 21 ch, (1 dc 2 ch) in 2nd ch from hook, 1 tr in each ch and tr to end (47 tr).

Work 4 more rows in tr.

Shape Neck:**Next row:** Sl st in each of first 5 tr, 1 dc in next tr, 1 h tr in next tr, 1 tr in each tr to end.Cont to dec 1 tr **at Neck edge** on next 2 rows (38 tr rem), then work 1 more row in tr without dec, fasten off.**TO MAKE UP:** Lightly press work on wrong side. Using small back st, sew up Shoulder, side and Sleeve seams. Press seams open.**HOOD:** With right side facing, No. 4.00 hook, join MC to Neck corner of Right Front, (1 dc 2 ch) in same place as join, neatly and evenly work 15 more tr on Front Neck, 27 tr on Back Neck, 16 tr on Left Front Neck, **turn** (59 tr). Cont in tr until work measures 19 cm (7½ in.) from Neck, fasten off.**LARGE MOTIF:** With No. 4.00 hook, C1, make 3 ch, sl st to 1st ch to form circle.**1st rnd:** 3 ch, 15 tr in circle, sl st to top ch of 3 ch.**2nd rnd:** 3 ch, 1 tr in same tr as sl st, 2 tr in each tr to end, sl st to top ch of 3 ch, fasten off.

With C1, make 4 more Motifs. With C2, make 5 Motifs. Lightly press Motifs on wrong side.

SMALL MOTIFS: With No. 4.00 hook, C1, work as Large Motif to end of 1st rnd, fasten off. With C1, make 4 more Motifs. With C2, make 5 Motifs. Lightly press Motifs on wrong side.**TO FINISH OFF:** Arrange Motifs over Sleeping Bag, then sew on neatly. With flat seam, join Top edge of Hood.**TRIMMING FOR FRONT EDGE:** With right side facing, No. 3.50 hook, join MC to lower edge of Right Front, 1 ch, evenly work in dc on Right Front, round Hood, and on Left Front, fasten off.

With flat seam, neatly and securely sew up 7.5 cm (3 in.) at centre front from lower edge. Using small back st, sew up lower edge to form Bag. With right side facing, No. 3.50 hook, join MC to Sleeve seam, 1 ch, evenly and neatly work 1 rnd in dc round Sleeve edge, sl st to 1st dc, fasten off. Work same for other Sleeve. Neatly insert Zipper.

Materials:

VILLAWOOL BABY WOOL (3 PLY) 25g balls 1
(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY) 25g balls 1
(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY) 20g balls 1
(100% machine washable acrylic)

Small Quantity of Contrast Colour (CC) for Bootees B.

Ribbon for each pair of Bootees.

No. 3.00 (No. 10) Aero Crochet Hook.

MEASUREMENTS:

To fit Birth to 3 months.

TENSION: 12 dc and 14 rows of dc to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTES:

Bootees A: cl = cluster: leaving last lp of each tr on hook, work 2 tr in same place, yoh and draw through 3 lps on hook.

Bootees B: 2 tr tog = 2 trebles together: leaving last lp of each tr on hook, work 1 tr in next st, miss 1 dc or 2 tr tog, 1 tr in next st, yoh and draw through 3 lps on hook.

Bootees C: Vst = (1 tr 1 ch 1 tr) in same place.

BOOTEES A

Make 2. Beg at toe edge of Instep. With hook, make 8, (9:10) ch. 1 dc in 2nd ch from hook, 1 dc in each ch to end (7:8:9 dc). Work 7, (8:9) rows more, **turn**. Make 28 ch (all sizes) for Ankle, sl st to 1st dc of last row.

Shape Sole:

1st rnd: 1 ch, evenly work 8, (9:10) dc on side edge of Instep, 1 dc in each of next 7, (8:9) dc, evenly work 8, (9:10) dc on other side edge of Instep, 1 dc in each of next 28 ch, sl st to 1st dc (51:54:57 dc), **turn**.

Work 5, (7:9) rnds more in dc. Work further 5 rnds **at same time** dec 1 dc at each side of Toe, and (dec 1 dc) twice at centre back of Heel on next and every foll 2nd rnd twice more, fasten off.

Proceed for Leg as follows: Wrong side facing, join yarn to ch at centre back of Heel, 1 ch, 1 dc in same ch as join, * 5 ch, miss 3 sts, 1 dc in next st, 2 ch, miss 1 st, (1 cl, 2 ch, 1 cl) in next st, 2 ch, miss 1 st, 1 dc in next st, 5 ch, miss 3 sts, 1 dc in next st *, rep from * to * twice more but working 2 ch and 1 tr in same ch as join at end instead of 5 ch and 1 dc, **turn**.

1st rnd: 1 ch, 1 dc in (2 ch and 1 tr) lp, * 11 tr in ch sp between cls, 1 dc in next 5 ch lp, 5 ch, 1 dc in next 5 ch lp *, rep from * to * ending with sl st to 1st dc instead of 1 dc in 5 ch lp, then sl st in each of first 3 tr of next shell, **turn** (3 shells of 11 tr).

2nd rnd: 1 ch, 1 dc in same tr as sl st, * 2 ch, (1 cl, 2 ch, 1 cl) in next 5 ch lp, 2 ch, miss next 2 tr, 1 dc in next tr, (5 ch, miss 2 tr, 1 dc in next tr) twice *, rep from * to * once, 2 ch, (1 cl, 2 ch, 1 cl) in next 5 ch lp, 2 ch, miss 2 tr, 1 dc in next tr, 5 ch, miss 3 sts, 1 dc in next st, **turn**.

3rd rnd: 1 ch, 1 dc in (2 ch and 1 tr) lp, 5 ch, 1 dc in next 5 ch lp, then work from * to * of 1st rnd twice, 11 tr in ch sp between last 2 cls, sl st to first dc, **turn**.

4th rnd: Sl st in each of first 3 tr, 1 ch, 1 dc in same tr as sl st, (5 ch, miss 2 tr, 1 dc in next tr) twice, then work from * to * of 2nd rnd twice, 2 ch, (1 cl, 2 ch, 1 cl) in next 5 ch lp, 2 ch, sl st to 1st dc, then sl st in each of 3 ch of 1st 5 ch lp, **turn**.

5th rnd: 1 ch, 1 dc in same 5 ch lp as sl st, work from * to * of 1st rnd 3 times **but** ending with sl st to 1st dc instead of 1 dc in 5 ch lp, fasten off.

TO FINISH OFF: With flat seam sew up lower edge of Sole. Cut ribbon to 33 cm (13 in.) or length req, then thread through sps round Ankles.

BOOTEES B

With MC (Main Colour), work as Bootees A to end of Sole shaping.

Proceed for Leg as follows: Wrong side facing, join

MC to ch at centre back of Heel, 1 ch, 1 dc in each ch to Instep, neatly work 8 dc (all sizes) on Instep, 1 dc in each ch to end, sl st to 1st dc, **turn** (36 dc for all sizes).

1st rnd: 4 ch, miss 1 dc, 1 tr in next dc, (1 ch, miss 1 dc, 1 tr in next dc) rep to last dc, 1 ch, sl st to 3rd ch of 4 ch, **turn**.

2nd rnd: 1 ch, 1 dc in each tr and in each sp to end, sl st to 1st dc, **turn** (36 dc).

3rd rnd: 1 ch, 1 dc in same dc as sl st, (miss 2 dc, 5 tr in next dc, miss 2 dc, 1 dc in next dc) rep omitting last dc in last rep, sl st to 1st dc, then in 1st tr of 5 tr (6 shells of 5 tr), break yarn, **turn**.

4th rnd: With CC, 2 ch, miss 1 dc, 1 tr in 1st tr of 1st shell, (1 tr in next tr, 3 tr in centre tr of shell, 1 tr in next tr, 2 tr tog) rep omitting 2 tr tog in last rep, sl st to top of (2 ch and 1 tr), then in next single tr, break yarn, **turn**.

5th rnd: With MC, 2 ch, miss 2 tr tog, 1 tr in next tr, (1 tr in next tr, 3 tr in centre tr of 3 tr, 1 tr in next tr, 2 tr tog) rep omitting 2 tr tog in last rep, sl st to top of (2 ch and 1 tr), then in next tr, break yarn, **turn**.

With CC, rep last rnd once.

Next rnd: With MC, 2 ch, miss 2 tr tog, 1 tr in next tr, 3 ch, sl st in top of last tr, (1 tr in next tr, 2 tr in centre tr of 3 tr, 3 ch, sl st in top of last tr, 1 tr in same tr as prev 2 tr, 1 tr in next tr, 2 tr tog, 3 ch, sl st in top of 2 tr tog) rep omitting 2 tr tog in last rep, sl st to top of (2 ch, and 1 tr), fasten off.

TO FINISH OFF: With flat seam sew up lower edge of Sole. Cut ribbon to 33 cm (13 in.) or length req, then thread through sps round Ankles.

BOOTEES C

Work as Bootees A to end of Sole shaping.

Proceed for Leg as follows: Right side facing, join yarn to ch at centre back of Heel, 1 ch, 1 dc in each ch to Instep, neatly work 8 dc (all sizes) on Instep, 1 dc in each ch to end, sl st to 1st dc, **turn** (36 dc).

1st rnd: 4 ch, 1 tr in same dc as sl st, (miss 2 dc, 1 Vst in next dc) rep to last 2 dc, miss 2 dc, sl st to 3rd ch of 4 ch, then sl st in next ch sp, **turn**. (12 Vsts).

2nd rnd: 4 ch, 1 tr in same sp as sl st, 1 Vst in sp of each Vst to end, sl st to 3rd ch of 4 ch, then sl st in next ch sp, **turn**.

Rep last rnd 4 times more.

Next rnd: 1 ch, 1 dc in same sp as sl st, 3 ch, sl st in top of last dc, (1 dc in each of next 2 tr, 1 dc in ch sp of Vst, 3 ch, sl st to top of last dc) rep to last 2 tr, 1 dc in each of last 2 tr, sl st to 1st dc, fasten off.

TO FINISH OFF: With flat seam sew up lower edge of Soles. Cut ribbon to 33 cm (13 in.) or length req, then thread through sps round Ankles.

3 Ply Instructions

SHOETTES

Design 14

(Illustrated Page 12)

Materials:

VILLAWOOL BABY WOOL (3 PLY) 25g balls 1 ball makes 2 prs.
(100% machine washable shrinkproof wool)

or

STARLITE BABY BRI-NYLON (3 PLY) 25g balls 1 ball makes 2 prs.
(100% machine washable Bri-Nylon)

or

CAROUSEL BABY YARN (3 PLY) 20g balls 1 ball makes 2 prs.
(100% machine washable acrylic)

No. 3.00 (No. 10) Aero Crochet Hook.
Ribbon.

FOOT PATTERN FOR STYLES A, B AND C:

With hook make 8 ch, 1 dc in 2nd ch from hook, 1 dc in each ch to end, (7 dc).

1st row: 3 ch, 1 tr in each dc to end.

2nd row: 1 ch, 1 dc in each tr to end.

Rep last 2 rows twice.

Make 33 ch and sl st to join to beg of last row, 1 ch, work 9 dc on side of Instep, 7 dc across and 9 dc on other side of Instep, 1 dc in each ch of the 33 ch (58 dc), join with sl st to 1st ch.

1st rnd: 3 ch, 1 tr in each dc to end, join with sl st to 3rd ch.

2nd rnd: 1 ch, 1 dc in each tr to end, join with sl st to 1st ch.

Rep last 2 rnds once. Rep 1st and 2nd rnds once at same time dec on each rnd 3 sts at toe and 3 sts at heel (46 sts rem), join with sl st to ch and fasten off.

To Make Ribbonholes:

Join yarn at centre heel, 3 ch, (miss 1 st, 1 ch 1 tr in next st) rep round Ankle to end, join with sl st to 3rd ch (20 sps).

STYLE A:

1st rnd: (5 ch, 1 dc in each of next two 1 ch sps) rep to end, sl st to 1st ch.

2nd rnd: 3 ch, 1 tr 1 ch 2 tr in 5 ch lp, (2 tr 1 ch 2 tr in 5 ch lp) rep to end, sl st to 3rd ch.

3rd rnd: Sl st to first 1 ch sp, 1 dc in first 1 ch sp, (5 ch,

1 dc in 1 ch sp) rep ending with 5 ch, sl st to 1st dc.

4th rnd: (3 dc 3 ch 3 dc in 5 ch lp) rep to end, sl st to 1st dc, fasten off.

STYLE B:

Next rnd: 1 ch, (miss 1 sp, 7 tr in next sp, 1 ch, miss 1 sp, 1 tr in next sp, 1 ch) rep to end, join with sl st to 1 ch.

Next rnd: 3 ch, 6 tr in sl st, (1 ch, 1 dc in centre of 7 tr, 1 ch, 7 tr in tr) rep to end, join with sl st to 3rd ch, fasten off.

STYLE C:

1st rnd: 1 ch, 2 dc in each 1 ch sp to end, join with sl st to 1st dc (40 dc).

2nd rnd: (5 ch, miss 4 dc, 1 dc in next dc) rep ending with last dc in sl st.

3rd rnd: 1 ch, (1 dc 1 h tr 5 tr 1 h tr 1 dc in 5 ch lp) rep to end, sl st to 1st dc, turn.

4th rnd: Sl st to 3rd tr, 1 dc, (5 ch, 1 dc in 3rd tr of 5 tr) rep ending with 5 ch, sl st to 1st dc.

5th rnd: As 3rd rnd but do not turn.

6th and 7th rnds: As 4th and 5th rnds.

8th rnd: (1 dc in next st, 1 dc 3 ch 1 dc in next st) rep to end, sl st to 1st dc, fasten off.

Fold last 4 rnds over to right side for Cuff.

TO FINISH OFF:

Sew up Sole. Thread ribbon through ribbonholes. For Style C tie bow through Cuff at front.

4 Ply Instructions

PRAM COVER

Design 15

(Illustrated Back Cover)

Materials:

VILLAWOOL 4 PLY 25g balls 13
(100% machine washable shrinkproof wool)

or

CAROUSEL 4 PLY 20g balls 13
(100% machine washable acrylic)

No. 3.50 (No. 9) Aero Crochet Hook.

MEASUREMENTS:

60 x 64 cm (23½ x 25 in.)

TENSION: (cl, 1 ch) 5 times to 5 cm (2 in.) and 4 rows of patt to 4 cm (1½ in.) on No. 3.50 hook or hook size to give correct tension.

NOTE: CL = cluster: (yoh, insert hook into dc or sp, yoh and draw through a lp 1 cm (½ in.) long) 4 times into same dc or sp, yoh and draw through 8 of the loops on hook, yoh and draw through rem 2 loops on hook.

With hook, make 110 ch.

1st row: 1 dc in 2nd ch from hook, 1 dc in each ch to end (109 dc).

2nd row: 1 ch, 1 dc in first and in each dc to end.

3rd row: 3 ch, miss first dc, 1 cl in 2nd dc, (1 ch, miss 1 dc, 1 cl in next dc) rep to last dc, 1 tr in last dc (54 cls).

4th row: 4 ch, miss 1 cl, 1 cl in next 1 ch sp, (1 ch, 1 cl in next 1 ch sp) rep to last cl, 1 ch, 1 tr in 3rd ch of 3 ch (53 cls).

5th row: 1 ch, 1 dc in the tr, (1 dc in next 1 ch sp, 1 dc in top of next cl) rep to 4 ch lp at end, 1 dc in 4 ch lp, 1 dc in 3rd ch of 4 ch (109 dc).

Rep last 4 rows inclusive for patt. Cont until work measures 60.5 cm (23¾ in.) ending with 2 rows of dc.

Proceed for Edging as follows:

1st rnd: 1 ch, 1 dc in first and in each dc to corner, 3 dc in corner, evenly work in dc on side edge to next corner, 3 dc in corner, 1 dc in each foundation ch to next corner, 3 dc in corner, evenly work in dc on side edge to next corner, 2 dc in same place as first dc, sl st to first dc.

2nd rnd: 1 ch, 1 dc in first and in each dc to end at same time work 3 dc in each corner dc, sl st to first dc.

3rd rnd: 3 ch, 1 cl in same place as 3 ch, (1 ch, miss 1 dc, 1 cl in next dc) rep to end at same time work (1 ch, 1 cl) 3 times in each corner dc, sl st to first cl.

4th rnd: 1 ch, 1 dc in top of each cl and in each 1 ch sp to end, sl st to first dc, fasten off.

TO FINISH OFF: Lightly press on wrong side.



Design 11

Bonnets and
Helmets

(See Page 18)

Design 8

Pram Coat

(See Page 11)



Design 2

Poncho

(See Page 3)

Design 12

Sleeping Bag

(See Page 21)



(Illustrated Back Cover Bottom)

Materials:

VILLAWOOL 5 PLY..... 25g balls
(100% machine washable shrinkproof wool)

1 ball of each

First colour (C1)

Second Colour (C2)

Third Colour (C3)

Fourth Colour (C4)

Small quantities of each of

Fifth Colour (C5)

Sixth Colour (C6)

Seventh Colour (C7)

No. 3.00 (No. 10) Aero Crochet Hook.

Small quantity of Filling.

MEASUREMENTS: To fit to 270 g (9 oz) bottle.

TENSION: 11 dc and 14 rows to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

BODY: Beg at bottom. With hook, C1, make 2 ch.

1st rnd: 6 dc in 1st ch, sl st to 1st dc.

2nd rnd: 1 ch, 2 dc in each dc to end, sl st to 1st dc.

3rd rnd: 1 ch, 2 dc in 1st and in every 2nd dc, **at same time** work 1 dc in all other dc to end, sl st to 1st dc (18 dc).

4th rnd: 1 ch, 1 dc in each dc to end, **at same time** evenly inc 6 dc, sl st to 1st dc.

Rep last rnd until 42 dc.

Next rnd: 1 ch, insert hook from back of work and work 1 dc round stem of each dc to end, sl st to 1st dc (42 dc).

Cont on these 42 dc without inc, work 5 rnds more, break C1. With C2, work 18 rnds, break C2. With C3, work 14 rnds.

Next rnd: 4 ch, miss 1 dc, 1 tr in next dc (1 ch, miss 1 dc, 1 tr in next dc) rep to last dc, 1 ch, sl st to 3rd ch of 4 ch, fasten off.

HAT: Beg at top. With C1 only, work as Body until 42 dc, then cont on these 42 dc without inc until 22 rnds from beg, fasten off. Join C1 to 21st dc from sl st on last rnd, make 27 ch, sl st to the opposite dc, fasten off.

HEAD: Beg at top. With C4, work as Body until 36 dc, then cont in dc on these 36 dc until 11 rnds from beg, on 12th rnd, evenly inc 6 dc. Cont on these 42 dc, work further 14 rnds without working sl st at end of each rnd, break yarn.

Next rnd: With C3, 1 ch, 1 dc in 1st dc, (3 ch, 1 dc in next dc) rep to end, 3 ch, sl st to 1st dc, fasten off.

EARS: Make 2. With C4, make 2 ch.

1st rnd: 6 dc in 1st ch, sl st to 1st dc.

2nd rnd: 1 ch, (2 dc in next dc, 1 dc in next dc) 3 times, sl st to 1st dc, fasten off.

NOSE: With C5, make small pompom.

BUTTONS: Make 2. With C6, make smaller pompoms.

TO MAKE UP: Sew on Nose, Ears, then with C7 stitch Eyes as illustrated. Fill up Hat half way and put on Head, pulling down to ears, then stitch round Head to secure. Slip down ch cord on Hat under Nose. Use Head as top cover. With C6 doubled, make ch until 20.5 cm (8 in.) long and thread through ch sp round top of Body, then make small tassel and attach to each end of ch cord and tie at Shoulder. Sew on Buttons on Front.

VILLAWOOL

*The more you wash it,
the better it looks*

Materials:

VILLAWOOL 5 PLY

(100% machine washable shrinkproof wool)

Main Colour (MC)

Small quantity of Contrast Colour (CC)

No. 3.00 (No. 10) Aero Crochet Hook. Small quantity of Filling.

2 Small Astor Buttons for Eyes.

25g balls

2

MEASUREMENTS: To fit 270g (9 oz) bottle.

TENSION: 11 dc and 14 rows of dc to 5 cm (2 in.) on No. 3.00 hook or hook size to give correct tension.

NOTE: This patt is worked in dc.

LOWER BODY: Beg at bottom. With hook, MC, make 2 ch.

1st rnd: 6 dc in 1st ch, sl st to 1st dc.

2nd rnd: 1 ch, 2 dc in each dc to end, sl st to 1st dc.

3rd rnd: 1 ch, 2 dc in 1st and in every 2nd dc, **at same time** work 1 dc in all other dc to end, sl st to 1st dc (18 dc).

4th rnd: 1 ch, 1 dc in each dc to end, **at same time** evenly inc 6 dc, sl st to 1st dc.

Rep last rnd until 42 dc.

Next rnd: 1 ch, insert hook from back of work and work 1 dc round stem of each dc to end, sl st to 1st dc (42 dc).

Next rnd: 1 ch, 1 dc in each dc to end, place marker in 1st dc for beg of rnd.

Cont on these 42 dc without inc, moving marker up to 1st dc of each rnd until work fits 1 cm (½ in.) below Screw-top of Bottle.

Next rnd: 4 ch, miss 1 dc, 1 tr in next dc, (1 ch, miss 1 dc, 1 tr in next dc) rep to last dc, 1 ch, sl st to 3rd ch of 4 ch, fasten off.

TOP BODY: Beg at Neck. Work as lower Body until 42 dc, then work 1 more rnd evenly inc 6 dc (48 dc). Cont on these 48 dc without inc and placing marker in 1st dc on each rnd for beg of rnd, work 14 rnds more, sl st to 1st dc on last rnd, fasten off.

HEAD: With MC, work as Top Body until 48 dc. Cont on these 48 dc without inc and placing marker in 1st

dc for beg of each rnd, work 8 more rnds in dc. Evenly dec 6 dc on each rnd until 12 dc rem, do not fasten off **but** firmly fill Head, then work 1 more rnd evenly dec 6 dc, leaving yarn 25.5 cm (10 in.) long fasten off. Thread yarn through top rem sts and draw up securely and fasten off **but** leave end for sewing Head to Body.

MUZZLE: With MC, work as Lower Body until 12 dc. Evenly inc 4 dc on every foll rnd until 36 dc, working inc between each inc on last rnd to make smooth outer edge. Fasten off, leaving yarn for sewing. Sew outer edge of Muzzle onto Head, leaving 3 cm (1¼ in.). Fill Muzzle, then sew up rem outer edge of Muzzle. With CC, stitch **Nose** and **Mouth** as illustrated.

EARS: Make 2. With MC, work as lower Body until 18 dc, fasten off. Attach to Head as illustrated.

ARMS: Make 2. With MC, work as Lower Body until end of 1st rnd. Inc 3 dc evenly on 2nd rnd, on 3rd rnd evenly inc 5 dc (14 dc). Cont on these 14 dc without inc until 14 rnds from beg, sl st to 1st dc, fasten off. Fill Arms.

TO MAKE UP: Sew on small Buttons for Eyes as illustrated. Neatly and securely attach Head to Top Body, then attach Arms in position. Make ch cord 20.5 cm (8 in.) long using double MC. Thread cord through sps round top edge of lower Body. Use Top Body as cap of cover.

ABBREVIATIONS:

beg = begin/ning; ch = chain; cm = centimetre/s; cont = continue; dec = decrease/ing; foll = following; gr/s = group/s; in. = inch/es; lp/s = loop/s; patt = pattern; prev = previous; rep = repeat; rem = remain/ing; rnd/s = round/s; st/s = stitch/es; sl st = slip stitch; sp/s = space/s; tog = together; inc = increase/ing; req = required; yoh = yarn over hook.

dc = double crochet: insert hook in next st, yoh and draw through a lp, yoh and draw through 2 lps on hook.

tr = treble: yoh, insert hook in next st, yoh and draw through a lp, (yoh and draw through 2 lps on hook) twice.

h tr = half treble: yoh, insert hook in next st, yoh and draw through a lp, yoh and draw through 3 lps on hook.

d tr = double treble: yoh twice, insert hook in next st, yoh and draw through a lp, (yoh and draw through 2 lps on hook) 3 times.

inc 1 tr = increase 1 treble: 2 tr in next st.

dec 1 h tr = decrease 1 half treble: (yoh, draw lp through next st) twice, yoh and draw through all 5 lps on hook.

dec 1 tr = decrease 1 treble: leaving last lp of each tr on hook, work 1 tr in each of next 2 tr, yoh and draw through 3 lps on hook.

dec 1 dc = decrease 1 double crochet: (insert hook in next st, yoh and draw through a lp) twice, yoh and draw through 3 lps on hook.

THE IMPORTANCE OF TENSION

Before commencing garment, using specified hook and yarn, you make a length of chain and work sufficient of pattern to compare with stated tension. Mark area with tape measure and pins, then count number of stitches (or patterns) and rows. If less stitches use a smaller hook, if more stitches use a larger hook.

NOTE: Having altered needles or hook size to correct tension, corresponding alterations must be made to needles or hooks throughout instructions.

* Recommended and Maximum Price only.

VillaWool

best of baby crochet



Designs for Baby Crochet
from Birth to 18 months

Crocheted in 3,4,5 & 8ply yarns

\$1.50