


1/-
SC 1



Knitting for the first six months
by **STITCHCRAFT**

RAGLAN WITH EMBROIDERED YOKE

there are bootees to go with it

MATERIALS: 4 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised (sufficient for coat and bootees), oddments of coloured wool for embroidery. Two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Three buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: To fit 17-19 inch chest. Length at centre back, 10 ins. Sleeve seam, $4\frac{3}{4}$ ins.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See below for how to check your Tension, and Abbreviations.

Back and Fronts (worked in one piece up to division for armholes).

Cast on 145 sts.

1st to 8th rows—K. **9th row**—K.

10th row—K.5, P. to last 5 sts., K.5.

11th and 12th rows—K.

13th row—K.6, * w.fwd., K.2 tog., rep. from * to last 5 sts., K.5.

14th row—K.

Work 9th and 10th rows 7 times.

Next row—K.13, (K.2 tog., K.14) 3 times, K.2 tog., K.19, (K.2 tog., K.14) 3 times, K.2 tog., K.13 (137 sts.).

Next row—As 10th row.

Rep. 9th and 10th rows 7 times.

Next row—K.13, (K.2 tog., K.13) 3 times, K.2 tog., K.17, (K.2 tog., K.13) 4 times (129 sts.). **Next row**—As 10th row.

Next row—As 9th row.

Next row—K.5, P.29, K.1, turn.

Continue on this group of sts. for **Left Front** as follows:—

1st row—K.1, K.2 tog.t.b.l., K. to end.

2nd row—K.5, P. to last st., K.1.

3rd to 14th rows—Rep. 1st and 2nd rows 6 times.

15th row—As 1st row. **16th row**—K.

17th row—K.2 tog., * K. 2 tog., w.fwd., rep. from * to last 5 sts., K.5.

18th row—K.

19th to 26th rows—Rep. 1st and 2nd rows 4 times.

27th to 30th rows—As 15th to 18th.

31st to 36th rows—Rep. 1st and 2nd rows 3 times. **37th row**—As 1st row.

38th row—K.

39th to 42nd rows—Rep. 37th and 38th rows twice.

43rd row—K.1, (K.2 tog.t.b.l.) twice, K.

PLEASE READ THIS FIRST

ABBREVIATIONS: K.=knit; P.=purl; st.=stitch; sl.=slip; w.fwd.=wool forward; w.ft.=wool front—bring wool to front of needle; w.o.n.=wool on needle; w.r.n.=wool round needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches; H.B.=Work Herringbone across next 2 sts. as follows:—Keeping wool at back of needle, sl.1 purlwise, K.1, pass the slip st. over on to the left-hand needle and knit into the back of it; M.S.=Make spot by knitting into front and back of next st., then slip first increased st. over second st. and off needle; M.R.=Make ridge by working across next 2 sts. as follows:—P. the next 2 sts. tog. but do not slip off left-hand needle, P. into the first of these sts. once more, then slip both sts. off needle.

HOW TO CHECK YOUR TENSION: Before you knit these designs check your tension carefully. Take a pair of No. 9 needles and some Patons Quickerknit Baby Wool, Patonised. Cast on 13 stitches and work in stocking stitch—1 row knit; 1 row purl—for 17 rows. Cast off; press **very lightly** on wrong side. The tension should be $6\frac{1}{2}$ stitches and $8\frac{1}{2}$ rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle.

If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this book. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

MAKING UP: Except where otherwise stated a flat seam is used in making up all garments in this book.



to end (12 sts.). Cast off knitwise.

Rejoin wool to sts. on needle.

Next row—K.1, P.57, K.1, turn.

Work Back as follows:—

****1st row**—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last st., K.1.

3rd to 14th rows—Rep. 1st and 2nd rows 6 times.

15th row—As 1st row. **16th row**—K.

17th row—K.1, * w.fwd., K.2 tog., rep. from * to end. **18th row**—K.

19th to 26th rows—Rep. 1st and 2nd rows 4 times.

27th to 30th rows—As 15th to 18th.

31st to 36th rows—Rep. 1st and 2nd rows 3 times. **37th row**—As 1st row.

38th row—K.

39th to 42nd rows—Rep. 37th and 38th rows twice.

43rd row—K.1, (K.2 tog.t.b.l.) twice, K. to last 5 sts., (K.2 tog.) twice, K.1 ** (17 sts.).

Cast off knitwise.

Rejoin wool to remaining group of 35 sts.

1st row—K.1, P. to last 5 sts., K.5.

2nd row—K. to last 3 sts., K.2 tog., K.1.

3rd row—As 1st row.

4th to 15th rows—Rep. 2nd and 3rd rows 6 times.

16th row—As 2nd row. **17th row**—K.

18th row—K.1, K.2 tog., w.fwd., K.2, * w.fwd., K.2 tog., rep. from * to last 2 sts., K.2 tog. **19th row**—K.

20th to 27th rows—Rep. 2nd and 3rd rows 4 times.

28th to 31st rows—As 16th to 19th.

32nd to 37th rows—Rep. 2nd and 3rd rows 3 times.

38th row—As 2nd row.

39th row—K.

40th and 41st rows—As 38th and 39th.

42nd row—K.1, K.2 tog., w.fwd., K. to last 3 sts., K.2 tog., K.1.

43rd row—K.

continued on page 27

DOUBLE-BREASTED SHORTIE

from only one ball of Beehive Baby Wool

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 12 and two No. 11 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: To fit 19 inch chest. Length at centre back, $7\frac{1}{4}$ ins. (excluding band).

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 12 needles, cast on 48 sts.

1st row—K.5, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last 6 sts., K.6.

3rd and 4th rows—As 1st and 2nd.

5th row—K.1, K.2 tog., w.fwd., K.2, (P.1, K.1) 9 times, w.fwd., K.2 tog., * P.1, K.1, rep. from * to last st., K.1.

6th row—As 2nd row.

7th to 10th rows—Rep. 1st and 2nd rows twice.

Change to No. 11 needles and proceed in all-over patt. with garter stitch border as follows:—

1st row—K.

2nd row—K.1, P. to last 5 sts., K.5.

3rd row—K.6, * M.R., K.4, rep. from * to end.

4th row—As 2nd row.

5th and 6th rows—As 1st and 2nd.

7th row—K.9, * M.R., K.4, rep. from * to last 3 sts., M.R., K.1.

8th row—As 2nd row.

Rep. these 8 rows once.

Next row—K.1, K.2 tog., w.fwd., K.20, w.fwd., K.2 tog., K. to last st., inc. in last st.

Next row—As 2nd row.

Next row—K.5, K.2 tog.t.b.l., work to last st., inc. in last st.

Next row—As 2nd row.

Keeping patt. correct, work the last 2 rows twice more.

Still dec. at front slope on next and every alt. row, inc. 1 st. at side edge on next 4 rows.

Next row—K.5, K.2 tog.t.b.l., K. to end, cast on 6 sts. (56 sts.).

Next row—K.5, P. to last 5 sts., K.5.

****Knitting 5 sts. at both ends of needle on every row, continue dec. at front slope as before until 43 sts. remain.**

Work 11 rows on these 43 sts.**

Leaving approximately two yards of wool for completion of band, break off wool.

Slip sts. on to a length of wool and leave.

LEFT FRONT

Using No. 12 needles, cast on 48 sts.

1st row—K.2, * P.1, K.1, rep. from * to last 4 sts., K.4.

2nd row—K.6, * P.1, K.1, rep. from * to end.

3rd to 10th rows—Rep. 1st and 2nd rows 4 times.

Change to No. 11 needles

1st row—K.

2nd row—K.5, P. to last st., K.1.

3rd row—* K.4, M.R., rep. from * to last 6 sts., K.6.

4th row—As 2nd row.

5th and 6th rows—As 1st and 2nd.

7th row—K.1, * M.R., K.4, rep. from * to last 5 sts., K.5.

8th row—As 2nd row.

Rep. these 8 rows once.

Next row—Inc. in first st., K. to end.

Next row—As 2nd row.

Next row—Inc. in first st., work to last 7 sts., K.2 tog., K.5.

Keeping patt. correct, work the last 2 rows 3 times more.

Still dec. at front slope as before, inc. 1 st. at sleeve edge on next 3 rows, casting on 6 sts. at end of last row (57 sts.).

Next row—K.5, work to last 7 sts., K.2 tog., K.5.

Next row—K.5, P. to last 5 sts., K.5.

Rep. from ** to ** as on Right Front.

Next row—K.5, patt. to last 5 sts., slip these 5 sts. on to a safety pin and leave, cast on 22 sts. for back of neck, placing 5 sts. at neck edge of Right Front on a safety pin, slip remaining 38 sts. on to left-



hand needle and with right side of work facing, work across these sts (98 sts.). Knitting 5 sts. at each end of needle and remaining sts. in patt., work 37 rows.

Shape sleeves by casting off 6 sts. at beg. of next 2 rows.

Working all sts. in patt., dec. 1 st. at both ends of next 4 rows, then both ends of every alt. row until 70 sts. remain.

Work 16 rows.

Change to No. 12 needles and work 9 rows in K.1, P.1 rib. Cast off in rib.

BANDS

Slip 5 sts. on safety pin on to a No. 11 needle.

K. 16 rows.

Cast off.

TO MAKE UP

Omitting ribbing, block and press fabric lightly using a warm iron and damp cloth. Join side seams.

Join Bands at back of neck and stitch into position. Attach buttons. Press seams.



DIAGONAL RIB RAGLAN

button-through coat in Quickerknit

MATERIALS: 3[3] oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 10 and two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. One spare No. 10 needle. Two BEEHIVE stitch-holders. Six [six] buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Width, 18 [20] ins. Length at centre back (excluding neck-band), 9 [10] ins. Sleeve seam, $5\frac{3}{4}$ [$6\frac{3}{4}$] ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

SIZES: The figure in square brackets [] refers to the larger size.

continued on page 24

DIMINUTIVE SWEATER

to match the coat on page 6

MATERIALS: As Cardigan (page 6) but four [four] buttons in place of six [six].

MEASUREMENTS and TENSION: As Cardigan (page 6).

FRONT

Work as Back of Cardigan (page 25) until


4th row of armhole shaping has been worked.

Rep. the last 2 rows 10 [12] times, then 3rd row once (25 [27] sts.).

Next row—P.9 [10], cast off 7 [7], P. to last st., slip last st. on to stitch-holder.

Still slipping last st. of every alt. row on to stitch-holder, continue on first group of 8 [9] sts., dec. 1 st. at neck edge on next 3 [4] rows.

continued on page 26



UNDERCOVER JOBS

raglan vest and pilch in Beehive Baby Wool

PILCH KNICKERS

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. A crochet hook.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENT: Length at centre front, $8\frac{1}{2}$ ins.

TENSION: $7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Commencing at Front, cast on 77 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1. **2nd row**—* K.1, P.1, rep. from * to last st., K.1.

3rd and 4th rows—As 1st and 2nd.

5th row—K.2, * w.fwd., K.2 tog., P.1, K.1, rep. from * to last 3 sts., w.fwd., K.2 tog., K.1. Work 5 rows in rib.

Proceed in rib patt. as follows:—

1st row—* K.1, P.1, rep. from * to last st., K.1. **2nd row**—K.1, P. to last st., K.1. Continue as on last 2 rows until work measures $5\frac{1}{2}$ ins. from beg., finishing at end of a 2nd row.

Divide work as follows:—

Next row—Patt. 22 sts., turn, and proceed on this group of sts. as follows:—

1st row—K.1, P.2 tog., P. to last st., K.1. **2nd row**—Patt. to last 3 sts., work 2 tog., K.1.

Continue dec. in this manner until 2 sts. remain, K.2 tog. Fasten off.

Rejoin wool to sts. on needle.

Next row—Patt. to end.

Next row—K.1, P.18, P.2 tog., K.1, turn.

Next row—K.1, work 2 tog., patt. to end. Work from ** to **.

Rejoin wool to 33 sts., work 9 rows without shaping, then inc. 1 st. at both ends of next and every alt. row until there are 49 sts., both ends of every row until there are 77 sts.

Continue on these sts. until work measures 16 ins. from beg., finishing at end of a 2nd row.

Shape back as follows:—

1st and 2nd rows—Work to last 4 sts., turn.

3rd and 4th rows—Work to last 8 sts., turn. Continue working 4 sts. less on every row until the 2 rows "work to last 28 sts., turn" have been worked.

Next row—Work to end.

Commencing with a 2nd row, work 5 rows in rib as at commencement.

Next row—As 5th row.

Work 3 rows in rib. Cast off in rib.

TO MAKE UP

Omitting K.1, P.1 rib, block and press using a warm iron and damp cloth. Join side seams. Work a row of double crochet round leg openings. Make a length of twisted cord and thread through holes at waist. Attach a small tassel to each end of cord. Press seams.

RAGLAN VEST

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles. Two buttons.

MEASUREMENTS: Width 16 [18, 20] ins. Length at centre back, 10 [11, 12] ins. Sleeve seam, 1 [$1\frac{1}{4}$, $1\frac{1}{2}$] ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

SIZES: The figures in square brackets [] refer to the medium and large sizes respectively.

TENSION: $7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

FRONT

Cast on 61 [69, 75] sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

3rd and 4th rows—As 1st and 2nd.

Proceed in **rib patt.** as follows:—

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—K.1, P. to last st., K.1.

Rep. these 2 rows until work measures $6\frac{1}{4}$ [$6\frac{3}{4}$, $7\frac{1}{2}$] ins. from beg., finishing at end of a 2nd row.

Keeping rib patt. correct, **shape raglan armholes** as follows:—

1st row—Cast off 1 [2, 2], patt. to end.

2nd row—Cast off 1 [2, 2], P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., patt. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.***

5th row—As 3rd row.

Divide for front opening as follows:—

Next row—K.1, P.24 [27, 30], K.5, turn.

Proceed on this group of 30 [33, 36] sts. as follows:—

Decreasing 1 st. at armhole edge as before, working 5 sts. at neck edge in garter

stitch and remaining sts. in rib patt., work 10 [12, 14] rows (25 [27, 29] sts.).

Next row (on which a buttonhole is worked)—K.1, K.2 tog., w.fwd., K.2, patt. to last 3 sts., K.2 tog., K.1.

Still dec. at armhole edge as before, work 10 [12, 14] more rows.

Next row—K.1, P. to last 7 [8, 9] sts., slip these 7 [8, 9] sts. on to a length of wool and leave.

continued on page 24



WRIGGLEPROOF PRAM SET

the carrying bag and cap are on this page: the coat is on page 20; the mitts are on page 22

CARRYING BAG

MATERIALS: 7 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Length of elastic.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Length, 20 ins. Width all round 36 ins.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 117 sts.

Proceed in **rib** as follows:—

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

3rd to 6th rows—Rep. 1st and 2nd rows twice.

7th row—K.2, * w.fwd., K.2 tog., P.1, K.1, rep. from * to last 3 sts., w.fwd., K.2 tog., K.1.

Work 7 more rows in rib.

Proceed in stocking stitch with herringbone panels as follows:—

1st row—K.25, (P.1, H.B.) 4 times, P.1, K.41, (P.1, H.B.) 4 times, P.1, K.25.

2nd row—K.1, P.24, (K.1, P.2) 4 times, K.1, P.41, (K.1, P.2) 4 times, K.1, P.24, K.1.

Keeping panels correct, continue until work measures $38\frac{1}{2}$ ins. from beg., finishing at end of a 1st row.

Commencing with a 2nd row of rib, work 7 rows in K.1, P.1 rib.

Next row—As 7th row.

Work 5 more rows in rib.

Cast off in rib.

TO MAKE UP

Omitting ribbing, block fabric and **very lightly** press using a warm iron and damp cloth. Join side seams. Thread elastic through holes at waist. Press seams.

CAP

MATERIALS: 1 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Press-stud.

MEASUREMENT: Width all round brim, 13 ins.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

EARPIECES

Cast on 15 sts. K. 15 rows.

Shape as follows:—

1st row—K.1, K.2 tog., K. to last 3 sts., K.2 tog., K.1. **2nd row**—K.

Work the last 2 rows 4 times more.

Next row—K.1, K.2 tog., K.2.**

Thread wool through remaining sts. and fasten off securely.

Work **2nd Earpiece** as 1st Earpiece to **. K. 32 rows on remaining 4 sts. Cast off.

MAIN PART

Cast on 100 sts.

Work rows 1 and 2 of Herringbone rib as on Back of Coat (page 21) 6 times.

Next row—K.4, (K.2 tog., K.4) 16 times (84 sts.). Work 12 rows in K.1, P.1 rib.

Commencing with a K. row, proceed in stocking stitch until work measures 5 ins from beg., finishing at end of a K. row.

Next row—K.1, P.12, (P.2 tog., P.26) twice, P.2 tog., P.12, K.1 (81 sts.).

Shape crown as follows:—

1st row—(K.6, K.2 tog.) 10 times, K.1.

2nd and alt. rows—K.1, P. to last st., K.1.

3rd row—(K.5, K.2 tog.) 10 times, K.1.

Continue in this manner, dec. 10 sts. on every alt. row until 11 sts. remain.

Thread wool through remaining sts. and fasten off securely.

TO MAKE UP

Press **very lightly** on wrong side. Join seam, turning back herringbone rib portion. Press seam. Stitch Earpieces to side of cap, placing cast-on edges to centre of rib. Attach press-stud to end of garter stitch band and corner of earpiece.



IN THE GRAND MANNER

traditional lacy coat—but in Quickerknit

MATERIALS: 4 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 9 and two No. 8 BEEHIVE or QUEEN BEE needles. Two Buttons.

MEASUREMENTS: Width, 19 ins. Length at centre back (excluding neck-band), 12 $\frac{1}{4}$ ins. Sleeve seam, 4 $\frac{3}{4}$ ins.

TENSION: 6 $\frac{1}{2}$ sts. and 8 $\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

RIGHT FRONT

Using No. 9 needles and the two needle method, cast on 50 sts.

1st row—K. **2nd row**—P.

3rd row—K.2, * w.fwd., K.2 tog., rep. from * to end. **4th row**—P.

5th and 6th rows—As 1st and 2nd.

7th row—**Make hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

8th row—K. (thus making a ridge) **.

Change to No. 8 needles and proceed in lace patt. as follows:—

1st row—K.4, * K.2, w.fwd., K.2 tog. t.b.l., w.fwd., sl.1, K.2 tog., p.s.s.o., w.fwd., K.2 tog., w.fwd., rep. from * to last st., K.1.

2nd row—K.1, P. to last 5 sts., K.5.

3rd row—K.3, * K.4, w.fwd., K.2 tog. t.b.l., K.1, K.2 tog., w.fwd., rep. from * to last 2 sts., K.2. **4th row**—As 2nd row.

Work these 4 rows 12 times more.

Next row—K.6, K.2 tog., * sl.1, K.2 tog., p.s.s.o., (K.2 tog.) 3 times, rep. from * to last 6 sts., sl.1, K.2 tog., p.s.s.o., K.3 (27 sts.)

Change to No. 9 needles. K. 3 rows.

Next row—(on which a buttonhole is worked) K.1, K.2 tog., w.fwd., K. to end. K.3 rows.

Next row—K.6, (inc. in next st., K.2) 7 times (34 sts.).

Next row—K.1, P. to last 5 sts., K.5.

Next row—K.

Commence raglan shaping as follows:—

1st row—Cast off 4, P. to last 5 sts., K.5.

2nd row—K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last 5 sts., K.5.

4th to 7th rows—Rep. 2nd and 3rd rows twice.

8th row—K.1, K.2 tog., w.fwd., K. to last 3 sts., K.2 tog., K.1.

9th row—As 3rd row.

10th row—(on which **front slope** is commenced) K.5, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

Continue dec. at armhole edge on every alt. row as before, **at the same time** dec. 1 st. at front slope on every 4th row from previous dec. until 6 dec. **in all** have been worked at front slope (9 sts.).

Next row—K.1, P.3, K.5.

Next row—K.6, K.2 tog., K.1.

Next row—K.1, P.2, K.5.

Next row—K.5, K.3 tog.t.b.l.

Next row—K. **Next row**—K.4, K.2 tog. K. 20 rows on remaining 5 sts. Cast off.

LEFT FRONT

Work as Right Front until ** is reached.

Change to No. 8 needles and proceed in lace patt. as follows:—

1st row—K.1, * w.fwd., K.2 tog.t.b.l., w.fwd., sl.1, K.2 tog., p.s.s.o., w.fwd., K.2 tog., w.fwd., K.2, rep. from * to last 4 sts., K.4.

2nd row—K.5, P. to last st., K.1.

3rd row—K.2, * w.fwd., K.2 tog.t.b.l., K.1, K.2 tog., w.fwd., K.4, rep. from * to last 3 sts., K.3. **4th row**—As 2nd row.

Work these 4 rows 12 times more.

Next row—K.3, * sl.1, K.2 tog., p.s.s.o., (K.2 tog.) 3 times, rep. from * to last 11 sts., sl.1, K.2 tog., p.s.s.o., K.2 tog., K.6 (27 sts.).

Change to No. 9 needles and K. 7 rows.

Next row—(K.2, inc. in next st.) 7 times, K.6 (34 sts.).

Next row—K.5, P. to last st., K.1.

Shape raglan as follows:—

1st row—Cast off 4 sts., K. to end.

2nd row—K.5, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to end.

4th row—As 2nd row.

5th to 10th rows—Rep. 3rd and 4th rows 3 times. **11th row**—K.1, K.2 tog.t.b.l., K. to last 7 sts., K.2 tog., K.5.

Complete to match Right Front reversing all shapings.

BACK

Using No. 9 needles and the **two** needle method, cast on 90 sts.

Work as Right Front until ** is reached.

Change to No. 8 needles and proceed in lace patt. as follows:—

1st row—* K.1, w.fwd., K.2 tog.t.b.l., w.fwd., sl. 1, K.2 tog., p.s.s.o., w.fwd., K.2 tog., w.fwd., K.1, rep. from * to end.

2nd row—K.1, P. to last st., K.1.

3rd row—* K.2, w.fwd., K.2 tog.t.b.l., K.1, K.2 tog., w.fwd., K.2, rep. from * to end. **4th row**—As 2nd row.

Work these 4 rows 12 times more.

Next row—K.3, * sl. 1, K.2 tog., p.s.s.o., (K.2 tog.) 3 times, rep. from * to last 6 sts., sl.1, K.2 tog., p.s.s.o., K.3 (43 sts.).

Change to No. 9 needles. K. 7 rows.

Next row—K.2, (inc. in next st., K.1) 20 times, K.1 (63 sts.).

Next row—K.1, P. to last st., K.1.

Shape raglan as follows:—

1st row—
Cast off 4 sts.

K. to end.

2nd row—

Cast off 4
sts., P. to

last st., K.1.

3rd row—

K.1, K.2 tog.
t.b.l., K. to

last 3 sts.,

K.2 tog., K.1.

4th row—

K.1, P. to last
st., K.1.

Rep. 3rd and
4th rows 17

times more

(19 sts.).

Cast off.

SLEEVES

Using No. 9 needles and the **two** needle method, cast on 22 sts.

Work as Right Front until ** is reached.

Next row—

Inc. in first
st., K. to last

st., inc. in last
st. (24 sts.).

K. 7 rows.

Next row—Inc. once in each of next 2 sts., (inc. in next st., K.1) 10 times, inc. once in each of last 2 sts. (38 sts.).

Next row—K.1, P. to last st., K.1.


Continue in stocking stitch, inc. 1 st. at both ends of next and every following 4th row until there are 50 sts.

Continue on these sts. until work measures $4\frac{3}{4}$ ins. from lower edge, finishing at end of a P. row.


Work rows 1 to 4 incl. of raglan shaping as on Back, then rep. 3rd and 4th rows 17 times more (6 sts.). Cast off.

TO MAKE UP

With wrong side of work facing press each piece **very lightly** using a warm iron and damp cloth taking care not to stretch waist. Join side and sleeve seams and stitch Sleeves into position. Join cast off edges of border and stitch into position at back of neck. Attach buttons. Press seams.



A
charming
threesome
in Beehive
Baby Wool
which is
particularly
suitable for
babies'
dresses—
the bootees are
on page 22.



MATCHING SET—

THE COAT

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 11 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Three buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: To fit 17–19 inch chest. Length at centre back, $9\frac{1}{2}$ ins. Sleeve seam, $4\frac{3}{4}$ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

SLEEVES

Using the **two** needle method, cast on 37 sts.

Work rows 1 to 9 incl. of hem as at commencement of Dress (page 15).

Work rows 1 to 8 incl. of lace ridge patt. (page 15) once, then rows 1 to 7 incl. once.

Next row—Inc. in 1st st., (K.3, inc. in next st.) 9 times (47 sts.).

Next row—K.1, P. to last st., K.1. Continue in stocking stitch, inc. 1 st. at both ends of 3rd row following and every following 6th row until there are 57 sts.

Work 5 rows.


Shape raglan as follows:—

1st row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

****2nd row**—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

continued on page 19



DRESS, COAT AND BOOTEES

THE DRESS

MATERIALS: 4 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 11 BEEHIVE or QUEEN BEE needles, set of four No. 11 QUEEN BEE needles, with points at both ends. Three buttons.

MEASUREMENTS: To fit 17-19 inch chest. Length, 15 ins. Sleeve seam, $\frac{1}{2}$ inch.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Lace Ridge Patt.

1st row (wrong side of work)—K.

2nd row—K.1, * w.f.t. purlwise,

w.o.n., K.2, p.s.s.o. the K.2, rep. from * to end.

3rd row—K.1, P. to last st., K.1.

4th and 5th rows—K.

6th row—Keeping wool at back of needle sl.1 purlwise, K.2, p.s.s.o. the K.2, * w.f.t., sl.1 purlwise, w.o.n., K.2, p.s.s.o. the K.2, rep. from * to last st., w.fwd., K.1.

7th and 8th rows—As 3rd and 4th.

FRONT AND BACK (same)

Using the two needle method, cast on 145 sts. Work hem as follows:—

1st row—K. **2nd row**—P.

3rd and 4th rows—K.

5th to 8th rows—Rep. 1st and 2nd rows twice.

9th row—Make hem by knitting tog. one st. from needle and one loop from cast-on edge all across row.

**Work rows 1 to 8 incl. of lace ridge patt. twice.

continued on page 18



CARRY-CAPE

in Quickerknit

MATERIALS: 10 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Length from top of hood to lower edge, 28 ins. Width all round lower edge, 44 ins.

TENSION: 6 sts. and 8 rows to one square inch on No. 8 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 270 sts.

Proceed in **double moss stitch** as follows:—

1st row—* P.2, K.2, rep. from * to last 2 sts., P.2.

2nd and 3rd rows—* K.2, P.2, rep. from * to last 2 sts., K.2.

4th row—As 1st row.

Work these 4 rows 8 times more.

Next row—* (P.2, K.2) 5 times, K.6, K.2 tog., K.8, rep. from * to last 18 sts., (P.2, K.2) 4 times, P.2 (263 sts.).

Next row—* (K.2, P.2) 4 times, K.2, P.17, rep. from * to last 18 sts., (K.2, P.2) 4 times, K.2.

Working panels of 18 sts. in double moss stitch and panels of 17 sts. in stocking stitch, continue until work measures 14 ins. from beg., finishing so that right side of work will be facing when working next row. Commence shaping stocking stitch panels as follows:—

Next row—* Patt. 18, K.7, sl.1, K.2 tog., p.s.s.o., K.7, rep. from * to last 18 sts., patt. 18 (249 sts.).

Keeping panels correct, work 5 rows.

Next row—* Patt. 18, K.6, sl.1, K.2 tog., p.s.s.o., K.6, rep. from * to last 18 sts., patt. 18.

Continue dec. in centre of stocking stitch panels on every following 6th row until 151 sts. remain.

Working in double moss stitch and rib proceed as follows:—

1st row—Patt. 18, K.2 tog., * P.1, K.1, rep. from * to last 21 sts., P.1, K.2 tog., patt. 18 (149 sts.).

2nd row—Patt. 18, * P.1, K.1, rep. from * to last 19 sts., P.1, patt. 18.

3rd row—Patt. 18, * K.1, P.1, rep. from * to last 19 sts., K.1, patt. 18.

4th row—Patt. 2, (w.fwd., work 2 tog., patt. 4) 3 times, (w.fwd., K.2 tog., rib 4) 9 times, rib 6, (w.fwd., K.2 tog., rib 4) 8 times, (w.fwd., work 2 tog., patt. 4) 3 times, w.fwd., work 2 tog., K.1.

Next row—As 3rd row.

Cast off working 2 tog. all across row.

HOOD

Cast on 90 sts.

Work 14 rows in double moss stitch.

Next row—(K.18, patt. 18) twice, K.18.

Next row—(P.18, patt. 18) twice, P.18.

Rep. last 2 rows until work measures 7½ ins. from beg.

Cast off.

TO MAKE UP

Press lightly. Fold back double moss stitch portion on Hood and stitch down at edges. Join cast-off edge of Hood. Leaving 18 patt. sts. at front edge free, stitch Hood into position. Make a twisted cord and thread through holes. Attach a tassel to each end of cord.

A HANDY RAGLAN IN 3-PLY

use Nylox 3-ply for hard wear

MATERIALS: 3 [4] oz. PATONS NYLOX Knitting 3-ply, Patonised, or PATONS BEEHIVE Fingering 3-ply, Patonised. Two No. 12 and two No. 11 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Six [six] buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Width, 19 [21] ins. Sleeve seam, 6 [8] ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

SIZES: The figures in square brackets [] refers to the large size.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 12 needles, cast on 36 [40] sts.

Work 16 [18] rows in K.1, P.1, rib, inc. 1 st. at beg. of last row (37 [41] sts.).

Change to No. 11 needles and proceed in **rib spot patt.** as follows:—

1st row—P.2, * K.1, P.3, rep. from * to last 3 sts., K.1, P.2.

2nd row—K.2, * P.1, K.3, rep. from * to last 3 sts., P.1, K.2.

3rd row—As 2nd row.

4th row—K.2, * M.S., K.3, rep. from * to last 3 sts., M.S., K.2.

These 4 rows form the patt.

Continue in patt. until work measures $5\frac{3}{4}$ [$6\frac{1}{4}$] ins. from beg., finishing at side edge. **

Shape raglan armhole as follows:—

1st row—Cast off 3 [4] sts., patt. to end.

2nd row—Patt. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P.1, patt. to end.

Rep. the last 2 rows 3 [3] times more (30 [33] sts.).

Continue armhole shaping and **commence front slope** as follows:—

Next row—Work 2 tog., patt. to last 3 sts., K.2 tog., K.1.

*** Continue dec. at armhole edge on every alt. row as before, **at the same time** dec. 1 st. at front edge on every following 4th row until 4 sts. remain.

Continue dec. at armhole edge as before until 1 st. remains.

Work 1 row.

Fasten off.



LEFT FRONT

Work as Right Front until ** is reached.

Shape raglan armhole as follows:—

1st row—Cast off 3 [4] sts., patt. to end.

2nd row—Patt. to last 2 sts., P.1, K.1.

3rd row—K.1, K.2 tog.t.b.l., patt. to end.

4th row—As 2nd row.

Rep. the last 2 rows 3 times (30 [33] sts.).

Continue armhole shaping and **commence front slope** as follows:—

Next row—K.1, K.2 tog.t.b.l., patt. to last 2 sts., work 2 tog.

Complete as Right Front, working from *** to end.

BACK

Using No. 12 needles, cast on 76 [84] sts. Work 16 [18] rows in K.1, P.1 rib, inc. 1 st. at end of last row (77 [85] sts.).

Change to No. 11 needles and proceed in rib spot patt. as on Right Front until work measures same as Fronts up to armhole shaping, finishing so that right side of work will be facing when working next row.

Shape raglan armholes as follows:—

1st row—Cast off 3 [4] sts., patt. to end.

2nd row—Cast off 3 [4] sts., patt. to end.

3rd row—K.1, K.2 tog.t.b.l., patt. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P.1, patt. to last 2 sts., P.1, K.1.

Rep. 3rd and 4th rows 23 [25] times (23 [25] sts.).

Cast off.

SLEEVES

Using No. 12 needles, cast on 38 [40] sts. Work 15 [17] rows in K.1, P.1 rib.

Next row—Rib 4 [5], (inc. in next st., rib 6) 4 times, inc. in next st., rib to end (43 [45] sts.).

THE DRESS

continued from page 15

Commencing with a P. row, work 4 rows in stocking stitch.**

Rep. from ** to ** once.

Commencing with a P. row, continue in stocking stitch until work measures 10½ ins. from lower edge, finishing at end of a P. row.

Shape raglan as follows:—

1st row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last st., K.1.

Work these 2 rows 7 times more (129 sts.).

Next row—K.2 tog. all across row to last 3 sts., K.2 tog., K.1 (65 sts.).***

Slip sts. on to a length of wool and leave.

Change to No. 11 needles and proceed in stocking stitch, inc. 1 st. at both ends of 5th [3rd] and every following 4th [5th] row until there are 63 [69] sts.

Continue on these sts. until work measures 6 [8] ins. from beg., finishing at end of a P. row.

Shape raglan top as follows:—

1st row—Cast off 3 [4] sts., K. to end.

2nd row—Cast off 3 [4] sts., P. to end.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep. 3rd and 4th rows 23 [25] times (9 [9] sts.).

Cast off.

FRONT BAND

Using No. 12 needles, cast on 9 sts.

1st row—K.2, (P.1, K.1) 3 times, K.1.

2nd row—(K.1, P.1) 4 times, K.1.

3rd row—Rib 4, cast off 1 st., rib to end.

4th row—Rib 4, cast on 1 st., rib to end.

Continue in rib, working a buttonhole as on 3rd and 4th rows on following 11th and 12th [13th and 14th] rows from previous buttonhole until 6 [6] buttonholes **in all** have been worked.

Continue without further buttonholes until work measures 22 [24] ins. (not stretched) from beg.

Cast off.

TO MAKE UP

Omitting K.1, P.1 rib, with wrong side of work facing block each piece by pinning out round edges. Omitting K.1, P.1 rib, press each piece using a warm iron and damp cloth. Join side and sleeve seams. Stitch Sleeves into position and stitch on Front Band. Attach buttons. Press seams.

SLEEVES

Using the **two** needle method, cast on 37 sts.

Work rows 1 to 9 incl. of hem.

Next row—K.

Next row—K.3, inc. once in each of next 31 sts., K.3 (68 sts.).

Next row—K.1, P. to last st., K.1.

Work rows 1 and 2 of raglan shaping 8 times (52 sts.).

Next row—K.3, (K.2 tog., K.2) 12 times, K.1 (40 sts.).

Slip sts. on to a length of wool and leave.

YOKE

With right side of work facing, slip the first 35 sts. of Back on to one of the set of four needles.

Work 1st row making a ridge as follows:—
Commencing with 2nd needle, with **wrong** side of Back facing rejoin wool and K. across the group of 35 sts., with wrong side of work facing K. across first sleeve, Front, second sleeve and finally 30 sts. of Back, cast on 5 sts. for overflap, turn (215 sts.).

Proceed in **rows** as follows:—

2nd row—K.6, * w.ft., sl.1 purlwise, w.o.n., K.2, p.s.s.o. the K.2, rep. from * to last 5 sts., K.5.

3rd row—K.5, P. to last 5 sts., K.5.

4th and 5th rows—K.

6th row—K.5, keeping wool at back of needle sl.1 purlwise, K.2, p.s.s.o. the K.2, * w.ft., sl.1 purlwise, w.o.n., K.2, p.s.s.o. the K.2, rep. from * to last 6 sts., w.fwd., K.6.

7th row—As 3rd row.

8th row—K.1, K.2 tog., w.fwd., K. to end.

9th row—K.

10th to 15th rows As 2nd to 7th.

16th row—K.13, (K.2 tog., K.2) 47 times, K.14 (168 sts.).

17th row—As 3rd row.

18th row—K.

19th row—As 3rd row.

20th row—K.6, (K.2 tog., K.1) 52 times, K.6 (116 sts.).

21st row—K.

22nd to 35th rows—As 2nd to 15th.

36th row—K.5, (K.2 tog.) 53 times, K.5 (63 sts.).

37th to 39th rows—As 17th to 19th.

K. 4 rows.

Next row—K.1, K.2 tog., w.fwd., K. to end.

K. 2 rows.

Cast off knitwise.

TO MAKE UP

Taking care not to stretch yoke, block and press fabric using a warm iron and damp cloth. Join side and sleeve seams and raglan shaping. Stitch overflap into position. Attach buttons. Press seams.

THE COAT

continued from page 14

Rep. 2nd and 3rd rows 7 times.** (39 sts.)
Break off wool, slip sts. on to a length of wool and leave.

FRONTS AND BACK

(Worked in one piece up to division for armholes.)

Using the **two** needle method, cast on 191 sts.

Work rows 1 to 9 incl. of hem as at commencement of Dress.

Next row—K.

Work rows 2 to 7 incl. as on Yoke of Dress above.

K. 2 rows.

Work rows 2 to 6 incl. as on Yoke of Dress.

Next row—K.5, P.2 tog., P. to last 7 sts., P.2 tog., K.5 (189 sts.).

Keeping garter stitch borders correct throughout, work 6 rows in stocking stitch.

Next row—K.47, K.2 tog., K.2, K.2 tog., K.83, K.2 tog., K.2, K.2 tog., K.47.

Work 5 rows in stocking stitch.

Next row—K.46, K.2 tog., K.2, K.2 tog., K.81, K.2 tog., K.2, K.2 tog., K.46.

Work 5 rows.

Continue dec. in this manner on next and following 6th row (173 sts.).

Work 5 rows.

Work **Right Front** as follows:—

1st row—K.43, K.2 tog., K.1, turn.

2nd row—K.1, P. to last 5 sts., K.5.

3rd row—K. to last 3 sts., K.2 tog., K.1.

Rep. the last 2 rows 7 times (37 sts.).

Break off wool, slip sts. on to a length of wool and leave.

Rejoin wool to sts. on needle for **Back**.

1st row—K.1, K.2 tog.t.b.l., K.75, K.2 tog., K.1, turn.

Work as Sleeve from ** to ** (63 sts.).

Break off wool.

Slip sts. on to a length of wool and leave.

Rejoin wool to 46 sts. on needle for **Left Front**.

1st row—K.1, K.2 tog.t.b.l., K. to end.

2nd row—K.5, P. to last st., K.1.

Rep. these 2 rows 7 times, then 1st row once (37 sts.).

Commence Yoke making a ridge as follows:—

1st row—K.37, slip one group of Sleeve sts. on to left-hand needle with **wrong** side of work facing, K. across these sts., K. across sts. of Back, second Sleeve and Right Front in same manner (215 sts.).

Complete as Yoke of Dress (page 18), working from 2nd row to end.

TO MAKE UP

Taking care not to stretch Yoke, block and lightly press using a warm iron and damp cloth.

Join sleeve seams and raglan shapings. Attach buttons. Press seams.



THE COAT FROM THE PRAM SET ON PAGE 10

MATERIALS: 4 oz. PATONS QUICKERKNIT Baby Wool Patonised. Two No.9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: To fit 18-19 [20-21] inch chest. Length, $10\frac{3}{4}$ [$11\frac{1}{4}$] ins. Sleeve seam, 5 [$5\frac{1}{2}$] ins.

SIZES: The figure in square brackets [] refers to the large size.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

BACK

Cast on 81 [87] sts.
K. 6 rows.

Proceed in **stocking stitch** as follows:—

1st row—K.

2nd row—K.1, P. to last st., K.1.

Continue in stocking stitch until work measures $6\frac{3}{4}$ [7] ins. from beg., finishing at end of a P. row.

Shape armholes by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 69 [75] sts. remain.

Next row—K.1, P.3[6], (P.2 tog., P.2, P.2 tog., P.3) 7 times, P.1[4], K.1 (55 [61] sts.).

Proceed in **Herringbone rib** as follows:—

1st row—K.1, * H.B., P.1, rep. from * to last 3 sts., H.B., K.1.

2nd row—* K.1, P.2, rep. from * to last st., K.1.

Rep. these 2 rows until work measures 4 [4½] ins. from beg. of armhole shaping.

Shape shoulders by casting off 9 [10] sts. at beg. of next 4 rows.

Cast off.

RIGHT FRONT

Cast on 50 [53] sts.

K. 6 rows.

Proceed in stocking stitch with garter stitch border as follows:—

1st row—K.

2nd row—K.1, P. to last 5 sts., K.5.

** Continue as on last 2 rows until work measures same as Back up to armhole shaping, finishing at side edge.

Shape armhole by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on next and every alt. row until 44 [47] sts. remain.**

Next row—K.1, P.2[5], * (P.2 tog.) twice, P.1, rep. from * to last 6 sts., P.1, K.5 (30 [33] sts.).

Next row (on which a buttonhole is worked)—K.1, K.2 tog., w.fwd., K.2, * P.1, H.B., rep. from * to last st., K.1.

Next row—* K.1, P.2, rep. from * to last 6 sts., K.6.

Keeping herringbone and garter stitch correct, work 14 [16] more rows working a buttonhole as before on 13th [15th] row.

Shape neck by casting off 8 [9] sts. at beg. of next row. Dec. 1 st. at neck edge on every row until 18 [20] sts. remain.

Continue on these sts. until work measures 4 [4½] ins., from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 9 [10] sts. at beg. of next and alt. row.

LEFT FRONT

Cast on 50 [53] sts.

K. 6 rows.

Proceed as follows:—

1st row—K.

2nd row—K.5, P. to last st., K.1.
Work as Right Front from ** to **.

Next row—K.

Next row—K.5, P.1, * P.1, (P.2 tog.) twice, rep. from * to last 3 [6] sts., P.2 [5], K.1 (30 [33] sts.).

Next row—K.1, * H.B., P.1, rep. from * to last 5 sts., K.5.

Next row—K.6, * P.2, K.1, rep. from * to end.

Omitting buttonholes complete to match Right Front reversing all shapings.

SLEEVES

Cast on 34 [37] sts.

Work rows 1 and 2 of Herringbone rib as on Back 6 [7] times.

Proceed in stocking stitch as on Back, inc. 1 st. at both ends of 5th [7th] and every following 6th row until there are 42 [45] sts.

Continue on these sts. until work measures 5 [5½] ins. from beg.

Shape top by casting off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 22 [23] sts. remain, both ends of every row until 14 [15] sts. remain. Cast off.

COLLAR

Cast on 2 sts.

1st row—Inc. in first st., K.1.

2nd row—K.

3rd row—Inc. in first st., K. to end.

4th row—K.

Rep. 3rd and 4th rows 8 [9] times (12 [13] sts.)

K. 7 rows.

****Next row**—K. to last 3 [4] sts., turn.

Next row—Work to end.

K. 6 rows on all sts.**


Work from ** to ** 5 times more.

Dec. 1 st. at end of next and every alt. row until 2 sts. remain.

Cast off.

TO MAKE UP

Taking care not to stretch Yoke, block and press **very lightly**. Join shoulder, side and sleeve seams and stitch Sleeves into position. Stitch Collar into position, placing ends 2 sts. from edge of Fronts. Attach buttons. Press seams.



BOOTEES (left) for Set on page 14.
The Bootees on the right are on page 27.

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 11 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Using the two needle method, cast on 37 sts. Work rows 1 to 9 incl. of hem as at commencement of Dress (page 15). Work rows 1 to 8 incl. of lace ridge patt. twice (page 15).

Next row—K.1, P. to last st., K.1.
Work 12 rows in stocking stitch.

Next row—K.1, w.fwd., K.2 tog., K.1, * w.fwd., K.2, (w.fwd., K.2 tog., K.1) twice, rep. from * to last st., w.fwd., K.1 (42 sts.).

Next row—K.1, P. to last st., K.1.

Divide for foot as follows:—

1st row—K.28, turn.

2nd row—K.1, P.12, K.1, turn.

Work 16 rows more in stocking stitch on these 14 sts. for instep. Break off wool.

With right side of work facing, commencing where sts. were left and using same needle **knit up** 14 sts. along side of instep, K. across 14 sts. on needle, **knit up** 14 sts. from other side of instep, K. remaining 14 sts. (70 sts.).

K. 13 rows.

Shape foot as follows:—

1st row—(K.1, K.2 tog., K.29, K.2 tog., K.1) twice.

2nd row—K.31, (K.2 tog.) twice, K.31.

3rd row—(K.1, K.2 tog., K.26, K.2 tog., K.1) twice.

4th row—K.28, (K.2 tog.) twice, K.28.

5th row—K.27, (K.2 tog.) twice, K.27.

Cast off.

Work another Bootee in same manner.

TO MAKE UP

Press lightly. Join seams. Press seams. Using 3 strands of wool 40 ins. long, make a twisted cord and thread through holes at ankle. Attach a tassel to each end of cord.

PRAM SET MITTS—See page 10

MATERIALS: 1 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

You must use Quickerknit to be sure of a successful result.

MEASUREMENT: Length from top to lower edge, 5 ins.

TENSION: 6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 40 sts.

Work rows 1 and 2 of Herringbone rib as on Back of Coat (page 21) 5 times.

Next row—(K.2 tog., w.fwd., K.2 tog., K.1, w.fwd., K.2 tog.) 5 times, K.1, (w.fwd., K.2 tog.) twice (35 sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.

Continue in stocking stitch as on last 2 rows until work measures 3¾ ins. from beg., finishing at end of a P. row.

Shape top as follows:—

1st row—(K.1, K.2 tog.t.b.l., K.12, K.2 tog.) twice, K.1.

2nd and alt. rows—K.1, P. to last st., K.1.

3rd row—(K.1, K.2 tog.t.b.l., K.10, K.2 tog.) twice, K.1.

5th row—(K.1, K.2 tog.t.b.l., K.8, K.2 tog.) twice, K.1.

7th row—(K.1, K.2 tog.t.b.l., K.6, K.2 tog.) twice, K.1.

8th row—As 2nd row.

Cast off.

TO MAKE UP

Press **very lightly** using a warm iron and damp cloth. Join seam. Make a twisted cord and thread through holes at wrist. Attach a small tassel to each end of cord.

REPRINTED BY SPECIAL REQUEST

the beautiful circular shawl from
Beehive Baby Book SC39

MATERIALS: 5 oz. PATONS BEEHIVE
Fingering 2-ply, Patonised. Two No. 5
BEEHIVE needles, measured by BEE-
HIVE gauge.

MEASUREMENT: Width across centre,
50 ins.

See page 2 for Abbreviations.

Cast on 8 stitches.

1st row—K., working into back of sts.

2nd row—*W.fwd., K.1, rep. from * to end.

3rd and alt. rows—K.

4th row—*W.fwd., K.2, rep. from * to end.

6th row—*W.fwd., K.3, rep. from * to end.

Continue in this manner until the row
“* W.fwd., K.35, rep. from * to end” has
been worked (288 sts.).

Work border as follows:—

1st row—K.3, * (w.fwd., K.1) 6 times,
K.6, rep. from * to last 9 sts., (w.fwd., K.1)
6 times, K.3 (432 sts.).

2nd to 4th rows—K.


5th row—(K.2 tog.) 3 times, * (w.fwd.,
K.1) 6 times, (K.2 tog.) 6 times, rep. from
* to last 12 sts., (w.fwd., K.1) 6 times,
(K.2 tog.) 3 times. **6th to 8th rows**—K.

Work rows 5 to 8 incl. 16 times more.

Next row—*W.fwd., K.2 tog., rep. from *
to end.

Next row—K. to end, cast on 8 sts. for
lace edging.

Work **lace edging** gradually using up
border sts. as follows:—



1st row—K.8, turn.

2nd row—Sl.1, K.5, w.fwd., K.2.

3rd row—W.fwd., K.2 tog., K.6, K.2 tog.,
turn.

4th row—Sl.1, K.4, w.fwd., K.2 tog.,
w.fwd., K.2.

5th row—W.fwd., K.2 tog., K.7, K.2 tog.,
turn.

6th row—Sl.1, K.3, (w.fwd., K.2 tog.)
twice, w.fwd., K.2.

7th row—W.fwd., K.2 tog., K.8, K.2 tog.,
turn.

8th row—Sl.1, K.2, (w.fwd., K.2 tog.)
3 times, w.fwd., K.2.

9th row—W.fwd., K.2 tog., K.9, K.2 tog.,
turn.

10th row—Sl.1, K.2, K.2 tog., (w.fwd.,
K.2 tog.) 3 times, K.1.

11th row—As 7th row.

12th row—Sl.1, K.3, K.2 tog., (w.fwd.,
K.2 tog.) twice, K.1.

13th row—As 5th row.

14th row—Sl.1, K.4, K.2 tog., w.fwd.,
K.2 tog., K.1. **15th row**—As 3rd row.

16th row—Sl.1, K.5, K.2 tog., K.1.

17th row—W.fwd., K.2 tog., K.5, K.2 tog.,
turn. Continue as on rows 2 to 17 incl. until
all border sts. have been worked off.

Cast off loosely.

TO MAKE UP

Flat stitch edges together to form circle,
taking care not to tighten up when working
the seam. Press seam.

TO DRESS SHAWL

Roll it in a very damp cloth, then spread
out flat in a circle to given measurement,
pin out each point and allow to dry.

RAGLAN VEST—*continued from page 9*

**** Still dec.** at armhole edge as before, dec. 1 st. at neck edge on next 6 rows (3 [3, 3] sts.).

Continue without further dec. at neck edge but still dec. at armhole edge as before until 1 st. remains.

Work 1 row.

Fasten off. ******

Rejoin wool to remaining group of 25 [28, 31] sts., cast on 5 sts. for underflap.

Next row—K.5, P. to last st., K.1.

Dec. 1 st. at armhole edge as before and working 5 sts. at neck edge in garter stitch, work 20 [26, 30] rows.

Next row—K.1, K.2 tog.t.b.l., patt. to last 7 [8, 9] sts., slip these sts. on to a length of wool and leave.

Work from ****** to ******.

BACK

Work as Front until ******* is reached.

Rep. last 2 rows 17 [19, 21] times (23 [25, 27] sts.).

Cast off.

SLEEVES

Cast on 40 [46, 50] sts.

DIAGONAL RIB RAGLAN—

continued from page 6

TENSION: 6 sts. and 8 rows to one square inch on No. 8 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 10 needles, cast on 24 [28] sts. Work 14 [16] rows in K.1, P.1 rib, inc. 1 st. at beg. of last row on **small size only** (25 [28] sts.).

Change to No. 8 needles and proceed in diagonal rib as follows:—

1st row—K.1, * P.1, K.2, rep. from * to end.

2nd and 4th rows—K.1, P. to last st., K.1.

3rd row—* P.1, K.2, rep. from * to last st., P.1.

5th row—* K.2, P.1, rep. from * to last st., K.1. **6th row**—As 2nd row.

Work these 6 rows 3 [4] times more, then 1st row once.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., P. to last st., K.1.

2nd row—Patt. to last 4 sts., K.3, slip last st. on to a stitch-holder and leave.

3rd row—P. to last st., K.1.

Work the last 2 rows 11 [13] times more.

Shape neck as follows:—

Next row—Cast off 2 sts., patt. to last

Work 3 rows in K.1, P.1 rib.

Next row—Rib 2 [5, 7], (inc. in next st., rib 8) 4 times, inc. in next st., rib to end (45 [51, 55] sts.).

Work rows 1 and 2 of rib patt. 4 [5, 6] times.

Work rows 1 to 4 incl. of raglan shaping as on Front, then rep. 3rd and 4th rows 17 [19, 21] times (7 [7, 7] sts.).

Cast off.

TO MAKE UP

Block and press each piece very lightly. Join side and sleeve seams and stitch Sleeves into position.

NECKBAND

Slip 7 [8, 9] sts. left at top of right front on to a needle, with right side of work facing, using same needle **knit up** 54 [56, 58] sts. round neck, K. across 7 [8, 9] sts. from left front (68 [72, 76] sts.).

K. 4 rows, working a buttonhole as before on 2nd row.

Cast off.

Stitch end of underflap into position. Attach buttons. Press seams.

4 sts., K.3, slip last st. on to stitch-holder. ******Continue slipping last st. of every alt. row on to stitch-holder, **at the same time** dec. 1 st. at neck edge on next 3 [4] rows. Still slipping last st. off as before, continue until 1 st. remains on needle, fasten off. (17 [19] sts. remaining on stitch-holder.)

LEFT FRONT

Work ribbing as on Right Front.

Change to No. 8 needles and proceed in patt. as follows:—

1st row—* K.2, P.1, rep. from * to last st., K.1.

2nd and 4th rows—K.1, P. to last st., K.1.

3rd row—* P.1, K.2, rep. from * to last st., P.1.

5th row—K.1, * P.1, K.2, rep. from * to end. **6th row**—As 2nd row.

Work these 6 rows 3 [4] times more.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., patt. to end.

2nd row—K.1, P. to last st., slip last st. on to a stitch-holder.

3rd row—K.3, patt. to end.

Work the last 2 rows 11 [13] times more.

Shape neck as follows:—

1st row—Cast off 2 sts., P. to last st., slip last st. on to stitch-holder.

Complete as Right Front, working from ****** to end. Slip sts. from stitch-holders on to lengths of wool.

BACK

Using No. 10 needles, cast on 53 [59] sts.
1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1. Work these 2 rows 6 [7] times more.

Change to No. 8 needles and proceed in diagonal rib as follows:—

1st row—* K.2, P.1, rep. from * to last 2 sts., K.2.

2nd and 4th rows—K.1, P. to last st., K.1. **3rd row**—(P.1, K.2) 8 [9] times, P.1, K.3, P.1, (K.2, P.1) 8 [9] times.

5th row—K.1, (P.1, K.2) 8 [9] times, P.1, K.1, P.1, (K.2, P.1) 8 [9] times, K.1.

6th row—As 2nd row.

Work these 6 rows 3 [4] times more.

Shape armholes as follows:—

*****1st row**—Cast off 2 sts., patt. to end.

2nd row—Cast off 2 sts., P. to last st., slip last st. on to a stitch-holder.

3rd row—K.3, patt. to last 4 sts., K.3, slip last st. on to second stitch-holder.

4th row—P. to last st., slip last st. on to stitch-holder.

Work 3rd and 4th rows 15 [17] times more, then 3rd row once (15 [17] sts.). Cast off. Slip sts. from stitch-holders on to lengths of wool.***

SLEEVES

Using No. 10 needles, cast on 31 sts.

Work 9 [15] rows in K.1, P.1 rib as on Back.

Next row—Rib 3, (inc. in next st., rib 7) 3 times, inc. in next st., rib to end (35 sts.).

Change to No. 8 needles and proceed in diagonal rib as follows:—

1st row—* K.2, P.1, rep. from * to last 2 sts., K.2.

2nd and 4th rows—K.1, P. to last st., K.1.

3rd row—(P.1, K.2) 5 times, P.1, K.3, P.1, (K.2, P.1) 5 times.

5th row—K.1, (P.1, K.2) 5 times, P.1, K.1, P.1, (K.2, P.1) 5 times, K.1.

6th row—As 2nd row.


Continue in patt., inc. 1 st. at both ends of next and every following 10th [6th] row until there are 41 [45] sts.

Work 9 [7] rows.

Work as Back from *** to *** **noting** that there will be 3 sts. in place of 15 [17] sts. at final cast-off.

LACED JOININGS (see above)

Slip 17 [19] sts. from length of wool on Right Front on to a No. 10 needle, point facing 2 cast-off sts. Slip 17 [19] matching sts. from sleeve edge on to a No. 10 needle, point facing 2 cast-off sts. Place these 2 needles side by side, points together. Using



spare needle, join edges as follows:—

Slip first st. knitwise from front needle on to spare needle, slip first st. purlwise from back needle on to same spare needle, slip the second st. on spare needle over the first—thus casting off 1 st. Slip first st. from front needle on to spare needle, cast off 1 st., continue in this manner, working 1 st. from alternate needles until 1 st. remains at neck edge. Slip this st. on to a safety pin. Join remaining edges in same manner.

FRONT BANDS

Right: Using No. 10 needles, cast on 7 sts.

1st row—K.2, (P.1, K.1) twice, K.1.

2nd row—(K.1, P.1) 3 times, K.1.

3rd row (on which a buttonhole is commenced)—Rib 3, cast off 1 st., rib to end.

4th row—Rib 3, cast on 1 st., rib to end. Work 12 [14] rows in rib.

Work a buttonhole as before.

Continue in rib working a buttonhole on 13th and 14th [15th and 16th] rows from previous buttonhole until 5 [5] buttonholes **in all** have been worked.

Work 9 [11] rows in rib, slip sts. on to a safety pin and leave.

Left: Omitting buttonholes, work to match Right Front Band, finishing at end of a 2nd row of rib.

NECK BAND

Slip sts. from Right Front Band on to a No. 10 needle; using same needle, with right side of work facing **knit up** 45 [47] sts round neck, including the 4 sts. from safety pins, which should be knitted through the back of the sts.; work in rib across 7 sts. of Left Front Band (59 [61] sts.). Work 6 [6] rows in rib, working a buttonhole as before on 4th and 5th rows. Cast off in rib.

TO MAKE UP

Omitting K.1, P.1 rib, block fabric and **very lightly** press using a warm iron and damp cloth. Join side and sleeve seams and cast-off sts. at underarm. Stitch Front Bands into position. Attach buttons. Press seams.

DIMINUTIVE SWEATER—

continued from page 7

Still slipping last st. off as before, continue until 1 st. remains. Fasten off (17 [19] sts. remaining on stitch-holder).

Rejoin wool to remaining group of 9 [10] sts. and complete to match first half.

BACK

Work as Front until 4th row of armhole shaping has been worked.

Divide work as follows:—

Next row—K.3, patt. 17 [20], K.5, turn. Proceed on this group of 25 [28] sts. as follows:—

1st row—K.5, P. to last st., slip last st. on to stitch-holder.

2nd row—K.3, patt. to last 5 sts., K.5.

3rd row—As 1st row.

Large size only

Rep. 2nd and 3rd rows twice (24 sts.).

Both sizes

Next row (on which a buttonhole is worked)—K.3, patt. to last 5 sts., K.2, w.fwd., K.2 tog., K.1.

Continue in this manner, working a buttonhole on every following 10th row until 3 buttonholes **in all** have been worked.

Work 6 rows.

Next row—K.5 (slip these 5 sts. on to a safety pin and leave), cast off remaining 5 [6] sts.

Rejoin wool to group of 21 [24] sts. on needle, cast on 5 sts. for underflap.

1st row—K.5, patt. to last 4 sts., K.3, slip last st. on to stitch-holder.

2nd row—P. to last 5 sts., K.5.

Work these 2 rows 14 [16] times more.

Next row—K.5 (slip these 5 sts. on to a safety pin and leave), patt. to last 4 sts., K.3, slip last st. on to a stitch-holder.

Cast off.

SLEEVES

As Cardigan (page 25).

Work Laced Joinings as on page 25.

NECKBAND

Slip 5 sts. at top of left half of Back on to a No. 10 needle, using same needle, with right side of work facing **knit up** 47 [49] sts. round neck including 4 sts. on safety pins, knit across 5 sts. from remaining safety pin (57 [59] sts.).


1st row—K.6, * P.1, K.1, rep. from * to last 5 sts., K.5.

2nd row—K.5, * P.1, K.1, rep. from * to last 6 sts., P.1, K.2, w.fwd., K.2 tog., K.1. Keeping garter stitch and rib correct, work 3 rows.

Cast off.

TO MAKE UP

As for Cardigan (page 25) but stitch down end of underflap and omit reference to Front Bands.



RAGLAN WITH EMBROIDERED YOKE—
continued from page 3

44th row—K. to last 5 sts., (K.2 tog.) twice, K.1 (12 sts.). Cast off knitwise.

SLEEVES

Cast on 27 sts.

1st to 12th rows—K.

13th row—K.4, (inc. in next st., K.1) 10 times, K.3 (37 sts.). K.2 rows.

Next row—K.1, P. to last st., K.1.

Next row—K.

Work 16th to 18th rows incl. as on Back. Proceed in stocking stitch, inc. 1 st. at both

ends of next and every following 4th row until there are 49 sts. Work 3 rows.

Work as Back from ** to ** (7 sts.).

Cast off knitwise.

TO MAKE UP

Block and press each piece **very lightly** using a warm iron and damp cloth.

Join side and sleeve seams and stitch Sleeves into position.

Embroider flowers on yoke as on photograph.

Attach buttons. Press seams.

Next row—K.21, turn.

Next row—K.1, P.10, K.1.

Work 16 more rows in stocking stitch on these 12 sts. Break off wool.

With right side of work facing, commencing where sts. were left and using same needle, **knit up** 11 sts. along side of instep, K. across 12 sts. on needle, **knit up** 11 sts. from other side of instep, finally knit remaining 9 sts. (52 sts).

K. 11 rows.

Shape toe as follows:—

1st row—(K.1, K.2 tog., K.20, K.2 tog., K.1) twice.

2nd and 4th rows—K.

3rd row—(K.1, K.2 tog., K.18, K.2 tog., K.1) twice.

5th row—(K.1, K.2 tog., K.16, K.2 tog., K.1) twice. Cast off.

Work another Bootee in same manner.

TO MAKE UP

Press **very lightly** on wrong side using a warm iron and damp cloth.

Join seams. Thread ribbon through holes at ankle. Press seams.

BOOTEES (RIGHT) TO MATCH

The Bootees on the left are on page 22.

MATERIALS: 1 oz. or oddment left from Coat on page 2, PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Length of ribbon. You must use Quickerknit to be sure of a successful result.

TENSION: 7 sts. and 9 rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 30 sts.

1st to 8th rows—K. **9th row**—K.

10th row—K.1, P. to last st., K.1.

11th and 12th rows—K.

13th row—K.2, * w.fwd., K.2 tog., rep. from * to end. **14th row**—K.

Rep. 9th and 10th rows 9 times.

Next row—As 13th row.

Next row—As 10th row.



Please address knitting enquiries concerning this booklet to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co., Ltd., Bradford and London. 8400

PUBLISHED BY PATONS & BALDWIN'S LIMITED

