

WOMAN'S
WEEKLY
designs in
BRI*
NYLON

THE FIRST THREE YEARS



WHETHER YOUR PRESENT CONCERN is the delicious cuddly bundle that is a new baby, a roly-poly crawler who cannot wait to explore the wide world beyond the playpen, or an ever-energetic toddler romping through garden and home alike, you will want to provide the warmth that knitted garments alone can give—plus the wonder-washing qualities of Bri-Nylon.

For the busy mother: Bri-Nylon has all the excellences. You will delight in the way these knitted garments stay soft and shapely through wash after wash—and come really clean every time (nursery stain-makers such as orange juice should of course be wiped off at once). And the colours are clear and true; pretty pastels stay that way, while white retains its original brilliance.

For the knitter: Bri-Nylon enhances the pleasure of seeing a garment grow beneath your fingers. It is a yarn with an especially supple, sympathetic handle, but it produces, particularly on patterned garments, a crisp finished texture that does full justice to the designer's art and the knitter's craft. Making up presents no problems; follow the directions, and if pressing is called for, keep it to a minimum, pressing very lightly with a warm iron on to a damp cloth. Never slide the iron, and never iron ribbing.

Bri-Nylon garments can be washed by hand or machine, as you prefer, with hand-hot water and your favourite synthetic detergent. Rinse the garment well, and let it dry flat (never pegged up). The quick way to do this is to lay the garment flat and in shape on a white towel, roll the towel up and press it with your hands to remove most of the moisture, then finish off the drying with the garment flat on another towel or laid across two bars of a pulley.

NOTE: It is essential to use the yarn specified in each design.

COVER PRAM SET

For the first early months



PETER PAN

Baby Bri-Nylon Super Crimp Double Knitting

MATERIALS: Fifteen ounces of Peter Pan Baby Bri-Nylon Super Crimp Double Knitting; a pair each of No. 10, No. 11 and No. 13 knitting needles; $3\frac{1}{2}$ yards of $\frac{1}{4}$ -inch wide baby ribbon; $1\frac{1}{4}$ yards of narrow lace; 1 yard of 1-inch wide ribbon; 2 buttons for the top; a waist length of elastic for the "kicking cosy."

Tension: Work at a tension of 10 stitches—one repeat of the pattern—to $1\frac{1}{2}$ inches in width, using No. 10 needles, to obtain the measurements given below.

MEASUREMENTS: Top: All round at underarms—fastened, 23 inches; side seam, 6 inches; length, 10 inches; sleeve seam, $6\frac{1}{2}$ inches. **Bonnet:** All round face edge, 12 inches; face edge to centre back, with brim turned back, 6 inches. **Mitts:** All round hand, 5 inches; cast-on to cast-off edge, $4\frac{1}{2}$ inches. **Bootees:** Back of heel to toe, $3\frac{1}{2}$ inches; top to sole of foot, 3 inches. **"Cosy":** 14 inches in width and 15 inches in length.

Abbreviations: See below.

THE ANGEL TOP

(It does up down the back!)

THE FRONT: Begin at the lower edge by casting on 101 sts. with No. 10 needles and k. 4 rows.

Now work the 4-row pattern as follows:

1st row: K. 1, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * to end.

2nd row: All p.

3rd row: As 1st row.

4th row: All k.

Repeat these 4 rows 10 times more.

To shape the armholes: 1st row: Cast off 2—1 st. left on right-hand needle not included in next item—k. 2, k. 2 tog., k. 3, m. 1, k. 1, repeat from * on 1st pattern row to end.

2nd row: Cast off 2, p. to end.

3rd row: K. 2, k. 3 tog., k. 3, m. 1, k. 1, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * until 8 remain, m. 1, k. 3, k. 3 tog., k. 2.

4th row: K. 2 tog., k. until 2 remain, k. 2 tog.

5th row: K. 3 tog., k. 3, m. 1, k. 1, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * until 6 remain, m. 1, k. 3, k. 3 tog.

6th row: P. 2 tog., p. until 2 remain, p. 2 tog.

GENERAL ABBREVIATIONS

—To be read before working any of the designs in this booklet.

K., knit plain; p., purl; st., stitch; tog., together; inc., increase (by working into the back and front of the same st.); dec., decrease (by working 2 sts. tog.); m. 1, make 1 (after a k. st. by bringing the yarn to the front of the work so that it passes over the needle before knitting the next st. or sts. tog.; after a p. st. take the yarn from the front of the needle, over it and to the front again before purling the next st. or sts. tog.); s.s., stocking st. (k. on the right side and p. back); c.s.s., continental stocking st. (k. into the back of each st. on right-side rows, p. in the usual way on wrong-side rows); single rib is k. 1 and p. 1 alternately; twisted single rib is k. into the back of one st. and p. 1 alternately; m. st., moss st. (k. 1 and p. 1 alternately and on subsequent rows the sts. are reversed);

garter st. is k. plain on every row; sl., slip; p.s.s.o., pass the slipped st. over; y.f., yarn forward; y.o.n., yarn over needle; y.r.n., yarn round needle; k. 1 b., or p. 1 b., k. 1 or p. 1 through the back of the st.; k. 2 tog. b., or p. 2 tog. b., k. or p. 2 tog., through the back of the sts.; tw. 2 r., twist 2 right (k. into the front of the 2nd st. on left-hand needle, k. into the front of the 1st st. then pass the 2 sts. off left-hand needle tog.); tw. 2 lt., twist 2 left (pass the right-hand needle behind the left-hand needle and k. into the back of the 2nd st., k. into the 1st st. then pass the 2 sts. off left-hand needle tog.); m., main colour: c., contrast; lt., light; d., dark; med., medium; w., white. The directions in brackets are worked the number of times stated after the last bracket.

7th row: K. 2 tog., k. 2, m. 1, k. 1, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * until 4 remain, m. 1, k. 2, k. 2 tog.

8th row: As 4th row.

9th row: K. 2 tog., k. 1, m. 1, k. 1, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * until 3 remain, m. 1, k. 1, k. 2 tog.

10th row: As 6th row.

11th row: K. 2 tog., m. 1, k. 1, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * until 2 remain, m. 1, k. 2 tog.

12th row: As 4th row.

13th row: K. 2, * m. 1, k. 3, k. 3 tog., k. 3, m. 1, k. 1; repeat from * until 1 st. remains, k. 1 more.

14th row: As 6th row.

Break off yarn and leave these 81 sts. on a spare needle for yoke.

THE RIGHT BACK: Using No. 10 needles, cast on 51 sts. and work as for front until 11 patterns have been completed.

To shape the armhole: Cast off 2 sts. at the beginning of the next row.

Work 1 row straight, then dec. 1 st. at armhole edge of the following 4 rows. Now dec. 1 st. at the armhole edge of the following 4 wrong-side rows.

(For details of armhole shaping, knitters should refer to corresponding armhole rows of front.) Break off yarn and leave the 41 sts. on a spare needle.

THE LEFT BACK: Work as for right back until armhole shaping is reached, then pattern 1 row more.

To shape the armhole: Cast off 2 sts. at the beginning of the next row, then dec. 1 st. at the armhole edge of the next 4 rows. Now dec. 1 st. at the armhole edge of the following 4 wrong-side rows.

(For details of armhole shaping, knitters should refer to corresponding armhole rows of front.) Do not break off yarn. Leave the 41 sts. on a spare needle.

THE SLEEVES (two alike): Using No. 10 needles cast on 61 sts. and k. 4 rows.

Slot row: K. 1, * m. 1, k. 2 tog., k. 1; repeat from * to end.

K. 1 row.

Now work the 4-row pattern as on front, 11 times.

To shape the sleeve top: Work the 14 rows of front armhole shaping. Break off yarn and leave 41 sts. on spare needle.

The yoke: With wrong side of work facing, slip all the sts. on to a No. 10 needle in the following order: 41 sts. from right back, 41 sts. from first sleeve, 81 sts. from front, 41 sts. from second sleeve and finally 41 sts. from left back. 245 sts.

With right side facing, work as follows: Dec. row: K. 1, (k. 2 tog.) 122 times. 123 sts.

Work 9 rows in m.st.

Change to No. 11 needles; m.st. 10 rows. Now work in garter st. as follows:

Slot row: K. 2, (k. 2 tog., m. 1, k. 2) 30 times, k. 1 more.

K. 1 row.

Change to No. 13 needles.

Dec. row: (K. 1, k. 2 tog.) 41 times. 82 sts.

K. 5 rows. Cast off.

TO MAKE UP THE TOP: Press all parts lightly on the wrong side with a warm iron over a cloth and with a thick



The set includes 'Angel top', kicking cosy, bonnet, booties and mitts.

blanket underneath. Join armhole shapings, then join sleeve and side seams in one line. Make 2 button loops on left back, one at top of yoke and one on first row of yoke. Sew 2 buttons to right back. Thread ribbon through slot rows.

To make a rosette: Cut a piece of lace 4 inches in length. Run a gathering thread along straight edge, draw up and fasten to form a circle. Sew 3 rosettes on to yoke.

THE BONNET

TO WORK: Using No. 10 needles, cast on 81 sts. and work as for front of top until the 4-row pattern has been worked twice. Continue in m.st. as follows:

Dec. row: K. 1, p. 1, k. 2 tog., * (p. 1, k. 1) 6 times, p. 1, k. 2 tog.; repeat from * 4 times, p. 1, k. 1. 75 sts.

M.st. 53 rows, decreasing 1 st. at each end of the last row. 73 sts.

Now work in garter st. and shape crown as follows:

1st row: K. 1, (k. 2 tog., k. 8) 6 times, k. 2 tog., k. 10. 2nd row: All k.

3rd row: K. 1, (k. 2 tog., k. 7—k. 1 st. less here on each repeat of this row) 6 times, k. 2 tog., k. 9—k. 1 st. less here on each repeat of this row.

Repeat the 2nd and 3rd rows 6 times more and the 2nd row again, but working 1 st. less where indicated on each successive repeat of the 3rd row. 17 sts.

Next row: K. 1, (k. 2 tog.) 8 times.

Break off yarn, leaving a long end; run through remaining sts.; draw up securely with a back st., then join the back seam as far as approximately 10 rows before crown shaping.

TO MAKE UP THE BONNET: Press as for top. Turn back the pattern rows and press lightly. Sew on ribbon.

THE MITTS

TO WORK (two alike): Using No. 10 needles, cast on 41 sts. and work as for front of top until the 4-row pattern has been worked twice.

Slot row: K. 1, (m. 1, k. 2, k. 2 tog.) 10 times.

Continue in m.st. as follows:

Dec. row: K. 1, (p. 1, k. 1, p. 2 tog., k. 1, p. 1, k. 2 tog.) 5 times.

On 31 sts. m.st. 26 rows.

To shape the top: 1st dec. row: P. 2 tog., m.st. 10, k. 3 tog., p. 1, k. 3 tog., m.st. 10, p. 2 tog.

M.st. 1 row.

2nd dec. row: K. 2 tog., m.st. 7, k. 3 tog., p. 1, k. 3 tog., m.st. 7, k. 2 tog.

M.st. 1 row on 19 sts., then cast off.

TO MAKE UP THE MITTS: Press as for top. Fold in half and join cast-off edges and side seam. Thread ribbon through slots at wrist.

THE BOOTIES

TO WORK (two alike): Work as for mitts until slot row is completed.

M.st. 5 rows straight.

Continue in m.st. and inc. 1 st. at each end of the next row and every following 6th row until the 4th inc. row has been completed. 49 sts.

M.st. 1 row; dec. 1 st. at each end of next row and following 2 alternate rows. Cast off the 43 sts. fairly loosely.

TO MAKE UP THE BOOTIES: Press as for top. Fold in half and, leaving the pattern rows free, join front seam and cast-off edges. Catch down the pattern rows at each side. Thread ribbon through slots at ankle. Sew a rosette to fronts.

THE "KICKING COSY"


TWO PIECES ALIKE: Using No. 10 needles, cast on 111 sts. and k. 4 rows.

Now work the 4-row pattern 29 times.


K. 12 rows, then cast off.

TO MAKE UP THE "COSY": Press as for top. Join side seams and cast-on edges. Fold the last $\frac{1}{2}$ inch over a waist length of elastic and slip st. cast-off edge to wrong side. Sew 3 rosettes at equal intervals along lower edge of front.

"Socks-and-shoes like
my schoolgirl
sister—and an Aran sweater
like daddy's!"



FOR HER FIRST
TEA-PARTY,
FOR THEIR
TRIPS TO
THE PARK



Warmest of all for the
littlest party-goer, this
enchanted knitted dress with
bootees to match (see the
pretty shoe-and-sock effect?)

And the enveloping Aran
jersey every toddler needs,
with ski-cap to match.



Instructions for jerseys and hats (Hayfield) begin on page 7



LACY RAGLAN DRESS

To fit babes of
six to twelve
months

SIRDAR GAIETY

4-ply Bri-Nylon

MATERIALS: Five ounces of Sirdar Gaiety 4-ply Bri-Nylon in main colour and half an ounce of white for the bootees; a pair each of No. 11 and No. 9 knitting needles; 2 buttons for the dress and 2 buttons for the bootees.

Tension and measurements: Work at a tension of 6 stitches to one inch in width across the stocking stitch, using No. 9 needles, to obtain the following measurements: **Dress:** All round at underarms, $22\frac{1}{2}$ inches; side seam, 10 inches; length, $14\frac{1}{2}$ inches; sleeve seam, $1\frac{1}{2}$ inches. **Bootees:** Length from top to base of heel, 4 inches; back of heel to toe, $4\frac{1}{2}$ inches.

Abbreviations: See page 2.

THE DRESS

THE BACK: With No. 9 needles and m. cast on 113 sts. for lower edge. Beginning with a p. row, s.s. 5 rows.

Picot row: K. 1, * m. 1, k. 2 tog.; repeat from * to end.

Beginning with a p. row, s.s. 7 rows.

Now work the 8-row pattern as follows:
1st row (right side): K. 1, * m. 1, sl. 1, k. 2 tog., p.s.s.o., m. 1, k. 1; repeat from * to end.

2nd, 4th and 6th rows: All p.

3rd row: K. 2, * m. 1, k. 2 tog. b., k. 2; repeat from * ending last repeat with k. 1.

5th row: K. 2 tog., m. 1, k. 1, * m. 1, sl. 1, k. 2 tog., p.s.s.o., m. 1, k. 1; repeat from * until 2 remain, m. 1, k. 2 tog. b.

7th row: K. 4, * m. 1, k. 2 tog. b., k. 2; repeat from * until 1 st. remains, k. 1.

8th row: All p.

Repeat these 8 rows 8 times more.

Dec. row: K. 1, then * k. 1, k. 2 tog., k. 2 tog.; repeat from * 21 times, k. 2.

Continued on next page

Change to No. 11 needles and, on 69 sts., k. 5 rows.

Return to No. 9 needles and, beginning with a k. row, s.s. 8 rows.

To shape the fully-fashioned raglan armholes. *1st and 2nd rows:* Cast off 2 sts. at the beginning of each row, work to end.

3rd row: K. 1, sl. 1, k. 1, p.s.s.o., k. until 3 sts. remain, k. 2 tog., k. 1.

4th row: All p.

Repeat the 3rd and 4th rows 5 times and the 3rd row again.

Next row: P. 28 and leave these sts. on spare needle for left half back, p. the remaining 23 sts. for right half back.

The right half back. *1st row:* K. 1, sl. 1, k. 1, p.s.s.o., k. to end, turn and cast on 5 sts. for band.

2nd row: K. 5, p. to end.

**** Work 25 rows more, maintaining garter st. border at neck end and still decreasing, as before, at armhole end on each right-side row. Cast off the 14 sts.**

The left half back: Rejoin yarn on right side to neck edge of 28 sts. left on spare needle.

1st row: K. until 3 sts. remain, k. 2 tog., k. 1.

2nd row: P. until 5 sts. remain, k. 5.

Now work as from ** on right half back to end.



THE FRONT: Work as for back until the first 4 rows of armhole shaping have been completed. 63 sts.

Now repeat the 3rd and 4th rows 13 times and then the 3rd row again.

Next row: P. 11 and leave these sts. on spare needle for right front point, cast off the next 13 sts. for front of neck, p. to end and work on these 11 sts. for left front point.

The left front point: ** Work 8 rows, decreasing, as before, for armhole on each right-side row, and decreasing 1 st. at neck edge on the 3rd, 5th and 7th of these rows. 4 sts. ***.

"Lacy socks are all the rage."



The two-colour booties give a shoes and socks effect.

Next row: K. 1, sl. 1, k. 2 tog., p.s.s.o. P. 2, then k. 2 tog. and fasten off.

The right front point: Rejoin yarn on right side to neck edge of 11 sts. left on spare needle and work from ** to *** on left front point.

Next row: K. 3 tog., k. 1.

P. 2, then k. 2 tog. and fasten off.

THE SLEEVES (two alike): With No. 11 needles and m. cast on 51 sts. and, beginning with a p. row, s.s. 3 rows.

Repeat the picot row as given at beginning of back; beginning with a p. row, s.s. 5 rows.

Change to No. 9 needles and s.s. 6 rows more.

To shape the sleeve top: Work the first 4 rows of raglan shaping as given for armholes on back, then repeat the 3rd and 4th rows 20 times. Cast off the remaining 5 sts.

THE NECK EDGING: First set in the raglan sleeves so that the sts. cast off at the top form part of the neck edge. With right side of work facing and beginning at top of band on left half back, with No. 11 needles and m., pick up and k. 64 sts. evenly from neck edge, ending at *beginning* of garter st. border at right half back. P. 1 row, k. 1 row and p. 1 row.

Work the picot row, but beginning and ending with k. 1.

P. 1 row, k. 1 row and p. 1 row, then cast off.

TO MAKE UP THE DRESS: Lightly press all parts on wrong side with a warm iron over a cloth. Join sleeve and side seams in one line. Fold the lower edge and sleeve edges at picot row and sew down the cast-on edges inside dress. Fold the neck edging at picot row and sew down cast-off edge inside dress. Make a buttonhole in garter st. band on left half back by inserting a thick knitting needle or pencil into the centre st. of band and 2 rows down from edging. This will sufficiently open the st. Buttonhole st. round the opening to neaten. Make another buttonhole 14 rows lower down. Sew 2 buttons to button band and sew down the cast-on edge of this band behind buttonhole band.

THE BOOTEES

TO WORK (two alike): With No. 11 needles and w. cast on 37 sts. and work as given for back of dress until the 7th row of the 3rd pattern has been worked.

Divide sts. for instep thus: P. 12 and leave these sts. on a safety-pin, p. 13, then p. 12 and leave these last 12 sts. on a safety-pin. Cut w.

With right side facing and using w., join yarn to centre 13 sts. and work 1 pattern and 4 rows of next pattern. Cut w., join on m., and work 12 rows in garter st. Break off m.

The foot: With right side facing, and using m., k. 12 sts. from safety-pin, along row ends of instep pick up and k. 10 sts. from w. and 6 sts. from m., k. 13 sts. from needle, pick up and k. 16 sts. along row ends of other side of instep then k. 12 sts. from safety-pin. (69 sts.)

K. 15 rows in garter st.

To shape foot: *1st row:* K. 1, k. 2 tog., k. 29, k. 2 tog., k. 1, k. 2 tog., k. 1, k. 2 tog., k. 29, k. 2 tog., k. 1.

2nd row: K. 30, k. 2 tog., k. 1, k. 2 tog., k. 30.

3rd row: K. 1, k. 2 tog., k. 26, k. 2 tog., k. 1, k. 2 tog., k. 26, k. 2 tog., k. 1.

4th row: K. 27, k. 2 tog., k. 1, k. 2 tog., k. 27.

5th row: K. 26, k. 2 tog., k. 1, k. 2 tog., k. 26.

Cast off.

Strap: With m. cast on 38 sts. *1st row:* Inc., k. to end.

2nd row: K. until 2 sts. remain, inc., k. 1.

3rd row: K. 3, cast off 2 for buttonhole, k. to end.

4th row: K. until 3 remain, turn, cast on 2, turn, k. 3.

5th row: Dec., k. to end.

6th row: K. until 2 remain, dec. Cast off.

TO MAKE UP BOOTEES: Press as for dress. Join back and foot seam, then fold over hem at picot row and slip-stitch in position. Stitch centre of cast-off edge of strap to first m. row at back seam. Sew button to strap.



ARAN JERSEY & CAP

To please the
two-year-olds

HAYFIELD TEAK

Super Crimp
Bri-Nylon
Double Knitting

MATERIALS: Nine ounces of Hayfield Teak Super Crimp Bri-Nylon Double Knitting—allow three extra ounces if the cap is made; a pair each of No. 10 and No. 9 knitting needles; a cable needle or short double pointed needle for the cable stitches. **Tension:** Work at such a tension that the 26-stitch cable panel measures $3\frac{1}{4}$ inches in width using No. 9 needles, to obtain the measurements as follows: **Jersey:** All round at underarms, 24 inches; side seam, $8\frac{1}{2}$ inches; length, $13\frac{3}{4}$ inches; sleeve seam, $10\frac{1}{2}$ inches. **The cap** will fit an average-size head.

General Abbreviations: See page 2.

Special Abbreviations: C. 6 f., cable 6 front thus: sl. the next 3 sts. on to a cable needle and leave at front of work, k. 3, then k. 3 from cable needle; c. 6 b., cable 6 back: work as for c. 6 f. but leave sts. at back of work; c. 3, cable 3 thus: sl. the next st. on to a cable needle, and leave at front of work, k. 1 b., p. 1, then k. 1 b. from cable needle; m.st.: moss st., k. 1 and p. 1 alternately and on subsequent rows the sts. are reversed; tog., together.

THE JERSEY

THE BACK: Using No. 10 needles, cast on 83 sts. and work 9 rows in twisted single rib, beginning odd-numbered rows with k. 1 b. and even-numbered rows with p. 1.

Inc. row: P. 5, inc., * p. 7, inc.; repeat from * 8 times, p. 5. (93 sts.)

Change to No. 9 needles and work in pattern as follows:

1st row: Beginning with k. 1, m.st. 7, p. 1, * for the 26 st. cable panel, k. 1 b., p. 1, c. 3, p. 1, c. 6 f., p. 1, c. 6 b., p. 1, c. 3, p. 1, k. 1 b., p. 1 **; repeat from * twice, beginning with k. 1, m.st. 7.

2nd row: M.st. 7, k. 1, * for 26-st. panel, p. 1 b., k. 1, p. 1 b., k. 1, p. 1 b., k. 1, p. 6, k. 1, p. 6, k. 1, p. 1 b., k. 1, p. 1 b., k. 1, p. 1 b., k. 1 **; repeat from * twice, m.st. 7.

3rd row: M.st. 7, p. 1, * k. 1 b., p. 1, k. 1 b., p. 1, k. 1 b., p. 1, k. 6, p. 1, k. 6, p. 1, k. 1 b., p. 1, k. 1 b., p. 1, k. 1 b., p. 1 **; repeat from * twice, m.st. 7.

4th and 5th rows: Repeat 2nd and 3rd rows.

6th row: As 2nd row.

These 6 rows form the pattern, so repeat them 10 times, when the work should measure $8\frac{1}{4}$ inches.

To shape the armholes: Cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the next 5 right-side rows.*

On 75 sts. pattern 29 rows—the armhole should measure $5\frac{1}{4}$ inches.

To slope the shoulders: Cast off 6 sts. at the beginning of each of the next 2 rows, then 7 sts. on the following 4 rows.

Leave the remaining 35 sts. on a spare needle.

THE FRONT: Work as given for back until * is reached.

On 75 sts. pattern 20 rows.

Now divide the sts. for neck and shoulders as follows: *Next row:* Pattern 28 sts. and leave on a spare needle, pattern 19 and leave on a stitch-holder until required for collar, pattern 28 and work on these sts.

The left front shoulder. **To shape the neck:** Pattern 8 rows, decreasing 1 st. at neck edge on each row.

To slope the shoulder: Cast off 6 sts. at the beginning of the next row, 7 sts. on following 2 alternate rows and fasten off.

With right side of work facing, rejoin yarn to neck end of the 28 sts. and pattern 1 row.

The right front shoulder: Work as for left front shoulder.

THE SLEEVES (two alike): Using No. 10 needles cast on 45 sts. and work 13 rows in twisted single rib as on back.

Inc. row: P. 1, inc., * p. 3, inc.; repeat from * 9 times, p. 1, inc., p. 1. (57 sts.)

Change to No. 9 needles and work in pattern as follows:

1st row: M.st. 2, p. 1, now repeat the 26-st. panel as given on 1st pattern row, twice, m.st. 2.

2nd row: M.st. 2, k. 1, now repeat the 26-st. panel as given on 2nd pattern row, twice, m.st. 2.

These 2 rows set the sts. for the sleeves, so pattern 4 rows more.

Continue in pattern as set, and working the increased sts. in m. st., inc. 1 st. at each end of the next row and every following 6th row until the 8th inc. row has been worked.

On 73 sts. pattern 29 rows—or for sleeve seam length required.

Cap and jersey have the dashing air of winter sports clothes.

To shape the sleeve top: Cast off 4 sts. at beginning of the next 2 rows, then dec. 1 st. at each end of the next 5 right-side rows.

Pattern 1 row, then dec. 1 st. at each end of the next 6 rows.

Now cast off 5 sts. at the beginning of the next 6 rows.

Cast off the remaining 13 sts.

THE POLO COLLAR: First join the right shoulder seam. With right side of work facing and using No. 9 needles, pick up and k. 16 sts. from row ends of left front neck edge, beginning with p. 1, rib across the 19 sts. at centre front, pick up and k. 16 sts. from row ends of right front shoulder, beginning with k. 1, rib across the 35 sts. left on spare needle at back neck edge.

On 86 sts. work 20 rows in twisted single rib, then cast off in rib.

TO MAKE UP THE JERSEY: Press on wrong side with a warm iron over a cloth. Join left shoulder seam continuing the seam across the collar. Set sleeves into armholes then join sleeve and side seams in one line. Press all seams.

THE CAP

TO WORK: Using No. 10 needles cast on 173 sts. and work 13 rows in twisted single rib.

Inc. row: P. 10, inc., * p. 16, inc.; repeat from * 8 times, p. 9. 183 sts.

Change to No. 9 needles and work in pattern as follows:

1st row: P. 1, then repeat from * to ** as on 1st pattern row on jersey, 7 times.

2nd row: K. 1, then repeat from * to ** as on 2nd pattern row, 7 times.

These 2 rows set the sts. for the cap, so pattern 47 rows, ending with the 1st row of the 9th pattern.

Dec. row: P. 1, then p. 2 tog. along the row.

Break off yarn, thread yarn through darning needle and pass through the 92 sts., draw up and fasten off with a back st., then join row ends.

Make pom-pon and sew to top of cap.



"Of course we're warm! Though



FOR ALL THE FAMILY, FROM NEW BABY TO BIG BROTHER



This admirably neat cardigan, ribbon-threaded for the baby, in colour for the second size. The sailor-suit has, predictably, returned to favour; this knitted version has blue shorts, and a towelling vestee to set off the striped jersey.

we like playing on the floor best!"



Little boy's sailor suit instructions (Lee Target) begin on page 11



RIBBON THREADED COATS

From six to
eighteen
months

EMU

3-ply (or
4-ply) Super
Crimp Bri-
Nylon

MATERIALS: Three ounces of Emu 3-ply Super Crimp Bri-Nylon for the small size or five ounces of 4-ply for the larger size. For either size: a pair each of No. 11 and No. 10 knitting needles; 3 buttons; 3 yards of narrow ribbon if desired.

Tension and measurements: Work at a tension of $8\frac{1}{2}$ stitches to the inch in width using 3-ply and No. 10 needles, or 8 stitches to the inch in width using 4-ply and No. 10 needles, to obtain the following measurements: All round, fastened, 21 or $22\frac{1}{2}$ inches; side seam, $5\frac{1}{2}$ or 6 inches; length, $9\frac{1}{4}$ or 10 inches; sleeve seam, $6\frac{1}{2}$ or 7 inches.

Abbreviations: See page 2.

Note: The instructions are exactly the same for the two sizes. For the small size use 3-ply, for the larger size use 4-ply.

THE BACK: With No. 11 needles cast on 90 sts. for lower edge and, beginning with a k. row, s.s. 12 rows.

Change to No. 10 needles and s.s. a further 8 rows.

Now work for ribbon slots as follows:
1st to 3rd rows: All k.

4th row: K. 1, * m. 1, k. 2 tog.; repeat from * until 1 st. remains, k. 1.

5th and 6th rows: All k.

S.s. 52 rows.

Dec. row: K. 4, * k. 2 tog., k. 7; repeat from * 9 times, but end last repeat with k. 3.

P. 1 row on 80 sts.

To shape armholes: Dec. 1 st. at each end of the next 6 rows.

On 68 sts. s.s. 32 rows.

To slope the shoulders: Cast off 10 sts. at the beginning of each of the next 2 rows, then 12 sts. at the beginning of the following 2 rows.

The back neck facing: Change to No. 11 needles and on the remaining 24 sts. s.s. 8 rows. Cast off.

THE LEFT FRONT: With No. 11 needles cast on 49 sts. and s.s. 12 rows. Change to No. 10 needles and s.s. 3 rows.

Next row: Cast on 8 sts. for facing, k. into the back of these sts. then p. to end of row.

Continue as follows:

1st row: K. until 8 sts. remain, sl. 1 for edge st., k. 7.

2nd row: K. 7, p. to end.

Repeat these 2 rows once more.

Now work for waist ribbon slots as follows:

1st row: K. until 8 sts. remain, sl. 1, k. 7.

2nd row: K. 7, p. 9, k. to end.

3rd row: As 1st row.

4th row: K. 7, p. 9, k. 1, * m. 1, k. 2 tog.; repeat from * to end.

5th and 6th rows: Repeat 1st and 2nd rows.

Plain or beribboned—they're enchanting

Continue for front ribbon slots thus:
1st row: K. until 8 sts. remain, sl. 1, k. 7.
2nd row: K. 7, p. 9, k. 1, m. 1, k. 2 tog., p. to end.

3rd row: As 1st row.

4th row: K. 7, p. 9, k. 3, p. to end.

Repeat the last 4 rows 12 times more.

Next row: * K. 5, k. 2 tog.; repeat from * 4 times, k. 14, sl. 1, k. 7.

Repeat the 2nd row on 52 sts.

To shape the armhole: Maintaining the continuity of the rows for front ribbon slots, dec. 1 st. at armhole end of the next 6 rows.

To slope the front: *1st row:* K. until 21 sts. remain, k. 2 tog., k. 11, sl. 1, k. 7.

2nd row: Work in pattern.

Work 30 rows more, decreasing 1 st. for front slope, as given, on every right-side row.

To slope the shoulder: Cast off 10 sts. at the beginning of the next row and 12 sts. on the following alternate row; work 1 row on 8 sts. then cast off these sts.

THE RIGHT FRONT: With No. 11 needles cast on 49 sts. and s.s. 12 rows.

Change to No. 10 needles and s.s. 3 rows.

Next row: All p., turn and cast on 8 sts. for facing.

Continue as follows:

1st row: K. 7, sl. 1, k. to end.

2nd row: P. until 7 sts. remain, k. 7.

Repeat these 2 rows once more.

Now work for waist ribbon slots as follows:

1st row: K. 7, sl. 1, k. to end.

2nd row: K. until 16 sts. remain, p. 9, k. 7.

3rd row: As 1st row.

4th row: K. 1, * m. 1, k. 2 tog.; repeat from * until 16 sts. remain, p. 9, k. 7.

5th and 6th rows: Repeat 1st and 2nd rows.

Continue for front ribbon slots thus:

1st row: K. 7, sl. 1, k. to end.

2nd row: P. until 19 sts. remain, k. 1, m. 1, k. 2 tog., p. 9, k. 7.

3rd row: As 1st row.

4th row: P. until 19 sts. remain, k. 3, p. 9, k. 7.

Repeat the last 4 rows 6 times more.

1st double-buttonhole row: K. 2, cast off 3, k. next st., sl. 1, k. 2, cast off 3, k. to end.

2nd double-buttonhole row: Work in pattern until 7 sts. remain, turn, cast on 3, turn, p. 3, k. 2, turn, cast on 3, turn, k. 2. Pattern 10 rows.

Repeat the last 12 rows once more.

Next row: K. 2, cast off 3, k. next st., sl. 1, k. 2, cast off 3, k. 8 more, * k. 2 tog., k. 5; repeat from * 4 times.

Repeat the 2nd double-buttonhole row. 52 sts.

To shape the armhole: Dec. 1 st. at armhole end of the next 6 rows.

To slope the front: *1st row:* K. 7, sl. 1, k. 11, sl. 1, k. 1, p.s.s.o., k. to end.

2nd row: Work in pattern.

Work 30 rows more, decreasing 1 st. for front slope, as given, on every right-side row.

Next row: K. 7, sl. 1, k. to end.

Slope the shoulder as given for left front.

THE SLEEVES (two alike): With No. 11 needles cast on 42 sts. then work as for beginning of back until the 6 rows for ribbon slots have been completed.

Work 2 rows in s.s., then inc. 1 st. at each end of the next row and every following 4th row until the 12th inc. row has been completed.

On 66 sts. s.s. 5 rows or for sleeve seam length required, allowing for when hem is turned under.

To shape the sleeve top: Dec. 1 st. at each end of the next 24 rows. Cast off the remaining 18 sts.

TO MAKE UP THE COAT: Lightly press all parts on the wrong side with a warm iron over a cloth. Join shoulder seams, continuing the seams across front and neck facings. Set in sleeves. Turn under the neck and front facings and sew down inside coat. Neaten the double-buttonholes. Join sleeve and side seams in one line. Turn up hem at lower edge and on sleeves and catch down cast-on edge inside coat. Catch down cast-on edge of front facings to top of hem. If required, securing first firmly at shoulders, run lengths of ribbon through slots down fronts then leave 5 inches of ribbon free. Run another length through waist slots, leaving 5 inches free at each front. Run ribbon through slots at wrist leaving 5 inches free at each end. Tie the free ends together at each front and on each sleeve into bows. Sew 3 buttons to left front band.





Stripes match neatly at the raglan sleeves



SAILOR SUIT
Fine for two-to three-year-olds

LEE TARGET
Super Crimp Bri-Nylon 4-ply

MATERIALS: Five ounces of Lee Target Super Crimp Bri-Nylon 4-ply in blue and three ounces in white; a pair each of No. 11 and No. 9 knitting needles; waist length of $\frac{1}{2}$ -inch wide elastic; a towelling vestee.

Tension and measurements: Work at a tension of 7 stitches to 1 inch in width to obtain the following measurements: **Jersey:** All round at underarms, 23 inches; side seam, 7 inches; length, $11\frac{3}{4}$ inches; sleeve seam, $8\frac{1}{2}$ inches. **Shorts:** All round at widest part, $24\frac{1}{2}$ inches; centre back seam, 9 inches; centre front seam, 8 inches; inside leg seam, $1\frac{1}{2}$ inches.

Abbreviations: See page 2.

THE JERSEY

THE BACK: With No. 11 needles and m.—blue—cast on 80 sts. for lower edge, then work 14 rows in single rib.

Change to No. 9 needles and k. 1 row and p. 1 row.

Join in c.—white—and work the 4-row pattern as follows:

1st row (right side): With c. all k.

2nd row: With c. all k.; leave c. hanging.

3rd row: With m. all k. 4th row: With m. all p.; leave m. hanging.

Repeat these 4 rows 16 times more and the first 2 rows again.

To shape the armholes: Continuing in pattern, dec. 1 st. at each end of the next 27 right-side rows.

Work 1 row on 25 sts. then cast off.

THE FRONT: Work as for the back until the armhole shaping is reached.

To shape the armholes: Dec. 1 st. at each end of the next 4 right-side rows.

Next row: Pattern 36 and leave these sts. on spare needle for right half front, pattern the remaining 36 sts. for left half front.

The left half front: Work 44 rows, decreasing, as before, at armhole end of each right-side row and at the same time decreasing 1 st. at neck end of the 1st of these rows and each following 4th row.

K. 2 tog., k. 1.

P. 2, then cast off these sts.

The right half front: Rejoin yarn on right side to neck edge of 36 sts. left on spare needle and, continuing in pattern, work as given for left half front.

THE COLLAR. The right half: With No. 9 needles and m. cast on 10 sts., then work the 2 rows in s.s. and 4 rows in pattern as given at beginning of back.

Continuing in pattern, inc. 1 st. at the end of the next row and every following 6th row until the 6th inc. row has been worked.

On 16 sts. pattern 17 rows; cast off.

The left half: Work as given for right half, but inc. for shaping at beginning of rows instead of at end of rows.

THE COLLAR EDGINGS (two alike):

With right side of work facing, with No. 11 needles and c. pick up and k. 56 sts. from outer edge of collar, i.e. 46 sts. from shaped edge and 10 sts. from cast-on edge. K. 4 rows; cast off.

THE SLEEVES (two alike): With No. 11 needles and m. cast on 40 sts. for wrist edge, then work 16 rows in single rib.

Change to No. 9 needles; s.s. 2 rows with m., then work the 4 pattern rows.

Continuing in pattern, inc. 1 st. at each end of the next row and every following 6th row until the 11th inc. row has been completed.

On 62 sts. pattern 13 rows.

To shape the sleeve top: Work exactly as given for armhole shaping on back; cast off remaining 8 sts.

THE BOW TIE: With No. 11 needles and m. cast on 88 sts., k. 2 rows; cast off knitwise.

TO MAKE UP THE JERSEY: Lightly press all parts, except the ribbing, on the wrong side with a warm iron over a cloth. Set in sleeves so that the sts. cast off at top form part of neck edge.

With right side of each piece of collar to inside of jersey, beginning at centre front and finishing at centre of cast-off edge of sleeve, sew the row ends at straight edge of collar to neck edge. Tie bow strip into bow and sew on at centre front. Join sleeve and side seams in one line. Lightly press all seams.

Insert towelling vestee. Ours was bound round the neckline with blue bias binding to match the jersey.

THE SHORTS

THE RIGHT LEG: With No. 11 needles and m. cast on 88 sts. for leg edge, then work 6 rows in single rib.

Change to No. 9 needles and work 10 rows in s.s., beginning with a k. row, increasing 1 st. at each end of the 1st row and each following 3rd row.

On 96 sts. s.s. 2 rows.

To shape for centre front and back:

1st row: Cast off 4 sts. at front seam edge, k. to end.

2nd row: Cast off 2 sts. at back seam edge, p. to end.

3rd row: K. 2 tog., k. until 2 sts. remain, sl. 1, k. 1, p.s.s.o.

4th row: All p.

Repeat the 3rd and 4th rows 5 times more 78 sts.

Work 31 rows more, decreasing 1 st. at back seam edge of the 3rd row and each following 4th row.

On 70 sts. s.s. 12 rows, finishing at back seam edge.

Now shape for extra length on back as follows:

1st and 2nd rows: P. 35 for 1st row, turn, sl. 1, then k. to end for 2nd row.

3rd and 4th rows: P. 25, turn, sl. 1, k. to end.

5th and 6th rows: P. 15, turn, sl. 1, k. to end.

7th and 8th rows: P. 5, turn, sl. 1, k. to end.

Next row: K. 4, k. 2 tog., * k. 8, k. 2 tog.; repeat from * twice, k. to end, thus making a ridge on right side.

** Change to No. 11 needles and on 66 sts. s.s. 6 rows; p. next row on right side to mark hem line, then, beginning with a p. row, s.s. a further 6 rows; cast off.

THE LEFT LEG: Work as for right leg until 2 rows on 96 sts. have been worked.

To shape for centre front and back:

1st row: Cast off 2 sts. at back seam edge, k. to end.

2nd row: Cast off 4 sts. at front seam edge, p. to end.

Repeat the 3rd and 4th rows of shaping on right leg 6 times. 78 sts.

Work 31 rows more, decreasing 1 st. at back seam edge of the 3rd row and each following 4th row.

On 70 sts. s.s. 13 rows.

Now work the 8 rows of shaping for extra length on back as given on right leg, but substituting k. for p. and p. for k.

Next row: K. 4, k. 2 tog., * k. 8, k. 2 tog.; repeat from * twice, k. to end.

K. next row on wrong side for ridge row.

Repeat from ** to end as on right leg.

TO MAKE UP THE SHORTS:

Lightly press as for jersey. Join centre front and centre back seams. Join leg seams. Turn in waist hem at marked line and sew down cast-off edge inside, leaving a small space. Insert waist elastic; join ends; finish off hem.

"I wonder if I could



FOR ALMOST ALL THE YEAR ROUND



Team the pram-set with pull-ups and bonnet on cold days, with booties for the warmer months. The 3-year-old's pinafore dress doubles as a sleeveless dress in summer.

PINK PRAM SET

From a few weeks to six months old



LISTER LAVENDA

Bri-Nylon Super Crimp 3-ply

manage garter-stitch?"



Instructions for pinafore dress (Ladybird) are given on page 15

MATERIALS: Seven ounces of Lister Lavenda Bri-Nylon Super Crimp 3-ply for coat, bootees, pull-ups and bonnet; a pair each of No. 12 and No. 11 knitting needles; 4 buttons for coat; $\frac{3}{4}$ yard $\frac{1}{4}$ -inch wide ribbon for bootees; 1 yard for pull-ups; waist length of elastic for pull-ups; 1 yard of 1-inch wide ribbon for bonnet.

Tension and measurements: Work at a tension of $8\frac{1}{2}$ stitches to 1 inch in width over the garter stitch to obtain the following measurements: **The coat:** all round at underarms—fastened, 21 inches; lower edge to armholes, $4\frac{1}{4}$ inches; length, $7\frac{1}{2}$ inches; sleeve seam, $5\frac{1}{4}$ inches. **The bootees:** top of leg to base of heel, $3\frac{3}{4}$ inches; back of heel to toe, $4\frac{1}{4}$ inches. **The pull-ups:** all round at widest part, $24\frac{1}{2}$ inches; centre back seam, $7\frac{1}{4}$ inches; centre front seam, $6\frac{1}{2}$ inches; inside leg seam, $8\frac{1}{2}$ inches; back of heel to

toe, $4\frac{1}{2}$ inches. **The bonnet:** all round face edge, 11 inches; depth, $5\frac{1}{2}$ inches. **Abbreviations:** See page 2.

THE MATINEE COAT

TO WORK MAIN PART: With No. 11 needles cast on 243 sts. for lower edge of both fronts and back, then k. 9 rows.

Now work in pattern as follows:

1st row (right side): K. 11, * m. 1, k. 2 tog., k. 18; repeat from * ending last repeat with k. 10 instead of k. 18.

2nd row and each wrong-side row: All k. **3rd row:** K. 9, * k. 2 tog., m. 1, k. 1, m. 1, k. 2 tog., k. 15; repeat from * ending last repeat with k. 9.

5th row: K. 8, * k. 2 tog., m. 1, k. 3, m. 1, k. 2 tog., k. 13; repeat from * ending last repeat with k. 8.

7th row: K. 7, * k. 2 tog., m. 1, k. 5, m. 1, k. 2 tog., k. 11; repeat from * ending last repeat with k. 7.

9th row: K. 6, * k. 2 tog., m. 1, k. 7, m. 1, k. 2 tog., k. 9; repeat from * ending last repeat with k. 6.

11th row: K. 5, * k. 2 tog., m. 1, k. 9, m. 1, k. 2 tog., k. 7; repeat from * ending last repeat with k. 5.

13th row: K. 4, * k. 2 tog., m. 1, k. 11, m. 1, k. 2 tog., k. 5; repeat from * ending last repeat with k. 4.

15th row: K. 3, * k. 2 tog., m. 1, k. 13, m. 1, k. 2 tog., k. 3; repeat from * to end.

17th row: K. 2, * k. 2 tog., m. 1, k. 15, m. 1, k. 2 tog., k. 1; repeat from * ending last repeat with k. 2.

19th row: K. 1, k. 2 tog., * m. 1, k. 17, m. 1, k. 3 tog.; repeat from * until 20 remain, m. 1, k. 17, m. 1, k. 2 tog., k. 1.

21st row: K. 20, * k. 2 tog., m. 1, k. 18; repeat from * until 3 remain, k. 3 more.
23rd row: K. 6, * k. 2 tog., k. 8; repeat from * ending last repeat with k. 5. 219 sts.

25th row: K. 10, * m. 1, k. 2 tog., k. 16; repeat from * ending last repeat with k. 9.

27th row: K. 8, * k. 2 tog., m. 1, k. 1, m. 1, k. 2 tog., k. 13; repeat from * ending last repeat with k. 8.

29th row: Repeat 25th row.

30th to 38th rows: All k.

39th row: K. 5, * k. 2 tog., k. 7; repeat from * ending last repeat with k. 5. 195 sts.

40th to 52nd rows: All k.

53rd row: K. 4, * k. 2 tog., k. 6; repeat from * ending last repeat with k. 5.

K. 3 rows on 171 sts.

Now divide the sts. and begin armhole shaping as follows:

Next row: K. 46 and leave these sts. on a spare needle for right front, cast off 5 sts. for armhole—1 st. left on right-hand needle not included in next item—k. 73, turn and work on these 74 sts. for back, leaving the remaining 46 sts. for left front.

THE BACK. To shape the armholes:

1st row: Cast off 5 sts., k. to end of row.

2nd row: K. 1, k. 2 tog., m. 1, k. 2 tog., k. until 5 sts. remain, k. 2 tog., m. 1, k. 2 tog., k. 1.

3rd row: All k.

Repeat the 2nd and 3rd rows 22 times. Cast off remaining 23 sts.

THE LEFT FRONT. To shape the armhole:

1st row: Rejoin yarn on right side to 46 sts., cast off 5 sts., k. to end.

2nd row: All k.

3rd row: K. 1, k. 2 tog., m. 1, k. 2 tog., k. to end.

Repeat the 2nd and 3rd rows 17 times and the 2nd row again, finishing at armhole edge. 23 sts.

To shape the neck: 1st row: K. 1, k. 2 tog., m. 1, k. 2 tog., k. 8, turn, leaving the remaining 10 sts. on a spare needle.

2nd to 8th rows: Work 7 rows, decreasing, as before, at armhole end on each right-side row and at neck edge on the first 4 of these rows.

9th row: K. 1, k. 2 tog., m. 1, k. 2 tog.

10th row: K. 4.

11th row: K. 2 tog., k. 2 tog.

Cast off 2 sts.

THE RIGHT FRONT. To shape the armhole:

1st row: Rejoin yarn on wrong side to armhole end of 46 sts., cast off 5, k. to end.

2nd row: K. until 5 sts. remain, k. 2 tog., m. 1, k. 2 tog., k. 1.

3rd row: All k.

Repeat the 2nd and 3rd rows 16 times and the 2nd row again, finishing at armhole edge.

To shape the neck: 1st row: K. until 10 sts. remain, turn, leaving the 10 sts. on a spare needle.

2nd to 8th rows: Work 8 rows, decreasing, as before, at armhole end on each right-side row and at neck edge of the first 4 of these rows. 5 sts.

10th row: K. 2 tog., m. 1, k. 2 tog., k. 1.

11th row: K. 4.

12th row: K. 2 tog., k. 2 tog. Cast off.

THE SLEEVES (two alike): With No. 12 needles cast on 38 sts. for wrist edge and k. 9 rows.

Inc. row: K. 2, inc., * k. 1, inc.; rep. from * 15 times, k. 3.

Change to No. 11 needles and on 55 sts. k. 5 rows.

Now work in pattern as follows:

1st row: K. 3, m. 1, k. 2 tog., * k. 10, m. 1, k. 2 tog.; repeat from * 3 times, k. 2.

2nd row and each wrong-side row: All k.

3rd row: K. 4, * m. 1, k. 2 tog., k. 7, k. 2 tog., m. 1, k. 1; repeat from * 3 times, k. 3 more.

5th row: K. 5, * m. 1, k. 2 tog., k. 5, k. 2 tog., m. 1, k. 3; repeat from * 3 times, k. 2 more.

7th row: K. 6, * m. 1, k. 2 tog., k. 3, k. 2 tog., m. 1, k. 5; repeat from * 3 times, k. 1 more.

9th row: K. 7, * m. 1, k. 2 tog., k. 1, k. 2 tog., m. 1, k. 7; repeat from * to end.

11th row: K. 8, * m. 1, k. 3 tog., m. 1, k. 9; repeat from * ending last repeat with k. 8.

13th row: K. 8, * k. 2 tog., m. 1, k. 10; repeat from * ending last repeat with k. 9.

14th to 16th rows: All k.

17th row: Repeat 1st row.

19th row: K. 1, k. 2 tog., m. 1, k. 1, m. 1, k. 2 tog., * k. 7, k. 2 tog., m. 1, k. 1, m. 1, k. 2 tog.; repeat from * 3 times, k. 1.

21st row: Repeat 1st row.

K. 39 rows.

To shape the sleeve top: 1st and 2nd rows: Cast off 4 sts. fairly loosely at the beginning of each row.

3rd to 40th rows: Repeat the 2nd and 3rd rows of back armhole shaping 19 times. 9 sts.

41st row: K. 1, k. 2 tog., m. 1, k. 3 tog., m. 1, k. 2 tog., k. 1.

42nd and 44th rows: All k.

43rd row: K. 1, * k. 2 tog., k. 1; repeat from * once.

45th row: K. 1, k. 3 tog., k. 1.

46th row: K. 3.

Cast off.

THE NECK BORDER: First set in the raglan sleeves so that the 3 sts. cast off at top form part of the neck edge. Join sleeve seams. Rejoin yarn on wrong side to 10 sts. left on right front, with No. 12 needles k. these 10 sts., turn.

Next row: K. 10, pick up and k. 8 sts. from neck edge of right front, 3 sts. from sleeve top, 22 sts. from back neck edge, 3 sts. from sleeve top, 8 sts. from neck edge of left front then k. across 10 sts. left on spare needle.

On 64 sts. k. 3 rows.

Next row: K. 3, * m. 1, k. 2 tog., k. 1; repeat from * 19 times, k. 1 more.

K. 3 rows, then cast off knitwise.

TO MAKE UP THE COAT: Lightly press all parts on wrong side over a cloth. To make buttonholes—insert a knitting needle or pencil on 25th ridge from lower edge through 4th st. from edge on right front if for a girl or on left front if for a boy. This will sufficiently open st. Buttonhole st. round opening to neaten. Make a further 3 buttonholes at intervals of 8 ridges—16 rows. Sew on buttons.

THE BOOTEES

TO WORK (two alike): With No. 12 needles cast on 51 sts. for top of leg and k. 9 rows.

Work in pattern as follows:

1st row: K. 7, * m. 1, k. 2 tog., k. 10; repeat from * ending last repeat with k. 6.

2nd row and each wrong-side row: All k.

3rd row: K. 5, * k. 2 tog., m. 1, k. 1, m. 1, k. 2 tog., k. 7; repeat from * ending last repeat with k. 5.

5th row: K. 4, * k. 2 tog., m. 1, k. 3, m. 1, k. 2 tog., k. 5; repeat from * ending last repeat with k. 4.

7th row: K. 3, * k. 2 tog., m. 1, k. 5, m. 1, k. 2 tog., k. 3; repeat from * to end.

9th row: K. 2, * k. 2 tog., m. 1, k. 7, m. 1, k. 2 tog., k. 1; repeat from * 3 times, k. 1 more.

11th row: K. 1, k. 2 tog., * m. 1, k. 9, m. 1, k. 3 tog.; repeat from * twice, m. 1, k. 9, m. 1, k. 2 tog., k. 1.

13th row: * K. 2 tog., m. 1, k. 10; repeat from * 3 times, k. 2 tog., m. 1, k. 1.

14th to 16th rows: All k.

17th row: Repeat 1st row.

19th row: Repeat 3rd row.

21st row: Repeat 1st row.

K. 9 rows.

Ribbon slot row: * K. 1, m. 1, k. 2 tog.; repeat from * to end.

K. 1 row then divide the sts. as follows: K. 34, turn, leaving 17 sts. unworked at this side.

K. 17, turn, leaving 17 sts. unworked. On the centre 17 sts. k. 29 rows, then on to the same needle pick up and k. 15 sts. along row ends of left side of instep, then k. across the first 17 sts. left unworked.

Next row: K. 49, pick up and k. 15 sts. along row ends of right side of instep, then k. the second set of 17 sts. left unworked. On 81 sts. k. 12 rows.

To shape the foot: 1st row: K. 2 tog., k. 29, k. 3 tog., k. 13, k. 3 tog., k. 29, k. 2 tog.

2nd, 4th and 6th rows: All k.

3rd row: K. 2 tog., k. 27, k. 3 tog., k. 11, k. 3 tog., k. 27, k. 2 tog.

5th row: K. 2 tog., k. 25, k. 3 tog., k. 9, k. 3 tog., k. 25, k. 2 tog.

7th row: K. 2 tog., k. 23, k. 3 tog., k. 7, k. 3 tog., k. 23, k. 2 tog.

8th row: On 57 sts., k.

Cast off.

TO MAKE UP THE BOOTEES: Press as for coat. Join back and underfoot seams. Thread ribbon through slots at ankle and tie in bow at front.

THE PULL-UPS

THE LEFT LEG: With No. 11 needles cast on 82 sts. for waist edge and work 4 rows in single rib.

Slot row: K. 1, * m. 1, k. 2 tog., p. 1, k. 1; repeat from * until 1 st. remains, p. 1.

Work 7 rows more in rib, on the last row increasing 1 st. at beginning—at end here on right leg.

On 83 sts. k. 1 row—omit this row on right leg.

To shape for extra length on back: 1st and 2nd rows: K. 10 for 1st row, turn, k. to end for 2nd row.

3rd and 4th rows: K. 20, turn, k. to end of row.

5th and 6th rows: K. 30, turn, k. to end of row.

7th and 8th rows: K. 40, turn, k. to end of row.

9th and 10th rows: K. 50, turn, k. to end of row.

11th and 12th rows: K. 60, turn, k. to end of row.

Across all the sts. k. 1 row—k. 2 rows here on right leg—finishing at front on left leg, at back on right leg.

Continuing in garter st., inc. 1 st. at each end of the next row and every following 8th row until the 10th inc. row has been completed.

On 103 sts. k. 9 rows.

Dec. 1 st. at each end of the next 9 rows then at each end of the following 17 alternate rows.

On 51 sts. k. 39 rows.

Ribbon slot row: * K. 1, m. 1, k. 2 tog.; repeat from * to end.

Knit 1 row.**

To shape for left foot: Next row: K. 23, turn, leaving 28 sts. unworked.

Next row: K. 17, turn, leaving 6 sts. unworked.

On the centre 17 sts. k. 29 rows, then on to the same needle pick up and k. 15 sts. from row ends of left side of instep, k. the 28 sts. left unworked.

Next row: K. 60, pick up and k. 15 sts. from row ends at other side of instep, then k. the 6 sts. left unworked.

On 81 sts. k. 12 rows.

To shape for heel and toe: 1st row: K. 20, k. 3 tog., k. 14, k. 3 tog., k. 29, k. 3 tog., k. 9.

2nd, 4th and 6th rows: All k.

3rd row: K. 19, k. 3 tog., k. 12, k. 3 tog., k. 27, k. 3 tog., k. 8.

5th row: K. 18, k. 3 tog., k. 10, k. 3 tog., k. 25, k. 3 tog., k. 7.

7th row: K. 17, k. 3 tog., k. 8, k. 3 tog., k. 23, k. 3 tog., k. 6.

8th row: K. 57 sts.

Cast off.

THE RIGHT LEG: Work as given for left leg—but noting the variations given to reverse the shaping—until ** is reached.

To shape for right foot: K. 45, turn, leaving 6 sts. unworked.

Next row: K. 17, turn, leaving 28 sts. unworked.

On the centre 17 sts. k. 29 rows, then on to the same needle pick up and k. 15 sts. from row ends of instep, k. the 6 sts. left unworked.

Next row: K. 38, pick up and k. 15 sts. from row ends of other side of instep, k. the 28 sts. left unworked.

On 81 sts. k. 12 rows.

Now shape the heel and toe as given for left foot BUT reverse the shaping rows, thus the 1st row will be k. 9, k. 3 tog., k. 29, k. 3 tog., k. 14, k. 3 tog., k. 20.

TO MAKE UP THE PULL-UPS: Press as for coat. Join the right and left legs for centre front and back seams. Join the leg seams down to the base of the foot, then join underfoot seams. Run ribbon through slots at ankles and tie in bows at fronts. Run elastic through waist slot row in ribbing.

THE BONNET

With No. 12 needles cast on 91 sts. for face edge and k. 9 rows.

Change to No. 11 needles and work the 21 rows of pattern as given for the sleeves of coat, but repeating from * on rows, 6 times instead of 3 times.

K. 35 rows.

To shape for back of head: Dec. row: * K. 8, k. 2 tog.; repeat from * 8 times, k. 1.

K. 3 rows.

Repeat these 4 rows 6 times more then the dec. row again, but on each successive repeat of the dec. row k. 1 st. less before the k. 2 tog.

K. 1 row on 19 sts.

Next row: K. 1, * k. 2 tog.; repeat from * 8 times.

Break off yarn, leaving a short end. Thread this into a darning needle and pass it through the remaining 10 sts. Draw them up closely; secure with a back st. then join the row ends of bonnet down to the commencement of shaping.

TO MAKE UP THE BONNET: Press as for coat. Cut the wide ribbon into two pieces. Make a flat bow at one end of each piece and sew one to each front corner of bonnet.



MATERIALS: Ten ounces of Ladybird Double Knitting Bri-Nylon; a pair each of No. 9 and No. 8 knitting needles; 1 yard of 1½ inch wide petersham ribbon; 5 buttons.

Tension and measurements: Work at a tension of 22 stitches to 3 inches in width to obtain the following measurements: All round at underarms—fastened, 25 inches; lower edge to armhole, 12½ inches; length, 16½ inches.

Abbreviations: See page 2.

THE BACK: With No. 9 needles cast on 128 sts. for lower edge and k. 4 rows.

Change to No. 8 needles and work the 4-row pattern as follows:

1st row: K. 1, * tw. 2 r.; repeat from * until 1 st. remains, k. 1.

2nd row: K. 1, p. until 1 st. remains, k. 1.

3rd row: K. 1, * tw. 2 lt.; repeat from * until 1 st. remains, k. 1.

4th row: As 2nd row.

Repeat these 4 rows twice more.

Continuing in pattern, dec. 1 st. at each end of the next row and every following 4th row until the 20th dec. row has been completed.

On 88 sts. pattern 19 rows when work should measure 12½ inches.

To shape the armholes: Cast off 5 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at the beginning of the next 6 rows.

On 72 sts. pattern 20 rows.

To slope the shoulders: Cast off 7 sts. at the beginning of each of the next 4 rows and 6 sts. at the beginning of the following 2 rows.

Cast off the remaining 32 sts. for back of neck.

THE LEFT FRONT: With No. 9 needles cast on 62 sts. and k. 4 rows.

Change to No. 8 needles and work 12 rows in pattern, then continuing in pattern, dec. 1 st. at the beginning—the end on right front—of the next row and every following 4th row until the 20th dec. row has been completed.

On 42 sts. pattern 19 rows—20 rows here on right front—finishing at armhole edge.

To shape the armhole: Cast off 5 sts. at the beginning of the next row, then dec. 1 st. at armhole end of the following 3 alternate rows.

On 34 sts. pattern 16 rows, ending at front edge.

To shape the neck: Cast off 5 sts. at the beginning of the next row and following alternate row, then dec. 1 st. at neck edge of following 4 rows.

On 20 sts. pattern 2 rows, finishing at armhole edge.

To slope the shoulder: Cast off 7 sts. at the beginning of the next row and following alternate row; work 1 row on 6 sts. then cast off.

THE RIGHT FRONT: With No. 9 needles cast on 62 sts. and work as for left front, noting the variations in the instructions to bring the shapings to the correct end of rows.

THE BUTTON BAND: With No. 9 needles cast on 8 sts., then k. 205 rows—103 ridges—cast off k.wise.

The edgings (two alike): With right side of work facing and using No. 9 needles, pick up and k. 103 sts. from row ends of band—1 st. from each “ridge.”

K. 2 rows; cast off k.wise.

THE BUTTONHOLE BAND: With No. 9 needles cast on 8 sts. and k. 42 rows.

1st buttonhole row: K. 3, cast off 2, k. 2.

2nd buttonhole row: K. 3, turn, cast on 2, turn, k. 3.

K. 38 rows.

Repeat the last 40 rows 3 times more and the 2 buttonhole rows again.

K. 1 row, then cast off k.wise.

The edgings: Work as given for edgings of button band.

THE ARMHOLE EDGINGS (two alike): First join shoulder seams. With right side of work facing, with No. 9 needles, pick up and k. 60 sts. evenly from round armhole.

K. 2 rows; cast off k.wise.

THE NECK EDGING: With right side of work facing, with No. 9 needles pick up and k. 20 sts. from neck edge of right front, 32 sts. from back neck edge and 20 sts. from neck edge of left front.

On 72 sts. k. 2 rows; cast off k.wise.

THE POCKET: With No. 8 needles cast on 20 sts. and work the 4 pattern rows 5 times and the 1st row again.

Change to No. 9 needles; k. 2 rows; cast off k.wise.

TO MAKE UP THE PINAFORE DRESS: Lightly press all parts. Join side seams and armhole edgings. Back each band with ribbon, making slits on right front band to match buttonholes. Neaten buttonholes. Sew bands to their respective fronts. Sew on buttons. Sew on pocket as shown in photograph on page 13. Lightly press seams.



FOR MONTHS AND MONTHS OF COSY NIGHTS, FOR PLAY-FILLED DAYS



This sleeping-bag in doubled nylon has a button-on flap—remove it, and the resulting dressing-gown will fit up to three years. A twin-set is a proven cold-cheater; two-colour stocking-stitch for this one.



"But I'm not going to bed for hours and hours, because I'm two years bigger!"



DRESSING GOWN SLEEPING BAG

From 'no-age'
to about two
years

ROBIN

Bri-Nylon
Super Crimp
Double
Knitting

MATERIALS: Twenty-four ounces of Robin Bri-Nylon Super Crimp Double Knitting; a pair each of No. 8 and No. 7 knitting needles; 10 buttons; an animal motif.

Tension and measurements: Work at a tension of 5 stitches to 1 inch in width using No. 7 needles to obtain the following measurements: All round at underarms, 27½ inches; side seam, 17 inches; length, 22½ inches; sleeve seam, 6½ inches.

Abbreviations: See page 2.

Note: Use yarn double throughout.

THE BACK: Using No. 8 needles, cast on 85 sts. and work 8 rows in m.st. Change to No. 7 needles and, beginning with a k. row, c.s.s. 10 rows.

To shape the side seam: Dec. row: C.s.s. 3, k. 2 tog.b., c.s.s. until 5 remain, k. 2 tog.b., c.s.s. 3.

Instructions for twin-set (Ladyship) are given on next page

C.s.s. 11 rows.

Repeat the last 12 rows 6 times and the dec. row again.

On 69 sts. c.s.s. 21 rows.

To shape the raglan armholes:

1st row: C.s.s. until 4 remain, k. 2 tog.b., c.s.s. 2. 2nd row: P. until 4 remain, p. 2 tog., p. 2.

3rd to 26th rows: Repeat these 2 rows 12 times.

27th row: C.s.s. until 6 remain, k. 2 tog.b., k. 2 tog.b., c.s.s. 2. 28th row: P. until 6 remain, p. 2 tog., p. 2 tog., p. 2.

Repeat the last 2 rows 5 times.

Cast off the 19 remaining sts.

THE LEFT FRONT: Using No. 8 needles, cast on 47 sts. and m.st. 8 rows.

Change to No. 7 needles and work in c.s.s. with m.st. border.

1st row: C.s.s. 38, m.st. 9.

2nd row: M.st. 9, c.s.s. 38.
Work 8 rows as set.

To shape the side seam: Dec. row: C.s.s. 3, k. 2 tog.b., work as set to end.
Work 11 rows as set.
Repeat the last 12 rows 6 times and the dec. row again.

On 39 sts. pattern 22 rows.

To shape the raglan armhole: 1st row: P. until 4 remain, p. 2 tog., p. 2.

2nd row: Work as set.

Repeat the last 2 rows 12 times.

To shape the neck and continue armhole shaping: 1st row: Cast off 9, for neck, p. until 6 remain, p. 2 tog., p. 2 tog., p. 2. 2nd row: C.s.s. until 2 remain, dec.

3rd row: Dec., p. until 6 remain, p. 2 tog., p. 2 tog., p. 2. 4th row: As 2nd row. Pattern 4 rows, decreasing at armhole end as before, on each wrong-side row.

Next row: P. 2 tog., p. 2 tog., p. 2.

C.s.s. 4.

Next row: P. 2 tog., p. 2 tog. Cast off.

THE RIGHT FRONT: Using No. 8 needles cast on 47 sts. and m.st. 8 rows.

Change to No. 7 needles and work in c.s.s. with m.st. border.

1st row: M.st. 9, c.s.s. to end.

2nd row: P. until 9 remain, m.st. 9.

Work 8 rows as set.

To shape the side seam: Dec. row: Pattern until 5 remain, k. 2 tog.b., c.s.s. 3. Pattern 9 rows.

1st buttonhole row: M.st. 3, cast off 3, pattern to end.

2nd buttonhole row: Pattern until 3 remain, turn, cast on 3, turn, m.st. 3.

Pattern 73 rows, decreasing as before, at side seam end of the next row and every following 12th row, at the same time working a buttonhole on the 29th/30th and 59th/60th of these rows.

On 39 sts. c.s.s. 21 rows, working a buttonhole on 16th and 17th of these rows.

To shape the raglan armhole: 1st row: Pattern until 4 remain, k. 2 tog.b., c.s.s. 2. 2nd row: Work as set.

Repeat these 2 rows 12 times, working a buttonhole as before, on the 12th repeat.

28th row: C.s.s. until 6 remain, k. 2 tog.b., k. 2 tog.b., c.s.s. 2.

29th row: Work as set.

To shape the neck and continue armhole shaping: 1st row: Cast off 9, c.s.s. until 6 remain, k. 2 tog.b., k. 2 tog.b., c.s.s. 2.

2nd row: P. until 2 remain, dec.

3rd row: Dec., c.s.s. until 6 remain, k. 2 tog.b., k. 2 tog.b., c.s.s. 2.

4th row: As 2nd row.

Pattern 4 rows, decreasing, as before, at armhole end on each right-side row.

K. 2 tog., k. 2 tog.

P. 2, then cast off.

THE SLEEVES (two alike): Using No. 8 needles cast on 41 sts. and m.st. 8 rows.

Change to No. 7 needles and c.s.s. 4 rows.

Continue in c.s.s. and inc. 1 st. at each end of the next row and every following 4th row until the 6th inc. row has been worked.

On 53 sts. c.s.s. 11 rows—or for sleeve seam length required.

To shape the raglan sleeve top: Repeat the 1st and 2nd rows of back armhole shaping 15 times, then repeat the 27th and 28th rows 3 times.

Next row: K. 4, k. 3 tog., k. 2 tog.b., k. 2. Next row: P. 4, p. 2 tog., p. 2.

Cast off 7 remaining sts.

THE COLLAR: Using No. 8 needles, cast on 67 sts. and work 3 rows in m.st.

Change to No. 7 needles and work in c.s.s. with m.st. borders.

1st row: M.st. 4, c.s.s. until 4 remain, m.st. 4.

2nd row: M.st. 4, p. until 4 remain, m.st. 4.

3rd row: M.st. 4, c.s.s. until 6 remain, k. 2 tog.b., m.st. 4.

4th row: M.st. 4, p. until 6 remain, p. 2 tog., m.st. 4.

5th and 6th rows: Work in pattern.

Repeat from the 3rd to 6th rows 3 times.

Cast off the remaining 59 sts.

THE BUTTON-ON FLAP: Using No. 8 needles cast on 85 sts.

* M.st. 3 rows.

1st buttonhole row: M.st. 5, (cast off 3, pattern the next 32) twice, cast off 3, m.st. to end.

2nd buttonhole row: M.st. 5, (turn, cast on 3, turn, m.st. 33) twice, turn, cast on 3, turn, m.st. 5.

M.st. 3 rows.*

Change to No. 7 needles and c.s.s. 69 rows.

Change to No. 8 needles and work from * to *, then cast off. Fold flap in half so that cast-on and cast-off edges meet, then join row ends.

TO MAKE UP THE DRESSING GOWN: Press on the wrong side with a warm iron over a cloth. Set sleeves into armholes, so that the sts. cast off at top form part of the neck edge. Join sleeve and side seams in one line.

Beginning and ending 3 sts. in from front edges, sew cast-off edge of collar to neck edge. Sew 5 buttons to left front. Now sew 2 buttons level with first button on front to correspond with buttonholes on flap and 3 to back. Then button flap to gown. Sew motif to left front in line with 2nd button.

TWO-COLOUR TWIN-SET

Now she is
three



LADYSHIP SENSATION

4-ply Super Crimp Bri-Nylon

MATERIALS: Six ounces of Ladyship Sensation 4-ply Super Crimp Bri-Nylon in main colour and two ounces in a contrast colour; a pair each of No. 11 and No. 10 knitting needles; 6 buttons; 4 press fasteners.
Tension and measurements: Work at a tension of 8 stitches to 1 inch in width, using No. 10 needles to obtain the following measurements: **Jersey:** All round at underarms, 24 inches; side seam, 8 inches; length, 12½ inches; sleeve seam, 2½ inches. **Cardigan:** All round at underarms, 24½ inches; side seam, 8½ inches; length, 12¾ inches; sleeve seam, 9½ inches.
Abbreviations: See page 2.

THE JERSEY

THE BACK: With No. 11 needles and m. cast on 97 sts. for lower edge and work 18 rows in single rib, beginning odd-numbered rows with k. 1 and even-numbered rows with p. 1.

Change to No. 10 needles; join in c. and work the 4-row pattern as follows:

1st row: K. 1 c., * 2 m., 1 c.; repeat from * to end. 2nd row: P. 1 c., * 2 m., 1 c.; repeat from * to end.

3rd row: K. 1 m., * 2 c., 1 m.; repeat from * to end.



4th row: P. 1 m., * 2 c., 1 m.; repeat from * to end.

Repeat these 4 rows 13 times more, or for side seam length required.

To shape the armholes: Continuing in pattern, cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the next 8 right-side rows.

On 73 sts. pattern 23 rows.

To slope the shoulders: Cast off 12 sts. at beginning of each of next 4 rows.

The back neck band: Break off c., change to No. 11 needles and k. 1 row on 25 sts. Work 7 rows in single rib. Cast off in rib.

THE FRONT: Work as given for the back until the armhole shaping has been completed.

On 73 sts. pattern 12 rows.

Next row: Pattern 31 and leave these sts. on a spare needle for right front shoulder, pattern the next 11 sts. and leave them on a safety-pin for neck band, pattern to end and work on these 31 sts. for left front shoulder.

The left front shoulder: Dec. 1 st. at neck edge of the next 7 rows, then on the remaining 24 sts. pattern 3 rows—finishing at armhole edge.

To slope the shoulder: Cast off 12 sts. at the beginning of the next row; work 1 row on 12 sts., then cast off these sts.

The right front shoulder: Rejoin yarns at neck edge to right side of 31 sts. left on spare needle and work in pattern to end of row. Now work as given for left front shoulder to end.

THE SLEEVES (two alike): With No. 11 needles and m. cast on 67 sts. and work 8 rows in single rib as given for back.

Change to No. 10 needles and work the 4 pattern rows once then, continuing in pattern and working the extra sts. at each end of the rows into the pattern, inc. 1 st. at each end of the next row and 2 following 4th rows.

On 73 sts. work 3 rows in pattern.

To shape the sleeve top: Cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the next 4 right-side rows. Work 1 row on 57 sts. then dec. 1 st. at each end of the next 18 rows. Cast off the remaining 21 sts. straight across.

THE FRONT NECK BAND: First join the shoulders for 1 inch from armhole edge. With right side of work facing and using No. 11 needles and m., pick up and k. 15 sts. from neck edge of left front shoulder, k. across the 11 sts. left at centre front, then pick up and k. 15 sts. from neck edge of right front shoulder. On 41 sts. work 7 rows in single rib; cast off.

THE EDGINGS FOR SHOULDER OPENINGS (four alike): With right side of work facing, with No. 11 needles and m., pick up and k. 20 sts. along edge of shoulder and neck band. K. 2 rows; cast off.

TO MAKE UP THE JERSEY: Press all parts, except ribbing. Set sleeves into armholes. Join sleeve and side seams in one line. Lightly press all seams. Sew 2 pairs of press fasteners to each shoulder opening.

THE CARDIGAN

THE BACK: With No. 11 needles and m. cast on 97 sts. for lower edge and work 18 rows in single rib as given for back of jersey.



Beautifully tailored just like a grown-up's.

Change to No. 10 needles and k. 1 row and p. 1 row. Join in c. and work the 4-row pattern twice and the first 2 rows again. Break off c.

With m. s.s. 48 rows.

To shape the armholes: Cast off 4 sts. at the beginning of each of the next 2 rows then dec. 1 st. at each end of the next 8 right-side rows.

On 73 sts. pattern 27 rows.

To slope the shoulders: Cast off 12 sts. at the beginning of each of the next 4 rows. Cast off remaining 25 sts.

THE RIGHT FRONT: With No. 11 needles and m. cast on 57 sts. and work 4 rows in single rib.

1st buttonhole row: Rib 3, cast off 3, rib to end.

2nd buttonhole row: Rib until 3 sts. remain, turn, cast on 3 sts., turn, rib to end. Rib 11 rows. **Next row:** Rib 49, turn, leaving 8 sts. on a safety-pin.

**** Change to No. 10 needles and s.s. 2 rows.** Join in c. and work 10 rows in pattern. Break off c.

With m. s.s. 49 rows—s.s. 48 rows here on left front.

To shape the armhole: Cast off 4 sts. at the beginning of the next row, then dec. 1 st. at armhole edge of the next 8 right-side rows.

On 37 sts. s.s. 15 rows—s.s. 14 rows here on left front—finishing at neck edge.

To shape the neck: Cast off 6 sts. at the beginning of the next row, then dec. 1 st. at neck edge of the following 7 rows. On 24 sts. s.s. 5 rows.

To slope the shoulder: Cast off 12 sts. at the beginning of the next row; work 1 row on 12 sts. then cast off these sts.

THE LEFT FRONT: With No. 11 needles and m. cast on 57 sts. and work 17 rows in single rib.

Next row: Rib 8, and leave these sts. on a safety-pin, rib 49.

Now work as from ** on right front, but noting the variation in the number of rows before shaping the armhole and shaping the neck.

THE SLEEVES (two alike): With No. 11 needles and m. cast on 49 sts. and work 17 rows in single rib.

Inc. row: Rib 4, * inc., rib 7; repeat from * 5 times, but end last repeat with rib 4.

Change to No. 10 needles and on 55 sts. s.s. 2 rows; join in c. and pattern 10 rows. Break off c.

Continue in s.s. and inc. 1 st. at each end of the next row and every following 8th row until the 9th inc. row has been completed. On 73 sts. s.s. 3 rows or for sleeve seam length required.

To shape the sleeve top: Cast off 4 sts. at the beginning of each of the next 2 rows; dec. 1 st. at each end of the next 8 right-side rows. On 49 sts. p. 1 row, then dec. 1 st. at each end of the following 14 rows. Cast off the remaining 21 sts. straight across.

THE BUTTON BAND: First join the shoulder seams. Rejoin yarn on right side to 8 sts. left on safety-pin and with No. 11 needles rib 94 rows. Break off yarn.

THE BUTTONHOLE BAND: Rejoin yarn on wrong side to 8 sts. left on safety-pin and rib 9 rows.

Repeat the 2 buttonhole rows; rib 20 rows.

Repeat these 22 rows twice more and the 2 buttonhole rows again, then rib 19 rows more. Do not break off yarn.

THE NECK BAND: On to the needle holding the buttonhole band sts. pick up and k. 21 sts. from neck edge of right front, 25 sts. from back neck edge and 21 sts. from neck edge of left front, then rib across the 8 sts. of button band.

On 83 sts. rib 1 row; repeat the 2 buttonhole rows; rib 4 rows more; cast off in rib.

TO MAKE UP THE CARDIGAN: Press as for jersey. Sew bands to their respective fronts. Set in sleeves. Join sleeve and side seams in one line. Lightly press all seams. Sew on buttons.

"You wouldn't think that only a few months could separate us, would you?"



FOR THE FIRST BUSY YEAR, WHEN BABY GROWS FROM WEEK TO WEEK



First sizes that are right from kicking to crawling—basket-stitch button-up, long stockings-to-knee socks (indispensable in winter), a hug-me-tight vest and pilch, and colourful blankets in a warmth-retaining two-row-pattern.



Envelope vest and pilch (Bristol) and blanket (Copley) instructions are on page 23



BUTTON-UP CARDIGAN AND LONG STOCKINGS

In three to
six months size

COATS CAREFREE

Bri-Nylon 3-ply

MATERIALS: Three ounces of Coats Carefree Bri-Nylon 3-ply; a pair each of No. 12 and No. 10 knitting needles; 7 buttons.

Tension and measurements: Work at a tension of 8 stitches to 1 inch in width over the pattern, using No. 10 needles, to obtain the following measurements: All round at underarms—fastened, $19\frac{1}{2}$ inches; side seam, $4\frac{3}{4}$ inches; length, $9\frac{1}{2}$ inches; sleeve seam, $5\frac{1}{4}$ inches.

Abbreviations: See page 2.

THE BACK: Begin at the lower edge by casting on 78 sts. with No. 12 needles and work 10 rows in single rib.

Change to No. 10 needles and work in pattern as follows:

1st row: * K. 2, * p. 2, k. 2; repeat from * to end. 2nd row: P. 2, * k. 2, p. 2; repeat from * to end.

3rd row: All k. 4th row: All p.

5th row: As 2nd row.

6th row: As 1st row.

7th and 8th rows: As 3rd and 4th rows.

These 8 rows form the pattern; work 42 more rows in pattern.

To shape the raglan armholes: Cast off 3 sts. at the beginning of the next 2 rows, then dec. 1 st. at each end of the next 24 right-side rows.

P. 1 row.

Cast off the remaining 24 sts.

THE LEFT FRONT: Using No. 12 needles cast on 36 sts. and work 10 rows in single rib.

Change to No. 10 needles and work in pattern as follows:

1st row: * K. 2, p. 2; repeat from * to end. 2nd row: As 1st row.

3rd row: All k. 4th row: All p.



Minute 'stockings' really keep them warm.

5th row: * P. 2, k. 2; repeat from * to end.

6th row: As 5th row.

7th and 8th rows: As 3rd and 4th rows. These 8 rows form the pattern; work 42 more rows in pattern.

To shape the raglan armhole: Cast off 3 sts. at the beginning of the next row, then dec. 1 st. at the beginning of the next 18 right-side rows. 15 sts.

To shape the neck and continue armhole shaping: Cast off 4 sts. at the beginning of the next row.

**** Dec. 1 st. at each end of the next 3 right-side rows. 5 sts.**

Dec. 1 st. at the armhole end of the next 3 right-side rows.

P. 2 tog.; fasten off.

THE RIGHT FRONT: Using No. 12 needles cast on 36 sts. and work 10 rows in single rib.

Change to No. 10 needles and work in pattern as follows:

1st row: * P. 2, k. 2; repeat from * to end.

2nd row: As 1st row.

3rd row: All k.

4th row: All p.

5th row: * K. 2, p. 2; repeat from * to end.

6th row: As 5th row.

7th and 8th rows: As 3rd and 4th rows.

These 8 rows form the pattern; work 43 more rows in pattern.

To shape the raglan armhole: Cast off 3 sts. at the beginning of the next row, then dec. 1 st. at the end of the next 17 right-side rows.

On 16 sts. work 1 row.

To shape neck and continue armhole shaping: **1st row:** Cast off 4, pattern until 2 sts. remain, work 2 tog.

Now work as given for the left front from ** to end.

THE SLEEVES (two alike): Begin at the wrist edge by casting on 46 sts. with No. 12 needles and work 12 rows in single rib.

Change to No. 10 needles and work 6 rows in pattern as given for back.

Now inc. 1 st. at each end of the next row and every following 6th row until the 6th inc. row has been completed.

On 58 sts. pattern 9 rows.

To shape the raglan sleeve top: Work as given for the back raglan armhole

shaping when 4 sts. will remain.

Cast off.

THE BUTTON BAND: Using No. 12 needles cast on 8 sts. and work 96 rows in single rib.

Break off yarn for a girl's button-up and leave sts. on a spare needle.

THE BUTTONHOLE BAND: Using No. 12 needles cast on 8 sts. and work 4 rows in single rib.

Buttonhole row: K. 1, p. 1, k. 1, m. 1, k. 2 tog., p. 1, k. 1, p. 1.

Work 15 rows in single rib.

Repeat the last 16 rows 4 times and the buttonhole row again.

Rib 11 rows.

Break off yarn for a boy's button-up.

THE NECK BAND: First set in the raglan sleeves, so that the sts. cast off at the top of the sleeve form part of the neck edge.

Placing the buttonhole band on the right front for a girl and on the left front for a boy, sew front bands to row ends of their respective fronts.

With right side of work facing and using No. 12 needles, rib across the 8 sts. of right front band, pick up and k. 17 sts. from right front neck edge, 3 sts. from right sleeve, 22 sts. from back neck edge, 3 sts. from left sleeve and 17 sts. from left front neck edge, rib across the 8 sts. of left front band. 78 sts.

Work 3 rows in single rib. Work the 7th buttonhole on the next row; rib 3 rows more then cast off in rib.

TO MAKE UP THE CARDIGAN: Omitting ribbing, press work on the wrong side using a warm iron over a cloth. Join sleeve and side seams in one line. Sew on buttons. Press seams.

THE LONG STOCKINGS

MATERIALS: One ounce of Coats Care-free Bri-Nylon 3-ply; a pair of No. 12 knitting needles and a set of 4 double-pointed No. 12 knitting needles.

Tension and measurements: Work at a tension of 2 repeats of the pattern to $\frac{3}{4}$ -inch to obtain the following measurements: All round at widest part, 6 inches; top of leg to base of heel, 8 inches; back of heel to toe, 4 inches.

Abbreviations: See page 2.

TO WORK THE STOCKINGS (two alike): With No. 12 needles cast on 46 sts. for top of leg, then work 6 rows in single rib, increasing 1 st. at each end of the last row.

On 48 sts. work the 4-row pattern as follows:

1st row (right side): All k.

2nd row: All p.

3rd row: K. 2, * m. 1, k. 3, then pass the 3rd st. from point of right-hand needle over the first 2 sts. and off needle; repeat from * until 1 st. remains, k. 1.

4th row: All p.

Repeat these 4 rows 9 times more.

To shape for ankle: Continuing in pattern, dec. 1 st. at each end of the next row and 2 following 8th rows.

On 42 sts. pattern 19 rows. Cut yarn.

The heel flap: Slip the first 10 sts. on to a double-pointed No. 12 needle, divide the next 21 sts. between 2 double-pointed needles then slip the remaining 11 sts. on to the needle holding 10 sts.

With right side of work facing, rejoin yarn to the beginning of these 21 sts. and, beginning with a k. row, s.s. 10 rows.

To turn the heel: **1st row:** K. 13, sl. 1, k. 1, p.s.s.o., k. 1, turn, leaving 5 sts. unworked.

2nd row: P. 7, p. 2 tog., p. 1, turn, leaving 5 sts. unworked.

3rd row: K. 8, sl. 1, k. 1, p.s.s.o., k. 1, turn.

4th row: P. 9, p. 2 tog., p. 1, turn.

5th row: K. 10, sl. 1, k. 1, p.s.s.o., k. 1, turn.

6th row: P. 11, p. 2 tog., p. 1, turn.

7th row: K. 12, sl. 1, k. 1, p.s.s.o., k. 1, turn.

8th row: P. 13, p. 2 tog. Cut yarn.

The sole of foot: With right side of heel flap facing, pick up and k. 6 sts. from row ends at right side of heel, k. across the 14 heel sts., then pick up and k. 6 sts. from row ends at left side of heel.

P. 1 row on 26 sts., then work shaping as follows:

1st row: K. 1, sl. 1, k. 1, p.s.s.o., k. until 3 sts. remain, k. 2 tog., k. 1.

2nd row: All p.

Repeat these 2 rows twice more.

On 20 sts. s.s. 12 rows. Cut yarn and leave sts. on spare needle.

The instep: Return to the centre 21 sts., rejoin yarn on right side and working the sts. on to one needle, continue in pattern for 20 rows, decreasing 1 st. at the end of the last row. K. 1 row on 20 sts.

The toe: Using the double-pointed needles, with 1st needle k. across 10 of the sole sts., with 2nd needle k. the remaining 10 sole sts., with 3rd needle k. the 20 instep sts., then work in rounds as follows:

1st round: 1st needle, K. 1, sl. 1, k. 1, p.s.s.o., k. to end; 2nd needle, k. until 3 remain, k. 2 tog., k. 1; 3rd needle, k. 1, sl. 1, k. 1, p.s.s.o., k. until 3 remain, k. 2 tog., k. 1.

2nd round: All k.

Repeat these 2 rounds 4 times more.

Place the 2 sets of 5 sts. on one needle. Graft the 2 sets of 10 sts. together.

Join centre back seam and side seams of foot.


Press lightly on wrong side.

VEST AND PILCH

From three to nine months

BRISTOL

Bri-Nylon 3-ply



MATERIALS: Three ounces of Bristol Bri-Nylon 3-ply; a pair each of No. 13 and No. 11 knitting needles; a waist length of elastic.

Tension and measurements: Work at a tension of 8 stitches to 1 inch in width using No. 11 needles to obtain the following measurements: **Vest:** All round, 17 inches; side seam, 6 inches; length, 10½ inches; sleeve, 1½ inches. **Pilch:** All round at widest part, 17½ inches; side seam, 7 inches. **Abbreviations:** See page 2.

THE VEST

THE BACK: With No. 11 needles cast on 68 sts. and work 10 rows in single rib. Beginning with a k. row s.s. 56 rows.

To shape for sleeves: Cast on 7 sts. at the beginning of each of the next 2 rows.

On 82 sts. s.s. 34 rows.

To slope the shoulders and sleeves: Cast off 5 sts. at the beginning of the next 2 rows, then 7 sts. on the following 4 rows.

Leave the remaining 44 sts. on a stitch-holder for back of neck.

THE FRONT: Work as given for back until the sleeve shaping has been completed and 82 sts. are on the needle.

S.s. 21 rows.

The envelope neck makes it easy to slip over baby's head.



Now divide the sts. for neck and shoulders as follows: *Next row:* P. 70 and leave these sts. on a spare needle, p. 12 and work on these 12 sts.

The left front shoulder and sleeve: Inc. 1 st. at neck edge of the next row and 6 following alternate rows.

On 19 sts. work 1 row—omit this row on right front shoulder and sleeve.

To slope the shoulder and sleeve: Cast off 5 sts. at the beginning of the next row and 7 sts. on the 2 following alternate rows and fasten off.

The centre front: With right side of work facing, rejoin yarn to the inner end of sts. on spare needle, k. 2 tog., k. 54, k. 2 tog., turn and work on 56 sts., leaving the remaining 12 sts. on a safety-pin.

S.s. 3 rows, decreasing at each end of the 2nd row.

Change to No. 13 needles. *Next row:* Beginning with k. 1, rib 5, inc., * beginning with p. 1, rib 6, inc.; repeat from * 5 times, beginning with p. 1, rib 6.

On 61 sts. work 5 rows in single rib, then cast off in rib.

The right front shoulder and sleeve: With right side of work facing, rejoin yarn to 12 sts. left on safety-pin and work as for left front shoulder, omitting the row where indicated.

THE NECK RIBBING: First join shoulder and top of sleeve seams. With right side of work facing and using No. 13 needles, pick up and k. 23 sts. along right side of neck, across the 44 sts. of back work as follows: p. 1, k. 1, * inc., rib 6; repeat from * 5 times, pick up and k. 23 sts. along other side of neck.

On 96 sts. work 5 rows in single rib, then cast off in rib.

THE SLEEVE RIBBING (two alike): With right side of work facing and using No. 13 needles, pick up and k. 58 sts. from row ends of sleeve, then work 5 rows in single rib. Cast off in rib.

TO MAKE UP THE VEST: Press all parts, except ribbing. Join sleeve and side seams in one line. Sew row ends overlapping ribbing to front. Sew centre front ribbing, neatly down beneath overlapping ribbing.

THE PILCH

TO WORK: Begin at the waist edge by casting on 70 sts. with No. 11 needles and work 5 rows in single rib.

Slot row: K. 1, p. 1, * m. 1, p. 2 tog., k. 1, m. 1, k. 2 tog., p. 1; repeat from * until 2 remain, k. 1, p. 1.

Rib 4 rows.

Now work 54 rows in s.s.

To shape for leg openings: Dec. 1 st. at each end of the next 22 rows.

On 26 sts. s.s. 8 rows, then inc. 1 st. at each end of the next 22 rows.

On 70 sts. s.s. 54 rows.

Rib 4 rows, then repeat the slot row.

Rib 5 rows, then cast off in rib.

THE LEG RIBBING (two alike):

Using No. 13 needles, pick up and k. 70 sts. all round one leg opening and work 4 rows in single rib, then cast off in rib.

TO MAKE UP THE PILCH: Press as for vest. Join side seams. Run elastic through slot row and secure ends.

COT BLANKET

To fit a full size cot



COPLEY QUICK-KNIT

Luxury Bri-Nylon

MATERIALS: Eight ounces of Copley Quick-knit Luxury Bri-Nylon; a pair of No. 8 knitting needles.

Tension: Worked at a tension of 10 stitches to 2 inches in width, the blanket will measure 24 inches wide and 36 inches long.

Abbreviations: See page 2.

TO WORK: Using No. 8 needles, cast on 121 sts. and k. 9 rows.

Now work in pattern with garter st. border as follows: *1st row:* K. 6, * y.f., y.f., k. 2 tog.; repeat from * until 5 remain, k. 5.

2nd row: K. 5, p. 1, * y.o.n., sl. 1st y.f. p. wise on to right-hand needle, dropping 2nd y.f. off left-hand needle to make 1 long st., pass long st. back on to left-hand needle and p. 2 tog. b.; repeat from * until 5 remain, k. 5.

These 2 rows form the pattern, so repeat them 114 times and the 1st row again—or until the work measures 35 inches, ending with the 1st pattern row.

Next row: K. 6, * k. 1 dropping 2nd loop off needle, k. 1; repeat from * until 5 remain, k. 5 more.

K. 8 rows, then cast off p. wise.

Pin blanket out to size and press on the wrong side with a warm iron over a cloth.



FOR THE PUSHCHAIR, FOR THE PLAYROOM



This pushchair suit successfully fills the gap between pram-set and first coat. And a quick-silver toddler is ideally dressed in these dog-tooth dungarees and turnover-top sweater.

TROUSERS AND HOODED JACKET

*For nine to
eighteen
months*



PENNINE SURFIN

Super Crimp Bri-Nylon Double Knitting



"I'm too grown-up for the pushchair, thanks—my sister can use it now she's one."

Instructions for Jersey and Dungarees (Templeton's) begin on the next page

MATERIALS: Fourteen ounces of Pennine Surfin Super Crimp Bri-Nylon Double Knitting in main colour; two ounces in a contrast colour; a pair each of No. 11 and No. 9 knitting needles, a No. 9 "Aero" crochet hook; 4 buttons; $\frac{3}{4}$ yard of $\frac{1}{2}$ -inch wide petersham ribbon.

Tension: Work at a tension of 1 repeat of jacket pattern (16 stitches) to $2\frac{3}{4}$ inches in width, using No. 9 needles, and 13 stitches to 2 inches in width over the garter stitch, to obtain the measurements given below.

Measurements: Jacket: All round at underarms, $22\frac{1}{2}$ inches; side seam, 8 inches; length, $12\frac{1}{4}$ inches; sleeve seam, $6\frac{3}{4}$ inches.

Trousers: All round at widest part, $24\frac{1}{2}$ inches; centre back seam, 10 inches; leg seam, 9 inches.

Abbreviations: See page 2.

THE TROUSERS

THE RIGHT LEG: Begin at the waist edge by casting on 69 sts. with No. 11 needles and m. and k. 8 rows.

Slot row: K. 1, * y.f., k. 2 tog., k. 1; repeat from * until 2 sts. remain, y.f., k. 2 tog.

K. 9 rows—k. 10 rows here on left leg. Change to No. 9 needles and shape back for extra length as follows: 1st and 2nd rows: K. 6, turn, sl. 1, k. to end.

3rd and 4th rows: K. 12—k. 6 more sts. here on each repeat of this row—turn, sl. 1, k. to end.

5th to 12th rows: Repeat the 3rd and 4th rows 4 times, knitting 6 more sts. where indicated on each successive repeat of the 3rd row.

13th row: K. to end.

K. 9 rows—k. 8 rows here on left leg.

Now inc. 1 st. at each end of the next row and every following 16th row until the 5th inc. row has been completed.

On 79 sts. k. 17 rows.

Mark each end of last row with a coloured thread.

To shape leg: Dec. 1 st. at each end of the next row and every following 3rd row until the 20th dec. row has been completed. (39 sts.)

Break off m.

Change to No. 11 needles and with c. k. 28 rows. Cast off.

THE LEFT LEG: Work as given for right leg noting the variation in rows before shaping back and before increasing.

TO MAKE UP THE TROUSERS: Press work lightly on the wrong side using a warm iron over a cloth. Join centre

back and front seams down to markers. Join leg seams. Using 3 strands of yarn, crochet a chain 45 inches long; fasten off and tie ends into a tassel. Thread cord through slots at waist.

THE HOODED JACKET

THE BACK: Begin at the lower edge by casting on 65 sts. with No. 11 needles and c. and k. 8 rows. Break off c.

Change to No. 9 needles and, using m., work in pattern as follows:

1st row: K. 6, * k. 2 tog., y.f., k. 1, y.f., k. 2 tog., k. 11; repeat from * ending last repeat with k. 6.

2nd and every following alternate row: All k.

3rd row: K. 5, * k. 2 tog., y.f., k. 3, y.f., k. 2 tog., k. 9; repeat from * ending last repeat with k. 5.

5th row: K. 4, * k. 2 tog., y.f., k. 5, y.f., k. 2 tog., k. 7; repeat from * ending last repeat with k. 4.

7th row: K. 3, * k. 2 tog., y.f., k. 7, y.f., k. 2 tog., k. 5; repeat from * ending last repeat with k. 3.

9th row: K. 2, * k. 2 tog., y.f., k. 9, y.f., k. 2 tog., k. 3; repeat from * ending last repeat with k. 2.

11th row: K. 1, * k. 2 tog., y.f., k. 11, y.f., k. 2 tog., k. 1; repeat from * to end.

13th row: K. 2 tog., * y.f., k. 13, y.f., k. 3 tog.; repeat from * but ending last repeat y.f., k. 2 tog. instead of y.f., k. 3 tog.

15th row: K. 2, * y.f., k. 2 tog., k. 9, k. 2 tog., y.f., k. 3; repeat from * but ending last repeat with k. 2.

17th row: K. 3, * y.f., k. 2 tog., k. 7, k. 2 tog., y.f., k. 5; repeat from * ending last repeat with k. 3.

19th row: K. 4, * y.f., k. 2 tog., k. 5, k. 2 tog., y.f., k. 7; repeat from * ending last repeat with k. 4.

21st row: K. 5, * y.f., k. 2 tog., k. 3, k. 2 tog., y.f., k. 9; repeat from * ending last repeat with k. 5.

23rd row: K. 6, * y.f., k. 2 tog., k. 1, k. 2 tog., y.f., k. 11; repeat from * ending last repeat with k. 6.

25th row: K. 7, * y.f., k. 3 tog., y.f., k. 13; repeat from * ending last repeat with k. 7. 26th row: All k.

These 26 rows form the pattern; repeat them twice more and first 10 rows again.

To shape the armholes: Keeping continuity of the pattern, cast off 4 sts. at the beginning of the next 2 rows, then dec. 1 st. at each end of the next 4 rows.

On 49 sts. pattern 42 rows.

To slope the shoulders: Cast off 5 sts. at the beginning of the next 6 rows. Cast off the remaining 19 sts.

THE LEFT FRONT: Cast on 37 sts. with No. 11 needles and c. and k. 7 rows.

Next row: K. 4, slip these 4 sts. on to a safety-pin until required for border, k. to end on the remaining 33 sts.

Break off c.

Change to No. 9 needles and, with m., work 88 rows in pattern as given for back.

To shape the armhole: Cast off 4 sts. at the beginning of the next row. Work 1 row then dec. 1 st. at armhole end of the next 4 rows.

On 25 sts. pattern 23 rows.

To shape the neck: Cast off 2 sts. at the beginning of the next row, then dec. 1 st. at neck edge on the next 8 rows.

On 15 sts. pattern 10 rows.

To slope the shoulder: Cast off 5 sts. at the beginning of the next row and following 2 alternate rows; fasten off.

THE RIGHT FRONT: Cast on 37 sts. with No. 11 needles and c. and k. 7 rows.

Next row: K. to end, turn and slip the last 4 sts. on to a safety-pin until required for border.

Break off c.

Change to No. 9 needles and, with m., work 89 rows in pattern as given for back.

To shape the armhole: Cast off 4 sts. at the beginning of the next row, then dec. 1 st. at armhole end of the next 4 rows.

On 25 sts. pattern 24 rows.

To shape the neck and slope the shoulder: Work as given for the left front to end.

THE SLEEVES (two alike): Begin at the wrist edge by casting on 40 sts. with No. 11 needles and c. and k. 8 rows.

Break off c. and join on m.

Change to No. 9 needles and, with m., k. 4 rows.

Now inc. 1 st. at each end of the next row and every following 8th row until the 8th inc. row has been completed.

On 56 sts. k. 7 rows.

To shape the sleeve top: Cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the next 8 right-side rows. Work 1 row. Cast off 2 sts. at the beginning of the next 2 rows, 3 sts. on the next 2 rows and 4 sts. on the next 4 rows. Cast off the 6 sts.

THE FRONT BORDERS (two alike): With right side of work facing, rejoin c. to 4 sts. on safety-pin and using No. 11 needles k. 110 rows. Cast off.

THE HOOD: Begin at the face edge by casting on 96 sts. with No. 11 needles and c. and k. 24 rows.

Break off c. and join on m.

Change to No. 9 needles and, using m., shape the sides as follows:

1st row: K. 3, k. 2 tog. b., k. until 5 sts. remain, k. 2 tog., k. 3.

2nd to 6th rows: All k.

Repeat these 6 rows 7 times more.

On 80 sts. k. 6 rows.

To shape the back panel: Next row: Cast off 31 sts., k. 17 more, cast off the remaining 31 sts.

Rejoin m. to the remaining 18 sts. and k. 55 rows.

Cast off.

TO MAKE UP THE HOODED JACKET: Press as given for trousers. Join shoulder seams. Set sleeves into armholes then join sleeve and side seams in one line. Sew side pieces of hood to centre back panel. Turn back 14 rows of contrast border of hood on to wrong side. Sew hood to neck edge. Sew front borders to row ends of fronts.

The buttonholes: Using a thick needle, push the needle through the middle two sts. on the front border, making one 8 rows up from the lower edge and one 6 rows from the top of border, then 2 more at equal distances between, making them on the right front for a girl or the left front for a boy. Face front borders with petersham, cutting holes in petersham to match buttonholes. Oversew buttonholes. Sew on buttons. Press seams.

JERSEY AND DUNGAREES

From eighteen months to two and-a-bit



TEMPLETON'S

Bri-Nylon Double Knitting

MATERIALS. Jersey: Eight ounces of Templeton's Bri-Nylon Double Knitting in light colour; a 5-inch slide fastener. Dungarees: Six ounces of the same yarn in a dark colour; four ounces of the same yarn in a medium colour; 2 buttons. **For either garment:** A pair each of No. 10 and No. 8 knitting needles.

Tension and measurements: Work at a tension of 10½ stitches to 2 inches in width over the jersey pattern and 7 stitches to 1 inch in width over the 2-colour dungaree pattern, using No. 8 needles, to obtain the following measurements. Jersey: All round at underarms, 25½ inches; side seam, 8 inches; length, 13 inches; sleeve seam, 8½ inches. Dungarees: All round at widest part, 26 inches; leg seam, 12 inches; back seam, 11½ inches.


Abbreviations: See page 2.

THE JERSEY

THE BACK: Begin at the lower edge by casting on 67 sts. with No. 10 needles and lt.

Beginning and ending odd-numbered rows with k. 1 and even-numbered rows with p. 1, work 12 rows in single rib.

A fine set—hooded jacket and snug-at-the-ankle trousers.





The bib-top ensures a neat waistline

Change to No. 8 needles and work in pattern as follows: *1st row:* K. 1, * p. 1, k. 1; repeat from * to end.

2nd row: As 1st row.

3rd row: All k. *4th row:* As 3rd row.

These 4 rows form the pattern; repeat them 14 times more.

To shape the raglan armholes: Cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the next 4 right-side rows. 51 sts.

Now divide the stitches for the back opening as follows: *Next row:* Work 25 and leave these sts. on a spare needle until required for left back point, cast off 1, pattern to end and work on these 25 sts. for right back point.

The right back point: *1st row:* Work 2 tog., pattern until 2 sts. remain, k. 2.

2nd row: K. 2, pattern to end.

Repeat these 2 rows 15 times.

Break off yarn and leave the remaining 9 sts. on a spare needle.

The left back point: With right side of work facing, rejoin yarn to inner end of the 25 sts. on spare needle.

1st row: K. 2, pattern until 2 sts. remain, work 2 tog.

2nd row: Work until 2 sts. remain, k. 2.

Repeat these 2 rows 15 times.

Break off yarn and leave the remaining 9 sts. on a spare needle.

THE FRONT: Work as given for the back until armhole shaping is reached.

To shape the raglan armholes: Cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the next 14 right-side rows. 31 sts.

Now divide the sts. for the neck as follows: *Next row:* Pattern 13 and leave these sts. on a spare needle until required for right front point, pattern 5 and leave these 5 sts. on a stitch-holder until required for collar, pattern to end and work on these 13 sts. for the left front point.

The left front point: Dec. 1 st. at each end of the next 6 right-side rows.

Fasten off remaining st.

The right front point: With right side of work facing, rejoin yarn to inner end of the 13 sts. on spare needle, and work as given for the left front point to end.

THE SLEEVES (two alike): Begin at the wrist edge by casting on 37 sts. with No. 10 needles and lt. and work 12 rows in single rib as given for back.

Change to No. 8 needles and work 4 rows in pattern as given for back.

Working the extra sts. into the pattern as they occur, inc. 1 st. at each end of the next row and every following 6th row until the 10th inc. row has been completed.

On 57 sts. pattern 1 row.

To shape the raglan sleeve top: Cast off 4 sts. at the beginning of the next 2 rows, then dec. 1 st. at each end of the next 20 right-side rows.

On 9 sts. p. 1 row.

Break off yarn and leave the remaining 9 sts. on a spare needle.

THE COLLAR: First set in the raglan sleeves so that the sts. left on spare needles at top form part of the neck edge.

With right side of work facing using No. 10 needles and lt., k. across the 9 sts. at left back neck, 9 sts. at the top of left sleeve, pick up and k. 12 sts. down neck edge of left front point, k. across 5 sts. at centre front, pick up and k. 12 sts. up neck edge of right front point, k. across the 9 sts. at top of right sleeve and the 9 sts. at right back neck. 65 sts.

Work 26 rows in single rib as given for back. Cast off loosely in rib.

TO MAKE UP THE JERSEY: Omitting ribbing, press all parts on the wrong side using a warm iron over a cloth. Join sleeve and side seams in one line. Fold collar in half on to right side and catch down row ends at back opening. Sew slide fastener into back opening. Press seams.

THE DUNGAREES

THE RIGHT LEG: Begin at the lower edge by casting on 63 sts. with No. 10 needles and d.

Beginning and ending odd-numbered rows with k. 1 and even-numbered rows with p. 1, work 6 rows in single rib and inc. 1 st. at end of last row. 64 sts.

Change to No. 8 needles and work the 2-colour pattern, which is worked entirely in s.s., beginning with a k. row, so only the colour details are given. It is not necessary to weave in the yarns, but avoid drawing the spare yarn tightly across wrong side of knitting or the work will become puckered.

Join in and break off yarns when necessary.

1st row: 2 d., * 1 med., 3 d.; repeat from * ending last repeat with 1 d.

2nd row: * 1 d., 3 med.; repeat from * to end. *3rd row:* As 2nd row.

4th row: As 1st row.

These 4 rows form the pattern; repeat them 5 times more and first 2 rows again.

Working the extra sts. into the pattern as they occur, inc. 1 st. at each end of the next row and every following 4th row until the 12th inc. row has been completed. 88 sts.

Cast on 3 sts. at the beginning of the next 2 rows. On 94 sts. pattern 1 row.**

To shape the front and back seams: *1st row:* K. 2 tog. for front seam, pattern to end. *2nd row:* Pattern to end.

3rd row: Pattern until 2 sts. remain, k. 2 tog.—back seam. *4th row:* Pattern to end.

Pattern 57 rows, decreasing 1 st. at beginning of next row and every following 4th row for front seam and at the same time dec. 1 st. at the end of the 5th row and every following 6th row for the back seam.

On 68 sts. pattern 2 rows, ending on a right-side row.

To shape for extra depth on back.

1st and 2nd rows: Pattern 43, turn, sl. 1, pattern to end. *3rd and 4th rows:* Pattern 36, turn, sl. 1, pattern to end.

5th and 6th rows: Pattern 30, turn, sl. 1, pattern to end. *7th and 8th rows:* Pattern 26, turn, sl. 1, pattern to end.

9th and 10th rows: Pattern 18, turn, sl. 1, pattern to end. *** Break off med.

Change to No. 10 needles and using d., work 8 rows in single rib.

Next row: Cast off 43, rib to end. Break off yarn and leave the remaining 25 sts. on a spare needle.

THE LEFT LEG: Work as given for right leg up to **.

To shape the front and back seams.

1st row: Pattern until 2 sts. remain, k. 2 tog. for front seam.

2nd row: Pattern to end.

3rd row: K. 2 tog. for back seam, pattern to end. *4th row:* Pattern to end.

Pattern 57 rows, decreasing 1 st. at end of next row and every following 4th row for front seam and, at the same time, dec. 1 st. at the beginning of the 5th row and every following 6th row for the back seam.

On 68 sts. pattern 1 row, ending on a wrong-side row.

To shape for extra depth on back: Work as given for right leg up to ***.

Pattern 1 row, break off med.

Change to No. 10 needles and using d., work 8 rows in single rib.

Next row: Rib 25; cast off the remaining 43 sts.

THE BIB: With right side of work facing slip both sets of 25 sts. on to a No. 10 needle. 50 sts.

Using No. 10 needles for rib and No. 8 needles for pattern, join on med. and work the 2-colour pattern with rib borders as follows: *1st row:* Rib 9 d., k. 2 d., * 1 med., 3 d.; repeat from * 6 times, 1 med., 2 d., rib 9 d.

The pattern and rib borders are now set, work 31 rows. Break off med.

With the No. 10 needles work 8 rows in single rib.

Next row: Rib 9 and leave these 9 sts. on a spare needle until required for left strap, cast off 32 sts. loosely, rib to end and work on these 9 sts. for the right strap.

The right strap: Work 85 rows in single rib.

1st buttonhole row: Rib 3, cast off 3, rib 2 more.


2nd buttonhole row: Rib 3, turn, cast on 3, turn, rib 3.

Rib 4 rows.

Dec. 1 st. at each end of the next 3 rows. K. 3 tog.; fasten off.

The left strap: With wrong side of work facing, rejoin d. to the 9 sts. on spare needle and work as given for right strap.

TO MAKE UP THE DUNGAREES: Press as given for jersey. Join front and back seams. Join leg seams. Turn ribbing at lower edges of legs on to wrong side and stitch into position. Sew 2 buttons to centre of back waist ribbing 4½ inches apart. Press seams.



"Where
hats are
concerned
we rather think
we steal the
show!"

FOR JOURNEYS AND JAUNTS AWAY FROM HOME



Two sizes for this shawl with a clever corner-hood; a reversible coverlet that separates for summer use; a handsome looped mitt-and-bonnet set.



Instructions for the cap and mitts (Bronte) and pram cover (Woolvelo) are on page 30

MATERIALS: Eight or fifteen ounces of Marriner Bri-Nylon 4-ply; a pair of No. 11 knitting needles.

Tension and measurements: Worked at a tension of 7 stitches to 1 inch in width, the shawl will measure 27 inches or 37 inches square.

Abbreviations: See page 2.

TO WORK: With No. 11 needles cast on 186 or 256 sts. and k. 1 row.

Now work in pattern as follows: 1st and 2nd rows: All k.

3rd row: K. 6, (y.r.n., k. 1, y.r.n. twice, k. 1, y.r.n. 3 times, k. 1, y.r.n. twice, k. 1, y.r.n., k. 6) 18 or 25 times.

4th row: All k., dropping all y.r.n. off, thus forming 5 long sts. and 5 k. sts. to each pattern. 186 or 256 sts.

5th and 6th rows: All k.

7th row: K. 1, (y.r.n., k. 1, y.r.n. twice, k. 1, y.r.n. 3 times, k. 1, y.r.n. twice, k. 1, y.r.n., k. 6) 18 or 25 times, y.r.n., k. 1, y.r.n. twice, k. 1, y.r.n. 3 times, k. 1, y.r.n. twice, k. 1, y.r.n., k. 1.

8th row: As 4th row.

These 8 rows form the pattern, so repeat them 30 or 44 times—or until the shawl measures 26½ or 36½ inches, ending with the 8th pattern row.

K. 2 rows, then cast off p.wise.

THE HOOD: Cast on 80 or 92 sts. and k. 6 rows, increasing 1 st. at the beginning of each row.

On 86 or 98 sts. k. 1 row.

Now k. 84 or 96 rows, decreasing 1 st. by working tog. the 2nd and 3rd sts. at beginning of each row.

K. 2 tog. and fasten off.

SHAWL WITH HOOD

In two sizes from
the new baby to the
next size

MARRINER

Bri-Nylon 4-ply



TO MAKE UP THE SHAWL: Press with a warm iron over a cloth.

Leaving the first 7 row ends of hood free, sew remaining row ends to one corner of shawl. Now turn up first 7 rows and neatly catch into position.



CAP AND MITTS

For eighteen months to three years

BRONTE

Super Crimp Bri-Nylon 4-ply


MATERIALS: Five ounces of Bronte Super Crimp Bri-Nylon 4-ply. A pair of No. 11 knitting needles; 1 button.

Tension and measurements: Work at a tension of 6 stitches to one inch in width over the garter stitch to obtain the following measurements. **Cap:** All round, 18 inches; from cast-on edge of band to centre of crown, 6½ inches. **Mitts:** All round hand, 5½ inches; from cast-on to cast-off edge, 5½ inches.

Abbreviations: See page 2.

Special Abbreviations: Loop 1, insert right-hand needle into next st. as if about to k., wind yarn over needle and 1st finger of left hand, then round needle as if to k., draw 2 loops through and place on left-hand needle and k. tog. with original st.

The stitch gives an 'astrakhan' effect.



Note: Use yarn double throughout the set.

THE CAP

THE CROWN: Using No. 11 needles cast on 108 sts. and work as follows:

1st row: (K. 16, k. 2 tog.) 6 times.

2nd row: All k.

3rd row: (K. 15, k. 2 tog.) 6 times.

4th row: All k.

Repeat the 3rd and 4th rows 14 times more, but working 1 st. less before the k. 2 tog. on each repeat of the 3rd row. (12 sts.)

Next row: (K. 2 tog.) 6 times.

Break off yarn leaving a long end. Thread yarn into darning needle and pass through remaining 6 sts. and draw up tightly, then fasten off with a back st. Join row ends.

THE LOOP BAND: cast on 108 sts. and k. 1 row. Now work in pattern:

1st row (wrong side): (K. 1, loop 1) 54 times. 2nd to 4th rows: All k.

5th row: (Loop 1, k. 1) 54 times.

6th to 8th rows: All k.

These 8 rows form the loop band pattern so repeat them twice more and the first 5 rows again, then cast off.

AN EAR FLAP: Cast on 18 sts. and k. 4 rows.

Continue in garter st. and dec. 1 st. at each end of the next row and every following 4th row until the 6th dec. row has been worked.

On 6 sts. k. 15 rows.

1st buttonhole row: K. 2, cast off 2, k. 1 more. 2nd buttonhole row: K. 2, turn, cast on 2, turn, k. 2.

1st dec. row: K. 2 tog., k. 2, k. 2 tog. K. 1 row.

2nd dec. row: (K. 2 tog.) twice.

Sl. 1, k. 1, p.s.s.o. and fasten off.

Make another flap in the same way, but omit the buttonhole.

TO MAKE UP THE CAP: Do not press. Join row ends on loop band, then with seam on crown level with seam on band, sew cast-off edge of band to cast-on edge of crown. Beginning 2½ inches from back seam, sew cast-on edge of each flap to cap. Sew on button.

Make a pom-pom and sew to top of cap.

THE MITTS

THE LEFT MITT: Cast on 32 sts. and work 14 rows in single rib.

Now work as follows: 1st, 3rd, 5th and 7th rows: All k.

2nd row: (K. 1, loop 1) 8 times, p. 16.

4th row: K. 16, p. 16.

6th row: (Loop 1, k. 1) 8 times, p. 16.

8th row: K. 16, p. 16.

Repeat these 8 rows once. *

Now divide the sts. for thumb: 1st row: K. 16, turn, cast on 3, leaving the remaining 16 sts. on a safety-pin.

2nd row: P. 10, turn, cast on 3, and work on these 13 sts. for thumb, leaving the remaining 9 sts. on a safety-pin.

The thumb: S.s. 12 rows.

To shape the top: 1st row: K. 1, (k. 2 tog., k. 1) 4 times. 2nd row: All p.

3rd row: (K. 2 tog.) 4 times, k. 1.

Break off yarn, leaving a long end. Thread end into a darning needle and pass through the remaining 5 sts., draw up tightly and fasten off with a back st., then join row ends to form the seam.

The hand—continued

With right side of work facing, rejoin yarn and pick up and k. 7 sts. from base of thumb, then k. across the 16 sts. left on safety-pin.

Next row: (K. 1, loop 1) 8 times, p. 7 then p. the 9 sts. left on safety-pin.

Pattern 20 rows.

To shape the top: 1st row: (K. 2 tog., k. 2) 8 times. 2nd row: K. 12, p. 12.

3rd row: (K. 2 tog., k. 1) 8 times.

4th row: (K. 1, loop 1) 4 times, p. 8.

5th row: (K. 2 tog.) 8 times.

Break off yarn; complete as for thumb.

THE RIGHT MITT: Work as for left mitt until * is reached, but work each pattern row backwards.

Now divide the sts. for thumb. 1st row: K. 23, turn, cast on 3, leaving the remaining 9 sts. on a safety-pin. 2nd row: P. 10, turn, cast on 3, and work on these 13 sts. leaving the 16 sts. on a safety-pin.

The thumb: On 13 sts. work as given for left mitt to end.

The hand—continued

Rejoin yarn and pick up and k. 7 sts. from base of thumb, k. the 9 sts. left on safety-pin.


Next row: P. 16, then across the 16 sts. left on safety-pin (loop 1, k. 1) 8 times.

Pattern 20 rows.

Shape the top and work to end as given for left mitt, but work the 2nd and 4th rows backwards.

PRAM COVER

Pink on one side, blue on the other



WOOLVELO Double Knitting Bri-Nylon

MATERIALS: Eleven ounces of Woolvelo Double Knitting Bri-Nylon in blue and eleven ounces in pink; a pair each of No. 5 and No. 2 knitting needles; an "Aero" crochet hook No. 9; 3½ yards of baby ribbon in blue and 3½ yards in pink.

Tension and measurements: Work at a tension of 12 stitches to 2½ inches in width over the pattern for a cover measuring 24 inches by 28 inches, without the crochet edging.

General Abbreviations: See page 2.

Special Abbreviations: Tw. 2 p., twist 2 purl thus: p. into the front of the 2nd st. on left-hand needle, p. into front of the 1st st. and slip both sts. off needle together; d.c., double crochet; ch., chain.

TO WORK (two pieces alike, but each piece in a different colour): With No. 5 needles cast on 146 sts. then work the 10-row pattern as follows:

1st row (right side): With a No. 2 needle k. 1, * sl. 1 p. wise, k. 1, y.r.n., thus making 1 st., then holding yarn at back of

work, p.s.s.o. the k. 1 and the made st.; repeat from * until 1 st. remains, k. 1.

2nd row: With a No. 2 needle, * tw. 2 p.; repeat from * all along row.

3rd row: With a No. 5 needle k. 1, * k. 2 tog., m. 1, k. 2 tog. b.; repeat from * until 1 st. remains, k. 1.

4th row: With a No. 5 needle k. 1, * p. 1, p. into the front and back of the "m. 1" of previous row, p. 1; repeat from * until 1 st. remains, k. 1.

5th row: With a No. 5 needle all k.

6th row: With a No. 2 needle repeat 2nd row.

7th row: With a No. 2 needle repeat 1st row.

8th row: With a No. 5 needle k. 1, p. 1, * p. 2 tog. b., m. 1, p. 2 tog.; repeat from * until 4 sts. remain, p. 3, k. 1.

9th row: With a No. 5 needle k. 4, then * k. 1, k. into the front and back of the "m. 1" of previous row, k. 1; repeat from * until 2 sts. remain, k. 2.

10th row: With a No. 5 needle k. 1, then p. until 1 st. remains, k. 1.

Repeat these 10 rows 14 times more. Cast off fairly loosely.

THE CROCHET EDGING: Work this along all edges of each piece thus:

1st row: Work a row of d.c. evenly along each edge of cover, but working 3 d.c. into each corner, sl. st. into first d.c., turn.

2nd to 4th rows: Work 3 rows more, again working 3 d.c. into each corner d.c.

5th row: * 5 ch., miss 3 d.c. of previous row, sl. st. into next d.c.; repeat from * to end of row, sl. st. into first sl. st. at beginning of row, turn.

6th row: * 7 d.c. into 5 ch. loop of previous row, sl. st. into sl. st. of previous row; repeat from * to end of row, sl. st. into 1st sl. st. and fasten off.

TO MAKE UP THE COVER: Lightly press on wrong side with warm iron over a cloth. Thread pink ribbon through the "pattern holes" on blue piece of cover, and blue ribbon through pink piece, finishing with bows at opposite corners. Join the pieces together through the last row of d.c.

ANORAK WITH HOOD

From two to
three plus



PATONS BRILLIANTE

Bri-Nylon Double Knitting

MATERIALS: Twelve ounces of Patons Brilliante Bri-Nylon Double Knitting; a pair each of No. 8 and No. 7 knitting needles; an 8-inch zip fastener; 2½ yards of ½-inch wide two-colour braid.

Tension and measurements: It is essential to work at a tension of 8 stitches to 1 inch in width over the pattern to obtain the following measurements. If necessary change the size of the needles to be used. All round at underarms, 25 inches; side seam, 8½ inches; length, 14½ inches; sleeve seam, 8½ inches; all round face edge of hood, 20 inches.

General Abbreviations: See page 2.

Special Abbreviations: Cr. 2 k., cross 2 knit thus: pass the right-hand needle behind the first st. on left-hand needle and k. into the back of the 2nd st., k. into front of 1st st. and pass both sts. off needle together; cr. 2 p., cross 2 purl thus: miss 1st st. on left-hand needle, then p. into the 2nd st. in the usual way, p. into front of 1st st. and slip both sts. off needle together.

THE BACK: With No. 8 needles cast on 104 sts. for lower edge, then work the 2-row pattern as follows:

1st row (right side): * Cr. 2 k.; repeat from * all along row.

2nd row: P. 1, * cr. 2 p.; repeat from * until 1 st. remains, p. 1.

Repeat these 2 rows once.

Change to No. 7 needles and repeat them 28 times more, when the work should measure 8½ inches.

To shape the armholes: Continuing in pattern, cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at each end of the following 8 rows.

On 80 sts. pattern 26 rows.

To slope the shoulders: Cast off 8 sts. at the beginning of each of the next 6 rows. Cast off the remaining 32 sts. for back of neck.

THE FRONT: Work as for the back until the 4 rows on No. 8 needles have been completed, then work 23 rows on No. 7 needles.

Next row: P. 1, * cr. 2 p.; repeat from * 24 times, p. 1 and leave these 52 sts. on spare needle for right half front, p. 1, * cr. 2 p.; repeat from * 24 times, p. 1 and work on these 52 sts. for left half front.

The left half front: Pattern 32 rows—33 rows here on right half front—finishing at armhole edge.

To shape the armhole: Cast off 4 sts. at the beginning of the next row, work 1 row back to armhole edge—omit this row on right half front—then dec. 1 st. at armhole edge on the following 8 rows.

On 40 sts. pattern 15 rows—pattern 16 rows here on right half front—finishing at front edge.

To shape the neck: Cast off 10 sts. at the beginning of the next row, then dec. 1 st. at neck edge on the following 6 rows.

On 24 sts. pattern 4 rows, finishing at armhole end.

To slope the shoulder: Cast off 8 sts. at the beginning of the next row and 2 following alternate rows; fasten off.

The right half front: Rejoin yarn to neck edge on right side of 52 sts. left on spare needle and work as for left half front, noting the extra row to be worked before commencing neck shaping.

THE SLEEVES (both alike): With No. 8 needles cast on 64 sts. for wrist edge and work 4 rows in pattern.

Change to No. 7 needles and work 2 rows more, then continuing in pattern and working the extra sts. into the pattern as they occur, inc. 1 st. at each end of the



For tiny motorists and other travellers

next row and every following 6th row until the 8th inc. row has been completed.

On 80 sts. pattern 9 rows, or for sleeve seam length required.

To shape the sleeve top: Cast off 4 sts. at the beginning of each of the next 2 rows, then dec. 1 st. at the beginning of the following 8 rows. 64 sts. Cast off 2 sts. at the beginning of the next 6 rows, then 3 sts. on each of the following 6 rows; cast off 4 sts. at the beginning of next 4 rows; cast off the remaining 18 sts. straight across.

THE HOOD. The right side panel: With No. 8 needles cast on 46 sts. for neck edge and work 4 rows in pattern.

Change to No. 7 needles. Working the extra sts. into the pattern as they occur, inc. 1 st. at the end of the next row and following 15 right-side rows. Work 1 row on 62 sts., then dec. 1 st. at the shaped end of the next 14 rows. 48 sts.

Work 1 row to shaped edge—omit this row on left side.

Cast off 4 sts. at the beginning of the next row and following 3 alternate rows.

Many of the accessories used in the photographs were supplied by Mothercare

*BRI-NYLON is a Registered Trade Mark applied to nylon yarn or fibre manufactured by ICI, the proprietor, and supplied by ICI Fibres Ltd., which has been used to their satisfaction for approved merchandise. It is not authorised for use except in this manner.



WOMAN'S
WEEKLY
designs in

BRI*
NYLON

Work 1 row on 32 sts., then cast off fairly loosely.

The left side panel: Work as for right side panel, but work the shaping at the *beginning* of the right-side rows instead of at the end and omitting the row where indicated before beginning to cast off.

The centre panel: With No. 7 needles cast on 20 sts. and repeat the 2 pattern rows until work measures $14\frac{1}{4}$ inches, then cast off.

TO MAKE UP THE ANORAK: Lightly press all parts on the wrong side

with a warm iron over a cloth. Join shoulder seams. Set sleeves into armholes. Join sleeve and side seams in one line. Join the 3 panels of hood. Insert the zip fastener. Beginning and ending at centre front edges and with right side of hood to right side of anorak, sew hood to neck edge. Lightly press all seams. Beginning at lower edge of centre front, sew braid up right front at centre, all round hood face edge, down left front at centre. Sew another length of braid all round lower edge. Sew braid to each sleeve edge.

**Presented FREE with
WOMAN'S WEEKLY**