

PATCHWORK CROCHET™



AFGHAN

By Lynda Clark

MATERIALS: Worsted-weight yarn—120 ozs. various colors (1 oz. minimum of each color), 6 ozs. black; tapestry needle; H hook or hook needed to obtain gauge.

GAUGE: Each motif is $2\frac{1}{2}$ " square.

FINISHED SIZE: $69" \times 81\frac{1}{2}"$.

NOTE: Each square on diagram = 1 motif.

MOTIF (make 864)

Rnd 1: Ch 4, sl st in first ch to form ring, ch 3, 2 dc in ring, ch 2, (3 dc, ch 2) 3 times in ring, join with sl st in top of ch 3 (12 dc, 4 ch sps).

Rnd 2: Sl st in each of next 2 sts, (sl st, ch 3, 2 dc, ch 2, 3 dc, ch 1) in next ch sp, (3 dc, ch 2, 3 dc, ch 1) in each ch sp around, join as before. Fasten off.

Make and sew motifs tog in **back lps** (see ill.) to form color sections according to diagram.

Front Loop **Back Loop**



Sew color sections tog.

With black, using **Straight Stitch** (see ill.), embroider around each color section to resemble quilting.




EDGING

NOTE: Work edging in **back lps**.

Rnd 1: Working around outer edge, join black with sc in any st, sc in each st and in each ch around with 3 sc in each corner, join with sl st in first sc.

Rnds 2-3: Ch 1, sc in each st around with 3 sc in each center corner st, join as before. At end of last rnd, fasten off.

COLOR SECTION



SWEATER

By Natalie Baker

MATERIALS: Sport yarn—22 ozs. off-white, 2 ozs. each fisherman, red, blue, gray, dk. and lt. brown; tapestry needle; D and E hooks or hooks needed to obtain gauge.

GAUGE: D hook, 5 dc = 1", 10 dc rows = 3"; 4 hdc in sps = 1", 4 hdc in sps rows = 1".

FINISHED SIZE: Lady's bust 32; changes for 34 and 36 are in [].

BACK

Ribbing

Row 1: With D hook and off-white, ch 19, hdc in 3rd ch from hook, hdc in each ch across, turn (18 hdc).

Rows 2-45 [2-47, 2-49]: Working these rows in **back lps** (see *Stitch Guide*), ch 2, hdc in each st across, turn. At end of last row, **do not turn or fasten off**.

Body

Row 1: Working in ends of ribbing rows, with D hook, ch 1, 2 sc in each row across, turn (90) [94, 98].

Row 2: Ch 3, dc in next st, (ch 2, skip next 2 sts, dc in each of next 2 sts) across, turn. Row 2 is right side of work.

Row 3: Ch 3, dc in next st; *for **long dc** (ldc), **working over ch on last row, dc in next skipped st on row before last**; ldc, dc in each of next 2 sts; repeat from * across, turn.

Rows 4-39: Repeat rows 2 and 3 alternately.

Row 40: For **armholes**, sl st in first 6 sts, ch 5, skip next 2 sts, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 8 sts, ch 2, skip next 2 sts, dc in next st leaving last 5 sts unworked, turn.

Row 41: Ch 3, ldc next 2 sts tog, dc in each of next 2 sts, (ldc 2 times, dc in each of next 2 sts) across to last ch 5, ldc next 2 sts tog, dc in 3rd ch of ch 5, turn (78) [82, 86].

Row 42: Ch 3, dc next 2 sts tog, dc in next st, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 6 sts, ch 2, skip next 2 sts, dc in next st, dc next 2 sts tog, dc in last st, turn.

Row 43: Ch 3, dc next 2 sts tog, (ldc 2 times, dc in each of next 2 sts) across to

last ch 2, ldc 2 times, dc next 2 sts tog, dc in last st, turn (74) [78, 82].

Row 44: Ch 3, dc next 2 sts tog, ch 1, skip next st, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 4 sts, ch 1, skip next st, dc next 2 sts tog, dc in last st, turn.

Row 45: Ch 3, dc in next st, ldc, dc in each of next 2 sts, (ldc 2 times, dc in each of next 2 sts) across to ch 1, ldc, dc last 2 sts tog, turn (71) [75, 79].

Row 46: Ch 3, dc next 2 sts tog, dc in next st, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 3 sts, dc next 2 sts tog leaving last st unworked, turn.

Row 47: Ch 3, dc next 2 sts tog, (ldc 2 times, dc in each of next 2 sts) across to last ch 2, ldc 2 times, dc next 2 sts tog, dc in last st, turn (66) [70, 74].

Rows 48-57: Repeat rows 2 and 3 alternately.

Row 58: For **first shoulder**, ch 3, dc in next st, (ch 2, skip next 2 sts, dc in each of next 2 sts) 5 [5, 6] times; for **sizes 32 and 36 only**, dc in next st leaving last 43 [47] sts unworked, turn; for **size 34 only**, ch 2, skip next 2 sts, dc in next st leaving last 45 sts unworked, turn.

Row 59: For **sizes 32 and 36 only**, ch 3, dc next 2 sts tog, (ldc 2 times, dc in each of next 2 sts) across, turn (22) [26].

Row [59]: For **size 34 only**, ch 3, ldc next 2 sts tog, dc next 2 sts tog, dc in each of next 2 sts, (ldc, dc in each of next 2 sts) across, turn (24).

Rows 60-61: For **sizes 32 and 36 only**, repeat rows 2-3. At end of last row, fasten off.

Row [60]: For **size 34 only**, ch 3, dc in next st, (ch 2, skip next 2 sts, dc in each of next 2 sts) 5 times, dc in each of last 2 sts, turn.

Row [61]: Ch 3, dc in each of next 3 sts, (ldc 2 times, dc in each of next 2 sts) across. Fasten off.

Row 58: For **sizes 32 and 36 only**, for **2nd shoulder**, skip next 20 unworked sts on row 57, join with sl st in next st, ch 3, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across, turn.

Row [58]: For **size 34 only**, for **2nd shoulder**, skip next 20 unworked sts on row 57, sl st in next st, ch 5, skip next 2 sts, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across, turn.

Row 59: For **sizes 32 and 36 only**, ch 3,

dc in next st, (ldc 2 times, dc in each of next 2 sts) 4 [5] times, ldc 2 times, dc next 2 sts tog, dc in last st, turn (22) [26].

Row [59]: For size 34 only, ch 3, dc in next st, (ldc 2 times, dc in each of next 2 sts) 5 times, ldc next 2 sts tog, dc in 3rd ch of ch 5, turn (24).

Rows 60-61: For sizes 32 and 36 only, repeat rows 2-3. At end of last row, fasten off.

Row [60]: For size 34 only, ch 3, dc in each of next 3 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across, turn.

Row [61]: Ch 3, dc in next st, (ldc 2 times, dc in each of next 2 sts) 5 times, dc in each of last 2 sts. Fasten off.

FRONT RIBBING

Work same as back ribbing. At end of last row, fasten off.

PATCHES

NOTE: Work all patches with E hook.

Patch No. 1

GAUGE: 2 shells, 1 sc = 2"; 5 pattern rows = 2".

Row 1: With dk. brown, ch 32, sc in 2nd ch from hook, sc in each ch across, turn (31).

Row 2: Ch 1, sc in first st, (skip next 2 sts; for shell, 5 dc in next st; skip next 2 sts, sc in next st) across, turn (5 shells).

Row 3: Ch 3, 2 dc in same st, sc in 3rd dc of next shell, (shell in next sc, sc in 3rd dc of next shell) across to last sc, 3 dc in last sc, turn.

Rows 4-10: Repeat rows 2 and 3 alternately, ending with row 2.

Row 11: Ch 3, dc in next st, sc in each of next 3 sts, (dc in each of next 3 sts, sc in each of next 3 sts) across to last 2 sts, dc in each of last 2 sts, **do not turn**.

Rnd 12: Working around outer edge, ch 1, 2 sc in end of each dc row, sc in end of each sc row and sc in each st around with 3 sc in each corner, join with sl st in first sc. Fasten off.

Patch No. 2

GAUGE: 9 dc = 2"; 3 dc rows = 1".

Row 1: With gray, ch 23 [27, 31], sc in 2nd ch from hook, sc in each ch across, turn (22) [26, 30].

Rows 2-21: Repeat rows 2 and 3 of

back body alternately. At end of last row, **do not turn**.

Rnd 22: Working around outer edge, 2 sc in end of each row and sc in each st around with 3 sc in each corner, join with sl st in first sc. Fasten off.

Patch No. 3

GAUGE: 5 post sts = 1"; 3 post st rows = 1".

Row 1: With lt. brown, ch 33, sc in 2nd ch from hook, sc in each ch across, turn (32).

Row 2: Ch 3, dc in each st across, turn.

Rows 3-4: Ch 3, *front post (fp, see Stitch Guide) around each of next 3 sts, back post (bp) around each of next 3 sts; repeat from * across to last st, dc in last st, turn.

Rows 5-6: Ch 3, (bp around each of next 3 sts, fp around each of next 3 sts) across to last st, dc in last st, turn.

Rows 7-22: Repeat rows 3-6 consecutively. At end of last row, **do not turn**.

Rnd 23: Working around outer edge, ch 1, sc in end of each row and in each st around with 3 sc in each corner, join with sl st in first sc. Fasten off.

Patch No. 4

GAUGE: 9 sts = 2"; 4 pattern rows = 1".

Row 1: With lt. brown, ch 25, sc in 2nd ch from hook, dc in next ch, (sc in next ch, dc in next ch) across, turn (24).

Rows 2-25: Ch 1, (sc in next st, dc in next st) across, turn. At end of last row, **do not turn**.

Rnd 26: Repeat rnd 23 of patch No. 3.

Patch No. 5

GAUGE: 5 sc = 1"; 6 sc rows = 1".

Row 1: With red, sc in 2nd ch from hook, sc in each ch across, turn (5).

Rows 2-33: Ch 1, sc in each st across, turn. At end of last row, **do not turn**.

Rnd 34: Repeat rnd 23 of patch No. 3.

Patch No. 6

GAUGE: 2 patterns = 1½"; 5 pattern rows = 2".

Row 1: With fisherman, ch 23 [27, 31], sc in 2nd ch from hook, sc in each ch across, turn (22) [26, 30].

Row 2: Ch 3, *for pattern, skip next st, dc in each of next 3 sts; working in front of last 3 dc made, yo, insert hook from back to front in skipped st (see ill.), com-

plete as dc; repeat from * across to last st, dc in last st, turn.



Row 3: Ch 3, (skip next st, dc in each of next 3 sts; working behind last 3 dc made, dc in skipped st) across to last st, dc in last st, turn.

Rows 4-8: Repeat rows 2 and 3 alternately, ending with row 2. At end of last row, **do not turn**.

Rnd 9: Repeat rnd 22 of patch No. 2.

Patch No. 7

GAUGE: 5 sc = 1"; 2 cross st rows and 1 sc row = 1".

Row 1: With blue, ch 31, sc in 2nd ch from hook, sc in each ch across, turn (30).

Row 2: Ch 3, *for **cross stitch** (cr st), skip next st, dc in next st; working around last st made, dc in skipped st; repeat from * across to last st, dc in last st, turn.

Row 3: Ch 1, sc in each st across, turn.

Rows 4-5: Repeat rows 2-3. At end of last row, **do not turn**.

Rnd 6: Repeat rnd 12 of patch No. 1.

Patch No. 8

GAUGE: 5 hdc = 1"; 4 hdc rows = 1".

Row 1: With dk. brown, ch 31, hdc in 3rd ch from hook, hdc in each ch across, turn (30).

Rows 2-4: Ch 2, hdc in each st across, turn. At end of last row, **do not turn**.

Rnd 5: Repeat rnd 23 of patch No. 3.

Patch No. 9

GAUGE: 9 dc = 2"; 3 dc rows = 1".

Row 1: With fisherman, ch 27, sc in 2nd ch from hook, sc in each ch across, turn (26).

Rows 2-7: Repeat rows 2 and 3 of back body alternately.

Row 8: For **armhole**, sl st in first 6 sts, ch 5, skip next 2 sts, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across, turn (21).

Row 9: Ch 3, dc in next st, (ldc 2 times, dc in each of next 2 sts) 4 times, ldc next 2 sts tog leaving last st unworked, turn (19).

Row 10: Ch 3, dc next 2 sts tog, (ch 2,

skip next 2 sts, dc in each of next 2 sts) across, turn.

Rows 11-13: Repeat rows 3 and 2 of back body alternately, ending with row 3. At end of last row, **do not turn**.

Rnd 14: Repeat rnd 22 of Patch No. 2.

Patch No. 10

GAUGE: 2 shells, 1 sc = 2"; 5 pattern rows = 2".

Row 1: With blue and ch 26 [32, 38], repeat row 1 of patch No. 1 (25) [31, 37].

Rows 2-11: Repeat rows 2-11 of patch No. 1 (4 shells) [5 shells, 6 shells].

Rnd 12: Repeat rnd 12 of patch No. 1.

Patch No. 11

GAUGE: 5 dc = 1"; 2 dc rows = 3/4".

Row 1: With lt. brown, ch 19, dc in 4th ch from hook, dc in each ch across, turn (17).

Row 2: Ch 3, dc in each st across, **do not turn**.

Rnd 3: Repeat rnd 22 of patch No. 2.

Patch No. 12

GAUGE: 9 sts = 2"; 4 pattern rows = 1".

Row 1: With red and ch 29, repeat row 1 of patch No. 4 (28).

Rows 2-6: Repeat row 2 of patch No. 4.

Row 7: For **armhole**, sl st in first 6 sts, ch 3, (sc in next st, dc in next st) across, turn (23).

Row 8: Ch 1, sc in first st, (dc in next st, sc in next st) across to last 2 sts, dc last 2 sts tog, turn (22).

Rows 9-15: Repeat row 2 of patch No. 4.

Rnd 16: Repeat rnd 23 of patch No. 3.

FRONT YOKE

Row 1: With D hook and gray, ch 59 [63, 67], hdc in 3rd ch from hook, hdc in each ch across, turn (58) [62, 66].

NOTE: Work in sps between sts unless otherwise stated.

Rows 2-7: Ch 2, hdc in each sp across, turn.

Row 8: For **first shoulder**, ch 2, hdc in first 20 [22, 24] sps leaving last 37 [39, 41] sps unworked, turn (21) [23, 25].

Row 9: Ch 2, hdc first 2 sps tog, hdc in each sp across, turn (20) [22, 24].

Row 10: Ch 2, hdc in each sp across to last 2 sps, hdc last 2 sps tog, turn (19) [21, 23].

Row 11: Repeat row 9 [18] [20, 22].

Rows 12-19: Repeat row 2. At end of

last row, fasten off.

Row 8: For **2nd shoulder**, skip next 16 unworked sps on row 7, join with sl st in next sp, ch 2, hdc in last 20 [22, 24] sps, turn (21) [23, 25].


Rows 9-11: Repeat rows 10 and 9 alternately, ending with row 10 and (18 sts) [20 sts, 22 sts] in last row.

Rows 12-19: Repeat row 2. At end of last row, fasten off.

Row 20: With right side facing you, join with sc in top left-hand corner, sc in end of each row and in each st around to top right-hand corner with 3 sc in each corner. Fasten off.

Easing to fit, sew patches and front yoke tog according to assembly diagram.

Easing to fit, sew ribbing to bottom of front. Sew shoulder seams.



NECK BAND

Row 1: With ch 8, repeat row 1 of back ribbing (7).

Rows 2-68: Repeat row 2 of back ribbing. At end of last row, fasten off.

Sew rows 1 and 68 tog.

Easing to fit, sew neck band to neck opening.

SLEEVE (make 2)

Ribbing

Row 1: With ch 20, repeat row 1 of back ribbing (19).

Rows 2-23 [2-25, 2-25]: Repeat row 2 of back ribbing. At end of last row, **do not turn or fasten off**.

Arm

Rows 1-3: Repeat rows 1-3 of back

body (46) [50, 50].

Row 4: Ch 3, dc in same st, dc in next st, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 4 sts, ch 2, skip next 2 sts, dc in next st, 2 dc in next st, turn.

Row 5: Ch 3, dc in each of next 2 sts, (ldc 2 times, dc in each of next 2 sts) across to last st, dc in last st, turn (48) [52, 52].

Row 6: Ch 3, dc in same st, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last st, 2 dc in last st, turn.

Row 7: Ch 3, dc in each of next 3 sts, (ldc 2 times, dc in each of next 2 sts) across to last 2 sts, dc in each of last 2 sts, turn (50) [54, 54].

Row 8: Ch 3, dc in same st, dc in each of next 3 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 2 sts, dc in next st, 2 dc in last st, turn.

Row 9: Ch 3, dc in next 4 sts, (ldc 2 times, dc in each of next 2 sts) across to last 3 sts, dc in each of last 3 sts, turn (52) [56, 56].

Row 10: Ch 3, dc in same st, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 3 sts, ch 2, skip next 2 sts, 2 dc in last st, turn.

Rows 11-26: Repeat rows 3-10 consecutively, ending with (70 sts) [74 sts, 74 sts] in last row.

Rows 27-49: Or to desired length to underarm; repeat rows 3 and 2 alternately, ending with row 3.

Row 50: Repeat row 40 of back body.

Rows 51-57: Repeat rows 41-47 of back body, ending with (46 sts) [50 sts, 50 sts] in last row.

Row 58: Skip first st, sl st in next st, ch 5, skip next 2 sts, dc in each of next 2 sts, (ch 2, skip next 2 sts, dc in each of next 2 sts) across to last 4 sts, ch 2, skip next 2 sts, dc in next st leaving last st unworked, turn.

Rows 59-65: Repeat rows 41-47 of back body, ending with (30 sts) [34 sts, 34 sts] in last row.

Row 66: Repeat row 58.

Rows 67-69: Repeat rows 41-43 of back body, ending with (22 sts) [26 sts, 26 sts] in last row.

Row 70: Ch 1, (sc next 2 sts tog) across. Fasten off.

Easing top of sleeve to fit, sew sleeves in armholes.

Sew sleeve and side seams. 

RUG

By Lynda Clark

MATERIALS: Aunt Lydia's Heavy Rug Yarn by Caron—1,100 yds. various colors (minimum of 5½ yds. per motif), 970 yds. Beige; tapestry needle; G hook or hook needed to obtain gauge.

GAUGE: Each motif is 2½" square.

FINISHED SIZE: 32½" × 52½".

NOTE: Each square on diagram = 1 motif.

MOTIF (make 170 various colors, make 103 beige)

Rnd 1: Ch 4, sl st in first ch to form ring, ch 3, 2 dc in ring, ch 2, (3 dc, ch 2) 3 times in ring, join with sl st in top of ch 3 (12 dc, 4 ch sps).

Rnd 2: Sl st in each of next 2 sts, (sl st, ch 3, 2 dc, ch 2, 3 dc, ch 1) in next ch sp, (3 dc, ch 2, 3 dc, ch 1) in each ch sp around, join as before. Fasten off.

Working in **back lps** (see ill.), with beige, sew motifs tog according to diagram.

Front Loop



Back Loop


EDGING

Rnd 1: Working around outer edge in **back lps**, join beige with sc in any st, sc in each st, in each ch-1 sp and in each joining around with (sc, ch 1, sc) in each corner, join with sl st in first sc.

Rnd 2: Working this rnd in **back lps**, ch 1, sc in each st around with 3 sc in each corner, join as before. Fasten off.

■ = Color Motif

□ = Beige Motif



GOOSE

By Michele Wilcox

MATERIALS: Scraps of bulky-weight yarn; 12" of 2" cluny lace; 1 yd. of ⅜" ribbon; 2 wooden 10-mm. beads; polyester fiberfill; tapestry needle; H hook or hook needed to obtain gauge.

GAUGE: 7 sc = 2"; 7 sc rows = 2".

FINISHED SIZE: 18" tall.

SQUARE (make 66)

Row 1: Ch 8, sc in 2nd ch from hook, sc in each ch across, turn (7 sc).

Rows 2-6: Ch 1, sc in each st across, turn. At end of last row, fasten off.

TRIANGLE (make 22)

Row 1: Repeat row 1 of square.

Row 2: Ch 1, sc first 2 sts tog, sc in each st across, turn (6).

Row 3: Ch 1, sc in each st across to last 2 sts, sc last 2 sts tog, turn (5).

Rows 4-5: Repeat rows 2-3 (4, 3).
Row 6: Ch 1, sc next 3 sts tog. Fasten off.


FINISHING

Sew squares and triangles tog according to front and back diagrams.

Sew front and back tog stuffing before closing.

For eyes, sew beads to each side of head according to diagram.

Place lace around neck and tack ends



tog. Place ribbon around neck above lace and tie in bow. 

CAT

By Michele Wilcox

MATERIALS: Scraps of 4-ply cotton yarn or worsted-weight yarn, 3 yds. black; 29" each of 3 colors $\frac{3}{8}$ " ribbon; polyester fiberfill; F hook or hook needed to obtain gauge.

GAUGE: 9 sc = 2"; 9 sc rows = 2".

FINISHED SIZE: 12½" tall.

SQUARE (make 46)

Row 1: Ch 9, sc in 2nd ch from hook, sc in each ch across, turn (8 sc).

Rows 2-7: Ch 1, sc in each st across, turn. At end of last row, fasten off.

TRIANGLE (make 8)

Row 1: Repeat row 1 of square.

Row 2: Ch 1, sc first 2 sts tog, sc in each st across, turn (7).

Row 3: Ch 1, sc in each st across to last 2 sts, sc last 2 sts tog, turn (6).


Rows 4-6: Repeat rows 2 and 3 alternately, ending with row 2 and 3 sts.

Row 7: Ch 1, sc next 3 sts tog. Fasten off.

FINISHING


Sew squares and triangles tog accord-

ing to front and back diagrams.



Sew front and back tog stuffing before closing.

With black, using Straight and Satin Stitches (see ill.), embroider face according to facial feature diagram.



Hold 3 pieces of ribbon tog, place around neck and tie in bow. 



©1987 Annies Attic, Inc. All rights reserved. Unauthorized duplication is a violation of applicable laws and may be punishable by fines and/or imprisonment.