

Bairnsweave
Booklet No. 1426 PRAM SETS FOR THE FIRST YEAR

3^D



TWO OUTFITS

PRAM SETS
FOR THE FIRST YEAR

Exclusive designs with simple instructions from

BAIRNS-WEAVE
KNITTING WOOLS

"ANAPHE"

MATERIALS

7 ozs. Bains-Wear Bambino Wool, 3-ply.
2 No. 10 "Aero" Knitting Pins.
Set of 4 No. 10 "Aero" Knitting Pins.
2 Buttons, 1½ yds. ribbon ¼ inch wide for coat and bonnet,
½ yd. narrow ribbon for mittens. 20 inches elastic.

MEASUREMENTS

The Coat

Width at underarm 20 inches.
Length from shoulder 11½ inches.
Sleeve seam 6½ inches.

The Leggins

Front seam 9 inches.
Back seam 10 inches.

The Bonnet

Front to back 6½ inches.
Round brim 13 inches.

TENSION. 8 sts. to one inch in pattern.

THE COAT

THE RIGHT FRONT. Cast on 67 sts.

1st row. Slip 1 knitways, * k. 1, p. 3, repeat from * to the last 2 sts., k. 2.

2nd row. Slip 1 knitways, * p. 1, k. 3, repeat from * to the last 2 sts., p. 1, k. 1.

3rd row. Slip 1 knitways, k. 2, * p. 1, k. 3, repeat from * to the end.

4th row. Slip 1 knitways, p. 2, * k. 1, p. 3, repeat from * to the last 4 sts., k. 1, p. 2, k. 1.

Repeat these 4 rows until the work measures 6½ inches from the commencement ending with the 2nd or 4th rows.

Next row. Slip 1 knitways, (k. 1, p. 1,) twice, (k. 1, p. 2 tog.), 7 times, (k. 1, p. 3 tog.) 5 times, (k. 1, p. 2 tog.), 6 times, k. 1, k. 2 tog. (43 sts.).

Following row. Slip 1 knitways, * p. 1, k. 1, repeat from * to the end.

Next row. Rib 3, * k. 1, p. 1, w.o.p., k. 2 tog., repeat from * to the end. Rib 1 more row. Repeat the 1st and 2nd pattern rows once. Here shape the raglan:—

1st row. Slip 1 knitways, k. 2, * p. 1, k. 3, repeat from * to the last 4 sts., p. 1, k. 1, k. 2 tog.

2nd row. Slip 1 knitways, p. 1, * k. 1, p. 3, repeat from * to the last 4 sts., k. 1, p. 2, k. 1.

3rd row. Slip 1 knitways, * k. 1, p. 3, repeat from * to the last 5 sts., k. 1, p. 2, k. 2 tog.

4th row. Slip 1 knitways, k. 2, * p. 1, k. 3, repeat from * to the last 2 sts., p. 1, k. 1.

5th row. Slip 1 knitways, k. 2, * p. 1, k. 3, repeat from * to the last 2 sts., k. 2 tog.

6th row. Slip 1 knitways, * p. 3, k. 1, repeat from * to the last 3 sts., p. 2, k. 1.

7th row. Slip 1 knitways, * k. 1, p. 3, repeat from * to the last 3 sts., k. 1, k. 2 tog.

8th row. Slip 1 knitways, * p. 1, k. 3, repeat from * to the last 2 sts., p. 1, k. 1.

Repeat these 8 rows once, then the 1st, 2nd, 3rd and 4th rows. Make a buttonhole in the next row thus:— Slip 1 knitways, k. 2, p. 1, k. 1, w. fwd., k. 2 tog., repeat from * to the end of the 5th row. Repeat the 6th, 7th and 8th rows. Repeat the 8 shaping rows twice more. (23 sts.).

Next row. Slip 1 knitways, k. 2, * p. 1, k. 1, w. fwd., k. 2 tog., repeat from * to the end of the 1st shaping row. Repeat the 2nd row, then, still decreasing at the armhole edge every second row, shape the neck by casting off 6 sts. at the beginning of the next row, then k. 2 tog., at the neck edge of every row until 2 sts. remain. K. 2 tog., and fasten off.

THE LEFT FRONT. Work exactly as given for the right front until the shaping row at the waist is reached, thus ending with the 4th or 2nd pattern row. **Next row.** K. 2 tog., (k. 1, p. 2 tog.) 6 times, k. 1, (p. 3 tog., k. 1,) 5 times, (p. 2 tog., k. 1,) 7 times, (p. 1, k. 1,) twice, k. 1, (43 sts.). Rib 1 row.

THE BACK. Cast on 119 sts. and repeat the 4 pattern rows of the right front until the work measures 6½ inches from the commencement, ending with the 2nd or 4th rows. **Next row.** K. 2 tog., (k. 1, p. 2 tog.) 38 times, k. 1, k. 2 tog. (79 sts.). **Following row.** Slip 1 knitways, * p. 1, k. 1, repeat from * to the end. **Next row.** * K. 2 tog., w.r.p., p. 1, k. 1, repeat from * to the last 3 sts., rib 3. Rib 1 more row. Repeat the first two pattern rows, then shape the raglan by knitting 2 tog. at both ends of the next and every following second row until 23 sts. remain. Cast off.

THE SLEEVES. Cast on 43 sts.

1st row. Slip 1 knitways, * k. 1, p. 1, repeat from * to the last 2 sts., k. 2.

2nd row. Slip 1 knitways, * p. 1, k. 1, repeat from * to the end.

Repeat these 2 rows for 1½ inches ending with the 2nd row. Repeat the 4 pattern rows as given for the front once. Keeping the pattern correct, increase 1 st. at both ends of the next and every following 6th row until there are 59 sts. Continue on these sts. until the work measures 6½ inches from the commencement. To shape the top, k. 2 tog. at both ends of the next and every following second row until 3 sts. remain. Cast off. Work a second sleeve the same.

THE COLLAR. Cast on 75 sts. and repeat the 4 pattern rows as given for the right front until the work measures 1½ inches from the commencement. Cast off loosely.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the side and sleeve seams. Join the raglan shapings to the fronts and back. Sew on the collar with the cast on edge to the neck, the ends ¼ inch from

ABBREVIATIONS. K., knit; p., purl; st., stitch; tog., together; w.r.p., wool round pin; w.o.p., wool over pin; t.b.l., through the backs of the loops; w. fwd., wool forward; p.s.s.o., pass the slipped st. over.



Following row. * K. 2 tog., w.r.p., p. 1, k. 1, repeat from * to the last 3 sts., rib 3. Rib 1 more row. Repeat the 1st and 2nd pattern rows once. To shape the raglan work the 8 shaping rows of the right front backwards from the last st. to the first, thus the 1st row will be:— K. 2 tog., k. 1, * p. 1, k. 3, repeat from * to the end. Continue in this way omitting the buttonholes until there are 23 sts., then repeat the 1st decreasing row working it backwards before shaping the neck. Finish to match the right front.

THE BACK. Cast on 119 sts. and repeat the 4 pattern rows of the right front until the work measures 6½ inches from the commencement, ending with the 2nd or 4th rows. **Next row.** K. 2 tog., (k. 1, p. 2 tog.) 38 times, k. 1, k. 2 tog. (79 sts.). **Following row.** Slip 1 knitways, * p. 1, k. 1, repeat from * to the end. **Next row.** * K. 2 tog., w.r.p., p. 1, k. 1, repeat from * to the last 3 sts., rib 3. Rib 1 more row. Repeat the first two pattern rows, then shape the raglan by knitting 2 tog. at both ends of the next and every following second row until 23 sts. remain. Cast off.

THE SLEEVES. Cast on 43 sts.

1st row. Slip 1 knitways, * k. 1, p. 1, repeat from * to the last 2 sts., k. 2.

2nd row. Slip 1 knitways, * p. 1, k. 1, repeat from * to the end.

Repeat these 2 rows for 1½ inches ending with the 2nd row. Repeat the 4 pattern rows as given for the front once. Keeping the pattern correct, increase 1 st. at both ends of the next and every following 6th row until there are 59 sts. Continue on these sts. until the work measures 6½ inches from the commencement. To shape the top, k. 2 tog. at both ends of the next and every following second row until 3 sts. remain. Cast off. Work a second sleeve the same.

THE COLLAR. Cast on 75 sts. and repeat the 4 pattern rows as given for the right front until the work measures 1½ inches from the commencement. Cast off loosely.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the side and sleeve seams. Join the raglan shapings to the fronts and back. Sew on the collar with the cast on edge to the neck, the ends ¼ inch from

continued at foot of page 4.

"JESSAMYN"

MATERIALS.

8 ozs. Bains-Wear Bambino Wool, 3-ply.
2 No. 9 and 2 No. 10 "Aero" Knitting Pins.
Set of 4 No. 10 "Aero" Knitting Pins.
1 "Aero" Crochet Hook.
22 inches elastic. 1 Button.
1 yard narrow ribbon for the mittens.

MEASUREMENTS

The Coat

Width at underarm 20 inches.
Length from shoulder 11½ inches.
Sleeve seam 7 inches.

The Leggins

Front seam 9 inches.
Back seam 10½ inches.

The Hood

Round brim 13 inches.
Front to back 5½ inches.

TENSION. 1 pattern to 2 inches. 7½ sts. to one inch on 10's.

THE COAT

The garment is worked in one piece to the underarm. Cast 199 sts. on No. 9 pins.

1st row. Slip 1 knitways, * p. 1, k. 1, repeat from * to the end.

Repeat this row (moss st.) twice.

4th row. Moss 11, (increase in each of the next 2 sts., moss 14) 11 times, increase in the next st., moss 11, (222 sts.). Change to pattern:—

1st row. Moss 3, * p. 1, k. 2 tog., k. 4, (k. 1, p. 1) into the next st., (k. 1, p. 1, k. 1) into the following st., (k. 1, p. 1) into the next st., k. 5, k. 2 tog., t.b.l., k. 1, repeat from * to the last 3 sts., moss 3.

2nd and alternate rows. Moss 3, * k. 1, p. 2 tog., t.b.l., p. 14, p. 2 tog., p. 1, repeat from * to the last 3 sts., moss 3.

3rd row. Moss 3, * p. 1, k. 2 tog., k. 3, (k. 1, p. 1) into each of the next 2 sts., k. 1, (k. 1, p. 1) into each of the next 2 sts., k. 4, k. 2 tog., t.b.l., k. 1, repeat from * to the last 3 sts., moss 3.

5th row. Moss 3, * p. 1, k. 2 tog., k. 2, (k. 1, p. 1) into each of the next 2 sts., k. 3, (k. 1, p. 1) into each of the next 2 sts., k. 3, k. 2 tog., t.b.l., k. 1, repeat from * to the last 3 sts., moss 3.

7th row. Moss 3, * p. 1, k. 2 tog., k. 1, (k. 1, p. 1) into each of the next 2 sts., k. 5, (k. 1, p. 1) into each of the next 2 sts., k. 2, k. 2 tog., t.b.l., k. 1, repeat from * to the last 3 sts., moss 3.

8th row. As the 2nd.

Repeat these 8 rows 6 times. **Next row.** Moss 2, (k. 2 tog., k. 2, k. 2 tog., k. 3) 24 times, k. 2 tog., moss 2, (173 sts.). **Following row.** Slip 1 knitways, * p. 1, k. 1, repeat from * to the end. Change to No. 10 pins and make eyelet holes in the next row thus:— Moss 20, (w. fwd., k. 2 tog., moss 2) 33 times, w. fwd., k. 2 tog., moss 19. Continue in moss st. until the work measures 8 inches from the commencement, ending with a row on the right side. Here divide and work the armholes.

Next row. Moss 46, cast off 6 sts., then, including the st. on the right hand pin, moss 69, cast off 6 sts., moss to the end. Work on the last 46 sts. for the right front knitting 2 tog. at the armhole edge on every row until 40 sts. remain. Continue on these sts. until the work measures 10½ inches from the commencement, ending at the front edge. Make a buttonhole in the next row thus:— Moss 3, k. 2 tog., w.r.p., moss to the end. Work back to the front edge and shape the neck by casting off 12 sts. at the beginning of the next row, then k. 2 tog. at this edge on every following row until 19 sts. remain. End at the armhole edge and cast off 6 sts. twice and 7 sts. once for the shoulder. Join in the wool and work on the next 69 sts. for the back, knitting 2 tog. at both ends of every row



until 57 sts. remain. Continue without shaping until the armholes are the same depth as the front armhole. Cast off 6 sts. 4 times and 7 sts. twice. Cast off remaining sts. Join in the wool and work on the remaining 46 sts. for the left front to match the right front, omitting the buttonhole.

THE SLEEVES. Cast 37 sts. on No. 10 pins and work in moss st. for 3 inches. Now increase 1 st. at both ends of the next and every following 6th row until there are 55 sts. Continue on these sts. until the work measures 8½ inches from the commencement. To shape the top, cast off 2 sts. at the beginning of every row until 21 sts. remain. Cast off 4 sts. 4 times and 5 sts. once. Work a second sleeve the same.

THE COLLAR. Cast 63 sts. on No. 10 pins and work 2 inches in moss st. Cast off in moss.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the shoulder and sleeve seams. Sew in sleeves, placing the seam to the centre of the cast off sts. at the underarm. Sew on the collar, placing the ends 1½ inches from the front edge on each side. Sew a button to the top of the left front 2 inches from the edge to match the buttonhole. Turn back the cuffs. Using the wool double, crochet a cord 36 inches long and thread through the eyelet holes at the waist to tie in front. Attach a tassel to each end. Press all seams.

THE HOOD

Cast 113 sts. on No. 10 pins and work 4 rows in moss st. increasing 1 st. on the last of these rows (114 sts.). Change to No. 9 pins and repeat the 8 pattern rows of the coat 3 times (24 rows). **Next row.** Slip 1 knitways, * p. 1, k. 2 tog., p. 1, k. 1, repeat from * to the last 3 sts., p. 1, k. 2 tog. (91 sts.). Change to No. 10 pins and continue until the work measures 5½ inches from the commencement, measuring from the shortest point. Cast off.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Fold at the centre and join the two halves of the cast off edge to form the back seam. With the right side facing, using No. 10 pins, knit up 89 sts. evenly along the lower (neck) edge. **1st row.** Slip 1 knitways, * p. 1, k. 1, repeat from * to the end. **2nd row.** Slip 1 knitways, * k. 2 tog., w.r.p., p. 1, k. 1, repeat from * to the end. Repeat the first row once. Cast off in moss. Press the work lightly. Using the wool double, crochet a cord 36 inches long and thread through the eyelet holes to tie in front. Press the seams.

continued at top of page 4.

THE LEGGINETTES

THE RIGHT LEG. Cast 80 sts. on No. 10 pins and work in (k. 1, p. 1) rib for 6 rows. Make eyelet holes in the next row thus:— * Rib 2, w. fwd., k. 2 tog., repeat from * to the end. Rib 7 more rows. Shape the back as follows:

1st row. Slip 1 knitways, k. 7, turn;

2nd and alternate rows. Purl to the last st., k. 1.

3rd row. Slip 1 knitways, k. 15, turn;

5th row. Slip 1 knitways, k. 23, turn.

Continue to knit across 8 extra sts. on each plain row until 24 sts. are left, turn and purl back. Work across all the sts. in alternate rows of plain and purl, increasing 1 st. at both ends of the 9th and every following 10th row until there are 92 sts. Continue, if necessary, until the work measures 9 inches from the commencement along the shorter (front) edge. Now, k. 2 sts. tog. at both ends of every second row until 44 sts. remain.

Work 2 inches without shaping, ending with a purl row. Transfer the sts. to the set of 4 No. 10 pins, thus: Knit 16 sts. on the first pin, 12 sts. on the second pin and 16 sts. on the third pin.

Work in rounds of (k. 1, p. 1) rib for 1½ inches, then divide the sts. for the heel as follows:—

Knit the 16 sts. of the first pin and the first 6 sts. of the second pin, turn; Slip 1 knitways, p. 20, k. 1. Leaving the remaining sts. on 2 pins for the instep, continue on these sts. in alternate rows of plain and purl for 10 rows. Turn the heel as follows:— Slip 1 knitways, k. 10, slip 1, k. 1, p.s.s.o., k. 1, turn; p. 2, p. 2 tog., p. 1, turn; k. 3, slip 1, k. 1, p.s.s.o., k. 1, turn; Continue in this way working 1 st. extra each time until all the sts. are on one pin again. (12 sts.). **Next row.** K. 12, knit up 8 sts. along the side of the heel, work the 22 instep sts. on to one pin again, then with the third pin knit up 8 sts. along the other side of the heel and the first 6 heel sts. (14, 22, 14). Shape the instep:— Knit to the last 3 sts. of the first pin, k. 2 tog., k. 1; knit across the second pin; k. 1, slip 1, k. 1, p.s.s.o., knit to the end of the third pin. Knit one round plain. Repeat these 2 rounds twice, (44 sts.). Work 1½ inches

without shaping, then shape the toe. Knit to the last 3 sts. of the first pin, k. 2 tog., k. 1; k. 1, slip 1, k. 1, p.s.s.o., knit to the last 3 sts. of the second pin, k. 2 tog., k. 1; k. 1, slip 1, k. 1, p.s.s.o., knit to the end. Knit one round plain. Repeat these 2 rounds until 20 sts. remain. Knit the sts. of the first pin on to the third pin and graft or cast off the 2 sets of sts. together.

THE LEFT LEG. Work the ribbing and eyelet holes as given for the right leg. Knit one row. Commence the back shapings on the first (purl) row and finish to match the right leg, reversing the foot by working on the last 6 sts. of the 2nd pin, and the 16 sts. of the third pin for the heel.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the back and front seams. Join the leg seams. Thread elastic through the holes at the waist. Press all seams.

THE MITTENS

Cast 43 sts. on No. 10 pins and work in moss st. until the work measures 2½ inches from the commencement. **Next row.** Slip 1 knitways, (k. 1, w. fwd., k. 2 tog.) 14 times. Work 2 inches in alternate rows of purl and plain, ending with a purl row.

To shape the top:—

1st row. Slip 1 knitways, (k. 2 tog., k. 16, k. 2 tog., k. 1) twice.

2nd and alternate rows. Slip 1 knitways, purl to the last st., k. 1.

3rd row. Slip 1 knitways, (k. 2 tog., k. 14, k. 2 tog., k. 1) twice.

5th row. Slip 1 knitways, (k. 2 tog., k. 12, k. 2 tog., k. 1) twice.

7th row. Slip 1 knitways, (k. 2 tog., k. 10, k. 2 tog., k. 1) twice.

9th row. Slip 1 knitways (k. 2 tog., k. 8, k. 2 tog., k. 1) twice.

Cast off. Work a second mitten the same.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the seams. Thread ribbon through the eyelet holes. Press the seams.

"ANAPHE"—continued from page 2.

the front edge on each side. Sew on buttons to match buttonholes. Thread ribbon through the waist. Press all seams.

THE BONNET

Cast on 103 sts. and repeat the 4 pattern rows of the right front until the work measures 5 inches from the commencement, decreasing 1 st. on the last row. (102 sts.). Here shape the back:—

1st row. Slip 1 knitways, * k. 2 tog., k. 8, repeat from * to the last st., k. 1.

2nd and alternate rows. Slip 1 knitways, p. to the last st., k. 1.

3rd row. Slip 1 knitways, * k. 2 tog., k. 7, repeat from * to the last st., k. 1.

Continue to decrease on every second row in this way with 1 st. less between the decreases each time until 12 sts. remain. (K. 2 tog.) 6 times. Draw up the remaining sts. and fasten off. Join the two sides from the first shaping to the cast off edge to form the back seam. With the right side of the work facing, knit up 70 sts. evenly along the lower edge (35 on each side of the seam). Knit 1 row.

Next row. * K. 2 tog., w. fwd., k. 4, repeat from * to the last 4 sts., k. 2 tog., w. fwd., k. 2. Knit one more row. Cast off. Press the seam. Thread ribbon through the eyelet holes to tie in front.

THE LEGGINETTES

As "Jessamyn" design. See above.

THE MITTENS

Cast on 43 sts. and repeat the 4 pattern rows of the right front of the coat for 2½ inches.

Next row. Slip 1 knitways, (k. 1, w. fwd., k. 2 tog.) 14 times. Work 2 inches in alternate rows of purl and plain, ending with a purl row. To shape the top:—

1st row. Slip 1 knitways, (k. 2 tog., k. 16, k. 2 tog., k. 1) twice.

2nd and alternate rows. Slip 1 knitways, purl to the last st., k. 1.

3rd row. Slip 1 knitways, (k. 2 tog., k. 14, k. 2 tog., k. 1) twice.

5th row. Slip 1 knitways, (k. 2 tog., k. 12, k. 2 tog., k. 1) twice.

7th row. Slip 1 knitways, (k. 2 tog., k. 10, k. 2 tog., k. 1) twice.

9th row. Slip 1 knitways, (k. 2 tog., k. 8, k. 2 tog., k. 1) twice.

Cast off. Work a second mitten the same.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the seams. Thread ribbon through the eyelet holes. Press the seams.

Prices quoted throughout apply only in Great Britain and Northern Ireland.

IN CASE OF ANY DIFFICULTY WRITE TO - PUBLICITY DEPARTMENT
BAIRNS-WEAR LTD. HUCKNALL RD. NOTTINGHAM