

3^D

No. 1480

BAIRNS-WEAR

WOOLLY OUTFIT FOR 18" DOLL

In BABY KNITTING or BAMBINO 3 Ply

Four Garments



EXCLUSIVE DESIGNS BY BAIRNS-WEAR

WOOLLY OUTFIT FOR 18 INCH DOLL THE PRAM SET

MATERIALS.

3 ozs. Bairns-Wear Baby Knitting or Bambino 3-ply.
2 No. 10 "Aero" Knitting Pins.
3 Buttons. $\frac{3}{4}$ yd. narrow ribbon. $\frac{1}{2}$ yd. elastic.

MEASUREMENTS

The Coat

Width at underarm $15\frac{1}{2}$ inches.
Length from shoulder $8\frac{1}{2}$ inches.
Sleeve seam 4 inches.

The Hood

Round face 11 inches.

The Legginettes

Front seam 6 inches.

TENSION. $7\frac{1}{2}$ sts. to one inch.

THE COAT

The garment is worked in one piece to the underarm.
Cast on 158 sts. and knit 4 rows

5th row. Slip 1 knitways, k. 2, * k. 2, slip 1, k. 2 tog., p.s.s.o., k. 2, wl. fwd., k. 1, wl. fwd., repeat from * to the last 3 sts., k. 3.

6th and alternate rows. Slip 1 knitways, k. 2, purl to the last 3 sts., k. 3.

7th row. Slip 1 knitways, k. 2, * k. 1, slip 1, k. 2 tog., p.s.s.o., k. 1, wl. fwd., k. 3, wl. fwd., repeat from * to the last 3 sts., k. 3.

9th row. Slip 1 knitways, k. 2, * wl. fwd., slip 1, k. 2 tog., p.s.s.o., wl. fwd., k. 5, repeat from * to the last 3 sts., k. 3.

11th row. Slip 1 knitways, k. 2, * wl. fwd., k. 3, wl. fwd., k. 1, slip 1, k. 2 tog., p.s.s.o., k. 1, repeat from * to the last 3 sts., k. 3.

13th row. Slip 1 knitways, k. 2, * wl. fwd., k. 5, wl. fwd., slip 1, k. 2 tog., p.s.s.o., repeat from * to the last 3 sts., k. 3.

14th row. As the 6th.

Repeat the last 10 rows until the work measures $5\frac{1}{2}$ inches from the commencement, ending with a purl row. **Next row.** Slip 1 knitways, k. 2, * k. 2 tog., k. 2, repeat from * to the last 3 sts., k. 3. (120 sts.). Knit 4 rows. **Following row.** Slip 1 knitways, k. 28, cast off 4 sts., then, including the st. on the right hand pin, k. 54, cast off 4 sts., k. to the end. Work on the last 29 sts. for the right front thus:—

1st row. Slip 1 knitways, k. 2 tog., wl. fwd., k. to the last 2 sts., k. 2 tog.


2nd row. Slip 1 knitways, p. to the last 3 sts., k. 3.

3rd row. Slip 1 knitways, k. to the last 2 sts., k. 2 tog.

Repeat the 2nd and 3rd rows 3 times. (24 sts.). Keeping the armhole edge straight, work 13 rows making buttonholes in the 2nd and 12th of these. Here shape the neck, by casting off 7 sts. at the beginning of the next row, then k. 2 tog. at the neck edge on every row until 13 sts. remain. Continue if necessary until the work measures $8\frac{1}{2}$ inches from the commencement. Cast off. Join in the wool and

To obtain perfect results from these instructions it is essential to use the Bairns-Wear wool specified.

ABBREVIATIONS. K., knit; p., purl; st., stitch; tog., together; wl. fwd., wool forward; p.s.s.o., pass the slipped st. over.



work on the next 54 sts. for the back, knitting 2 tog. at both ends of the next and every following 2nd row until 44 sts. remain. Continue without shaping until the armholes are the same depth as the front armholes. Cast off. Join in the wool and work on the remaining 29 sts. for the left front to match the right, omitting the buttonholes.

THE SLEEVES. Cast on 30 sts. and knit 4 rows. Change to alternate rows of plain and purl, increasing 1 st. at both ends of the 5th and every following 6th row until there are 38 sts., then without shaping until the work measures 4 inches from the commencement. To shape the top, k. 2 tog. at both ends of every row until 20 sts. remain. Cast off. Work a second sleeve the same.

Join the shoulder seams of the coat. With the right side of the work facing, commence at the right front border and knit up 16 sts. to the shoulder seam, 18 across the back and 16 to the left front edge. (50 sts.).

THE HOOD

1st row. Slip 1 knitways, k. 2, * (k. 1, p. 1) twice, knit twice into the next st., repeat from * to the last 2 sts., k. 2. (59 sts.).

2nd row. Slip 1 knitways, k. 2, * p. 1, k. 1, repeat from * to the last 4 sts., p. 1, k. 3.

3rd row. Slip 1 knitways, k. 2, * k. 1, p. 1, repeat from * to the last 4 sts., k. 4.

Repeat the 2nd and 3rd rows once. Change to alternate rows of plain and purl keeping 3 plain sts.

at both ends until the work measures 6 inches from the commencement. Cast off.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the side and sleeve seams. Sew in sleeves placing seam to seam. Fold the cast off edge at the centre and join the two halves. Sew on buttons to match buttonholes. Press all seams.

THE LEGGINETTES

THE RIGHT LEG. Cast on 58 sts.

1st row. Slip 1 knitways, k. 1, * p. 2, k. 2, repeat from * to the end.

2nd row. Slip 1 knitways, p. 1, * k. 2, p. 2, repeat from * to the last 4 sts., k. 2, p. 1, k. 1.

3rd row. (Rib 2, wl. fwd., k. 2 tog.) 14 times, k. 2. Rib 3 more rows.

Change to alternate rows of plain and purl, shaping the back thus:—

1st row. Slip 1 knitways, k. 6, turn, and purl back.

3rd row. Slip 1 knitways, k. 13, turn, and purl back.

5th row. Slip 1 knitways, k. 20, turn, and purl back. Continue across all the sts. in alternate rows of plain and purl, increasing 1 st. at both ends of the 7th and every following 8th row until there are 64 sts. Continue without shaping until the work measures 6 inches from the commencement, measuring along the shorter edge. Now k. 2 tog. at both ends of every row until 34 sts. remain. Work 1½ inches without shaping ending with a purl row. Repeat the 2 rib rows twice. **Next row.** (Rib 2, wl. fwd., k. 2 tog.) 8 times, rib 2. Work a further 3 rows in rib. **Following row.** Knit across 17 sts. turn and work on these sts. only for the heel in alternate rows of purl and plain, knitting 2 tog. at both ends of every row until 5 sts. remain, then increase 1 st. at both ends of every row until there are 17 sts. again. Work ½ inch without shaping, then k. 2 tog. at both ends of every plain row until 5 sts. remain. Transfer these sts. to a spare pin. Join in the wool and work on the remaining sts. as follows: Work ½ inch without shaping, then k. 2 tog. at both ends of every plain row until 5 sts. remain. Graft or cast off together the two sets of sts.

THE LEFT LEG. Work to match the right leg, commencing the back shapings on a purl row instead of a plain row and ending the 1½ inches before the rib at the ankle with a plain row instead of a purl.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the front, back, leg and foot seams. Thread ribbon through the holes at the ankles to tie in front. Thread elastic through the holes at the waist. Press all seams.



THE ROMPER

MATERIALS.

2 ozs. Bairns-Wear Baby Knitting or Bambino 3-ply.
2 No. 10 "Aero" Knitting Pins.
1 medium size "Aero" Crochet Hook.
6 Buttons.

MEASUREMENTS

Width at underarm 13 inches.
Shoulder to crutch 8½ inches.
Sleeve seam 1½ inches.

TENSION. 7½ sts. to one inch.

THE FRONT. Cast on 6 sts. and knit 2 rows plain. Change to alternate rows of plain and purl and increase 1 st. at both ends of each of the next 8 rows, then cast 5 sts. on to the end of each of the following 8 rows. (62 sts.). Continue without shaping until the work measures 5½ inches from the commencement, ending with a purl row. **Next row.** Slip 1 knitways, k. 2, (k. 2 tog., k. 3) 11 times, k. 2 tog., k. 2. (50 sts.) ** Knit 3 rows. Here shape the armholes:—

1st row. Cast off 3 sts., k. to the end.

2nd row. As the 1st.

3rd row. K. 3 tog., k. 3, * wl. fwd., k. 2, slip 1, k. 2 tog., p.s.s.o., k. 2, wl. fwd., k. 1, repeat from * to the last 6 sts., wl. fwd., k. 4, k. 2 tog.

4th and 6th rows. K. 2 tog., p. to the last 2 sts., k. 2 tog.

WASHING INSTRUCTIONS

We recommend that Bairns-Wear woollies be washed by hand using a mild washing product completely dissolved in lukewarm water.

Do not rub or wring the garment, but squeeze until all dirt is removed.
Do not leave any trace of washing powder in the garment.
Do not put wet woollies aside but dry immediately.
Do not hang woollies to dry but lay out flat to shape.
Do not dry in direct contact with excessive heat or strong sunlight.

5th row. K. 3 tog., k. 1, * wl. fwd., k. 1, slip 1, k. 2 tog., p.s.s.o., k. 1, wl. fwd., k. 3, repeat from * to the last 4 sts., wl. fwd., k. 2, k. 2 tog.

7th row. K. 2 tog., * wl. fwd., slip 1, k. 2 tog., p.s.s.o., wl. fwd., k. 5, repeat from * to the last 2 sts., k. 2 tog. (34 sts.).

8th and following alternate rows. Slip 1 knitways, p. to the last st., k. 1.

9th row. Slip 1 knitways, * wl. fwd., k. 3, wl. fwd., k. 1, slip 1, k. 2 tog., p.s.s.o., k. 1, repeat from * to the last st., k. 1.

11th row. Slip 1 knitways, * wl. fwd., k. 5, wl. fwd., slip 1, k. 2 tog., p.s.s.o., repeat from * to the last st., k. 1.

13th row. Slip 1 knitways, * k. 2, slip 1, k. 2 tog., p.s.s.o., k. 2, wl. fwd., k. 1, wl. fwd., repeat from * to the last st., k. 1.

15th row. Slip 1 knitways, * k. 1, slip 1, k. 2 tog., p.s.s.o., k. 1, wl. fwd., k. 3, wl. fwd., repeat from * to the last st., k. 1.

17th row. Slip 1 knitways, * wl. fwd., slip 1, k. 2 tog., p.s.s.o., wl. fwd., k. 5, repeat from * to the last st., k. 1.

Repeat the last 10 rows until the work measures $7\frac{1}{2}$ inches from the commencement, ending with a row on the right side. **Next row.** Slip 1 knitways, p. 9, cast off 14 sts., p. to the last st., k. 1. Continue on the last 10 sts. until the work measures $8\frac{1}{2}$ inches from the commencement. Cast off. Join in the wool and work on the remaining 10 sts. to match.

THE BACK. Work as for the front until the armhole shapings are completed, then continue in the pattern until the armholes are the same depth as the front armholes. Cast off.

THE LEG BANDS. Join the side seams. With the right side facing, commence at the cast on edge of the front and knit up 45 sts. evenly along one leg to the cast on edge of the back.

1st row. Slip 1 knitways, * p. 1, k. 1, repeat from * to the end.

2nd row. Slip 1 knitways, * k. 1, p. 1, repeat from * to the last 2 sts., k. 2.

Repeat these 2 rows twice. Cast off in rib.

Work the other leg band to match.

THE SLEEVES. Cast on 34 sts. and knit 2 rows.

3rd row. Slip 1 knitways, (k. 1, increase in the next st.,) 16 times, k. 1. (50 sts.). Commencing at the 8th row of the yoke, work the 10 pattern rows once, then the 8th, 9th and 10th rows once. **Next row.** Cast off 2 sts., then including the st. on the right hand pin, k. 4, * wl. fwd., slip 1, k. 2 tog., p.s.s.o., wl. fwd., k. 5, repeat from * to the last 4 sts., wl. fwd., slip 1, k. 2 tog., p.s.s.o., k. 1.

Following row. Cast off 3 sts., purl to the last st., k. 1. Now repeat the 3rd to the 7th rows inclusive. (34 sts.).

Next row. Cast off 3 sts., purl to the last st., k. 1. **Following row.** Cast off 3 sts., then, including the st. on the right hand pin, k. 6, repeat from * on the 9th row to the last 6 sts., k. 6. Cast off. Work a second sleeve the same.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the sleeve seams. Leaving the shoulders open each side, sew in sleeves placing seam to seam gathering any fulness evenly on each side of the shoulder. Make a buttonhole loop on each front neck and sew buttons to the back to correspond. Work a row of double crochet evenly round the neck edge of the front and back. Make 4 buttonhole loops at the crutch of the front, one on each leg band and 2 evenly spaced between. Sew buttons to the back to match. Press all seams.

THE DRESS

MATERIALS.

2 ozs. Bairns-Wear Baby Knitting or Bambino 3-ply.
2 No. 10 "Aero" Knitting Pins.
2 Buttons.

MEASUREMENTS

Width at underarm 13 inches.

Length from shoulder $9\frac{3}{4}$ inches.

Sleeve seam $1\frac{1}{2}$ inches.

TENSION. $7\frac{1}{2}$ sts. to one inch.

THE FRONT. Cast on 74 sts. and knit 6 rows. Change to alternate rows of plain and purl until the work measures 7 inches from the commencement, ending with a purl row. **Next row.** (K. 2 tog., k. 1) 24 times, k. 2. (50 sts.). Work from ** to the end of the instructions for the front of the romper, casting off the neck at $8\frac{1}{4}$ inches and the shoulder at $9\frac{1}{4}$ inches.

THE BACK. Cast on 74 sts. and work as for the front until the armhole shapings are completed, then continue until the armholes are the same depth as the front armholes. Cast off.

Work the sleeves as for the romper.

TO MAKE UP. Press the work under a damp cloth with a hot iron. Join the side and sleeve seams. Leaving the shoulder open on each side, sew in sleeves placing seam to seam gathering the fulness evenly on each side of the shoulder. Make a buttonhole loop on each front neck and sew a button to the back to correspond. Work a row of double crochet evenly round the neck edge of the front and back. Press all seams.

D. ECKLES LTD.,

862 BEVERLEY HIGH ROAD,

Prices quoted throughout apply only in Great Britain and Northern Ireland.

IN CASE OF ANY DIFFICULTY WRITE TO - PUBLICITY DEPARTMENT

BAIRNS-WEAR LTD. HUCKNALL RD. NOTTINGHAM