


VOL. 10 \$1.75

BUCILLA®

BABIES

No. 1017
(Page 26)



INFANTS TO 2 YEARS

No. 1015

Instructions are for size 6 mos. Changes for size 1 year are in parentheses.

Carriage Cover: Approximate size 24 x 28 ins.

Materials:

A—Bucilla Machine Washable Infant, 1 oz. skeins, Jumpsuit, 3,

Carriage Cover, 8

B—Bucilla Machine Washable Fingering Yarn, 1 oz. skeins for Pullover, 3.

For Jumpsuit—Knitting Needles:

Size 4 — or size you require to obtain gauge.

Gauge: 7 sts = 1 in. 12 rows = 1 in.

For Carriage Cover—Needles: Size 7 — or size you require to obtain gauge.

Gauge: 5 sts = 1 in. 10 rows = 1 in.

For Pullover—Needles: Size 4 — or size you require to obtain gauge.

Gauge: 15 sts = 2 ins. 10 rows = 1 in.

PULLOVER

BACK—With size 4 needles and B, cast on 79 (89) sts.

Row 1—wrong side—P 1, * k 1, p 1; rpt from * across.

Row 2—K 1, * p 1, k 1; rpt from * across. Rpt these 2 rows until 7 (8½) ins. from beg., or desired length to underarm, end on wrong side. Mark for underarm.

Armholes—With care to keep pat., bind off 5 (6) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 4 times; 61 (69) sts.

Work even in pat. until 1½ (2) ins. above marker, end wrong side.

Divide for Back Opening—Work 30 (34) sts and sl to holder for right shoulder. K next 2 sts tog., work to end; 30 (34) sts.

Work even in pat. until 3¾ (4¼) ins. above marker, end at armhole edge.

Shoulder—Bind off 10 (11) sts twice, sl 10 (12) sts to holder for back of neck. Sl sts of right shoulder from holder to needle, join yarn and complete to correspond to left shoulder, reversing shaping.

FRONT—Work as for back, without dividing, until armhole measures 2 (2½) ins.; 61 (69) sts.

Neck and Shoulder Shaping—Work across 22 (25) sts and sl to holder, work center 17 (19) sts and sl to holder for neck, work last 22 (25) sts for left shoulder. Dec. 1 st at neck edge every 2nd row 2 (3) times. When armhole measures same as back, at armhole edge bind off 10 (11) sts twice.

Sl 22 (25) sts of right shoulder to needle, join yarn. Complete to correspond to left shoulder, reversing shaping.

SLEEVES—Cast on 45 (45) sts. Work in pat. for 6 rows.

Inc. 1 st each side every 6th row until 53 (57) sts. Work even until 7 (8) ins. from beg., end wrong side.

Cap Shaping—Bind off 5 (6) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 14 (16) times. Bind off 2 sts at beg. of next 2 rows. Bind off rem sts.

FINISHING—Sew shoulders.

NECKBAND—From wrong side, sl sts from holders to needle; 37 (43) sts. From right side, work in pat. across 10 (12) sts., pick up and k 22 (24) sts, work in pat. across 17 (19) sts, pick up and k 22 (24) sts, work pat. across last 10 (12) sts; 81 (91) sts.

Work in ribbing as established for 8 rows. Bind off in ribbing.

Sew side and sleeve seams. Sew in sleeves.

Work 1 row sc around back opening, working ch 3 buttonhole loop. Steam lightly, see page 27.

JUMPSUIT

RIGHT LEG—With size 4 needles and A, cast on 23 (23) sts for toe. P 1 row. Work in St. st — k 1 row, p 1 row — until 24 (28) rows from beg.

Next Row—P across, cast on 5 (6) sts at end of row; 28 (29) sts.

Next Row—K across, cast on 14 (17) sts at end of row; 42 (46) sts. Work in garter st — k every row — for 5 rows.

Inc. Row—Inc. 1 st each side; 44 (48) sts. Rpt inc. row every 6th row 12 times more; 68 (72) sts.

Work even until 7¼ (8½) ins. from cast on sts. Sl to holder.

LEFT LEG—Work as for right leg, reversing shaping.

Joining Row of Front—right side—Sl 34 (36) sts of left leg to holder. Cast on 1 st for side seam, k next 34 (36) sts. Cast on 5 sts for crotch. K 34 (36) sts from right side of right leg, cast on 1 st for side seam. Leave rem sts of right leg on holder. Continue in garter st on 75 (79) sts until crotch measures 6¾ (7¾) ins., end on wrong side.

Front Waistband—Row 1 — K 1, * p 1, k 1; rpt from * across.

Row 2—P 1, * k 1, p 1; rpt from * across. Rpt these 2 rows for 1 in., end wrong side.

Next Row—Bind off 18 (20) sts in ribbing, work in ribbing to end.

Next Row—Bind off 18 (20) sts in ribbing, k 6, p 27, k 6.

Bib—Row 1—right side — K.

Row 2—K 6, p 27, k 6.

(continued on page 24)

BABIES



No. 1016

Instructions are for 1 - 3 mos., changes for 6 - 9 mos. are in parentheses.

Materials:

*Bucilla Machine Washable
Fingering Yarn, 1 oz. skeins,
Color A - 4 (5), Color B - 4 (5)*

Steel Crochet Hook:

Size 1 — or size you require to obtain gauge.

Knitting Needles: Size 2.

Gauge: 13 hdc = 2 ins.

To check gauge, see page 27.

CARDIGAN

Note: Back and fronts are worked in one piece to armhole.

Row 1—With A, ch 123 (131) for lower edge.

Work 1 hdc in 4th ch from hook and each rem ch to end; 121 (129) hdc, counting beg. ch as 1 hdc.

Row 2—right side—Ch 1, turn, 1 sc in first hdc and in each rem hdc to end, 1 sc in top of beg. ch, working off last 2 loops of last sc with B.

Note: Carry yarn not in use loosely along side.

Row 3—With B, ch 2, turn, skip first sc, * [yo, draw up a loop in next sc] 3 times, yo and through all 7 loops on hook — a cluster — ch 1, skip next st; rpt from * across, end 1 hdc in last sc; 60 (64) clusters.

Row 4—Ch 1, turn, skip hdc, *1 sc in next ch-1 sp, 1 sc in top of next cluster; rpt from * across, end 1 sc in beg. ch-2, working off last 2 loops of last sc with A; 121 (129) sc.

Row 5—With A, ch 2, turn, 1 hdc in each sc; 121 (129) hdc.

Rpt. rows 2 through 5 until 8 (9) cluster rows have been completed, end with row 2.

Dividing Row—LEFT FRONT—

With B, ch 2, turn, work 12 (13) clusters, 1 hdc. Continue in pat. over these 25 (27) sts until 3 (4) cluster rows have been completed. End with row 5 (3).

Neck Shaping—Keeping pat., work sc to within 6 sts of front edge.

Next Row—Turn, work in pat. across.

Next Row—Work to within 2 sts of end. Turn, work in pat. across; 8 (9) clusters. Work 6 (8) more pat. rows.

Shoulder—Sl st across 7 (8) sts, fasten off.

RIGHT FRONT—From wrong side, skip 71 (75) sts from left front, join B in next st, work pat in that st and each st to end; 25 (27) sts — 12 (13) clusters.

Work as for left front to neck shaping.

Neck Shaping—Sl st across first 6 sts, finish row.

Next Row—Work in pat. to the sl sts.

Next Row—Turn, sl st across first 2 sts, finish row.

Complete to correspond to left front, reversing shaping.

BACK—From wrong side, skip 9 sts for underarm, join B with sl st in next st. Work across 53 (57) sts, leaving 9 unworked sts for 2nd underarm; 26 (28) clusters. Work until same as fronts to shoulder, end on right side.

Left Shoulder—Work 14 (16) sts. Turn, sl st across 7 (8) sts. Fasten off.

Right Shoulder—Join yarn 14 (16) sts from shoulder edge. Sl st across 7 (8) sts, fasten off.

SLEEVES—With A, ch 49. Work hdc in 4th ch from hook and in each rem ch to end; 47 hdc. Work in pat., end on row 4; 23 clusters.

Row 5—Inc. Row—Work 2 hdc in each of first 2 sc, 1 hdc in each sc to within 2 sc of end, work 2 hdc in each hdc. Rpt inc. every 3rd (2nd) row of hdc 1 (2) times; 27 (29) clusters.

Continue in pat. until about 6¼ (7) ins. from beg., end on row 5.

Cap Shaping—Turn, sl st in first 3 sts, sc to within 3 sts of end.

Next Row—Dec. Row—Turn, skip first st, work pat. to within 2 sts of end. Rpt this row every row, end with 3rd cluster row; 11 (13) clusters. Work 2 more dec. rows. Fasten off.

FINISHING—Sew shoulder seams. From right side, join A at lower right front edge, with care to keep work flat, work 1 row sc along front and neck edge, working 3 sc in each corner st, along left front edge, end at lower edge. Ch 1, turn, work 1 more row sc; dec. 5 sts evenly spaced around neck edge.

Next Row—Buttonhole Row—Mark position of 6 buttonholes evenly spaced along right front, having first one about ½ in. from lower

(Continued on Page 25)

BABIES



No. 1010 (Shown on Page 7)

Instructions are for 1 year, changes for 2 years are in parentheses.

Materials:

Bucilla Machine Washable

Winfant, 1 oz. skeins, 6

A few yards of contrasting color for ties and pompons.

Steel Crochet Hook:

Size 2—or size you require to obtain gauge.

Gauge: 8 sts = 1 in. 8 rows = 1 in.

Ribbing: 9 rows = 1 in.

To check gauge, see page 27.

Finished Measurements:

Chest—buttoned—21 (22) ins.

BODY—RIGHT FRONT—Ch 82 (90) sts for edge of right front band.

Row 1—1 sc in 2nd and each rem st of ch; 81 (89) sts.

Row 2—Ch 1, turn, 1 sc in each st.

Row 3—Buttonhole Row—wrong side—Ch 1, turn, 1 sc in each of first 2 (5) sts, * ch 3, skip 3 sts, 1 sc in each of next 12 (13) sts; rpt from * 5 times, end last rpt 1 sc—neck edge. Rpt row 2, 3 times, end at lower edge.

Pattern—Row 1—wrong side—Ch 1, turn, 1 sc in both loops of first st, 1 sc in back loop of each st to within 1 st of end, 1 sc in both loops of last st.

Row 2—Same as row 1.

Row 3—Ch 1, turn, 1 sc in both loops of first st; working in back loop of each st, work 1 sc in each of next 11 sts—ribbing at lower edge, * 1 dc in next st, 1 sc in next st; rpt from *, 1 dc in both loops of last st.

Row 4—Ch 1, turn, working in both loops of each st, * 1 sc in dc, 1 dc in sc; rpt from * to within 12 sts of end, 1 sc in back loop of each of next 11 sts, 1 sc in both loops of last st. Rpt last 4 rows 3 times.

Right Shoulder—Work row 1 of pat. to within 1 st of end, drop yarn; join separate strand of yarn in next st, ch 6, fasten off; take up dropped yarn, work 1 sc in last st and in each st of

ch; 87 (95) sts. Continue pat. on these sts as before for 21 rows more, end at lower edge with pat. row 2.

Right Underarm—Next Row—Work pat. to within 30 sts of end; 57 (65) sts. Ch 1, turn. Work pat. on these 57 (65) sts for 5 (9) rows more, end at lower edge with pat. row 4.

BACK—Work row 1 of pat. to within 1 st of end, drop yarn; join separate strand of yarn in next st, ch 24, fasten off; take up dropped yarn, work 1 sc in last st and in each st of ch; 81 (89) sts. Continue pat. on these sts until there are 74 rows from beg. of back, end at lower edge with pat. row 2.

Left Underarm—Next Row—Work pat. to within 24 sts of end; 57 (65) sts. Ch 1, turn. Work pat. on these sts for 5 (9) rows more, end at lower edge with pat. row 4.

Left Shoulder—Work row 1 of pat. to within 1 st of end, drop yarn; join separate strand of yarn in next st, ch 30, fasten off; take up dropped yarn, work 1 sc in last st and in each st of ch; 87 (95) sts. Continue pat. on these sts until there are 22 rows from beg. of left shoulder, end at lower edge with pat. row 2.

LEFT FRONT—Work pat. to within 6 sts of end; 81 (89) sts. Ch 1, turn. Continue pat. on these sts for 15 more rows, end at lower edge with pat. row 2.

Band—Work 6 more rows sc, working in both loops. Fasten off.

SLEEVES—Ch 58 (66) sts.

Row 1—wrong side—1 sc in 2nd and each rem st of ch; 57 (65) sts.

Row 2—Ch 1, turn, 1 sc in both loops of first st, 1 sc in back loop of each st to within 1 st of end, 1 sc in both loops of last st.

Row 3—Same as row 3 of body.

Row 4—Same as row 4 of body. Continue pat. and ribbing at lower edge as for body until 19 rows from beg., end at top edge, pat. row 3.

†First Short Row—Work as for pat. row 4 to within 13 sts of lower edge, slip st in next st.

2nd Short Row—Ch 1, turn, working in both loops of each st, slip st in slip st, * 1 sc in dc, 1 dc in sc; rpt from * to end.

Next Row—Work as for pat. row 4 to lower edge. Work pat. rows 1, 2 and 3 on all sts.

Rpt from † twice, completing short rows. Work 15 more rows in pat., end at lower edge with pat. row 2. Fasten off. Sew shoulder seams.

COLLAR—Ch 17, 1 sc in 2nd and each rem st of ch; 16 sts.

Row 2—Ch 1, turn, 1 sc in both loops of first st, 1 sc in back loop of each st to within 1 st of end, 1 sc in both loops of last st. Rpt row 2 until long enough to go around neck from center of left front band to center of right front band (about 11 ins.). Fasten off.

FINISHING—Sew sleeve seams. Sew in sleeves. Work 1 row slip st on each front edge from right side. Sew on collar.

Ties—With 2 strands of contrasting color, ch 6 ins. Make a small pompon with contrasting color and attach to end of ch. Make 2. Sew to neck as illustrated. Embroider flower at each corner of collar if desired. Steam, see page 27.

Pompon—Wind yarn around a 1 in. cardboard about 50 times; tie securely around one end, leaving ends for sewing, cut other end. Trim into round pompon.



No. 1007 (Page 8)



No. 1005 (Page 9)



No. 1010 (Page 6)

No. 1007 (Shown on Page 7)

Instructions are for 1 year, changes for 2 years are in parentheses.

Materials:

Bucilla Machine Washable Fingering Yarn, 1 oz. skeins,
Color A-5
Colors B and C-1 each

Knitting Needles:

Size 3—or size you require to obtain gauge.

Crochet Hook, Size E

Gauge: 8 sts = 1 in. 21 rows = 2 ins.
To check gauge, see page 27.

Finished Measurements:

Chest—buttoned—22 (23) ins.

BACK—With A, cast on 88 (92) sts. Work k 1, p 1 ribbing for 12 rows. Work St. st—k 1 row, p 1 row—until 6¾ (7¼) ins. above ribbing.

Armholes—Bind off 3 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 times; 76 (80) sts. Work even until armhole measures 3¾ (4) ins., from underarm. Bind off.

Note: Scotties may be embroidered in duplicate st following chart, after garment is finished, in which case fronts are worked with solid color in St. st. Instructions call for knitting in the Scotties.

Wind 2 bobbins A. Wind one bobbin each of B and C.

LEFT FRONT—With A, cast on 44 (46) sts. Work ribbing as for back.

Row 1—K, end at front edge.

Row 2—P.

Row 3—As on chart for Scottie No. 1—With A, k 24 (26), with B, k 1, with another strand of A, k 19.

Row 4—With A, p 18; pass B under A, with B, p 2; when changing color, twist yarns in this way on wrong side to prevent holes; with A, p to end.

Row 5—With A, k 24 (26); with B, k

2; with A, k 1; with B, k 2; with A, k to end. Continue St. st, following chart. Work even until same length as back to armhole, end at underarm edge. Shape armhole as on back working front edge even; 38 (40) sts. Work even until 10 (12) rows above underarm, end at armhole edge.

Next Row—As on chart for Scottie No. 2—With A, k 25 (27); with C, k 2, with another strand of A, k to end. Continue following chart. Work even until 2¾ (3) ins. above underarm, end at front edge.

Neck Shaping—Bind off 7 sts at beg. of next row. Dec. 1 st at neck edge every row 7 times; 24 (26) sts. Work even until armhole is same length as on back. Bind off.

RIGHT FRONT—Work same as left front to end of ribbing.

Row 1—K, end at underarm edge.

Row 2—P.

Row 3—As on chart for Scottie No. 3—With A, k 15; with C, k 2, with another strand of A, k to end. Finish to correspond to left front, knitting in Scotties No. 3 and 4, in place of No. 1 and 2, shaping armhole and neck edge at opposite sides.

SLEEVES—Cast on 40 (44) sts. Work k 1, p 1 ribbing for 2 ins.

Inc. Row—Continuing ribbing, inc. 12 sts evenly spaced across row; 52 (56) sts. Work St. st, inc. 1 st each side every 1½ ins. 4 times; 60 (64) sts. Work even until 6½ (7½) ins. above ribbing or desired length to underarm. Bind off 3 sts at beg. of next 2 rows; 2 sts at beg. of next 18 (20) rows. Bind off rem 18 sts.

POCKETS—Cast on 20 sts. Work St. st for 2 ins. Bind off. Make 2.

FINISHING—Sew seams, leaving 28 sts at center back free for neck

edge. Sew in sleeves with seam at center underarm.

BORDERS—With A, from right side, work 1 row sc around fronts and neck edge, keeping work flat.


Row 2—Ch 1, turn, 1 sc in each st to left front neck edge, work sc over corner sts keeping work flat; work around neck edge and over corner sts, ch 2, skip 2 sts for buttonhole, 1 sc in next st; finish row in sc, repeating buttonhole 5 times evenly spaced, with last buttonhole about ½ in. from lower edge; drop A.

Row 3—With B, from right side, 1 sc in first sc, * ch 1, skip 1 st, 1 sc in next st *; rpt between *'s to corner; work ch 1 and 1 sc in each of 3 corner sts; rpt between *'s to next corner; work corner as before; rpt between *'s to end of row. Fasten off B.


Row 4—With A, from right side, 1 sc in first sc, 1 sc under next ch 1, * ch 1, skip 1 sc, 1 sc under next ch 1; repeat from *, end 1 sc in last st. Fasten off.

Row 5—Working from right side, join C at end of 2nd row, ch 3, 1 sc in first sc of row 4, ch 1, skip sc; continue same as row 4, end ch 3, 1 slip st in first st of row 2. Rpt border on bound-off edges of pockets, omitting row 2.


FINISHING—Sew on pockets with lower edge above ribbing and side edge 1 (3) sts from underarm seam. Steam, see page 27. With C, make 2-in. ch to extend from dog's collar to pocket and sew to left front as illustrated. Rpt with B for right front.



DUPLICATE STITCH



FRONT EDGE NO. 1




NO. 2


A = □

B = ●

C = ■



FRONT EDGE NO. 3



NO. 4

No. 1005 (Shown on Page 7)

Instructions are for 1 year.

Materials:

Bucilla Machine Washable
Winfant, 1 oz. skeins, 4.

A few yards contrasting color for embroidery.

Knitting Needles: Size 2—or size you require to obtain gauge. Size 1. Crochet Hook, Size E.

Gauge: 17 sts = 2 ins.
To check gauge, see page 27.

Finished Measurements:

Chest—21 ins.

Width of pants—22 ins.

Length of crotch to back of neck—17 ins.

BACK—With size 2 needles, cast on 26 sts for crotch. Work St. st—p 1 row, k 1 row—casting on 2 sts at end of each of next 18 rows; then 4 sts at end of each of next 8 rows; 94 sts. Work even until 9 ins. at center, or desired length to waistband, end with p row.

Dec. Row—With size 1 needles, work k 1, p 1 ribbing, working every 7th and 8th st tog. 10 times, finish row; 84 sts. Continue ribbing for 14 more rows.

Inc. Row—Work ribbing, inc. 1 st in every 12th st 6 times, finish row; 90 sts. With size 2 needles, work St. st for 2½ ins. or desired length to underarm.

Armholes—Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 3 times; 76 sts. Work even until armhole measures 3 ins. from underarm, end with p row.

Shoulders—Bind off 8 sts at beg. of next 2 rows; 8 sts at beg. of next 4 rows. Place rem 28 sts on holder for neck.

FRONT—Work same as back to inc. row on waistband; 84 sts.

Inc. Row—wrong side—Continuing ribbing, inc. 13 sts evenly spaced across row; 97 sts. Begin pat.

Row 1—right side—With size 2 needles, k 4, p 1, * k 7, p 1; rpt from *, end k 4.

Row 2—P 4, k 1, * p 7, k 1; rpt from *, end p 4.

Row 3—K 3, p 1, k 1, p 1, * k 5, p 1, k 1, p 1; rpt from *, end k 3.

Row 4—P 3, k 1, p 1, k 1, * p 5, k 1, p 1, k 1; rpt from *, end p 3.

Row 5—K 2, p 1, * k 3, p 1; rpt from *, end k 2.

Row 6—P 2, k 1, * p 3, k 1; rpt from *, end p 2.

Row 7—K 1, * p 1, k 5, p 1, k 1; rpt from * to end.

Row 8—P 1, * k 1, p 5, k 1, p 1; rpt from * to end.

Row 9—P 1, * k 7, p 1; rpt from * to end.

Row 10—K 1, * p 7, k 1; rpt from * to end.

Rows 11 and 12—Same as rows 7 and 8.

Rows 13 and 14—Same as rows 5 and 6.

Rows 15 and 16—Same as rows 3 and 4.

Rpt these 16 rows for pat. until same length as back to armholes, end on wrong side.

Armholes—Bind off 6 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 4 times keeping pat.; 77 sts. Work even until armhole measures 2¾ ins., end on wrong side.

Neck Shaping—Work 27 sts, place on holder for left side; work next 23 sts and place on holder for neckband, finish row. Continue pat. on rem 27 sts of right front, dec. 1 st at neck edge every 2nd row 3 times. Work even until armhole is same length as on back. Shape shoulder as for back on rows beg. from armhole edge. Beg. at neck edge, finish left side to correspond.

SLEEVES—With size 1 needles, cast on 40 sts. Work k 1, p 1 ribbing for 2 ins.

Inc. Row—Continuing ribbing, inc. 14 sts evenly spaced across row; 54 sts. With size 2 needles, work St. st, inc. 1 st each side every 1 in. 5 times; 64 sts. Work even until 6 ins. above ribbing or desired length to underarm. Bind off 5 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 4 times. Bind off 2 sts at beg. of next 12 rows. Bind off rem 22 sts.

SHOULDER EDGES—Beg. at neck edge of right front shoulder, work 19 sc to armhole. Ch 1, turn, 1 sc in each of 4 sts, * ch 1, skip 1 st for buttonhole, 1 sc in each of 4 sts; rpt from * twice.

Ch 1, turn, 1 sc in each st; 19 sts. Fasten off. Work left shoulder to correspond. Work 3 rows sc on each shoulder of back, omitting buttonholes.

NECKBANDS—With size 1 needles, from right side, pick up and k 4 sts on ends of sc rows of right back shoulder, k 28 sts of back neck, pick up and k 4 sts on ends of crochet rows of left shoulder; 36 sts. Work k 1, p 1 ribbing for 4 rows. Bind off in ribbing.

Beg. at left shoulder of front, pick up and k 4 sts on ends of crochet rows, 14 sts on side edge, k across 23 sts of front of neck, pick up and k 17 sts on other side; 58 sts. Work 1 row of k 1, p 1 ribbing.

Buttonhole Row—Work 2 sts, yo, work 2 tog., work to within 3 sts of end, yo, work 2 tog., work last st. Finish to correspond to band at back.

CROTCH BORDERS—From right side, work 22 sc across back crotch. Work 2 more rows sc. Fasten off. Work front crotch border in same way. Sew side seams.

LEG RIBBING—With size 1 needles, from right side, pick up and k 4 sts on end of crochet rows of crotch, 72 sts around leg, 4 sts on ends of crochet rows; 80 sts. Work ribbing for ¾ in. Bind off in ribbing. Finish other leg in same way.

Sew sleeve seams. Sew in sleeve with seam at center underarm. Fasten with 5 snap fasteners at crotch. Steam, see page 27.

EMBROIDERY—Weave double strand of contrasting color through p sts on every 2nd row, outlining diamonds of front pat., see cut below.



No. 1019

Instructions are for size 3 - 6 mos., changes for size 6 - 9 mos. are in parentheses.

Materials:

Bucilla's Bear Brand or
Fleisher Machine Washable
Spectator, 2 oz. balls-
Cardigan and Cap - Color A-2,
Color B-2 (3),
Carriage Cover - Color A-4,
Color B-6.

For Cardigan and Cap:

Crochet Hook:

Size F — or size you require to obtain gauge.

Gauge: 17 sts = 4 ins.

For Carriage Cover:

Crochet Hook: Size J — or size you require to obtain gauge.

Gauge: 11 sts. = 4 ins.
To check gauge, see page 27.

Finished Measurements:

Chest—21 (22½) ins.
Back at underarm—10 (11) ins.
Sleeves at underarm—8 (9) ins.

CARDIGAN

Pat. Row 1—wrong side—With A, work 1 sc in each st across working off last 2 loops of last sc with B.

Row 2—With B, ch 1, turn, 1 sc in first sc, *inserting hook in next st of row below, work 1 dc and 1 sc in next st; rpt from * across.

Row 3—With B, ch 1, turn, 1 sc in each st across, working off last 2 loops of last sc with A.

Row 4—With A, ch 1, turn, rpt row 2.
Rpt these 4 rows for pat.

BACK—With A, ch 46 (50), work 1 sc in 2nd ch from hook, work in pat. until 5½ (6) ins., end on pat. row 2 or 4; 45 (49) sts.

Raglan Armhole—Turn, sl st across

first 2 sts, work in pat. to within 2 sts of end.

Next Row—Turn, work in pat. across; 41 (45) sts.

Dec. Row—Turn, draw up a loop in first st, draw up a loop in 2nd st, yo and through all 3 loops on hook — a dec. made — work to within 2 sts of end, rpt dec.; 39 (43) sts.

Next Row—With care to keep pat., work across.
Rpt these 2 rows 10 (11) times; 19 (21) sts rem, fasten off.

LEFT FRONT—With A, ch 21 (23). Work in pat. until same as back to armhole, end at armhole edge.

Raglan and Neck Shaping—Sl st across first 2 sts, finish row. Work decs. as far back until 13 (14) sts rem, end at neck edge. Sl st across 4 sts, finish row. Continue raglan decs. 5 (6) times more, and **at same time**, dec. 1 st at neck edge every 2nd row 3 times. Fasten off.

RIGHT FRONT—Work same as left front to armhole to within 2 sts of armhole edge, turn, finish row. Work raglan decs. and neck shaping to correspond to left front.

SLEEVES—Within A, ch 26 (30). Work in pat. for 1 in., end on row 2 or 4.

Inc. Row—Inc. 1 st in first and last st by working 2 sc in same st. Rpt inc. row every 1½ ins. twice; 31 (35) sts. Work until 5½ (6) ins. from beg., end on pat. row 2 or 4.
Shape raglan as for back until 5 (7) sts rem. Fasten off.

FINISHING—Sew raglan seams. Sew side and sleeve seams.
From right side, join B at left side seam, work 2 rows sc around entire edge, working 3 sc in each corner st.

Buttonhole Row—Work sc until 18 sts below neck edge, ch 2, skip 2 sc for buttonhole, * 3 sc, ch 2, skip 2; rpt from * twice, 3 sc in corners,

finish round. Work 1 more round sc, working sc in each ch. Work 4 rnds sc on lower edge of each sleeve.
Block lightly, see page 27.

CAP

Body of Cap

With A, ch 48 sts. Work in pat. until 5¼ ins. Fasten off.

Note: Ch 2 counts as 1 hdc.

Crown—With B, ch 4, join with sl st to form ring. Ch 2, work 7 hdc into ring, join with sl st at end of all rnds.

Rnd 1—Work 2 hdc in every st; 16 hdc.

Rnd 2—Work 2 hdc in every 2nd st; 24 hdc.

Rnd 3—Work 2 hdc in every 3rd st; 32 hdc.

Continue incs. having one additional st between incs. every rnd until 56 hdc. Fasten off.

With wrong side of crown to wrong side of ch edge of body, with B, work 1 row sc through both pieces; 9 sts. rem. free for back of neck. Fasten off. Turn up 1 in. of front edge to right side. From right side, with B, work 1 row hdc around lower edge of cap.

Next Row—Ch 3, skip 1, * 1 dc, ch 1, skip 1; rpt * across, fasten off.


Tie Cord—With B, make ch to measure about 36 ins. Sl st in 2nd ch from hook, sl st through 2 loops across ch, fasten off.

CARRIAGE COVER

Approximate size 20 x 28 ins., including borders.

Note: Use 2 strands of yarn throughout. Ch 48, work in pat. until about 25 ins., end with A. Fasten off. Join B in any corner from right side, ch 2, work 2 hdc in same st, work hdc around all sides working 3 hdc in each corner, join with sl st. Rpt this round twice. Fasten off. Block.

BABIES



No. 1012 (Shown on Page 13)

Approximately 36 × 38 ins.

Materials:

Bucilla's Bear Brand or
Fleisher Machine Washable
Winsom, 2 oz. skeins,
Color A—4
Color B—2
Color C—2

Knitting Needles:

Size 10—or size you require to
obtain gauge.

Gauge: 1 pat.—20 sts = 4½ ins.

3 stripes—24 rows = 4 ins.

To check gauge, see page 27.

A Stripe—With A, cast on 161 sts for
lower edge.

Rows 1 and 2—K.

Row 3—right side—K 1, * inc. 1 st
in next st, k 6, SKP, k 1, k 2 tog., k 6,
inc. 1 st in next st, k 1; rpt from * to
end; 161 sts.

Row 4—K.

Row 5—Openwork Row—K 1, *
yo, k 2 tog.; rpt from * to end; 161
sts.

Row 6—K.

Row 7—Same as row 3.

Row 8—K. Break yarn.

†**B Stripe—Row 9**—With B rpt row
3.

Row 10—K.

Row 11—Same as row 3.

Row 12—K.

Row 13—Same as row 5.

Row 14—K.

Row 15—Same as row 3.

Row 16—K. Break yarn.

A Stripe—With A instead of B, rpt
rows 9 through 16. Break A.

C Stripe—With C instead of B, rpt
rows 9 through 16. Break C.

A Stripe—With A instead of B, rpt
rows 9 through 16. Break A.†
Rpt between †'s 5 times more; with
B rpt rows 9 through 16 once; with A
rpt rows 9 through 16 once, end on
wrong side, leaving A attached.
With A bind off as to k; 27 stripes.

FINISHING—Block to 36 ins. by
38 ins., see page 27.

No. 1013 (Shown on Page 13)

Approximately 33 × 43 ins.

Materials:

Bucilla's Bear Brand or
Fleisher Machine Washable
Winsom, 2 oz. skeins,
Color A—4
Color B—2
Color C—2

Crochet Hook:

Size F—or size you require to obtain
gauge.

Gauge: 1 square = 4¾ ins. square
To check gauge, see page 27.

No. 1 Square—Round 1—right
side—With B ch 4, join with sl st in
first ch to form ring, ch 4, work 1 dc
in ring, * ch 2 for corner, work a
shell of—1 dc, ch 1, 1 dc—in ring;
rpt from * twice more, ch 2, join
with sl st in 3rd ch of ch 4; 4 shells
with ch 2 space at each of 4 corners.

Round 2—Ch 1, turn, sl st into ch 2
space, ch 4, 1 dc in same space, ch 2
for corner, work shell of—1 dc, ch
1, 1 dc—in **same space**, * ch 1, skip
next shell, work—1 shell, ch 2 for
corner, 1 shell—all in next ch 2
space; rpt from * twice more, ch 1,
join with sl st in 3rd ch of ch 4; 8
shells and 4 corner spaces. Fasten off

Round 3—Turn, join A with sl st in
any ch 2 corner space, ch 4, 1 dc in
same space, ch 2, work 1 shell in

same space, * ch 1, skip next shell,
work 1 shell in next ch 1 space, ch 1,
skip next shell, work 1 shell, ch 2, 1
shell in next corner space; rpt from *
twice more, ch 1, skip next shell,
work 1 shell in next ch 1 space, ch 1,
join with sl st in 3rd ch of ch 4; 12
shells and 4 corner spaces. Fasten off
A.

Round 4—Turn, join B with sl st in
any ch 2 corner space, ch 4, 1 dc in
same space, ch 2, 1 shell in same
space, † * ch 1, skip next shell, work
1 shell in next ch 1 space *; rpt be-
tween *'s once more, ch 1, skip next
shell, work 1 shell, ch 2, 1 shell in
next corner space; rpt from † twice
more, rpt between *'s twice, ch 1,
join with sl st in 3rd ch of ch 4; 16
shells with 4 corner spaces. Fasten
off B.

Round 5—Turn, join A with sl st in
any ch 2 corner space, ch 4, 1 dc in
same space, ch 2, 1 shell in **same
space**, † rpt between *'s of round 4,
3 times, ch 1, skip 1 shell, work 1
shell, ch 2, 1 shell in next corner
space; rpt from † twice more, rpt be-
tween *'s of round 4, 3 times, ch 1,
join with sl st in 3rd ch of ch 4; 20
shells and 4 corner spaces. Fasten off
A. Make 31 No. 1 squares in all.

No. 2 Square—Work same as No. 1
Square, but work Rounds 1, 2 and 4
with C; Rounds 3 and 5 with A.

Make 32 No. 2 squares in all.

FINISHING—Block each square to
4¾ ins. square, see page 27.

Arrange squares as shown on Ar-
rangement Chart.

Keeping seam as elastic as crochet
fabric, from right side sew squares
tog. with color A, using an overhand
st and sewing through single top
loop of each square, leaving inner
loops free to show on each side of
seam.

Steam seams lightly..

ARRANGEMENT CHART FOR GRANNY COVER

2	1	2	1	2	1	2
1	2	1	2	1	2	1
2	1	2	1	2	1	2
1	2	1	2	1	2	1
2	1	2	1	2	1	2
1	2	1	2	1	2	1
2	1	2	1	2	1	2
1	2	1	2	1	2	1
2	1	2	1	2	1	2

SQUARE NO. 1—COLOR B WITH A
SQUARE NO. 2—COLOR C WITH A



No. 1012 (Page 12)

No. 1011 (Page 27)

No. 1013 (Page 13)

No. 1001 (Shown on Page 15)

Instructions are for 6 months, changes for 2 years are in parentheses.

Materials:

*Bucilla Machine Washable
Winfant, 1 oz. skeins, 4
or Bucilla Machine Washable
Lollipop, 1 oz. balls, 4*

Knitting Needles:

Size 2 – or size you require to obtain gauge.

Size 1

Gauge: 17 sts = 2 ins.

To check gauge, see page 27.

Finished Measurements:

Chest—buttoned—20¾ (22¾) ins.

BACK—With size 1 needles, cast on 82 (90) sts. Work k 2, p 2 ribbing for 14 rows. With size 2 needles, work St. st—p 1 row, k 1 row—until 4¾ (6¼) ins. above ribbing, or desired length to underarm, end with p row.

Armholes—K 4, sl on holder for underarm, k to within 4 sts of end, sl last 4 sts on holder. Work even on 74 (82) sts until armhole measures 4 (4½) ins., from underarm, end with k row. Break yarn. Sl sts on holder.

Note: These instructions are for girl's sweater, with buttonholes on right front. For boy's sweater, make buttonholes on left front.

RIGHT FRONT—With size 1 needles, cast on 50 (54) sts.

Row 1—wrong side—* K 2, p 2; rpt from * to within 6 sts of end, k 1, p 1 to end—seed st band.

Row 2—P 1, k 1 for 6 sts of seed st

band, work ribbing to end. Rpt these 2 rows twice.

Buttonhole Row—wrong side—Work ribbing to within 6 sts of end, k 1, p 1, bind off 2 sts, work to end. Cast on 2 sts over buttonhole on next row. Rpt rows 1 and 2 until 14 rows from beg., end on right side.

With size 2 needles, p to within 6 sts of end, work last 6 sts in seed st.

Next Row—Work 6 sts seed st, k to end. Rpt last 2 rows, working buttonhole every 1¾ (2½) ins; including previous buttonhole, until same length as back to armhole, end at underarm edge.

Armhole—P 6, sl to holder for underarm, finish row. Continuing buttonholes as before, work even on rem 44 (48) sts until armhole measures 3¼ (3¾) ins., end at front edge, having about 1½ (2) ins. above 5th buttonhole.

Neck Shaping—Work 21 (23) sts, sl on holder for neck, k rem 23 (25) sts. Work 1 in. even, end with k row at armhole edge. Break yarn, leaving a 24 in. end for weaving. Sl on holder.

LEFT FRONT—With size 1 needles, cast on 50 (54) sts. For boy's sweater, first buttonhole is made in 7th row of ribbing as follows: K 1, p 1, bind off 2 sts, work to end. Buttonhole is repeated as indicated on right front. Finish left front to correspond to right front, shaping at opposite sides. Weave shoulder sts to same number of sts at each side of back.

NECK RIBBING—With size 1 needles, take up 21 (23) sts of right front, join yarn in 21st (23rd) st from front edge, pick up and k 4 sts on side, take up and k 28 (32) sts on back of neck, pick up and k 4 sts on left side, take up and work 21 (23) sts of left front; 78 (86) sts.

Row 1—wrong side—Work 6 sts seed st, p 2, * k 2, p 2; rpt from * to within 6 sts of end, work 6 sts seed st.

Row 2—Work 6 sts, k 2, * p 2, k 2; rpt from * to within 6 sts of end, work 6 sts seed st. Work 6th buttonhole in next row. Continue neck ribbing and bands until there are 8 rows. Bind off in pat.

SLEEVES—With size 2 needles, take up and k 6 sts of underarm on left front, pick up and k 50 (58) sts on armhole edge, take up and k 4 sts of back underarm; 60 (68) sts. Working St. st, dec. 1 st each side every 1 in. 5 (7) times; 50 (54) sts. Work even until sleeve measures 6 (8) ins., or desired length, allowing 2 ins. for cuff, end with k row. With size 1 needles dec. 16 sts evenly spaced across row; 34 (38) sts.

Cuff—Work k 2, p 2 ribbing for 2 ins., bind off in ribbing.

FINISHING—Sew seams. Steam, see page 27. Finish buttonholes. Sew ½-in. satin ribbon to wrong side of each front, placing just back of buttonholes, over 2 sts seed st and 2 sts of stockinette st.

No. 1002 (Shown on Page 15)

Instructions are for 6 months, changes for 1 year are in parentheses.

Materials:

*Bucilla Machine Washable
Winfant, 1 oz. skeins,
Color A—4
Color B—1*

Knitting Needles:

Size 3—or size you require to obtain gauge.

Crochet Hook: Size E

Gauge: 8 sts = 1 in. 11 rows = 1 in. To check gauge, see page 27.

Finished Measurements:

Chest—21 (22) ins.

BODY—With A, cast on 169 (179) sts for lower edge. Work St. st—p 1 row, k 1 row—for 6 (6¾) ins., end with p row.

Next Row—K 41 (44), sl on holder for right front; bind off 8 sts for underarm, k until 71 (75) sts on needle, sl on holder for back, bind

off 8 sts, finish row.

LEFT FRONT—Keeping front edge even, dec. 1 st at armhole edge every 2nd row 2 (3) times, end at armhole edge; 39 (41) sts.

Yoke Pattern—Row 1—K, carrying color not in use loosely along on wrong side (1 year only, 1 B), * 2 A, 1 B, 5 A, 1 B, 2 A, 1 B, 1 A, 1 B*; rpt between *'s once, 2 A, 1 B, 5 A, 1 B, 2 A (1 year only, 1 B).

(continued on page 16)



No. 1006 (Page 16)



No. 1008 (Page 17)



No. 1001 (Page 14)



No. 1002 (Page 14)

No. 1002 (Continued from Page 14)

Row 2—P 2 (3) A, * 2 B, 3 A, 2 B, 3 A, 1 B, 3 A *; rpt between *'s once, 2 B, 3 A, 2 B, 2 (3) A.

Beg. with row 3 continue pat. as on chart for the rem 10 rows. Continue yoke with B, working even until $2\frac{3}{4}$ (3) ins. above underarm, end at front edge. Bind off 19 (20) sts for neck, finish row. Work 6 rows even on 20 (21) sts. Bind off for shoulder.

BACK—Take up 71 (75) sts of back. Beg. on wrong side, with A, continue St. st, dec. 1 st each side every 2nd row 2 (3) times, end with p row; 67 (69) sts. Work yoke pat. as on front, rpt between *'s 3 times instead of once as there are 2 more stars on back than on chart. With B, finish yoke, working even until $3\frac{1}{2}$ ($3\frac{3}{4}$) ins. above underarm. Bind off.


RIGHT FRONT—Take up sts of right front. Finish to correspond to left front, binding off for neck at beg. of k row.

SLEEVES—With A, cast on 34 (38) sts. Work k 2, p 2 ribbing for 2 ($2\frac{1}{2}$) ins.

Inc. Row—Inc. 17 sts evenly spaced across row; 51 (55) sts. Work St. st for 5 (6) ins. above cuff, end with p row. Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 2 (3) times; 39 (41) sts, end with p row.

Work yoke pat. even for 12 rows. With B, finish sleeve, dec. 1 st each side of next row, then bind off 3 sts at beg. of next 4 rows. Bind off rem 25 (27) sts.

FINISHING—Sew sleeve seams and shoulder seams. Sew in sleeves. From right side, with matching color, work 2 rows sc around lower, front and neck edges, working 3 buttonloops on 2nd row on right front edge of yoke. Steam lightly, see page 27.



No. 1006 (Shown on Page 15)

Instructions are for 6 months, changes for 1 year are in parentheses.

Materials:

Bucilla Machine Washable
Infant, 1 oz. skeins,
Color A—4
Color B—1

Knitting Needles:

Size 3—or size you require to obtain gauge.

Size 1.

Crochet Hook, Size E.

Gauge: 8 sts = 1 in. 21 rows = 2 ins. To check gauge, see page 27.

Finished Measurements:

Chest—buttoned—
 $20\frac{1}{2}$ ($21\frac{1}{2}$) ins.

Note: Wind 5 bobbins of A and 4 bobbins of B.

NECK RIBBING—With size 1 needles and A, cast on 89 sts loosely.

Row 1—K 6 for garter st border, k 1, * p 1, k 1; rpt from * to within 6 sts of end, k 6 for border.

Row 2—K 6, p 1, * k 1, p 1; rpt from * to within 6 sts of end, k 6. Rpt these 2 rows once.

Buttonhole Row—Row 5—For Girl's—K 2, bind off 2 sts, work to end. **For Boy's**—Work to within 4 sts of end, bind off 2 sts, work to end, making buttonhole on left front border instead of right front.

Row 6—Same as row 2, casting on 2 sts over buttonhole.

Row 7—Same as row 1.

Inc. Row—Continuing ribbing, work 20 sts, * inc. 1 st in next st, work 7 sts, inc. 1 st in next st *, work 31 sts; rpt between *'s once, work 20 sts; 93 sts.

Yoke—Row 1—wrong side—With size 3 needles, k 6, p 12, k 1 for right front; joining another strand of yarn for each change of color, with B, p 4 for cable; with A, k 1, p 3, k 1 for right sleeve; with B, p 4; with A, k 1, p 27, k 1 for back; with B, p 4; with A, k 1, p 3, k 1 for left sleeve; with B, p 4; with A, k 1, p 12, k 6 for left front.

Row 2—Begin raglan yoke inc.—With A, k 16, * inc. 1 st in next st, k 1, p 1; with A on wrong side, pass B under A, with B, k 4—when changing colors, always twist yarns on wrong side in this way to prevent holes—with A, p 1, inc. 1 st in each

of next 2 sts, k 1, p 1; with B, k 4; with A, p 1, inc. 1 st in next st *, k 24; rpt between *'s once, with A, k 17; 101 sts.

Row 3—With A, k 6, p 13, * k 1; with B, p 4; with A, k 1, p 5, k 1; with B, p 4; with A, k 1 *, p 29; rpt between *'s once, p 13, k 6.

Row 4—With A, k 17, * inc. 1 st in next st, k 1, p 1; with B, k 4; with A, p 1, inc. 1 st in next st, k 2, inc. 1 st in next st, k 1, p 1; with B, k 4; with A, p 1, inc. 1 st in next st *, k 26; rpt between *'s once, k 18; 109 sts.

Row 5—K 6, p 14, * k 1; with B, p 4; with A, k 1, p 7, k 1; with B, p 4; with A, k 1 *, p 31; rpt between *'s once, p 14, k 6.

Row 6—cable twist—K 18, * inc. 1 st in next st, k 1, p 1; slip next 2 B sts to hook and hold at back, with B, k next 2 sts, k 2 sts from hook—cable twist—with A, p 1, inc. 1 st in next st, k 4, inc. 1 st in next st, k 1, p 1; with B, work cable twist on next 4 B sts; with A, p 1, inc. 1 st in next st *, k 28; rpt between *'s once; k 19; 117 sts.

Continue yoke in this way, inc. 8 sts every 2nd row 23 (25) times more; having 2 sts more between incs. on

(Continued on Next Page)

No. 1006 (Continued from Page 16)

back and sleeves and 1 st more on each front after every inc. row; rpt cable twists every 6th row; at the same time, rpt buttonhole on front border every $1\frac{7}{8}$ ($2\frac{1}{8}$) ins. including previous buttonhole. This completes yoke; 301 (317) sts, end with right side row; 52 (56) rows from ribbing.

Next Row—K 6, p 39 (41), slip to holder for right front; bind off 4 B sts; p 57 (61), slip to holder for right sleeve; bind off 4; p 81 (85), slip to holder for back; bind off 4, p 57 (61) for left sleeve; bind off 4; slip rem 45 (47) sts of left front to holder.

LEFT SLEEVE—Continuing on sts of left sleeve, k 1 row, p 1 row for 6 rows.

Dec. Row—K 1, SKP, k to within 3 sts of end, k 2 tog., k 1; 55 (59) sts. Rpt dec. row every $\frac{3}{4}$ (1) in. 4 times more. Work even on 47 (51) sts until 5 (6) ins. from yoke, end with p row.

Cuff—Dec. Row—K, dec. 15 (17) sts evenly spaced across row; 32 (34) sts. Change to size 1 needles, work k 1, p 1 ribbing for $2\frac{1}{2}$ ins. Bind off loosely in ribbing.

RIGHT SLEEVE—Beg. with k row, work to correspond to left sleeve.

BODY—Take up sts of left front, join A at left underarm edge and work to front edge, turn, k left front sts; take up sts of right front and back on free needle, k these sts to same needle with left front; 171 (179) sts. Continuing border and buttonholes, work even until 4 ($4\frac{1}{2}$) ins. from yoke, end on right side, about $1\frac{1}{2}$ ins. below 5th buttonhole. Continuing garter st border on 6 sts at each side, work ribbing for 5 rows. Work 6th buttonhole in next 2 rows. Work 5 rows more. Bind off.

FINISHING—Sew sleeve seams. Steam lightly, see page 27.

No. 1008 (Shown on Page 15)

Instructions are for 1-2 years, changes for 3-4 years are in parentheses.

Materials:

Bucilla Machine Washable
Winfant, 1 oz. skeins, 5

Knitting Needles:

Size 3—or size you require to obtain gauge.

Gauge: 8 sts = 1 in. 21 rows = 2 ins. To check gauge, see page 27.

Finished Measurements:

Chest—Buttoned—21 (23) ins.

BACK—Cast on 84 (92) sts. Work k 1, p 1 ribbing for 10 rows. Work St. st—k 1 row, p 1 row—until 72 (88) rows above ribbing; about $7\frac{1}{2}$ (9) ins. from beg.

Armholes—Bind off 3 (4) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4) times; 72 (76) sts. Work even until armhole measures 4 ($4\frac{1}{2}$) ins., from underarm.

Shoulders—Bind off 11 (12) sts at beg. of next 4 rows. Bind off rem 28 sts.

RIGHT FRONT—Cast on 51 (55) sts.

Row 1—right side—K 1, * p 1, k 1; rpt from * to end.

Row 2—P 1, * k 1, p 1; rpt from * to end. Rpt these 2 rows twice.

Buttonhole Row — for girl's sweater—right side—K 1, p 1, k 1, **Note:** For boy's sweater work but-

yo, k 2 tog., finish row in ribbing. tonholes on left front. Work ribbing for 3 more rows.

Pattern—Row 1—right side—K 1, p 1 for 7 sts for front border; p 2, k 4, p 2, k 36 (40).

Row 2—P 36 (40), k 2, p 4, k 2; p 1, k 1 for 7 sts.

Row 3—Work 7 sts in ribbing, p 2, slip next 2 sts to hook, hold in front of work, k next 2 sts, k 2 sts from hook—cable twist—p 2, k to end.

Row 4—Same as row 2.

Rows 5 and 6—Same as rows 1 and 2.

Rpt these 6 rows for pat., working buttonhole every 22nd (24th) row until 73 (89) rows above ribbing, end at underarm edge.

Armhole—Bind off 3 (4) sts at beg. of next row. Continuing buttonholes as before, dec. 1 st at armhole edge every 2nd row 3 (4) times, end at front edge with 5th row above last cable twist; 45 (47) sts.

Yoke—Row 1—right side—Work border, * p 2, twist cable on next 4 sts; rpt from * 5 times, end p 2 (p 2, k 2). Continue pat. with 6 cables and border until 26 rows in yoke, end at front edge.

Neck and Shoulder Shaping—K 1, p 1, k 1, yo, k 2 tog., p 1, k 1; place these 7 sts on holder for neck ribbing, bind off next 10 sts for neck edge, finish row. Continue pat., dec. 1 st at neck edge every row 6 times,

shaping shoulder as on back when armhole is same length.

LEFT FRONT—Cast on 51 (55) sts. For girl's sweater, work ribbing for 10 rows.

Note: For boy's sweater work 6 rows of ribbing as on right front, make first buttonhole in 7th row of ribbing as follows: Work to within 4 sts of end, yo, k 2 tog., p 1, k 1; rpt buttonhole as on right front of girl's sweater.

Pattern—Row 1—K 36 (40), p 2, k 4, p 2, work 7 sts ribbing for border. Finish left front to correspond to right, shaping at opposite sides. Sew shoulder seams.

Neck Ribbing—Take up and work ribbing on 7 sts of right front border; pick up and k 15 (17) sts on side of neck; 25 sts on back; 15 (17) sts on other side; take up and work last 7 sts of border; 69 (73) sts. Work ribbing for 6 rows. Bind off loosely in ribbing.

SLEEVES—Cast on 40 (44) sts. Work k 1, p 1 ribbing for 2 ins. **Inc. Row**—Continuing ribbing, inc. 1 st. in every 3rd st 12 (14) times, finish row; 52 (58) sts. Working St. st, inc. 1 st each side every 1 in. 6 (7) times; 64 (72) sts. Work even until 7 (9) ins. above ribbing. Bind off 3 sts at beg. of next 14 (16) rows. Bind off rem 22 (24) sts.

FINISHING—Sew shoulder and sleeve seams. Sew in sleeves. Steam lightly, see page 27.

No. 1018

Instructions are for size 6 - 9 mos., changes for sizes 9 - 12 mos. are in parentheses.

Materials:

Bucilla's Bear Brand or
Fleisher Machine Washable
Spectator, 2 oz. balls-
Color A-3
Color B-1

Crochet Hook:

Size G — or size you require to obtain gauge.

Gauge: 4 hdc = 1 in.

To check gauge, see page 27.

SMOCK

Note: Back and fronts are worked in one piece to yoke. Smock buttons at back.

Row 1—right side—With A, ch 86 (94) for lower edge, 1 hdc in 3rd ch from hook and in each ch across; 85 (93) hdc.

Note: Ch 2 at beg. of row counts as 1 hdc.

Next Row—Ch 2, turn, work 1 hdc in each hdc across. Rpt this row until $5\frac{1}{2}$ ($6\frac{1}{4}$) ins. from beg. End on wrong side.

Leave yarn attached and set aside.

SLEEVES—With A, ch 27 (31), work hdc in 3rd ch from hook and in each ch across; 26 (30) hdc.
Work even for $1\frac{1}{2}$ ins.

Inc. Row—Work 2 hdc in first st, hdc to within 1 st of end, work 2 hdc in last st. Rpt inc. row every $1\frac{1}{2}$ ins. twice; 32 (36) hdc. Work until $6\frac{1}{4}$ (7) ins. from beg. End on wrong side. Fasten off.

YOKE—From right side, with attached yarn, work across 18 (20) hdc for left back, skip first 3 sts of one sleeve for armhole, work across center 26 (30) sts of sleeve, skip last

3 sts of sleeve for armhole, skip first 6 sts of front, work across next 37 (41) sts, skip first 3 sts of 2nd sleeve, work center 26 (30) sts of sleeve, skip last 3 sts of sleeve; skip next 6 sts of front, work last 18 (20) sts for right back; 125 (141) hdc. Work across all sts for 2 (3) rows.

First Dec. Row—Work 3 hdc, * yo and draw up a loop in each of next 2 sts, yo, through 2 loops, yo and through all 3 loops on loop — a dec. — work 3 hdc; rpt from * across.
Work even for 3 (4) rows.

2nd Dec. Row—Work 2 hdc, * work dec. over next 2 sts, 2 hdc; rpt from * across. Work even for 3 (4) rows.

3rd Dec. Row—Work 1 hdc, * work dec. over next 2 sts, 1 hdc; rpt from * across. Fasten off.

Pocket Motif—Make 2 — With B, ch 4 and join with sl st to form a ring. Ch 3, work 7 dc into ring, join with sl st in top of ch 3. Fasten off.

Rnd 1—Join A with sl st, ch 2, 1 dc, ch 1, 2 dc all in same st, * ch 1, skip 1 st, 2 dc, ch 1, 2 dc in next st; rpt from * twice, ch 1, join with sl st in top of ch 3. Fasten off.

Rnd 2—Join B with sl st in any ch-1 corner, ch 2, 1 dc, ch 1, 2 dc in same corner, * ch 1, 2 dc in next ch-1 sp, ch 1, 2 dc, ch 1, 2 dc in next corner sp; rpt from * twice, ch 1, 2 dc in next ch-1 sp, ch 1, join yarn with sl st in top of ch 3. Fasten off.

Rnd 3—Join A, work 1 sc in each st around, working 3 sc in each corner st. Fasten off.

Rnd 4—Join B, rpt rnd 3.

FINISHING—Sew sleeve seams. Sew underarm to skipped sts of front. From right side, join B in corner st of lower right edge.

Rnd 1—With care to keep work flat, work 1 rnd sc around entire smock, working 3 sc in each corner st, join with sl st to first st.

Rnd 2—Buttonhole Rnd—Sc to top of right back. Work 3 sc in corner st, *ch 2, skip 2 sts, work 5 sc; rpt from * twice, ch 2, skip 2, sc to end.

Rnd 3—Work 1 sc in each sc, 2 sc in ch-2 buttonhole. Fasten off.
Sew pockets to front as illustrated.

CAP

Work 4 motifs as for pockets. From right side, using overcast st, working through both front loops, sew one motif to another forming band. From right side, with A, join yarn in corner. Work 3 (4) rows hdc along one long edge for front. Fasten off. With B work 2 rows sc along same edge. Fasten off.


From right side, with A, join yarn in corner of other edge. Work 3 (4) rows hdc. Fasten off.

Working on center 18 (20) hdc for back of neck, join A and continue working hdc, dec. 1 st each side every 1 in. 3 times. When this piece measures same as unworked sts on each side of back of neck, fasten off. Sew back of neck and sides tog. From right side, with A, work 1 row hdc along lower edge of cap.

Eyelet Row—Ch 4, turn, *1 dc, ch 1, skip 1; rpt from * across, end 1 dc. Fasten off.

Twisted Tie Cord—Cut 4 strands A about 50 ins. long. Tie at one end and fasten to a stationary object. Twist strands very tightly, bring ends together, allowing yarn to twist upon itself. Tie free ends $1\frac{1}{2}$ ins. from end, forming tassel. Rpt at other end. Draw through eyelets.
Steam lightly.

BABIES



No. 1003 (Shown on Page 21)

Materials:

A-Bucilla Machine Washable Fingering Yarn, 1 oz. skeins, 4 and B-Bucilla Embroidery Floss - 3 skeins

Knitting Needles:

Size 3—or size you require to obtain gauge.

Steel Crochet Hook, Size 4

Gauge: 8 sts = 1 in. 21 rows = 2 ins. To check gauge, see page 27.

Finished Measurements:

Chest—20 ins.

BACK—Cast on 87 sts. Work St. st—p 1 row, k 1 row—for 9 rows, end with p row.

Pattern—Row 1—right side—K 7, * p 1, k 17; rpt from * 3 times, p 1, k 7. Continue St. st for 11 rows, dec 1 st each side when work measures 1½ ins.

Row 13—K 15, * p 1, k 17; rpt from * twice, p 1, k 15. Work St. st for 11 rows.

Rpt last 24 rows for pat., continuing to dec. 1 st each side every 1½ ins. twice more, with care to carry out pat.; 81 sts. Work pat. even until 5½ ins. from lower edge or desired length to underarm.

Cast on 44 sts at beg. of next 2 rows for sleeves; 169 sts. Work even, carrying out pat. on added sts, until 3¼ ins. above cast-on row of sleeves, end on right side.

Next Row—P 70 and place on holder for left side, bind off 29 sts for back of neck, finish row. Work 7 more rows on right sleeve and shoulder, end at neck edge.

RIGHT FRONT—Cast on 16 sts for front neck edge; 86 sts. Work pat., omitting last p st on front edge. Work even until sleeve measures 7 ins., end on wrong side. Bind off 44 sts at beg. of next row; 42 sts. Work 1 in. even. Inc. 1 st at underarm edge on

next row; rpt inc. every 1½ ins. twice; 45 sts. Work even until same length as back below sleeve. Bind off.

Beg. at neck edge, finish left sleeve and front to correspond.

FINISHING—From right side, work 1 row sc on lower edge of sleeves, working 1 sc every 2nd row, having an even number of sc. Ch 1, turn, work 2 more rows sc. Fasten off. Sew seams. From right side, work 1 row sc around entire sacque, inc. at corners, keeping edge flat, having an even number of sts.

With B, embroider flowers in "lazy-daisy" st as illustrated, using each p st as center.

Edging—With B, from right side, work 1 sl st in any st, * ch 2, skip 1 st, 1 sl st in next st; rpt from *, end with sl st in first st. Fasten off. Work edging around sacque and sleeve edges.

Steam, see page 27. Trim as illustrated.

No. 1004 (Shown on Page 21)

Instructions are for 6 months, changes for 1 year are in parentheses.

Materials:

Bucilla Machine Washable Winfant, 1 oz. skeins, 4 or Bucilla Machine Washable Lollipop, 1 oz. balls, 4

Knitting Needles:

Size 3—or size you require to obtain gauge.

Gauge: 8 sts = 1 in. 21 rows = 2 ins. To check gauge, see page 27.

Finished Measurements:

Chest—19¾ (20¾) ins.

Cast on 164 (172) sts for lower edge. Work garter st—k every row for 4 rows, end at left front edge.

Buttonhole—For Boy—K 2, bind off 2 sts, k to end. **For Girl**—K to within 4 sts of end, bind off 2 sts, k to end. Cast on 2 sts over buttonhole in next row. Continue garter st for 4 rows more, end at left front edge.

Row 11—wrong side—K 6 for border, p to within 6 sts of end, k 6 for border.

Row 12—K. Rpt last 2 rows until 6 (6¾) ins. from beg., rpt buttonhole every 17th and 18 (19th and 20th) rows, end on wrong side at right front edge.

Dividing Row—K 41 (43), sl on holder for right front, bind off next 6 sts for underarm, k until 70 (74) sts on needle, sl on holder for back, bind off next 6 sts, finish row.

LEFT FRONT—Dec. 1 st at armhole edge every 2nd row 5 times; 36 (38) sts. Work even until 1¼ ins. above underarm.

Yoke—Work garter st for 1½ (1¾) ins., about 11 (12) ridges, end at front edge 1 ridge above **6th buttonhole on boy's sweater**. Bind off 18 (19) sts for neck, finish row. K 7 rows on 18 (19) sts. Bind off.

BACK—Take up 70 (74) sts of back, join yarn on wrong side. Dec. 1 st

each side every 2nd row 5 times; 60 (64) sts. Work even until 1¼ ins. above underarm. Work garter st yoke for 2 (2¼) ins.; about 15 (16) ridges. Bind off.

RIGHT FRONT—Take up sts of right front; beg. on wrong side, finish to correspond to left front, having 1 ridge above **6th buttonhole on girl's sweater**, before binding off for neck.

SLEEVES—Cast on 28 (31) sts loosely. Work garter st cuff for 9 (11) rows, 5 (6) ridges. On next row, inc. 1 st in every 2nd st 14 times (15 times, finish row); 42 (46) sts. Working St. st, inc. 1 st each side every ½ in. 6 times; 54 (58) sts. Work even until 6 (7) ins. from beg. or desired length to underarm. Bind off 3 sts at beg. of next 2 rows for underarm. Bind off 2 sts at beg. of next 16 (18) rows. Bind off rem 16 sts.

FINISHING—Sew side and sleeve seams. Sew in sleeves. Steam, see page 27.



No. 1003 (Page 20)



No. 1004 (Page 20)



No. 1009 (Page 22)

No. 1009 (Shown on Page 21)

Instructions are for 1 year, changes for 3 years are in parentheses.

Materials:

Bucilla Machine Washable
Winfant, 1 oz. skeins
Color A—4
Color B—1
Color C—5

Circular Needle:

Size 2—or size you require to obtain gauge.

Size 1

Gauge: 17 sts = 2 ins.

To check gauge, see page 27.

Finished Measurements:

Chest—buttoned—

22 (24) ins.

Width of Pants—21 (23) ins.

CARDIGAN

Note: Work back and forth on Circular needle.

BACK AND FRONTS—With size 1 needles and A, cast on 196 (212) sts. P 1 row, k 1 row, p 1 row. K 3 rows for turning ridge. With size 2 needles, p 1 row, k 1 row for 4 rows; casting on 8 sts at end of last row for facing of buttonhole band; 204 (220) sts.

Next Row—wrong side—K 8 for garter st facing, p to within 8 sts of end, k last 8 sts for garter st border of right front.

Buttonhole Row—K to within 14 sts of end, k 2 tog., yo, k 7, k 2 tog., yo, k 3. Continue in St. st, k first and last 8 sts of every p row for garter st borders. Rpt buttonholes every 2 (2½) ins. twice, work even until 6¼ (7¾) ins. above turning ridge, end with p row.

Armholes—K 49 (53), place on holder for right front; bind off 6 sts for underarm; k until there are 86 (94) sts on needle, place on holder for back; bind off 6 sts for left underarm, finish row.

LEFT FRONT—Work 1 row on 57 (61) sts of left front. Dec. 1 st at beg. of next row for armhole. Work 1 more row, end at armhole edge. Drop A. With B, dec. 1 st at beg. of next row; rpt buttonholes. Work 1 more row; break off B.

With A, work 2 more rows, dec. 1 st at beg. of k row, end on wrong side; 54 (58) sts. Break off A. With C, work even until armhole measures 3 ins. from underarm, making 5th set of buttonholes on last k row, end at front edge.

Neck Shaping—Bind off 18 sts at beg. of next row. Dec. 1 st at neck edge every row 10 times. Work even until 4 (4½) ins. above underarm. Bind off rem 26 (30) sts for shoulder.

BACK—With A, from wrong side, p 86 (94) sts of back. Dec. 1 st each side of next row. P 1 more row; drop A. Work yoke and continue to shape armhole as for front; 80 (88) sts. With C, work even until armhole is same length as front. Bind off.

RIGHT FRONT—Beg. at armhole edge, work right front to correspond to left, up to neck shaping, end at front edge. Bind off 10 sts at beg. of next row. Shape neck edge and finish right front to correspond to left. Sew shoulder seams, leaving 28 sts free for back of neck. Turn under and hem left front facing.

NECKBAND—With size 1 needles and C, from right side, pick up and k 26 (30) sts on neck edge of right front; 28 sts on back of neck; 26 (30) sts on left front; 80 (88) sts. P 1 row, k 1 row, p 1 row. K 3 rows for turning ridge. P 1 row, k 1 row, p 1 row. Bind off as to k.

SLEEVES—With size 1 needles and A, cast on 46 (50) sts. P 1 row, k 1 row, p 1 row, k 3 rows for turning ridge. With size 2 needles, p 1 row, k 1 row and continue St. st, inc. 1 st each side every ¾ in. 10 (12) times; 66 (74) sts. Work even until 8 (10) ins. above turning ridge. Bind off 3 sts at beg. of next 2 rows. Work 2 more rows with A, dec. 1 st each side of k row. Work 2 rows B, dec. 1 st each side of k row; 54 (62) sts. With C, bind off 2 sts at beg. of next 6 (10) rows; 3 sts at beg. of next 8 rows. Bind off rem 18 sts.

FINISHING—Sew side and sleeve seams. Sew in sleeves. Steam, see page 27.

PANTS

Note: Work back and forth on Circular needle until joining parts.

With size 1 needles and A, cast on 98 (106) sts for one leg. Work hem facing and turning ridge as on sleeves. With size 2 needles, work St. st until ½ (1) in. above turning ridge. Inc. 1 st each side every k row 5 times; 108 (116) sts, end with p row. Drop A. With B, work 2 rows even; break off B. With A, work 2 rows; break off A. Leave sts on needle. Work 2nd leg in same way. With C, k 1 row and join, placing a marker between 2 center sts of front and 2 center sts of back, right above crotch; carry up markers. K 5 rounds even.

First Dec. Round—K to within 3 sts of first marker, * SKP, k 2, k 2 tog., * k to within 3 sts of next marker; rpt between *'s once, k to end; 212 (228) sts. Rpt decs. every 6th round 8 times more; 180 (196) sts. Work even until 8 (9) ins. above crotch.

Short Rows of Back—Row 1—K until 22 sts beyond first marker, turn. Slip 1 st, p until 22 sts on other side of marker, turn.

Row 3—Sl 1 st, k until 14 sts beyond marker, turn. Sl 1 st, p until 14 sts on other side of marker, turn.

Row 5—Sl 1, k until 8 sts beyond marker, turn.

Sl 1, p until 8 sts on other side of marker, turn. K until 7 sts beyond marker, with point of right needle, take up st directly below next "slipped st," place on left needle, k this st tog. with slipped st to prevent hole, k to end of round working all slipped sts in this way; 180 (196) sts. With size 1 needles, work k 1, p 1 ribbing for 6 rounds, end at center back.

Buttonhole for Suspenders—Work ribbing for 21 (23) sts, yo, k 2 tog., work 47 (51) sts, yo, k 2 tog., work 36 (40) sts, yo, k 2 tog., work 47 (51) sts, yo, k 2 tog., k 21 (23) sts. Continue ribbing for 5 more rounds. Bind off in ribbing.

SUSPENDER STRAPS—With size 1 needles and C, cast on 9 sts.

Row 1—K 2 sts in each st across row; 18 sts.

(Continued on Next Page)

No. 1009 (Continued from Page 22)

Row 2—K first st inserting needle in back of st, * yarn forward in front of work and sl next st as to p, yarn back, k 1; rpt from * across, end with sl 1 st. Rpt row 2 until 16 (18) ins. from beg. or desired length. To bind off, k first 2 sts tog., k next 2 tog.; * sl first

st on right hand needle over 2nd st, k 2 tog.; rpt from * until 1 st rem. Fasten off. Make 2.

Make 2 more straps about 3½ ins. long for cross straps. Sew cross straps to suspender straps about 4 ins. from ends.

FINISHING—Sew inner seams of legs and crotch matching stripes. Steam, see page 27. Sew a button about ½ in. from each end of suspender straps.

No. 1014 (Shown on Back Cover)

Instructions are for size 6 mos., changes for sizes 1 and 2 are in parentheses.

Materials:

Bucilla Machine Washable

Perlette, 1¾ balls - 4

1¼ yds, ¼ in. wide elastic.

Knitting Needles:

Size 3 — or size you require to obtain gauge. Size 2

Crochet Hook. Size E.

Gauge: 7 sts = 1 in. 9 rows = 1 in. To check gauge, see page 27.

PULLOVER

BACK—With size 2 needles, cast on 71 (77-81) sts.

Row 1—wrong side — P1, * k 1, p 1; rpt from * across.

Row 2—K 1, * p 1, k 1; rpt from * across.

Rpt these two rows until 11 (13-15) rows from beg., end on wrong side. Change to size 3 needles.

Pat. Row 1—right side—K 15 (17-19), p 2, k 8, p 2, k 17 (19-19), p 2, k 8, p 2, k 15 (17-19) sts.

Row 2—P 15 (17-19), k 2, p 8, k 2, p 17 (19-19), k 2, p 8, k 2, p 15 (17-19) sts.

Rows 3 and 4—Rpt rows 1 and 2.

Row 5—Cable Twist Row—K 15 (17-19), p 2, sl next 4 sts to cable needle and hold in back of work, k next 4 sts, k 4 sts from cable needle — cable twist — p 2, k 17 (19-19), p 2, work cable twist, p 2, k 15 (17-19) sts.

Row 6—Rpt row 2.

Rows 7 and 8—Rpt rows 1 and 2. Rpt these 8 rows for pat. until 7 (7½ - 8) ins. from beg., end on wrong side. Mark for underarm.

Raglan Shaping—Bind off 2 sts at beg. of next 2 rows.

Row 1—K 1, SKP, work pat. to within 3 sts of end, k 2 tog., k 1.

Row 2—Work in pat. across.

Rpt last 2 rows 22 (24-26) times; 21 (23-23) sts. Change to size 2 needles. Work k 1, p 1 ribbing for ¾ in. Bind off loosely in ribbing.

FRONT—Work as for back until 35 (37-39) sts, end on right side.

Next Row—P 12 (13-14) sts and sl to holder for right shoulder, p next 11 sts and sl to holder for neck, p 12 (13-14) sts. Working on left shoulder, continue raglan decs. 7 (7-8) times more, and **at same time**, k 2 tog. at neck edge every 2nd row 2 (3-3) times. Sl rem 3 sts to holder. From wrong side, sl sts from right shoulder holder to needle, join yarn at neck edge. Complete to correspond to left shoulder.

SLEEVES—With size 2 needles, cast on 41 (43-45) sts. Work ribbing as for back for 19 (21-23) rows, end on wrong side.

Change to size 3 needles.

Row 1—Inc. 1 st in first st, k 13 (14-15), p 2, k 8, p 2, k 15 (16-17); 42 (44-46) sts.

Row 2—P 15 (16-17), k 2, p 8, k 2, p 15 (16-17) sts. Continue in pat. as for back, inc. 1 st each side every 8th row 6 (7-8) times; 54 (58-62) sts. Work even until 8 (9-10) ins. from beg., end on wrong side.

Raglan Cap Shaping—Bind off 2 sts at beg. of next 2 rows. Dec. as for back 23 (25-27) times; 8 sts. P1, p 2 tog., p 2, p 2 tog., p 1. Sl 6 sts to holder.

FINISHING—Sew raglan seams of sleeves to front. From wrong side, sl all sts from holders to size 2 needle.

NECKBAND—From right side, k 6 sts of sleeve, 3 sts of front, pick up

and k 10 (11-13) sts along left neck edge, 11 sts of neck, pick up and k 11 (12-14) sts along right neck edge, k 3 sts of front, 6 sts of sleeve; 50 (52-56) sts. Work ribbing as for back neck band. Sew raglan seams of back to sleeves, leaving neckbands open. Sew side seams.

Work 1 row sc around neckband openings working one ch 3 button loop on each side.

Block, see page 27.

PANTS

BACK—With size 3 needles, cast on 20 (22-24) sts. P 1 row. Working St. st — k 1 row, p 1 row — inc. 1 st each side **every** row until 78 (82-86) sts. *Work even for 11 rows. Dec. 1 st **each** side of next row. Rpt from * twice; 72 (76-80) sts. Work even until 8 (8½-8¾) ins. from beg., end on wrong side.

Change to size 2 needles. Work k 1, p 1 ribbing for 1½ ins. Bind off loosely in ribbing.

FRONT—With size 3 needles, cast on 20 (22-24) sts. Work St. st for 1¾ (2-2¼) ins. Inc. 1 st each side of next 6 rows; 32 (34-36) sts.

Cast on 23 (24-25) sts at end of next 2 rows; 78 (82-86) sts. *Work even for 11 rows. Dec. 1 st each side of next row. Rpt from * twice; 72 (76-80) sts.

Work even until 8 (8½-8¾) ins. from beg. Change to size 2 needles. Work ribbing as for back.

FINISHING—Sew side seams.

LEG BANDS—From right side, starting at crotch, with size 2 needles, pick up and k 74 (78-82) sts. Work k 1, p 1 ribbing for 1½ ins. Bind off loosely in ribbing. Sew crotch seam. Fold waist and leg bands in half and hem loosely to wrong side, leaving ½ in. opening to insert elastic. Block, see page 27.

No. 1015 (Continued from Page 2)

Rpt these 2 rows until 27 (29) rows above ribbing.

K 7 rows. Bind off.

Joining Row of Back—Cast on 1 st for side seam, k 34 (36) sts from holder for right leg, cast on 5 sts for crotch, k next 34 (36) sts from holder for left leg, cast on 1st for side seam; 75 (79) sts.

Work even in garter st for 2 ins.

Next Row—K 36 (38) sts, place a marker on needle, k 39 (41) sts.

Dec. Row—K to within 2 sts of marker, SKP, k 3, k 2 tog., k to end. Rpt dec. row every 2 ins. twice; 69 (73) sts. Remove marker. Work even until side seam is same as front.

Back Waistband—Work as for front waistband, bind off.

Embroidery—With B, using duplicate st., following chart, embroider bees on insteps before knitting the feet.

Left Foot—Right side facing, beg. at cast on edge of left toe, pick up and k 8 (9) sts, place a marker on needle for center of heel; pick up and k 8 (9) sts to instep, 16 (18) sts along outer edge of instep, place a marker on needle, pick up and k 20 sts across toe, place a marker on needle, pick up and k 16 (18) sts along inner edge of instep, 6 (7) sts along shorter cast on edge of left leg; 74 (81) sts.

Row 1—and All Odd Numbered Rows—K.

Row 2—Dec. Row—K to 2nd marker, k 3, * k 2 tog., k 2; rpt from * twice, k 2 tog., k to end; 70 (77) sts.

Row 4—K to 2nd marker, k 1, * k 2 tog., k 2; rpt from * twice, k 2 tog., k to end; 66 (73) sts.

Row 6—K to 2nd marker, * k 1, k 2 tog; rpt from * once, † k 2 tog, k 1; rpt from † once, k to end; 62 (69) sts.

Rows 7 through 15 (17)—K.

Row 16 (18)—K to within 2 sts of first marker, SKP, slip marker, k 2 tog., k to next marker, sl marker, k 2 tog., k to within 2 sts of next marker, k 2 tog., k to end.

Row 17 (19)—K.

Rpt Rows 16 and 17 (18 and 19) twice.

K 1 row. Bind off.

SHOULDER STRAP—Make 2 — Cast on 8 sts. Work in garter st until 10 (12) ins.

Buttonhole Row—K 3, bind off 2 sts, k 3.

Next Row—K 3, cast on 2 sts, k 3.

Next 4 Rows—K 2 tog., k to end. Bind off.

FINISHING—Weave leg seams, foot to crotch to foot. Join foot from heel to middle of toe without stretching seam. Weave side seams. Sew straps to waist border at back.

Embroider bee in center of bib as illustrated.

Steam lightly, see page 27.

CARRIAGE COVER

With 2 strands of A and size 7 needles, cast on 121 sts. Work garter st for 4 ins., end wrong side.

Row 1—K.

Row 2—K 20, p 81, k 20.

Rpt these 2 rows until 26 rows.


Work garter st until 21 ins. from beg.

Rpt rows 1 and 2 for 26 rows.

Work garter st for 4 ins.

FINISHING—With 2 strands B embroider 3 bees in each panel, as illustrated.

Steam lightly, see page 27.



No. 1016 *(Continued from Page 4)*

edge and 6th one in neckband. Work sc, ch 3, skip 3 sc for buttonhole. On next row, work sc in ch sts. Work 2 rows more. Sew sleeve seams, sew in. Steam lightly, see page 27.

CAP

With A, ch 93 (101) for brim. Work 90 (99) hdc. Work 9 rows pat., end on sc row. Work 1 more sc row for brim fold line. Continue in reverse pat. st until 5 (6) ins. from beg. Fasten off.

CROWN—With A, ch 4, join with sl st to form ring.

Rnd 1—Work 14 hdc in ring, join with sl st to top of ch.

Rnd 2—Work * 1 sc, 2 sc in next st; rpt from * around, join with sl st; 21 sc.

Rnd 3—Work * 1 hdc in next 2 sts, 2 hdc in next st; rpt from *; 28 hdc. Continue to alternate 1 rnd sc and 1 rnd hdc, working 1 additional st between incs. in each rnd until there are 11 (12) sts between incs.; 91 (98) sts. Fasten off. With wrong side of crown to wrong side of cap, work 1 row sc through both pieces around entire crown. Fasten off leaving 8 in. end. With tapestry needle weave tog. 1 in. below crown.

Turn back brim. Work 1 row sc around back opening. Steam lightly, see page 27.

BOOTEES

With A, ch 39 (43). Work 37 (41) hdc.

Work even in pat. until 2 cluster rows and 1 row sc are completed.

Eyelet Row—Work 1 hdc, * ch 1, skip 1, 1 hdc; rpt from * across. Work 1 row sc, fasten off. From wrong side, skip 10 (12) sts, join B in 11 (13)th st. Work 7 clusters over center 15 sts for tongue, leaving 11 (13) unworked sts at other end. Work in pat. for 6 rows more.

Dec. Row—Draw up a loop in each of first 2 sts, yo and through all 3 loops on hook, work to within 2 sts of end, rpt dec.; 13 sts.

Next Row—Work 6 clusters.

Next Row—Rpt dec. row; 11 sts. Work 1 row hdc, fasten off.

From right side, with A, work 16 (18) sc along side of tongue, 11 sc over toe, 16 (18) sc along side of tongue, fasten off.

From wrong side, join B at outer edge of leg, work 6 (7) clusters, 8 (9) clusters along side of tongue, 5 over toe, 8 (9) along side of tongue, 6 (7) along other side of leg; 33 (37) clusters. Work 3 rows. Break B.

First Dec. Row—Work 29 (33) hdc, skip 1 st, work 7 hdc, skip 1 st, work 29 (33) hdc. Work 1 row sc.

Second Dec. Row—Work 29 (33) hdc, skip 1 st, work 5 hdc, skip 1 st, work 29 (33) hdc. Fasten off.

FINISHING—Weave back and sole. Lace ribbon through eyelets.

ROMPERS

BACK—With A, ch 21 for crotch.

Row 1—Work 19 hdc.

Row 2—Inc. Row—Ch 3, turn, 2 sc in each of first 2 sts, 1 sc in each st to within 2 sts of end, 2 sc in each of last 2 sts; 23 sts.

Note: Ch 3 and turn at beg. of every row while inc., with care to keep edge loose. Ch 3 counts as 1 hdc.

Row 3—Work 1 cluster in each of first 2 sts, then 1 cluster in every 2nd st to within 3 sts of end, work 1 cluster in each of 2 sts, end 1 hdc.

Row 4—Rpt row 2.

Row 5—Work 2 hdc in each of first 2 sts, 1 hdc in every st to within 2 sts of end, 2 hdc in each of last 2 sts. Rpt rows 2 through 5 until 65 (69) sts.

Work even in pat. until about 10 (10½) ins from beg., end with row 4, fasten off.

BIB—From right side, skip first 16 sts, join A in 17th st work in pat. to within 16 sts of other end. Continue in pat. on center 33 (37) sts for about 2½ ins., end with row 4, fasten off.

FRONT—With A, ch 21 for crotch.

Next Row—Work 19 hdc.

Work in pat. until 3 cluster rows are completed. Fasten off. With A, ch 24 (26).

Next Row—Turn, work 23 (25) sc in ch, work 19 hdc across crotch piece, ch 24 (26) sts.

Next Row—Work 1 sc in 2nd ch from hook and in each st across; 65 (69) sts. Join B, work 32 (34) clusters. Continue in pat. until side seams are same length as back. Work bib as for back. Fasten off.

FINISHING—BACK—From right side, join A at upper edge of right side seam, sc across free sts to within 1 st of inside corner, skip 1 st, sc to top of bib, work 3 sc in corner st, sc across top, 3 sc in corner st, sc to inside corner, skip 1 st, sc to end.

Next Row—Ch 1, turn, work as for first row.

Rpt last row twice. Fasten off.

SHOULDER STRAP—From right side, join A in right corner. Sc across 12 sts. Ch 1, turn, work 12 sc. 1 sts until 2 ins. from beg., fasten off. For 2nd shoulder strap, skip 9 (13) sc, join A in next sc. Work to correspond.

FRONT—Work same as for back, starting at left side seam. Work shoulder strap until 1½ ins.

Buttonhole Row—Ch 1, turn, work 5 sc, ch 2 for buttonhole, work 5 sc.

Next Row—Work 12 sc working 2 sc in ch-2.

Work for 2 ins. Fasten off. Work second strap to correspond. Sew side seams.

Leg Bands—From right side, with size 2 needles and A, pick up and k 83 (89) sts around leg opening.

Row 1—P 1, *k1, p 1; rpt from * across.

Row 2—K 1, *p1, k1; rpt from * across.

Rpt. these 2 rows for 1½ ins. Bind off loosely in ribbing.

Sew crotch seam. Fold ribbing in half to wrong side and hem loosely. Steam light, see page 27.

No. 1017 (Shown on Front Cover)

Instructions are for size 3 - 6 mos., changes for size 6 mos. - 1 year are in parentheses.

Materials:

*Bucilla Machine Washable
Infant, 1 oz. skeins, 4.*

Crochet Hook:

Size E — or size you require to obtain gauge.

Gauge: 10 hdc = 2 ins. 4 pats. = 2½ ins.

To check gauge, see page 27.

CARDIGAN

Note: Back and front are worked in one piece.

Turning ch counts as 1 st.

Ch 98 (110) for lower edge. Work 1 sc in 2nd ch from hook and in each ch across; 97 (109) sc.

Pattern—Row 1—wrong side — Ch 4, turn, 1 dc in first st, * skip 2 sts, 2 dc, ch 1, 2 dc all in next st, skip 2 sts, 1 dc, ch 1, 1 dc all in next st; rpt from * across.

Row 2—Ch 4, turn, 2 dc in ch-1 sp, * 1 dc, ch 1, 1 dc all in next ch-1 sp, 2 dc, ch 1, 2 dc all in next ch-1 sp; rpt from * across, end 2 dc in last ch-1 sp, ch 1, 1 dc in top of turning ch.

Row 3—Ch 4, turn, 1 dc in first ch-1 sp, * 2 dc, ch 1, 2 dc all in next ch-1 sp, 1 dc, ch 1, 1 dc all in next ch-1 sp; rpt from * across, end 1 dc in last ch-1 sp, ch 1, 1 dc in top of turning ch. Rpt rows 2 and 3 for pat. until 5 (6) ins. from beg., end with row 3.

Dividing Row—Ch 2, turn, work 1 hdc in each of first 22 (25) dc.

Raglan Dec.—Ch 2, turn, yo and draw up a loop in each of first 2 sts, yo and through all 5 loops on hook — a dec. — work 1 hdc in every st across, end 1 hdc in top of turning ch; 21 (24) hdc.

Next Row—Ch 2, turn, work 1 hdc in each hdc across.
Rpt these 2 rows until 14 (15) hdc rem, end at neck edge.

Neck Dec.—Turn, sl st across 4 sts, hdc to end; 10 (11) hdc.

Rpt raglan decs. every 2nd row 4 (5) times more, **at same time**, dec. at neck edge **every** row 4 times. Fasten off.

LEFT FRONT—From right side, join yarn 22 (25) sts from front edge, hdc across.

Dec. Row—Work hdc to within 2 sts of end, dec. as before.

Complete to correspond to right front, reversing shaping.

BACK—From wrong side, skip 6 sts for underarm, join yarn, work 42 (48) hdc, leaving 6 sts free at other end for 2nd underarm.

Work raglan decs. at beg. and end of every 2nd row until 18 (20) sts rem. Fasten off.

SLEEVES—Ch 48 (54). Work 1 sc in 2nd ch from hook and in each ch across; 47 (53) sts. Working ch 3 at beg. of each row, work pat. until 6 (7) ins. from beg, end on right side. Ch 2, turn, work 48 (54) hdc across.

Raglan Dec.—Sl st across first 3 sts, work to within 3 sts of end; 42 (48) hdc.

Row 1—Ch 2, turn, work a dec. over first 2 sts, center 2 sts and last 2 sts — 3 decs. in row; 39 (45) hdc.

Row 2—Hdc across.

Rpt these 2 rows until 6 sts rem. Fasten off.

FINISHING—Sew sleeve seams, sew in sleeves.

Join yarn from right side in lower edge of right front. Work 1 row sc along front edges and neck, working 3 sts in same st in each corner. Fasten off. From wrong side, join yarn in center corner st, ch 3, skip 1, * work 1 hdc in next st, ch 1, skip 1; rpt from * across, end 1 hdc in center corner st.

Next Row—Ch 1, turn, sc in each st across. Fasten off.

Run satin ribbon through eyelets at neck edge and each wrist, if desired. Steam lightly, see page 27.

CAP

Ch 80 (92) sts. Work 1 sc in 2nd ch from hook and in each ch across; 79 (91) sc. Work in pat. until 3½ (4) ins. from beg.

Next Row—Ch 2 turn, work 1 hdc in each dc across; 80 (92) hdc.

Row 1—Ch 2, turn, work dec. over first 2 hdc, work to within 2 sts of end, work dec. over last 2 hdc.

Row 2—Ch 2, turn, * work 11 (13) hdc, work dec. over next 2 hdc; rpt from * across.

Row 3—Ch 2, turn, * work 10 (12) hdc, work dec. over next 2 hdc; rpt from * across. Continue decs. every row, having 1 st less between decs. until there are no more sts between decs. Fasten off. Leave an 18 in. end for sewing.

EAR LAPS—From right side, join yarn at lower edge 10 (12) sts in from seam edge.

Row 1—Ch 2, turn, work 13 (15) hdc.

Row 2—Ch 2, turn, work dec. over first 2 sts, hdc to within 2 sts of end, work dec. over last 2 sts. Rpt these 2 rows until 3 sts rem. Work 3 sts tog., fasten off. Join yarn 10 (12) sts in from other edge. Work to correspond.

FINISHING—Thread a tapestry needle with yarn at top of cap. Run through all sts and draw up tightly. Weave back seam.

Tie Cord—Make 2 — Make a ch to measure about 14 ins. Sl st in 2nd ch from hook, sl st through 2 loops across ch, fasten off. Make a knot at one end, sew other end to end of ear lap.

Pom-Pon—Wind yarn about 220 times around a 2 in. wide cardboard. Tie a 10 in. strand tightly at one end, cut other end. Trim evenly to about ¾ in. Sew to top of cap. Steam lightly.

No. 1011 (Shown on Page 13)

Approximately 36 × 38 ins.

Materials:

*Bucilla's Bear Brand or
Fleisher Machine Washable
Winsom, 2 oz. skeins,
Color A—4
Color B—2
Color C—2*

Crochet Hook:

Size H—or size you require to obtain gauge.

Gauge: 1 rpt of pat. (17 sts) = 4½ ins.
4 rows = 3 ins.

To check gauge, see page 27.

A Stripe—With A, ch 140 for lower edge.

Row 1—right side—Work 1 dc in 5th ch from hook, 1 dc in each of next 6 ch, 3 dc in next ch, 1 dc in each of next 7 ch, * skip 2 ch, 1 dc in each of 7 ch, 3 dc in next ch, 1 dc in each of 7 ch; rpt from * 6 times more, skip 1 ch, 1 dc in last ch.

Row 2—Ch 3, turn, skip first 2 dc, **working in back loop of each dc** work 1 dc in each of next 7 dc, 3 dc in next dc—center dc of group of 3 dc—1 dc in each of 7 dc, * skip 2 dc, 1 dc in each of 7 dc, 3 dc in next

dc—center dc of group of 3 dc—, 1 dc in each of 7 dc; rpt from * 6 times more, skip 1 dc, work 1 dc in top of turning ch, **working off last 2 loops of dc with B to change color**; fasten off A.

Note—Turning ch 3 counts as 1 dc.

B Stripe—Row 3—With B, work as for row 2 to within 2 dc of end, skip next dc, 1 dc in top of turning ch, do **not** change color.

Row 4—Work as for row 2, working off last 2 loops of last dc with C instead of B to change color; fasten off B.

C Stripe—Row 5—With C, work as for row 2 to within 2 dc of end, skip next dc, 1 dc in top of turning ch, do **not** change color.

Row 6—Work as for row 2, working off last 2 loops of last dc with A; fasten off C.

Continue pat. as established working † 2 rows A, 2 rows C, 2 rows B, 2 rows A, 2 rows B, 2 rows C †; rpt between †'s twice more; work 2 rows A, 2 rows C, 2 rows B, 2 rows A—25 stripes in all. Fasten off.

Finishing—Block to 36 ins. by 38 ins., see page 27.

Dolls—Cut 1 strip of cardboard 5½ ins. wide and 1 strip 7 ins. wide. Cut 5 yds. A to use for tying.

Arms—Wind A 30 times around 5½-in. cardboard. Using about 12 ins. for tying, tie securely around strands at one end of cardboard. Tie around strands at other end in same way. Remove from cardboard. Wind A twice around arms about ¾ in. from each tied end and tie securely. Cut strands at each end and trim to form hands.

Body—Wind A 70 times around 7-in. cardboard. Tie around strands at one end, leaving ends to attach doll. Cut strands at other end. Measure 1½ ins. from tied end, wind A twice around at this point and tie securely to form head. Divide strands in half and insert arms between halves.

Measure 1¾ ins. below neck, wind A twice around body and tie below arms.

Legs—Divide lower strands in half for legs. Tie securely about ¾ in. from end of legs to form feet. Trim evenly. Make 4 dolls and attach one doll to each corner of cover as illustrated.

HELPFUL INFORMATION

Stitch Gauge—Important—Knitted and Crocheted articles are planned on the basis of working to a specified number of stitches and rows to 1 inch; this is referred to as the GAUGE. Required gauge is given at beginning of instructions. If this gauge is not obtained the finished article will not be the correct size. The size needles or hooks recommended will give the average worker the correct gauge. However, if you do not obtain the gauge required, change the size needles or hooks to conform to the tension of your individual work; if your work is too loose use smaller size needles or hook to lighten gauge; if your work is too tight use larger size needles or hook to loosen gauge. You **MUST** get gauge given to insure proper size of finished article.

Abbreviations and Terms Used

k—knit

p—purl

st(s)—stitch(es)

inc. (s.)—increase(s) (d) (ing)

dec. (s.)—decrease(s) (d) (ing)

in. (s)—inch(es)

tog.—together

yo—yarn over

ch—chain

sc—single crochet

St. st—stockinette st

beg.—beginning

sl—slip, slipping

pat.(s)—pattern(s)

rpt—repeat

hdc—half double crochet

dc—double crochet

rnd(s)—round(s)

sp(s)—space(s)

sl st—slip st—**to knit**—pass st from one needle to another without working it.

To crochet—with loop on hook, insert hook in st. or ch indicated, yo and draw through st and loop on hook.

SKP—sl, k and pass—sl 1, k 1, pass the sl st over k st.

Unless otherwise specified, always sl as to p, except when dec.—as in SKP—, then sl as to k.

An asterisk (*), double asterisk (**), or dagger (†) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.

Brackets [] indicate that all instructions within brackets are to be worked the number of times given after the bracket.

“Work even” means to work without inc. or dec., continuing the st which has been described.

Blocking: Turn article to wrong side. Using rust-proof pins, pin out on pressing board to given measurements. Using warm—not hot—iron and damp cloth, steam lightly. Do not remove article from board until thoroughly dry.

Note: Be sure to buy sufficient yarn of each color in the


same dye lot number to complete the article.

The directions in this book are carefully checked and rechecked to assure accuracy. We cannot, however, be responsible for typographical errors or misinterpretation of instructions.

VOL. 10 \$1.75

BUCILLA®

BABIES



No. 1014
(Page 23)

INFANTS TO 2 YEARS