

Chevy

1113

Selever

Cuddles

DOUBLE KNITTING

Sizes 16-22 in
41-56 cm



COURTELLE

Q

ANGEL TOP, SWEATER AND TROUSERS

MEASUREMENTS & MATERIALS

To fit chest	in	16	18	20	22
	cm	41	46	51	56
Actual measurement	in	18	20	22	24
	cm	46	51	56	61
Angel Top: Length to shoulder	in	10	10½	12	12½
	cm	25	27	30	32
Sweater: Length to shoulder	in	8½	9½	10½	11½
	cm	22	24	27	29
Sleeve length	in	4½	5	5½	6
	cm	11	13	14	15
Trousers: Length of front seam—adjustable	in	7	7½	8	8½
	cm	18	19	20	22
Inside leg seam—adjustable	in	8	8½	9	9½
	cm	20	22	23	24
DOUBLE KNITTING 100g balls					
Angel Top:		1	2	2	2
Sweater:		1	1	2	2
Trousers:		1	2	2	2

One pair each of knitting needles size 3¼ mm (10) and 4 mm (8)
 One pair of knitting needles size 3¼ mm (9) for Angel Top
 Stitch holders and 3 buttons for Angel Top or Sweater
 Waist length of elastic 1 inch (3 cm) wide for Trousers

The quantities of yarn stated are based on average requirements and are therefore approximate.

NOTES

Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no sts or rows are worked for this size.

TENSION

22 sts and 30 rows to 4 in (10 cm), measured over stocking stitch on No 4 mm needles.

It is important to check your tension before commencing the garment, therefore work a tension square. If there are less sts and rows to 4 in (10 cm) than number stated, change to finer needles; if there are more sts and rows to 4 in (10 cm) than stated, change to larger needles.

ABBREVIATIONS

K knit	cm centimetres
p purl	mm millimetres
st(s) stitch(es)	in(s) inch(es)
st st stocking stitch	tog together
rep repeat	sl slip
inc increase(ing)	psso pass slipped
dec decrease(ing)	stitch over
beg beginning	yf yarn forward
cont continue	patt pattern
 foll following	yrn yarn round
alt alternate	needle
rem remain(ing)	

ANGEL TOP

FRONT

** With No 3¼ mm needles, cast on 69 [75:81:87] sts.

1st row: K1, * p1, k1, rep from * to end.

Rep this row (moss stitch) 3 times more.

Change to No 4 mm needles and chevron pattern.

1st row: Knit.

2nd and every alt row: Purl.

3rd row: K1, * yf, sl 1, k1, psso, k4, rep from * to last 2 sts, yf, sl 1, k1, psso.

5th row: K1, * k1, yf, sl 1, k1, psso, k1, k2tog, yf, rep from * to last 2 sts, k2.

7th row: K1, * k2, yf, sl 1, k2tog, psso, yf, k1, rep from * to last 2 sts, k2.

8th row: Purl.

These 8 rows form chevron pattern.

Cont in patt until work measures approximately 7 [7:8:8] in or 18 [18:20:20] cm from beg, ending with a 6th patt row.

Shape Armholes

Keeping continuity of patt, cast off 4 sts at beg of next 2 rows. (61 [67:73:79] sts)

Dec row: K 4 [4:4:7], (k2tog, k1) 18 [20:22:22] times, k 3 [3:3:6]. (43 [47:51:57] sts)

Next row: P2tog, p to last 2 sts, p2tog.

Next row: K2tog, k1, * yf, k2tog, rep from * to last 4 sts, yf, (k2tog) twice. Work 3 rows in st st (1 row k, 1 row p), starting with a p row and dec 1 st at each end of every row. (33 [37:41:47] sts) ** Cont in eyelet pattern for yoke.

Work 2 rows in st st, starting with a k row.

Next row: K1, * yf, k2tog, rep from * to end.

Work 3 rows in st st, starting with a p row.

The last 6 rows form eyelet pattern.

Cont in patt until armholes measure 2 [2:2½:3] in or 5 [5:6:8] cm, ending with a p row.

Shape Neck

Next row: Work 13 [14:15:17] sts and turn, leaving rem sts on a spare needle.

Keeping patt correct, dec 1 st at neck edge on next 4 rows.

Work straight until armhole measures 3 [3½:4:4½] in or 8 [9:10:11] cm, ending at side edge.

Shape Shoulder

Next row: Cast off 4 [5:5:6] sts, patt to end.

Work 1 row then cast off rem 5 [5:6:7] sts.

Slip centre 7 [9:11:13] sts onto a stitch holder, rejoin yarn to rem 13 [14:15:17] sts and work to end.

Complete to match first side of neck.

BACK

Follow instructions for Front from ** to **.

Cont in eyelet patt as given for Front and work 0 [4:8:10] rows.

Divide for Back Opening

Next row: Work 15 [17:19:22] sts, cast off next 3 sts, work to end.

Keeping patt correct, cont until Back matches Front to shoulder, ending at side edge.

Shape Shoulder

Next row: Cast off 4 [5:5:6] sts, patt to end.

Next row: Patt to end.

Next row: Cast off 5 [5:6:7] sts, patt to end.

Leave rem 6 [7:8:9] sts on a stitch holder.

Rejoin yarn to rem 15 [17:19:22] sts and patt to end.

Keeping patt correct, cont until Back matches Front to shoulder, ending at side edge.

Shape Shoulder

Next row: Cast off 4 [5:5:6] sts, patt to end.

Next row: Patt to end.

Next row: Cast off 5 [5:6:7] sts, patt to end.

Next row: Patt to end.

Leave rem 6 [7:8:9] sts on a stitch holder.

SLEEVES

With No 3¼ mm needles, cast on 25 [29:33:35] sts.

1st row: (Right side) K1, * p1, k1, rep from * to end.

2nd row: P1, * k1, p1, rep from * to end.

Work a further 6 rows in rib as set, inc 1 st at both ends of last row.

Change to No 4 mm needles and work in eyelet pattern as given for Yoke, placing this as follows —

1st row: Knit.

2nd row: Purl.

3rd row: K1, * yf, k2tog, rep from * to end.

4th row: Purl.

5th row: Knit, inc in first and last sts.

6th row: Purl.

These 6 rows set eyelet pattern. Cont in patt as set, inc and working into patt 1 st at each end of 3rd and every foll 3rd [4th:4th:4th] row until there are 39 [43:47:51] sts on the needle. Work straight until Sleeve measures 4½ [5:5½:6] in or 11 [13:14:15] cm from beg, ending with a wrong side row. (Adjust length at this point if required)

Shape Top

Keeping patt correct, cast off 4 sts at beg of next 2 rows.

Dec 1 st at each end of next and every foll alt row until 19 sts rem, ending with a wrong side row.

Next row: K2tog, k3tog, (k2tog) twice, k1, (k2tog) twice, k3tog, k2tog. (9 sts)

Next row: (P3tog) 3 times.

Cast off.

NECKBAND

Sew shoulder seams. With right side of work facing and using No 3¼ mm needles, k across 6 [7:8:9] sts of Left Back, pick up and k 12 [13:13:13] sts down left side of neck, k across 7 [9:11:13] sts at centre front, pick up and k 12 [13:13:13] sts up right side of neck then k across 6 [7:8:9] sts of Right Back. (43 [49:53:57] sts)

Work 4 rows in moss stitch as given for Front. Cast off neatly in patt.

BUTTONHOLE BAND

With right side of work facing and using No 3¼ mm needles, pick up and k 21 sts evenly down right side of back opening and work one row in moss stitch as given for Front.

1st Buttonhole row: Patt 2, (cast off next st, patt 5 including st used in casting off) 3 times, k1.

2nd Buttonhole row: Patt, casting on over sts cast off in previous row.

Work one row in patt then cast off neatly in patt.

BUTTON BAND

With right side of work facing and using No 3¼ mm needles, pick up and k 21 sts evenly up left side of back opening and work 4 rows in moss stitch as given for Front. Cast off neatly in patt.

MAKE UP

Do not press. Sew side and sleeve seams. Set in sleeves. Sew ends of Bands neatly in place to cast off sts at base of opening. Sew on buttons.

SWEATER

BACK

** With No 3¼ mm needles, cast on 45 [51:55:59] sts.

1st row: (Right side) K1, * p1, k1, rep from * to end.

2nd row: P1, * k1, p1, rep from * to end.

Work a further 5 rows in rib as set.

Inc row: Rib 1 [1:2:1], inc in next st, rib 13 [15:9:7], inc in next st) 3 [3:5:7] times, rib 1 [1:2:1]. (49 [55:61:67] sts) Change to No 4 mm needles and pattern.

1st row: Knit.

2nd and every alt row: Purl.

3rd row: K3, * yf, sl 1, k1, pssso, k4, rep from * to last 4 sts, yf, sl 1, k1, pssso, k2.

5th row: K3, * k1, yf, sl 1, k1, pssso, k1, k2tog, yf, rep from * to last 4 sts, k4.

7th row: K3, * k2, yf, sl 1, k2tog, pssso, yf, k1, rep from * to last 4 sts, k4.

9th row: Knit.

11th row: Knit.

12th row: P2, * yrn, p2tog, rep from * to last st, p1.

13th row: Knit.

14th row: Purl.

These 14 rows form pattern. **

Cont in patt until Back measures 6 [7:8:9] in or 15 [18:20:23] cm from beg, ending with a right side row.

Divide for Back Opening

Next row: Work 23 [26:29:32], cast off next 3 sts, work to end.

Keeping patt correct, cont on first set of sts for 2½ in or 6 cm, ending at side edge.

Shape Shoulder

Next row: Cast off 7 [9:10:11] sts, patt to end.

Next row: Patt to end.

Next row: Cast off 7 [8:9:10] sts, patt to end.

Next row: Patt to end.

Leave rem 9 [9:10:11] sts on a stitch holder.

Rejoin yarn to rem 23 [26:29:32] sts and complete to match first side of back.

FRONT

Work as for Back from ** to **.

Cont in patt until Front measures 7 [8:8½:9½] in or 18 [20:22:24] cm from beg, ending with a wrong side row.

Shape Neck

Next row: Work 19 [22:24:26] sts and turn, leaving rem sts on a spare needle.

Keeping patt correct, dec 1 st at neck edge on next 3 rows then 1 st at this same edge on foll 2 alt rows. (14 [17:19:21] sts)

Work straight until Front matches Back to shoulder, ending at side edge.

Shape Shoulder

Next row: Cast off 7 [9:10:11] sts, patt to end.

Work 1 row then cast off rem 7 [8:9:10] sts.

Slip centre 11 [11:13:15] sts onto a stitch holder, rejoin yarn to rem 19 [22:24:26] sts and work to end.

Complete to match first side of neck, reversing shaping.

SLEEVES

With No 3¼ mm needles, cast on 27 [29:33:35] sts and work 8 rows in rib as given for Back, inc 1 st at beg of last row.

Change to No 4 mm needles and cont in st st (1 row k, 1 row p), starting with a k row, inc 1 st at each end of 3rd and every foll 4th [6th:6th:5th] row until there are 36 [40:44:50] sts on the needle.

Work straight until Sleeve measures 4½ [5:5½:6] in or 11 [13:14:15] cm from beg, ending with a p row. (Adjust length at this point if required) Cast off loosely.

NECKBAND

Sew shoulder seams. With right side of work facing and using No 3¼ mm needles, k across 9 [9:10:11] sts of Left Back, pick up and k 10 [11:14:14] sts down left side of neck, k across 11 [11:13:15] sts at centre front, pick up and k 10 [11:14:14] sts up right side of neck then k across 9 [9:10:11] sts of Right Back. (49 [51:61:65] sts)

Work 6 rows in rib as given for Back, starting with a 2nd row. Cast off neatly in rib.

BUTTONHOLE BAND

With right side of work facing and using No 3¼ mm needles, pick up and k 24 sts evenly down right side of back opening and knit one row.

Buttonhole row: K2, * yf, k2tog, k5, rep from * twice more, k1.

Knit 2 rows then cast off knitwise.

BUTTON BAND

With right side of work facing and using No 3¼ mm needles, pick up and k 24 sts evenly up left side of back opening and knit 4 rows. Cast off knitwise.

MAKE UP

Do not press. Place coloured marker threads 3 [3½:4:4½] in or 8 [9:10:11] cm either side of shoulder seams. Set in sleeves between markers, placing centre of sleeve to shoulder then sew side and sleeve seams. Sew ends of Bands neatly in place to cast off sts at base of opening. Sew on buttons.

TROUSERS

LEFT LEG

With No 3¼ mm needles, cast on 39 [43:49:53] sts and work 15 rows in rib as given for Back of Sweater.

Inc row: Rib 3 [3:5:4], (inc in next st, rib 1, inc in next st) 11 [12:13:15] times, rib 3 [4:5:4]. (61 [67:75:83] sts)

Change to No 4 mm needles and cont in st st (1 row k, 1 row p), starting with a k row until work measures 8 [8½:9:9½] in or 20 [22:23:24] cm from beg, ending with a p row. (Adjust length at this point if required)

Shape Crotch

Cast off 2 [3:4:4] sts at beg of next 2 rows. (57 [61:67:75] sts) **

Work straight for 6 [6½:7:7½] in or 15 [17:18:19] cm, ending with a p row. (Adjust length at this point if required)

Shape Back

1st row: K 27 [30:33:37] sts and turn.

2nd and every alt row: P to end.

3rd row: K 22 [24:26:29] sts and turn.

5th row: K 17 [18:19:21] sts and turn.

7th row: K 12 [12:12:13] sts and turn.

8th row: P to end.

9th row: K across all sts.

*** **Dec row:** P 5 [2:1:4], p2tog, (p 3 [4:5:3], p2tog) 9 [9:9:13] times, p 5 [3:1:4]. (47 [51:57:61] sts)

Change to No 3¼ mm needles and work 1 inch or 3 cm in rib as given for Back of Sweater.

Cast off loosely in rib. ***

RIGHT LEG

Follow instructions for Left Leg to **. Work straight for 6 [6½:7:7½] in or 15 [17:18:19] cm, ending with a k row. (Adjust length at this point if required)

Shape Back

1st row: P 27 [30:33:37] sts and turn.

2nd and every alt row: K to end.

3rd row: P 22 [24:26:29] sts and turn.

5th row: P 17 [18:19:21] sts and turn.

7th row: P 12 [12:12:13] sts and turn.

8th row: K to end.

Complete as for Left Leg from *** to ***.

MAKE UP

Do not press. Sew front, back and inside leg seams. Join elastic to fit waist then sew inside waist rib, using a herringbone stitch over elastic to form casing.