

# Cleckheaton

*Little Girls 5 plys*   
2 Designs



## MEASUREMENTS

|                     | 1    | 2  | 3    | 4  | 6  | year/s |
|---------------------|------|----|------|----|----|--------|
| To Fit Chest:       | 52.5 | 55 | 57.5 | 60 | 65 | cm     |
| Actual Measurement: | 62   | 66 | 69   | 72 | 79 | cm     |
| Length:             | 26   | 28 | 30   | 32 | 36 | cm     |
| Sleeve Length:      | 21   | 23 | 25   | 28 | 33 | cm     |

## MATERIALS

Cleckheaton Machinewash 5 ply (50g balls)

Quantity 4 5 5 6 7 balls

One pair 3.75mm knitting needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION; a 3.25mm crochet hook; knitter's needle for sewing seams; 3 (3-4-4-4) crochet buttons.

## TENSION

This garment has been designed at a tension of 26 sts and 34.5 rows to 10cm over stocking st, using 3.75mm needles.

## BACK

Using 3.75mm needles, cast on 83 (87-91-95-105) sts.

Work 4 rows purl fabric (refer abbreviations).

Work in stocking st until work measures 7.5 (9-10.5-11-14) cm from beg, ending with a purl row. \*\*

## Shape Armholes:

Cast off 2 sts at beg of next 2 rows ... 79 (83-87-91-101) sts.

Dec one st at each end of next and foll alt rows until 71 (75-79-81-91) sts rem.

Work 41 (43-45-47-51) rows.

## Shape Shoulders:

Cast off 8 (8-9-9-10) sts at beg of next 4 rows, then 7 (9-9-9-11) sts at beg of foll 2 rows. Cast off rem 25 (25-25-27-29) sts loosely.

## LEFT FRONT

Using 3.75mm needles, cast on 41 (43-45-47-52) sts.

Work as given for Back to \*\*.

## Shape Armhole:

\*\*\* Cast off 2 sts at beg of next row ... 39 (41-43-45-50) sts.

Work 1 row.

Dec one st at armhole edge in next and foll alt rows 4 (4-4-5-5) times in all, AT SAME TIME, dec one st at neck edge in next and foll 4th rows until 24 (27-30-30-34) sts rem, then in foll 6th row/s until 23 (25-27-27-31) sts rem. \*\*\*

Work 1 row.

## Shape Shoulder:

Cast off 8 (8-9-9-10) sts at beg of next and foll alt row.

Work 1 row. Cast off rem 7 (9-9-9-11) sts.

## RIGHT FRONT

Using 3.75mm needles, cast on 41 (43-45-47-52) sts.

Work as given for Back to \*\*.

Work 1 row.

## Shape Armhole:

Work as given for Left Front from \*\*\* to \*\*\*.

Work 2 rows.

## Shape Shoulder:

Complete as given for Left Front Shoulder shaping.

## SLEEVES

Using 3.75mm needles, cast on 39 (43-43-45-47) sts.

Work 4 rows purl fabric, noting to inc one st at each end of 3rd row.

Work in stocking st, inc one st at each end of next and foll alt rows until there are 65 (61-53-59-53) sts, then in foll 4th rows until there are 73 (75-77-85-91) sts.

Cont (without further shaping) until work measures 16 (18-21-23-28) cm from beg, ending with a purl row.

## Shape Top:

Cast off 2 sts at beg of next 2 rows ... 69 (71-73-81-87) sts.

Dec one st at each end of next and foll alt rows until 61 (63-65-71-77) sts rem.

Work 1 row.

Cast off 7 (7-8-8-9) sts at beg of next 4 rows, then 7 (8-7-7-8) sts at beg of foll 2 rows. Cast off rem 19 (19-19-25-25) sts loosely.

## POCKETS (make 2)

Using 3.75mm needles, cast on 23 sts.

Work in purl fabric until pocket measures 7.5cm from beg, ending with a knit row. Cast off loosely purlwise.

## LOWER BAND EDGING

Join shoulder and side seams.

Using 3.75mm needles, cast on 9 sts, note that due to the make and lose nature of the pattern, stitches should only be counted after the 1st and 12th rows. (Working from Graph - refer page 2)

1st Row: Knit.

2nd Row: K3, (K2tog, yfwd) twice, K1, yfwd, K1. (Thus completing rows 1 and 2 of Graph).

Work rows 3 to 12 of Graph.

Rows 1 to 12 incl form patt for edging, rep rows 1 to 12 incl until work measures length required to fit around lower edge of Cardigan, ending with a 12th patt row. Sew edging to lower edge of cardigan.

## SLEEVE EDGING (make 2)

Work as given for Lower Band edging until work measures length required to fit around edge of Sleeves. Sew edging to lower edge of sleeve.

## COLLAR EDGING

Work as given for Lower Band edging until work measures length required to fit around edge of Neck. (Collar is to be knitted on when Front Bands are worked).

## POCKET EDGING

Work as given for Lower Band edging until work measures length required to fit across top of pockets. Sew edging to tops of pockets, noting that purl fabric is to be placed in front.

## FRONT BAND

Pin Collar in position noting to place side edges of collar to beg of front slope shaping. With right side facing, using 3.75mm needles and working through both thicknesses together (collar and garment - thus fastening collar to garment) knit up 27 (33-35-37-45) sts evenly to beg of front slope shaping, 49 (51-53-58-61) sts to centre of Back Neck, 50 (52-54-59-62) sts to end of front slope shaping, 27 (33-35-37-45) sts to end of front edge ... 153 (169-177-191-213) sts.

Knit 1 row.

Next Row: P3, P2tog, ym (to make a stitch), \* P7 (10-7-8-10),

P2tog, ym (to make a st), rep from \* 1 (1-2-2-2) time/s, purl to end ... 3 (3-4-4-4) buttonholes

Knit 1 row. Cast off loosely purlwise.


## CROCHET BUTTONS (make 3 (3-4-4-4))

Using 3.00mm hook, make 2ch (leaving an end 10cm long), work 6 htr in first ch, join with sl st into first htr, 1ch, 1htr, in each htr to end, sl st into first htr.

Fasten off, leaving an end 20cm long. Turn button inside out. Fill button with 10cm long end and then using 20cm end close opening. DO NOT BREAK OFF YARN, leave end until required for attaching buttons.

## TO MAKE UP

Sew in sleeves. Sew pockets in position, placing each pocket in centre of each front as illustrated. Sew on buttons.



#### Key

- = Knit st on odd numbered rows (right side),
- = Knit st on even numbered rows (wrong side).
- ⧏ = K2tog.
- ⊖ = Yfwd.
- ⧏ = K3tog.

#### Note 1:

When working from Graph, read odd numbered rows (right side) from right to left and even numbered rows (wrong side) from left to right.

#### Note 2:

Due to the nature of this pattern, sts should only be counted after the first and the 12th rows.

### KNITTING ABBREVIATIONS

**alt** = alternate; **beg** = begin/ning; **ch** = chain; **cm** = centimetres; **cont** = continue; **dec** = decrease, decreasing; **fol** = follows, following; **htr** = half treble; **inc** = increase, increasing; **incl** = inclusive, including; **K** = Knit; **0** = (zero) - no sts, rows or times; **P** = Purl; **patt** = pattern; **psso** = pass slipped st over; **purl fabric** (reverse stocking st) = 1 row purl (right side), 1 row knit (wrong side); **rem** = remain/ing; **rep** = repeat; **sl** = slip; **st/s** = stitch/es; **stocking st** = 1 row knit, 1 row purl; **tog** = together; **yfwd** = yarn forward - bring yarn under needle, then over into knitting position again, thus making a st; **yrn** = yarn round needle - take yarn right around needle into purling position, thus making a st.

 If you need help with your pattern please phone  
(03) 380 3888 or Toll free 1800 337032.

Children's wear by



### EMBROIDERY STITCHES



Lazy Daisy



French Knots



Cross Stitch

#### Suggested International Knitting Needle Equivalents

| Canadian & Old UK Size | 000 | 00 | 0  | 1      | 2  | 3   | 4 | 5   | 6 | 7   | 8 | 9    | 10   | 11 | 12   | 13   | 14 |
|------------------------|-----|----|----|--------|----|-----|---|-----|---|-----|---|------|------|----|------|------|----|
| Metric Size            | 10  | 9  | 8  | 7.5    | 7  | 6.5 | 6 | 5.5 | 5 | 4.5 | 4 | 3.75 | 3.25 | 3  | 2.75 | 2.25 | 2  |
| US Size                | 15  | 13 | 11 | 10 1/2 | 10 | 9   | 8 | 7   | 6 | 5   | 4 | 3    | 3    | 2  | 1    | 0    |    |



(A DIVISION OF AUSTRALIAN COUNTRY SPINNERS PTY. LTD.)  
314 - 320 ALBERT STREET, BRUNSWICK, VIC. 3056  
A.C.N. 006 290 713

This publication is protected by copyright. Reproduction in any form (including photocopying) without prior permission from Australian Country Spinners will lead to proceedings being brought to restrain any infringement. The only exception is photocopying to enlarge graphs.

We have made every effort to ensure that these instructions are accurate and complete. We cannot, however, be responsible for variations in individual work, human error or typographical mistakes.

### Shape Shoulder:

Work as given for Left Front shoulder shaping.

### SLEEVES

Using 3.00mm needles, cast on 46 (46-50-50-50) sts.

**1st Row:** K2, \* P2, K2, rep from \* to end.

**2nd Row:** P2, \* K2, P2, rep from \* to end.

Rep last 2 rows 4 times inc 2 (2-0-2-2) sts evenly across last row (10 rows rib in all) ... 48 (48-50-52-52) sts.

Change to 3.75mm needles and **Beg Main Patt.**

Work in patt from Graph A as indicated for Sleeves, **AT SAME TIME** working extra sts into patt as they become available, inc one st at each end of 3rd and foll alt (alt-alt-4th-4th) rows until there are 62 (64-58-90-92) sts, then in foll 4th (4th-4th-6th-6th) rows until there are 82 (86-88-92-98) sts.

Cont in patt (without further inc) until work measures 21 (23-25-28-33) cm from beg, working last row on wrong side.

### Shape Top:

Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 78 (82-84-88-94) sts.

Dec one st at each end of next and foll alt rows until 70 (74-74-78-82) sts rem.

Work 1 row patt.

Cast off 6 (7-6-7-7) sts at beg of next 6 rows, then 7 (6-7-6-8) sts at beg of foll 2 rows. Cast off rem 20 (20-24-24-24) sts.

### RIGHT FRONT BAND

With right side facing and using 3.00mm needles, knit up 78 (82-82-90-98) sts evenly along right front edge.

Work 5 rows rib as given for Sleeves, beg with a 2nd row.

**6th Row:** Rib 2, \* rib 2tog, yrn (to make a st), rib 16 (17-17-19-21), rep from \* 3 times, rib 2tog, yrn (to make a st), rib 2 ... 5 buttonholes. Work 5 rows rib. Cast off loosely in rib.

### LEFT FRONT BAND

Work as given for Right Front band, omitting buttonholes.

### COLLAR

Using 3.00mm needles, cast on 82 (96-96-110-110) sts.

**1st Row:** K2, P2, K4, P2, \* K2, P2, K2, P2, K4, P2, rep from \* to last 2 sts, K2.

**2nd Row:** P2, \* K2, P4, K2, P2, K2, P2, rep from \* to last 10 sts, K2, P4, K2, P2 (thus completing rows 1 and 2 of Graph B).

Work rows 3 to 10 incl from Graph B.

Rows 7 to 10 incl form patt for rem.

Work 12 rows patt.

**Next Row:** Keeping patt correct, patt 2tog, patt 8, \* (patt 2tog) 3 times, patt 8, rep from \* to last 2 sts, patt 2tog ... 65 (76-76-87-87) sts.

Keeping cables correct, work 1 row patt.

Cast off 6 (8-8-9-9) sts at beg of next 4 rows then 7 (8-8-10-10) sts at beg of foll 2 rows. Cast off rem 27 (28-28-31-31) sts.


### CROCHET BUTTONS (make 5)

Refer Design 1.

### TO MAKE UP

Using DMC stranded cotton, "Lazy Daisy", "French Knots" and "Cross Stitch" (work over 2 sts and 2 rows) - refer page 2, embroider alternate squares as illustrated on Back and Fronts. Join shoulder seams. Join side and sleeve seams. Sew in sleeves. Sew collar in position, reversing seam and noting to beg in centre of Left Front band and ending at centre of Right Front Band, easing fullness into back neck if necessary. Sew on buttons.

Graph A




### For each row:

Beg at appropriate edge of size being knitted and work to beg of rep, work rep until the number of sts after rep rem, then cont to end of row.

### Note:

When working from Graph, read odd numbered rows (right side) from right to left and even numbered rows (wrong side) from left to right.

Graph B



**KEY** Shaded area represents stitch repeat.

□ = Knit st on odd numbered rows (right side), Purl st on even numbered rows (wrong side).

■ = Purl st on odd numbered rows (right side), Knit st on even numbered rows (wrong side).

▨ = C4F - Slip next 2 sts onto cable needle and leave at front of work, K2, then K2 sts from cable needle.

## MEASUREMENTS

|                     | 1    | 2  | 3    | 4  | 6  | years |
|---------------------|------|----|------|----|----|-------|
| To Fit Chest:       | 52.5 | 55 | 57.5 | 60 | 65 | cm    |
| Actual Measurement: | 62   | 66 | 69   | 72 | 79 | cm    |
| Length:             | 28   | 30 | 32   | 34 | 38 | cm    |
| Sleeve Length:      | 21   | 23 | 25   | 28 | 33 | cm    |

## MATERIALS

**Cleckheaton Machinewash 5 ply** (50g balls)

Sleeve Length: 5 6 6 7 8 cm

One pair each 3.00mm and 3.75mm knitting needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION; a cable needle; knitters needle for sewing seams and embroidery; DMC stranded cotton for embroidery; a 2.75mm crochet hook; 5 crochet buttons.

## TENSION

This garment has been designed at a tension of 30 sts and 34.5 rows to 10cm over patt, using 3.75mm needles.

## BACK

Using 3.00mm needles, cast on 98 (98-106-110-118) sts and **Beg Lower Band Patt.**

**1st Row:** K0 (0-0-2-2), P2, (K2, P2) 0 (0-1-1-2) time/s, \* K4, (P2, K2) 3 times, P2, rep from \* to last 6 (6-10-12-16) sts, K4, P2, (K2, P2) 0 (0-1-1-2) time/s, K0 (0-0-2-2).

**2nd Row:** P0 (0-0-2-2), K2, (P2, K2) 0 (0-1-1-2) time/s, \* P4, (K2, P2) 3 times, K2, rep from \* to last 6 (6-10-12-16) sts, P4, K2, (P2, K2) 0 (0-1-1-2) time/s, P0 (0-0-2-2).

**3rd Row:** K0 (0-0-2-2), P2, (K2, P2) 0 (0-1-1-2) time/s, \* "C4F" (refer key for Graphs), (P2, K2) 3 times, P2, rep from \* to last 6 (6-10-12-16) sts, "C4F", P2, (K2, P2) 0 (0-1-1-2) time/s, K0 (0-0-2-2).

**4th Row:** As 2nd row.

Last 4 rows form Lower Band Patt.

Work a further 10 rows Lower Band Patt, dec (inc-inc-inc-inc) 1 (1-0-0-1) sts at each end of last row ... 96 (100-106-110-120) sts.

Change to 3.75mm needles and **Beg Main Patt** (working from Graph A - refer page 3):

**1st Row:** K0 (1-4-6-0), P1 (2-2-2-0), "C4F" 1 (1-1-1-0) time/s, P2 (2-2-2-1), \* K10, P2, "C4F", P2, rep from \* to last 17 (1-4-6-11) sts, K10 (1-4-6-10), P2 (0-0-0-1), ("C4F", P1) 1 (0-0-0-0) time/s.

**2nd Row:** (K1, P4) 1 (0-0-0-0) time/s, K2 (0-0-0-1), P10 (1-4-6-10), \* K2, P4, K2, P10, rep from \* to last 7 (9-12-14-1) sts, K2 (2-2-2-1), (P4) 1 (1-1-1-0) time/s, K1 (2-2-2-0), P0 (1-4-6-0), (thus completing rows 1 and 2 of Graph A).

Work rows 3 to 16 incl from Graph A.

Rows 1 to 16 incl form main patt.

Cont in main patt until work measures 13.5 (15-16.5-18-21) cm from beg, working last row on wrong side.

## Shape Armholes:

Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 92 (96-102-106-116) sts.

Dec one st at each end of next and foll alt rows until 84 (88-92-96-104) sts rem.

Work a further 41 (43-43-45-45) rows patt.

## Shape Shoulders:

Keeping patt correct, cast off 7 (7-8-8-9) sts at beg of next 6 rows, then 8 (9-8-10-10) sts at beg of foll 2 rows. Cast off rem 26 (28-28-28-30) sts.

## LEFT FRONT

Using 3.00mm needles, cast on 47 (47-51-53-57) sts and **Beg Lower Band Patt.**

**1st Row:** K0 (0-0-2-2), P2, (K2, P2) 0 (0-1-1-2) time/s, \* K4, (P2, K2) 3 times, P2, rep from \* to last 9 sts, K4, P2, K2, P1.

**2nd Row:** K1, P2, K2, P4, \* K2, (P2, K2) 3 times, P4, rep from \* to last 2 (2-6-8-12) sts, K2, (P2, K2) 0 (0-1-1-2) time/s, P0 (0-0-2-2).

**3rd Row:** K0 (0-0-2-2), P2, (K2, P2) 0 (0-1-1-2) time/s, \* "C4F", (P2, K2) 3 times, P2, rep from \* to last 9 sts, "C4F", P2, K2, P1.

**4th Row:** As 2nd row.

Last 4 rows form Lower Band Patt for Left Front.

Work a further 9 rows Lower Band Patt.

**Next Row** (wrong side): Inc one st in each of first 2 sts, patt to last 2 (1-0-0-1) st/s, (patt 2tog) 1 (0-0-0-0) time/s, (inc once in last st) 0 (1-0-0-1) time/s ... 48 (50-53-55-60) sts.

Change to 3.75mm needles and **Beg Main Patt.**

Work in main patt from Graph A, as indicated for Left Front until work measures same as Back to armholes, thus working last row on wrong side.

## Shape Armhole:

Keeping patt correct, cast off 2 sts at beg of next row ... 46 (48-51-53-58) sts.

Dec one st at armhole edge in alt rows until 42 (44-46-48-52) sts rem. Work a further 24 rows patt.

## Shape Neck:

Keeping patt correct, cast off 6 (7-7-7-8) sts at beg of next row ... 36 (37-39-41-44) sts.

Dec one st at neck edge in next and foll alt rows until 30 (32-34-37-40) sts rem, then in foll 4th row/s until 29 (30-32-34-37) sts rem.

Work 1 row patt.

## Shape Shoulder:

Keeping patt correct, cast off 7 (7-8-8-9) sts at beg of next row and foll alt rows, 3 times in all.

Work 1 row patt. Cast off rem 8 (9-8-10-10) sts.

## RIGHT FRONT

Using 3.00mm needles, cast on 47 (47-51-53-57) sts and **Beg Lower Band Patt.**

**1st Row:** P1, K2, P2, K4, \* P2, (K2, P2) 3 times, K4, rep from \* to last 2 (2-6-8-12) sts, P2, (K2, P2) 0 (0-1-1-2) time/s, K0 (0-0-2-2).

**2nd Row:** P0 (0-0-2-2), K2, (P2, K2) 0 (0-1-1-2) time/s, \* P4, (K2, P2) 3 times, K2, rep from \* to last 9 sts, P4, K2, P2, K1.

**3rd Row:** P1, K2, P2, "C4F", \* P2, (K2, P2) 3 times, "C4F", rep from \* to last 2 (2-6-8-12) sts, P2, (K2, P2) 0 (0-1-1-2) time/s, K0 (0-0-2-2).

**4th Row:** As 2nd row.

Last 4 rows form Lower Band Patt for Right Front.

Work a further 9 rows Lower Band Patt.

**Next Row** (wrong side): Inc in first st 0 (1-0-0-1) time/s, (patt 2tog) 1 (0-0-0-0) time/s, patt to last 2 sts, inc one st in each of last 2 sts ... 48 (50-53-55-60) sts.

Change to 3.75mm needles and **Beg Main Patt.**

Work in patt from Graph A as indicated for Right Front, until work measures same as Back to armholes, thus working last row on wrong side.

Work 1 row patt.

## Shape Armhole:

Keeping patt correct, cast off 2 sts at beg of next row ... 46 (48-51-53-58) sts.

Dec one st at armhole edge in next and foll alt rows until 42 (44-46-48-52) sts rem.

Work a further 23 rows patt.

## Shape Neck:

Keeping patt correct, cast off 6 (7-7-7-8) sts at beg of next row ... 36 (37-39-41-44) sts.

Dec one st at neck edge in foll alt rows until 30 (32-34-37-40) sts rem, then in foll 4th rows until 29 (30-32-34-37) sts rem.

Work 2 rows patt.

continued on page 3

# Cleckheaton

*Little Girls 5 plys*   
2 Designs

