

Cleckheaton

Kids Knits 5


IN 5 AND 8 PLY MACHINEWASH




MADE IN NEW ZEALAND















Cleckheaton

Kids Knits 5

IN 5 AND 8 PLY MACHINEWASH

THE NEW HAND KNIT BALL RATING - TO HELP YOU TO CHOOSE THE PATTERN SUITED TO YOUR KNITTING ABILITY.



One ball says this is a beginner level of knitting. Knit and Purl stitches, casting on and off and some basic increasing and decreasing.



Two balls mean easy knits, with knit-purl stitch patterns, simple lace patterns (no shaping in the lace), slip-stitch patterns, and cables.



Three balls are advanced knitters requiring some specialised knowledge, such as Fair Isle, Aran and more complicated lace patterns.



Four balls signal a *challenge knit*. There can be make-and-lose patterns, complicated shaping, and any technique that requires a higher level of concentration.

- P This letter P after any ball grouping suggests that an additional degree of patience is required for a quality finish.

These ball ratings will now be on all new and reprinted Cleckheaton books and leaflets.

This system has been developed to give the knitter a better understanding of the comparable ease or complexity which would be experienced in knitting any one design.

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....	CM	61	66	71
	INS	24	26	28
Actual Measurement	CM	71	75	81
Length to Back Neck	CM	41	44	48
Sleeve Seam	CM	26	31	36

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 5 Ply Machine Wash (50g) Balls	Blue	MC	6	7	8
	White	C1	2	2	2
	Taupe	C2	1	1	1
	Dark Pink	C3	1	1	1
	Pale Pink	C4	1	1	1

1 Pr each 3.75 mm (No. 9), 3 mm (No. 11) and 1 set of 3 mm (No. 11) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders. Bobbins. Tapestry Needle for Embroidery.

TENSION:

This garment has been designed at a tension of - 26 sts to 10 cm over st st, using 3.75 mm needles.

Note: When working in Fair Isle DO NOT WEAVE colours but carry colours not in use **loosely** across on wrong side of work. Always carry colours to end of row.

NOTE:

When changing colours in centre of row, twist the colour to be used underneath and to the right of colour just used, making sure both yarns are worked firmly at joins. Always change colours on wrong side of work so colour change does not show on right side. Use a separate ball of yarn for each section of colour. We suggest using bobbins. Wind a quantity of yarn around bobbin and place end through slot to hold.

Unwind only enough yarn to knit required sts, then place yarn in slot, keeping bobbin close to work.

BACK:

Using 3 mm needles and MC, cast on 87 (93, 101) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row. 93 (99, 107) sts.

Change to 3.75 mm needles.

Using C1, work 18 rows st st (1 row K, 1 row P). **

Work rows 1 to 8 inclusive from Graph.

Using C1, work 8 rows st st.

Using MC, cont in st st until work measures 40 (43, 47) cm from beg, ending with a purl row.

SHAPE SHOULDERS:

Cast off 11 (12, 13) sts at beg of next 4 rows, then 12 (12, 13) sts at beg of foll 2 rows.

Leave rem 25 (27, 29) sts on a stitch holder.

FRONT:

Work as for Back to **.

Work rows 1 to 64 inclusive from Graph.

Using MC, cont in st st until there are 24 (26, 28) rows less than Back to shoulder shaping.

SHAPE NECK:

Next Row: K40 (43, 47) turn.

*** Dec one st at neck edge in foll alt rows until 34 (36, 39) sts rem.

Work 11 rows. ***

SHAPE SHOULDER:

Cast off 11 (12, 13) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

Slip next 13 sts onto a stitch holder and leave.

Join yarn to rem sts and knit to end.

Rep from *** to ***.

Work 1 row.

SHAPE SHOULDER:

Complete as for other shoulder

KNITTING ABBREVIATIONS

K = Knit. **P** = Purl. **sl** = Slip. **passo** = Pass slipped stitch/sover. **tbl** = Through back of loop/s. **ybk** = Yarn back - take yarn under needle from purling position to knitting position. **yft** = Yarn front - bring yarn under needle from knitting position to purling position. **yftwd** = Yarn forward - bring yarn under needle, then over into knitting position again, thus making a stitch. **yon** = Yarn over needle - take yarn over top of needle into knitting position, thus making a stitch. **yrn** = Yarn Round Needle - bring yarn under needle into purling position, then take yarn right around needle back into purling position, thus making a stitch. **Alt** = Alternate. **approx** = Approximately. **beg** = Begin or beginning. **cm** = Centimetre/s. **cont** = Continue. **dec** = Decrease/s, decreasing. **foll** = Following. **inc** = Increase/s, increasing. **incl** = Including. **ins** = Inches. **mm** = Millimetres. **patt** = Pattern. **Pr** = Pair. **rem** = Remain, remaining. **rep** = Repeat. **st st** = Stocking stitch. **st/s** = Stitch/es. **tog** = Together. **0** = No. sts or times.

CROCHET ABBREVIATIONS

ch = Chain. **sp** = Space. **sl** = Slip. **st** = Stitch. **sl st** = Slip stitch. **yoh** = Yarn over hook. **dc** = Double crochet. **tr** = Treble. **htr** = Half treble. **dtr** = Double treble. **tr** = Triple treble.

SLEEVES:

Using 3 mm needles and MC, cast on 45 (47, 49) sts.

Work in rib as for lower band of Back until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row. 51 (53, 55) sts.

Change to 3.75 mm needles.

Cont in st st, inc one st at each end of 5th row and foll 6th (6th, 4th) rows until there are 63 (79, 77) sts, **1st and 3rd sizes only** – then in foll 8th (6th) rows until there are 69 (93) sts.

Cont without shaping until side edge measures 26 (31, 36) cm from beg, ending with a purl row.

SHAPE TOP:

Cast off 9 (11, 13) sts at beg of next 4 rows, then 9 (10, 13) sts at beg of foll 2 rows.

Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams.

With right side facing, using set of 3 mm needles and MC, knit up 86 (92, 98) sts evenly around neck edge, including sts from stitch holders.

1st Round: * K1, P1, rep from * to end.

Rep 1st round until neckband measures 2 cm from beg.

Cast off **loosely** in rib.



TO MAKE UP:

With a slightly damp cloth and warm iron, press lightly.

Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams.

Join side and sleeve seams.

Using C1 and knitting stitch, embroider flecks on Back, Front and Sleeves at random as illustrated.



② Child's Jumper with Seal

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm	CM	61	66	71
	INS	24	26	28
Actual Measurement	CM	71	77	83
Length to Back Neck (approx.)	CM	39	43	47
Sleeve Seam (approx.)	CM	27	32	36

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 8 Ply Machine Wash (50g) Balls	Blue MC	4	4	5
	Yellow C1	1	2	2
	Jade C2	1	1	1
	White C3	1	1	1
	Red C4	Small Quantity		
	Black C5	Small Quantity		

1 Pr each 4 mm (No. 8), 3.25 mm (No. 10) and 1 set of 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders. Bobbins. Tapestry Needle for Embroidery.

TENSION:

This garment has been designed at a tension of - 22 sts to 10 cm over st st, using 4 mm needles.

NOTE:

When changing colours in centre of row, twist the colour to be used underneath and to the right of colour just used, making sure both yarns are worked firmly at joins. Always change colours on wrong side of work so colour change does not show on right side. Use a separate ball of yarn for each section of colour. We suggest using bobbins. Wind a quantity of yarn around bobbin and place end through slot to hold.

Unwind only enough yarn to knit required sts, then place yarn in slot, keeping bobbin close to work.

BACK:

Using 3.25 mm needles and C1, cast on 79 (85, 93) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 4 (5, 5) cm from beg, ending with a 2nd row.

Change to 4 mm needles.

Work 2 (8, 20) rows st st (1 row K, 1 row P). **

Work rows 1 to 88 inclusive from Graph A, noting to read odd numbered rows (knit rows) from **left to right**, and even numbered rows (purl rows) from **right to left**, omitting Seal and Ball (broken lines indicate outlines of sections for Back only).

Using MC, work 16 (18, 20) rows st st.

SHAPE SHOULDERS:

Cast off 9 (10, 11) sts at beg of next 4 rows, then 10 (10, 11) sts at beg of foll 2 rows.

Leave rem 23 (25, 27) sts on a stitch holder.

FRONT:

Work as for Back to **.

Work rows 1 to 88 inclusive from Graph A, noting to read odd numbered rows (knit rows) from **right to left**, and even numbered rows (purl rows) from **left to right**, including Seal and Ball.

SHAPE NECK:

Using MC, **Next Row:** K33 (36, 40), turn.

*** Dec one st at neck edge in alt rows until 28 (30, 33) sts rem.

Work 5 rows. ***

SHAPE SHOULDER:

Cast off 9 (10, 11) sts at beg of next row and foll alt row.

Work 1 row. Cast off.

Slip next 13 sts onto a stitch holder and leave.

Join yarn to rem sts and knit to end.

Rep from *** to ***.

Work 1 row.

SHAPE SHOULDER:

Complete as for other shoulder.

SLEEVES:

Using 3.25 mm needles and MC, cast on 33 (35, 37) sts.

Work 4 (5, 5) cm rib as for lower band of Back, ending with a 1st row.

Next Row: Rib 1 (2, 3), inc in next st, * rib 1, inc in next st, rep from * to last 1 (2, 3) st/s, rib 1 (2, 3).

49 (51, 53) sts.

Change to 4 mm needles and beg patt.

Work 46 rows st st, inc one st at each end of 5th row and foll 8th (6th, 6th) rows until there are 57 (65, 67) sts, **1st size only** - then in foll 10th row once.

NOTE:

When working from Graph B for Sleeves, read odd numbered rows (knit rows) from **right to left**, and even numbered rows (purl rows) from **left to right**.

Work rows 1 to 22 (36, 48) inclusive from Graph B, AT SAME TIME inc one st at each end of 3rd (3rd, next) row and foll 10th (8th, 6th) row/s until there are 63 (73, 79) sts, **3rd size only** - then in foll 8th row once.

SHAPE TOP:

Keeping Graph B correct, cast off 8 (9, 10) sts at beg of next 6 rows.

Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, using set of 3.25 mm needles and MC, beg at left shoulder seam and knit up 70 (76, 82) sts evenly around neck edge, including sts from stitch holders.

1st Round: * K1, P1, rep from * to end.

Rep 1st round until Neckband measures 5 cm from beg.


Cast off loosely in rib.

TO MAKE UP:


Tie coloured threads 14 (16, 18) cm down from each shoulder seam. Using back stitch, sew in sleeves evenly between coloured threads, placing centre of sleeves to shoulder seams. Join side and sleeve

seams. Fold Neckband in half onto wrong side and slip stitch in position. Using knitting stitch and C5, embroider Seal's eye and nose. Using stem stitch and C5, embroider outline of Seal and Ball.


GRAPH A



GRAPH B



2



3 Kid's Paint Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....	CM	56	61	66	71
	INS	22	24	26	28
Actual Measurement.....	CM	62	69	76	83
Length to Back Neck (approx.).....	CM	37	41	45	49
Sleeve Seam (approx.).....	CM	22	27	32	37

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 8 Ply Machine Wash (50g) Balls:.....	MC	6	7	7	8
	C1	1	2	2	2
	C2	1	1	2	2
	C3	1	1	1	1

1 Pr each 3.25 mm (No. 10), 4 mm (No. 8) and 1 set 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders. Tapestry Needle for Embroidery. Bobbins.

TENSION:

This garment has been designed at a tension of - 22 sts to 10 cm over st st, using 4 mm needles.

BACK:

Using 3.25 mm needles and MC, cast on 63 (71, 77, 85) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 6 (8, 9, 9) times more, inc 6 (6, 8, 8) sts evenly across last row.

69 (77, 85, 93) sts.

Change to 4 mm needles.

NOTE:

When changing colours in centre of row, twist the colour to be used underneath and to the right of colour just used, making sure both yarns are worked firmly at joins. Always change colours on wrong side of work so colour change does not show on right side.

Use a separate ball of yarn for each section of colour. We suggest using bobbins. Wind a quantity of yarn around bobbin and place end through slot to hold. Unwind only enough yarn to knit required sts, then place yarn in slot, keeping bobbin close to work. ** Work rows 1 to 98 (106, 116, 128) inclusive from Graph A.

SHAPE SHOULDERS:

Cast off 8 (9, 11, 12) sts at beg of next 4 rows, then 9 (10, 10, 11) sts at beg of foll 2 rows.

Leave rem 19 (21, 21, 23) sts on a stitch holder.

FRONT:

Work as for Back to **.

Work rows 1 to 78 (86, 96, 106) inclusive from Graph A.

SHAPE NECK:

Keeping Graph A correct, **Next Row:** Patt 29 (33, 37, 40), turn.

Dec one st at neck edge in foll alt rows 4 (5, 5, 5) times.

25 (28, 32, 35) sts.

Work 11 (9, 9, 11) rows.

SHAPE SHOULDER:

Cast off 8 (9, 11, 12) sts at beg of next row and foll alt row.

Work 1 row. Cast off.

Slip next 11 (11, 11, 13) sts at centre front onto a stitch holder and leave. Join yarn to rem sts and complete to correspond with other side, noting to work 1 row more before shaping shoulder.

SLEEVES:

Using 3.25 mm needles and MC, cast on 35 (37, 39, 41) sts.

Work 14 (16, 16, 16) rows in rib as given for lower band of Back, inc 6 (8, 8, 8) sts evenly across last row.

41 (45, 47, 49) sts.

Change to 4 mm needles.

Work rows 1 to 54 (66, 82, 96) inclusive from Graph B, AT SAME TIME inc one st at each end of next and foll 4th (6th, 6th, 4th) rows 5 (7, 12, 6) times in all, 1st, 2nd and 4th sizes only – then in foll 6th (8th, 6th) rows 4 (2, 10) times.

59 (63, 71, 81) sts.

SHAPE TOP:

Keeping Graph B correct, cast off 7 (7, 8, 7) sts at beg of next 6 (6, 6, 8) rows.

Cast off rem 17 (21, 23, 25) sts.

NECKBAND:

Using back stitch, join shoulder seams.

With right side facing, using set of 3.25 mm needles and MC, beg at left shoulder seam and knit up 74 (76, 76, 84) sts evenly around neck edge (including sts from stitch holders).

1st Round: * K1, P1, rep from * to end.

Rep 1st round 7 (7, 8, 8) times more.


Cast off very loosely in rib.

TO MAKE UP:


Tie a coloured thread 13 (14, 16, 18) cm down from each shoulder seam on Back and Front at armhole edge. Using back stitch, sew in sleeves evenly between coloured threads. Using knitting st, embroider C1, C2 and C3 on Back, Front and Sleeves as indicated on Graphs.

Using back stitch, join side and sleeve seams.


GRAPH A



GRAPH B



3



4 Child's Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm	CM	61	66	71
	INS	24	26	28
Actual Measurement	CM	71	76	81
Length to Back Neck (approx.)	CM	42	45	48
Sleeve Seam (approx.)	CM	28	33	38

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 8 Ply Machine Wash (50g) Balls	MC	3	4	5
	C1	3	4	4
	C2	1	1	1
	C3	1	1	1

1 Pr each 4 mm (No. 8), 3.25 mm (No. 10) and 1 set of 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders. Bobbins. Tapestry needle for embroidery.

TENSION:

This garment has been designed at a tension of - 22 sts to 10 cm over st st, using 4 mm needles.

FRONT:

Using 3.25 mm needles and MC, cast on 71 (77, 83) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 5 cm from beg, ending with a 2nd row and inc 9 sts evenly across last row. 80 (86, 92) sts.

Note: When changing colours in centre of row, twist the colour to be used underneath and to the right of colour just used, making sure both yarns are worked firmly at joins. Always change colours on wrong side of work so colour change does not show on right side. Use a separate ball of yarn for each section of colour. We suggest using bobbins. Wind a quantity of yarn around bobbin and place end through slot to hold. Unwind only enough yarn to knit required sts, then place yarn in slot, keeping bobbin close to work.

Change to 4 mm needles. ***

Work 12 (12, 22) rows st st (1 row K, 1 row P). Work rows 1 to 70 inclusive from Graph A, working odd numbered rows (knit rows) from right to left and even numbered rows (purl rows) from left to right. Using C1 throughout, work 8 (14, 14) rows st st (1 row K, 1 row P).

SHAPE NECK:

Next Row: K34 (37, 40), turn.

** Dec one st at neck edge in alt rows until 28 (31, 34) sts rem.

Work 9 (11, 11) rows. **

SHAPE SHOULDER:

Cast off 9 (10, 11) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

Slip next 12 sts onto a stitch holder and leave. Join yarn to rem sts and knit to end.

Work as given from ** to **.

Work 1 row.

SHAPE SHOULDER:

Complete as for other shoulder shaping.

BACK:

Work as given for Front to ***.

Cont in st st until work measures same as Back to shoulder shaping, **noting** to work 48 (48, 58) rows MC in place of Graph A, then the remainder in C1, working last row on wrong side.

SHAPE SHOULDERS:

Cast off 9 (10, 11) sts at beg of next 4 rows, then 10 (11, 12) sts at beg of foll 2 rows.

Leave rem 24 sts on a stitch holder.

SLEEVES:

Using 3.25 mm needles and MC, cast on 39 (39, 41) sts.

Work in rib as given for lower band of Back, until band measures 5 cm from beg, ending with a 2nd row and inc 10 sts evenly across last row. 49 (49, 51) sts.

Change to 4 mm needles.

Work in st st inc one st at each end of 5th and foll 4th rows until there are 59 (63, 77) sts, then in foll 6th rows until there are 67 (73, 81) sts.

Work 1 row.

Work rows 1 to 24 (24, 34) inclusive from Graph B, working odd numbered rows (knit rows) from right to left and even numbered rows (purl rows) from left to right.

SHAPE TOP:

Cast off 5 sts at beg of next 8 rows.

Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, using set of 3.25 mm needles and C1, beg at left shoulder seam and knit up 78 (82, 82) sts evenly around neck edge (including sts from stitch holders).

1st Round: * K1, P1, rep from * to end.

Rep 1st round until neckband measures 6 cm from beg.


Cast off **loosely** in rib.

TO MAKE UP:


Using C2 and stem st, embroider lines on Back, Front and Sleeves including outlines of penguin's feet and chest as illustrated. Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams.

Join side and sleeve seams. Fold neckband in half onto wrong side and slip st in position.

④ Child's Jumper





GRAPH A





GRAPH B

4 Child's Jumper





GRAPH B



KNITTING STITCH EMBROIDERY



KNITTING STITCH EMBROIDERY is particularly effective on plain knitting. Your garment can be quickly transformed by the addition of embroidered motifs to yoke or pockets, and children love to have an illustration from their favourite books transferred to a cardigan or jumper.

Use the same thickness of yarn for embroidery as used in the garment. You could use a thicker yarn if necessary, but a thinner yarn would not give a good result.


Knitting stitch is a stitch worked directly over each knitted stitch, with a contrasting colour to represent the same knitted stitch, as before. Each square on the Graph represents one stitch.

Insert needle from back of work, in the centre of any stitch and draw through. * Insert needle from right to left, underneath the two loops of the same stitch one row above, and draw through, then insert needle back into original place where needle was first inserted, draw underneath the two loops still working from right to left, and out into the centre of the next stitch (thus completing one knitting stitch), rep from * to end of Graph pattern.

All rows of pattern are worked from right to left, then from left to right, till the motifs or patterns have been completed.



4



5 Kid's Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....	CM	61	66	71	76
	INS	24	26	28	30
Actual Measurement.....	CM	71	76	81	86
Length to Back Neck.....	CM	41	44	48	52
Sleeve Seam.....	CM	26	31	36	40

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 8 Ply Machine Wash (50g) Balls:.....	MC	5	6	6	7
	C1	3	3	4	4
	C2	1	1	1	1

1 Pr each 4 mm (No. 8), 3.25 mm (No. 10) and 1 set 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders.

TENSION:

This garment has been designed at a tension of -
20 sts to 10 cm over Fisherman's Rib Patt, using 4 mm needles.

ABBREVIATION:

"KIB" = Knit into next st 1 row below, slipping both sts off needle together.

BACK:

Using 3.25 mm needles and C1, cast on 73 (79, 83, 89) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Using MC, **3rd Row:** Knit.

4th Row: As 2nd row.

Rep 1st and 2nd rows until band measures 5 cm from beg, ending with a 2nd row.

Change to 4 mm needles.

1st Row: Knit.

2nd Row: K1, * P1, "KIB", rep from * to last 2 sts, P1, K1.

Last 2 rows form Fisherman's Rib Patt.

Cont in patt until work measures 40 (43, 47, 51) cm from beg, ending with a 2nd row.

SHAPE SHOULDERS:

Keeping patt correct, cast off 7 (7, 8, 8) sts at beg of next 6 rows, then 5 (8, 6, 8) sts at beg of foll 2 rows. Leave rem 21 (21, 23, 25) sts on a stitch holder.

FRONT:

Work as for Back until work measures 7 (7.5, 8, 8) cm less than Back to shoulder shaping.

SHAPE NECK:

Next Row: Patt 31 (34, 35, 38) turn.

** Keeping patt correct, dec one st at neck edge in 2nd row and foll 4th rows until 26 (29, 30, 32) sts rem.

Cont in patt until work measures same as Back to shoulder shaping, working last row on wrong side. **

SHAPE SHOULDER:

Cast off 7 (7, 8, 8) sts at beg of next and foll alt rows 3 times in all.

Work 1 row.

Cast off.

Slip next 11 (11, 13, 13) sts on a stitch holder and leave.

Join yarn to rem sts and patt to end.

Rep from ** to **.

Work 1 row.

SHAPE SHOULDER:

Complete as for other shoulder.

SLEEVES:

Using 3.25 mm needles and MC, cast on 35 (37, 39, 41) sts.

Work 2 rows rib as for lower band of Back.

Using C1, **3rd Row:** Knit.

4th Row: As 2nd row.

Rep 1st and 2nd rows until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row. 41 (43, 45, 47) sts.

Cont in Fisherman's Rib Patt as for Back, inc one st at each end of 3rd row and foll 12th (10th, 8th, 6th) rows until there are 47 (57, 73, 71) sts, **1st, 2nd and 4th sizes only** – then in foll 14th (12th, 10th) rows until there are 53 (61, 77) sts.

Cont without shaping until side edge measures 26 (31, 36, 40) cm from beg, ending with a 2nd row.

SHAPE TOP:

Keeping patt correct, cast off 5 (6, 7, 7) sts at beg of next 6 rows, then 3 (4, 6, 8) sts at beg of foll 2 rows. Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams.

With right side facing, using set of 3.25 mm needles and C2, beg at left shoulder seam and knit up 72 (76, 84, 86) sts evenly around neck edge, including sts from stitch holder.

1st Round: * K1, P1, rep from * to end.

Using MC, **2nd Round:** Knit.

Rep 1st round once.

Cast off **loosely** in rib.

COLLAR:

Using 3.25 mm needles and MC, cast on 125 (125, 137, 137) sts.

Work 2 rows rib as for lower band of Back.

Using C2, **3rd Row:** Knit.

Rep 2nd and 1st rows until collar measures 8 cm from beg, ending with a 2nd row.

Next Row: Rib 4 (4, 13, 13), * sl 1, K2 tog, pssso, rib 2 (2, 1, 1), rep from * to last 6 (6, 16, 16) sts, sl 1, K2 tog, pssso, rib 3 (3, 13, 13). 77 (77, 81, 81) sts.

Keeping rib correct, cast off 9 sts at beg of next 4 rows, then 10 (9, 10, 10) sts at beg of foll 2 rows.

Cast off rem sts.

MOCK POCKET TOP:

Using 3.25 mm needles and C2, cast on 17 sts.

Work 2 rows rib as for lower band of Back.

Using C1, **3rd Row:** Knit.

4th Row: As 2nd row.

Rep 1st and 2nd rows once.


Cast off **loosely** in rib.

TO MAKE UP:

Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams.


Join side and sleeve seams. Sew collar to inside of neckband, beg and ending at centre front. Stitch mock pocket top to left side of front as illustrated.

5



INVISIBLE SEAM

Secure the sewing yarn to one side of the pieces to be joined. With the right sides of both pieces facing you, pass the needle across to the other side of the work, pick up one stitch and pull the yarn through. Pass the needle across the back of the first side of the work, pick up one stitch and pull yarn through. Continue working in this way, making rungs across from one piece to the other and pulling each stitch up tightly so that it is not seen on the right side of the work when the seam is completed.



6 Kid's Flower Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm	CM	61	66	71
	INS	24	26	28
Actual Measurement	CM	71	76	81
Length to Back Neck	CM	42	46	50
Sleeve Seam	CM	27	32	37

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 8 Ply Machine Wash (50g) Balls	White	MC	6	7	8
	Mustard	C1	1	1	1
	Rust	C2	1	1	1
	Green	C3	1	1	1
	Bottle	C4	1	1	1
	Purple	C5	1	1	1
	Pink	C6	1	1	1
	Black	C7		Small Quantity	

1 Pr each 4 mm (No. 8), 3.25 mm (No. 10) and 1 set of 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders. Bobbins.

TENSION:

This garment has been designed at a tension of - 22 sts to 10 cm over st st, using 4 mm needles.

NOTE:

When changing colours in centre of row, twist the colour to be used underneath and to the right of colour just used, making sure both yarns are worked firmly at joins. Always change colours on wrong side of work so colour change does not show on right side. Use a separate ball of yarn for each section of colour. We suggest using bobbins. Wind a quantity of yarn around bobbin and place end through slot to hold.

Unwind only enough yarn to knit required sts, then place yarn in slot, keeping bobbin close to work.

BACK:

Using 3.25 mm needles and MC, cast on 73 (79, 85) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row. 79 (85, 91) sts.

Change to 4 mm needles. **

Cont in st st (1 row K, 1 row P) until work measures 41 (45, 49) cm from beg, ending with a purl row.

SHAPE SHOULDERS:

Cast off 10 (10, 11) sts at beg of next 4 rows, then 9 (11, 11) sts at beg of foll 2 rows.

Leave rem 21 (23, 25) sts on a stitch holder.

FRONT:

Work as for Back to **.

Work 8 (14, 18) rows st st.

Work rows 1 to 72 inclusive from Graph A.

Using MC, cont in st st until there are 20 (22, 24) rows less than Back to shoulder shaping.

SHAPE NECK:

Next Row: K34 (37, 40), turn.

*** Dec one st at neck edge in foll alt rows until 29 (37, 33) sts rem.

Work 9 rows. ***

SHAPE SHOULDER:

Cast off 10 (10, 11) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

Slip next 11 sts onto a stitch holder and leave.

Join yarn to rem sts and knit to end.

Rep from *** to ***.

Work 1 row.

SHAPE SHOULDER:

Complete as for other shoulder shaping.

SLEEVES:

Using 3.25 mm needles and MC, cast on 37 (39, 41) sts.

Work in rib as for lower band of Back, until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row.

43 (45, 47) sts.

Change to 4 mm needles.

Work rows 1 to 50 inclusive from Graph B, inc one st at each end of 5th row and foll 8th (6th, 4th) rows until there are 55 (61, 61) sts, **3rd size only** - then in foll 6th rows until there are 67 sts.

Using MC, cont in st st, inc one st at each end of 3rd row, **2nd and 3rd sizes only** - then in foll 6th row/s until there are (65, 79) sts, **2nd size only** - then in foll 8th row. 57 (67, 79) sts.

Cont without shaping until side edge measures 27 (32, 37) cm from beg, ending with a purl row.

SHAPE TOP:

Cast off 7 (9, 11) sts at beg of next 4 rows, then 8 (9, 11) sts at beg of foll 2 rows.

Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams.

With right side facing, using set of 3.25 mm needles and MC, beg at left shoulder seam, knit up 88 (94, 100) sts evenly around neck edge, including sts from stitch holders.

1st Round: * K1, P1, rep from * to end.



Rep 1st round until neckband measures 2 cm from beg.

Cast off loosely in rib.

TO MAKE UP:


Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams. Join side and sleeve seams.

GRAPH A



GRAPH B

6



7 Child's Clown Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....	CM	61	66	71
	INS	24	26	28
Actual Measurement.....	CM	71	77	83
Length to Back Neck (approx.).....	CM	40	44	48
Sleeve Seam.....	CM	27	32	36

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 5 Ply Machine Wash (50g) Balls.....	MC	4	5	6
AND 1 Ball each of 6 Contrast Colours (C1, C2, C3, C4, C5 and C6).				

1 Pr each 3.75 mm (No. 9), 3 mm (No. 11) and 1 set of 3 mm (No. 11) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 Stitch Holders. Bobbins. Tapestry Needle for Embroidery.

TENSION:

This garment has been designed at a tension of - 26 sts to 10 cm over st st, using 3.75 mm needles.

NOTE:

When changing colours in centre of row, twist the colour to be used underneath and to the right of colour just used, making sure both yarns are worked firmly at joins. Always change colours on wrong side of work so colour change does not show on right side. Use a separate ball of yarn for each section of colour. We suggest using bobbins. Wind a quantity of yarn around bobbin and place end through slot to hold. Unwind only enough yarn to knit required sts, then place yarn in slot, keeping bobbin close to work.

Note: When working from Graph read odd numbered rows (knit rows) from right to left and even numbered rows (purl rows) from left to right. One square represents one stitch.

FRONT:

Using 3 mm needles and MC, cast on 95 (101, 109) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 4(5, 5) cm from beg, ending with a 2nd row.

Change to 3.75 mm needles. ***

Work 0 (6, 12) rows st st (1 row K, 1 row P).

Work rows 1 to 106 (108, 114) inclusive from Graph.

SHAPE NECK:

Keeping Graph correct, **Next Row:** Patt 41 (43, 47), turn.

** Dec one st at neck edge in alt rows 7 times.

34 (36, 40) sts.

Work 3 (5, 7) rows. **

SHAPE SHOULDER:

Cast off 11 (12, 13) sts at beg of next row and foll alt row.

Work 1 row. Cast off.

Slip next 13 (15, 15) sts onto a stitch holder and leave. Join yarn to rem sts and patt to end.

Rep from ** to **.

Work 1 row.

SHAPE SHOULDER:

Complete as for other shoulder shaping.

BACK:

Work as for Front to ***.

Using MC only, cont in st st, until Back measures same as Front to shoulder shaping, ending with a purl row.

SHAPE SHOULDERS:

Cast off 11 (12, 13) sts at beg of next 4 rows, then 12 (12, 14) sts at beg of foll 2 rows.
Leave rem 27 (29, 29) sts on a stitch holder.

SLEEVES:

Using 3 mm needles and MC, cast on 39 (41, 43) sts.
Work for 4 (5, 5) cm in rib as for lower band of Front, ending with a 1st row.

Next Row: Rib 4 (3, 6), inc in next st, * rib 1, inc in next st, rep from * to last 4 (3, 6) sts, rib 4 (3, 6).
55 (59, 59) sts.

Change to 3.75 mm needles.

Cont in st st, inc one st at each end of 5th row and foll 6th (4th, 4th) rows until there are 73 (65, 83) sts, then in foll 8th (6th, 6th) row/s until there are 75 (85, 95) sts.

Cont in st st without shaping until side edge measures 27 (32, 36) cm from beg, ending with a purl row.

SHAPE TOP:

Cast off 10 (11, 12) sts at beg of next 6 rows.
Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams.

With right side facing, using set of 3 mm needles and MC, knit up 80 (84, 90) sts evenly around neck edge, including sts from stitch holders.


1st Round: * K1, P1, rep from * to end.

Rep 1st round until Neckband measures 5 cm from beg.

Cast off **loosely** in rib.

TO MAKE UP:


With a slightly damp cloth and warm iron, press lightly. Tie coloured threads 15 (17, 19) cm down from each shoulder seam at side edges. Using back stitch, sew in sleeves evenly between coloured threads. Join side and sleeve seams. Fold Neckband in half onto wrong side and slip stitch in position. Embroider Clowns nose in satin stitch and C1. Embroider mouth using stem stitch and C1 and embroider eyes, hair and all outlines using stem stitch and C6.




BACK STITCH SEAM

Place the right sides of each piece to be joined together and work along the wrong side of the fabric about one stitch in from the edge. Keep checking the other side of the seam to make sure that you are working in a straight line. Begin by securing the sewing yarn, making two or three small running stitches one on top of the other, * with the needle at the back of the work move along to the left and bring the needle through to the front of the work the width of one stitch from the end of the last stitch, and pull the yarn through, take the needle back across the front of the work to the right and put it through to the back of the work at the end of the last stitch and pull the

yarn through. Continue in this way repeating from * until the seam is completed, taking care to pull each sewing stitch firmly through the knitting, without stretching the pieces or drawing up the seaming stitches too tightly.





NOTE: Work mouth in MC and rest of face in C5 when knitting. Nose is embroidered on afterwards using Satin Stitch and C1. Embroider inside of mouth on afterwards using Stem Stitch and C1. Embroider eyes, hair and all outlines on afterwards using Stem Stitch and C5.

NOTE: When working from Graph read odd numbered rows (knit rows) from right to left and even numbered rows (purl rows) from left to right. One square on Graph represents one stitch.

CARE FOR YOUR GARMENT

Before washing

Make any repairs required.
Remove unwashable trimmings and close zip.
Turn garment inside out.

Washing

Do not pre-soak.
Use only washing powders recommended by the Australian Wool Corporation for woollen garments.
Use a mild detergent for synthetic fibre garments. Dissolve powder in warm (not hot) water before immersing the garment.
Squeeze the garment gently in suds - **Do not rub.**
Heavily soiled areas should be treated before washing by damping the area and pressing in

some powder with fingers.

Rinsing

Rinse garment thoroughly with warm (not cold) water until the water is clear. Leave garment in sink and drain water. Squeeze garment against sides of sink. When lifting garment, support it with both hands to prevent stretching.

Drying

Dry on flat surface out of direct sunlight. Never hang a handknitted garment. Do not leave contrast colour areas of garment in contact with each other when wet or damp.

Pressing

Always use a cloth under the iron.
Woollen yarns can be pressed by a warm iron and damp cloth.
Press acrylics using a cool iron only.

8 Kid's Cardigan

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....	CM	61	66	71	76
	INS	24	26	28	30
Actual Measurement.....	CM	71	76	81	86
Length to Back Neck.....	CM	43	46	50	54
Sleeve Seam.....	CM	26	31	36	40

CLECKHEATON YARN REQUIREMENTS:

Cleckheaton 5 Ply Machine Wash (50g) Balls:.....	MC	3	4	4	5
	C1	1	2	2	3
	C2	2	2	3	3
	C3	1	2	2	3

1 Pr each 3.75 mm (No. 9) and 3 mm (No. 11) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. 6 Buttons. A Purchased Motif (if desired).

TENSION:

This garment has been designed at a tension of - 26 sts to 10 cm over st st, using 3.75 mm needles.

BACK:

Using 3 mm needles and C3, cast on 87 (93, 101, 107) sts.

1st Row: K2, * P1, K1, rep from * to last st, K1.

2nd Row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row. 93 (99, 107, 113) sts.

Change to 3.75 mm needles.

Using MC, cont in st st (1 row K, 1 row P) until work measures 42 (45, 49, 53) cm from beg, ending with a purl row.

SHAPE SHOULDERS:

Cast off 11 (12, 13, 14) sts at beg of next 4 rows, then 12 (12, 13, 13) sts at beg of foll 2 rows.

Cast off rem 25 (27, 29, 31) sts.

LEFT FRONT:

Using 3 mm needles and C1, cast on 43 (45, 49, 53) sts.

Work in rib as for lower band of Back, until band measures 5 cm from beg, ending with a 2nd row and inc 3 (4, 4, 3) sts evenly across last row.

46 (49, 53, 58) sts.

Change to 3.75 mm needles.

Using C2, cont in st st until there are 46 (52, 62, 66) rows less than Back to shoulder shaping.

SHAPE FRONT SLOPE:

Dec one st at end (neck edge) in next and foll alt (4th, 4th, 4th) row/s until 44 (36, 42, 44) sts rem, 1st, 3rd and 4th sizes only - then in foll 4th (6th, 6th) rows until 34 (39, 41) sts rem.

Work 3 rows.

SHAPE SHOULDER:

Cast off 11 (12, 13, 14) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

RIGHT FRONT:

Complete to correspond with Left Front, using C2 in place of C1 and C1 in place of C2, noting to dec at beg of row for front slope shaping and working one more row before shaping shoulder.

LEFT SLEEVE:

Using 3 mm needles and C3, cast on 45 (47, 47, 49) sts.

Work in rib as for lower band of Back until band measures 5 cm from beg, ending with a 2nd row and inc 6 sts evenly across last row.

51 (53, 53, 55) sts.

Change to 3.75 mm needles.

Using MC, cont in st st, inc one st at each end of 5th row and foll 6th (4th, 4th, 4th) row/s until there are 65 (57, 83, 83) sts, then in foll 8th (6th, 6th, 6th) rows until there are 69 (79, 93, 99) sts.

Cont without shaping until side edge measures 26 (31, 36, 40) cm from beg, ending with a purl row.

SHAPE TOP:

Cast off 9 (11, 13, 14) sts at beg of next 4 rows, then 10 (11, 14, 15) sts at beg of foll 2 rows.

Cast off rem sts.

RIGHT SLEEVE:

Work as for Left Sleeve, using MC in place of C3 and C3 in place of MC.

RIGHT FRONT BAND FOR GIRL OR LEFT FRONT BAND FOR BOY:

Using back stitch, join shoulder seams.

Using 3 mm needles and C2 for Girl or C1 for Boy, cast on 9 sts.

Work 4 rows rib as for lower band of Back.

5th Row: Rib 4, cast off 2 sts, rib 3.

6th Row: Rib 3, cast on 2 sts, rib 4.

Work 18 (18, 20, 22) rows rib.

Rep last 20 (20, 22, 24) rows 4 times more, then 5th and 6th rows once. 6 Buttonholes.

Cont in rib until band fits slightly stretched along Right Front for Girl or Left Front for Boy and across half of back neck.

Cast off loosely in rib.

LEFT FRONT BAND FOR GIRL OR RIGHT FRONT BAND FOR BOY:

Work as for other front band omitting buttonholes and using C1 for Girl or C2 for Boy.

TO MAKE UP:

With a slightly damp cloth and warm iron press lightly. Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams. Join side and sleeve seams. Sew front bands in position, joining at centre back neck. Sew on buttons. Stitch motif to Left Front (if desired).

8




CHART OF CORRESPONDING NEEDLES AND CROCHET HOOK SIZES

NEEDLES

CROCHET HOOKS

Imperial	Metric (mm)	U.S. (Aero)	U.S. (Boye)	Imperial	Metric (mm)	U.S.
000	10	15	15	2	7	K/10½
00	9	13	13	3	6.5	J/10
0	8	11	11	4	6	I/9
1	7.5	—	—	5	5.5	H/8
2	7	—	—	6	5	G/6
3	6.5	10½	10½	7	4.5	F/5
4	6	10	10/10½	8	4	E/4
5	5.5	9	9/10	9	3.5	D/3
6	5	8/9	8/9	10	3.25	C/2
7	4.5	7	7	11	3	B/1
8	4	6	5/6	12	2.5	
9	3.75	—	—	13	2.25	
	3.5	5	4			
10	3.25	—	—			
11	3	3/4	3			
12	2.75	—	—			
	2.5	2	1/2			
13	2.25	1	1			
14	2	0	0			