

trio
KNITS

Cleckheaton
Lincoln
3 and 4 ply

No.4

THANK YOU
19.03
FOR YOUR PURCHASE
20c
crochet



3 Ply Instructions

ABBREVIATIONS: Ch—chain; d.c.—double crochet; tr—treble; h.tr—half treble; sp.—space; st—stitch; ins—inches; dec.—decrease; dec. 2 sts—1 ch, draw yarn through next 2 sp. and work tog. as 1 st; sl. st—slip stitch; picot—3 ch sl. st into 1st ch.

MATERIALS:

12 25 gram balls CLECKHEATON or LINCOLN 3-ply; No. 3.00 (No. 10) crochet hook; 5 small buttons; 5 yards of ribbon.

MEASUREMENTS:

Coat: Length 16 ins, sleeve 6¼ ins, underarm 18 ins.

Dress: Length 15 ins, sleeve 2¾ ins, underarm 18 ins.

Bonnet: Around face 10 ins.

Bootees: Length of foot 3½ ins.

TENSION:

8 rows of shell patt. to 2¼ ins; 8 sts (1 ch, 1 d.c. are counted as 2 sts) of yoke patt. to 1 inch.

SHELL PATTERN:

1st row: (2 tr, 2 ch, 2 tr) between each h.tr group, 1 tr in turning ch, 3 ch, turn.

2nd row: (2 tr, 2 ch, 2 tr) in each 2 ch loop of shell, ending with 1 tr in turning ch, 5 ch, turn.

3rd row: 1 d.c. in 2 ch loop of first shell, * 4 ch, 1 d.c. in 2 ch loop; rep. from * ending with 2 ch, 1 tr in turning ch, 2 ch, turn.

4th row: 2 h.tr in first space, * 5 h.tr in next sp., rep. from * to last sp., 3 h.tr in this sp., 3 ch, turn. Rep. these 4 rows for shell pattern.

YOKE PATTERN:

1st row: (1 ch, 1 d.c. in next 1 ch loop) to end, working last d.c. in turning ch, 1 ch, turn.

Rep. this row for pattern.

COAT:

Beg. at waist. Make 80 ch.

Foundation Row: Working through 2 strands (2 tr, 2 ch, 2 tr) in 5th ch, then one shell in every 3rd ch until last 3 ch, 1 tr in last ch, 3 ch, turn. (25 shells).

Beg. with 2nd row work rem. 3 rows of shell patt., then rep. the 4 rows until 11¼ ins, ending on 4th patt. row. Fasten off.

YOKE:

Join yarn at waist and work 72 d.c. evenly along foundation ch, 4 ch, turn.

Ribbonhole row: 1 tr in sec. d.c., * 1 ch, 1 tr in sec. d.c., rep. from * to end, 1 ch, turn. Work in yoke patt. for 4 rows on 72 sts.

Shape Armholes:

Dec. 2 sts each end on next 2 rows. Cont. on 64 sts until body meas. 4 ins from top of ribbonholes. Fasten off.

FRONT:

Make 41 ch and work as back on 12 shells until 11¼ ins. Fasten off.

Rejoin yarn at waist and work 36 d.c. evenly along ch. Cont. as back decreasing for armhole and keeping front edge straight until body meas. 3 ins. Cont. on 18 sts for 1 inch at armhole edge (for shoulder), leaving 14 sts free for neck. Fasten off.

Work second front to correspond, working shapings at opposite ends.

SLEEVES:

Make 58 ch and work foundation shell in every 5th ch (11 shells), 1 tr in last ch. Cont. in patt. until 2nd row of 5th patt. has been worked. Turn with 4 ch and work 1 d.c., 2 ch in each 2 ch loop of shell, ending with 1 ch, 1 tr in turning ch, turn with 1 ch. Work 36 d.c. evenly along row. Work 5 rows of yoke patt. working 1 ch, 1 d.c. in every second d.c. of first row.

Work picot edge: 1 d.c., 1 picot in each 1 ch space.

COLLAR:

Make 50 ch. Work foundation row (15 shells) and then 2nd patt. row twice, work 3rd and 4th patt. rows and finish with picot edge working 1 d.c., 1 picot in every 2nd st.

TO MAKE UP:

Join shoulder, side and sleeve seams. Sew in sleeves. D.c. along front edges working 7 d.c. to each 4 row patt. Then work picot edge along front edges making 2 small button loops on right front yoke. Work 1 row of shell edge around lower edge of coat making (2 tr, 1 picot, 2 tr) between each h.tr group. Sew collar neatly around neck edge. Press work lightly over damp cloth. Thread ribbon at waist. Sew on buttons to correspond with loops.

DRESS:

FRONT: Make 83 ch and work in shell patt. as for back on 26 shells until 10 ins, ending on 4th patt. row. Rejoin yarn at waist and work 72 d.c. evenly along row. Cont. as for back of coat until yoke meas. 3 ins. Work shoulders each end for 1 inch on 20 sts, leaving 24 centre sts free for neck.

BACK: Work as front to armhole shaping.

Next row: Dec. 2 sts, work 32 sts, turn with 1 ch.

Next row: Work to end and dec. 2 sts for armhole. Cont. on rem. 32 sts until yoke meas. 4 ins. Fasten off. Rejoin yarn at centre of back and work other half of back to correspond.

SLEEVES:

Make 58 ch and work as for sleeves of coat until 2nd row of second patt. has been worked. Work cuffs as cuffs for coat.

4 Ply Instructions

TO MAKE UP:

Join shoulder, side and sleeve seams. Sew in sleeves. Work picot edge around neck and d.c. around back opening making 3 button loops evenly spaced on right side. Work picot shell around lower edge as for coat. Press work lightly over damp cloth. Sew on buttons to correspond with button loops. Thread ribbon through holes in waist.

BONNET:

Make 17 ch.

Next row: 1 d.c. in 3rd ch, * 1 ch, 1 d.c. in second ch, rep. from * to end — 16 sts. Cont. in yoke patt, inc. 2 sts each end on next and foll. alt. rows to 28 sts. Inc. by working (1 d.c., 1 ch, 1 d.c.) in first space at beg. and in last space at end of row. Cont. on 28 sts until 2¾ ins from beg. Dec. 2 sts each end on next and foll. alt. rows to 16 sts. Work 1 row more. Fasten off.

Rejoin yarn at corner of foundation ch and work 15 shells evenly around 2 sides and top. Cont. in shell patt. until 2nd row of 3rd patt. has been worked.

Next row: 1 d.c. in first 2 ch space, * 3 ch, 1 d.c. in next 2 ch space, rep. from * to end, 1 ch, 1 tr in turning ch, 1 ch, turn.

Next row: Work 70 d.c. evenly along row. Work 5 rows of yoke patt., working 1 ch, 1 d.c. in every 2nd d.c. of first row.

Then d.c. 2 rows (approx. 30 d.c.) around lower edge of bonnet. Work picot edge round all edges. Sew ribbon ties to front corners.

BOOTEES:

Make 41 ch; 1 d.c. in 3rd ch, * 1 ch, 1 d.c. in 2nd ch, rep. from * to end, — 40 sts. Work 3 rows in yoke patt.

Ribbonhole row: 2 ch, 1 h.tr in first space, * 1 ch, 1 h.tr in next space, rep. from * to end. Work 1 more row in yoke patt.

Next row: Work 26 sts, 1 ch, turn.

Next row: Work 12 sts, 1 ch, turn. Cont. on the 12 sts for instep until 10 rows. Then pick up 10 sts along side of flap and cont. to end of row.

Next row: Work right across picking up 10 sts along other side of flap — 60 sts. Patt. for 6 rows.

Next row: Dec. 2 sts, patt. 22 sts, (dec. 2 sts) twice, patt. 22 sts, dec. 2 sts.

Next row: Patt. 22 sts, (dec. 2 sts) twice, patt. 22 sts.

Next row: Dec. 2 sts, patt. 16 sts, (dec. 2 sts) twice, patt. 16 sts.

Fasten off. Sew up seams. Work 1 row of picot shells around top edge as for hem of coat. Thread ribbon through holes and lightly press seams.

MATERIALS:

14 balls CLECKHEATON or LINCOLN 4-ply; No. 3.50 (No. 9) crochet hook; 5 small buttons; 5 yards of ribbon.

MEASUREMENTS:

Coat: Length 16¾ ins; sleeve 6½ ins; underarm 19 ins.

Dress: Length 15¼ ins; sleeve 2¾ ins; underarm 18½ ins.

Bonnet: Around face 10 ins.

Bootees: Length of foot 4 ins.

TENSION:

4 rows of shell patt. to 1¼ ins.

6 sts (1 ch, 1 d.c. are counted as 2 sts) of yoke patt. to 1 in.

COAT:

Beg. at waist make 68 ch.

Foundation row: Working through 2 strands (2 tr, 2 ch, 2 tr) in 5th ch, then one shell in every 3rd ch until last 3 ch, 1 tr in last ch, 3 ch, turn, — (21 shells). Beg. with 2nd row (see shell patt. for 3 ply) work rem. 3 rows of shell patt., then rep. the 4 rows until 11¼ ins, ending on 4th patt. row. Fasten off.

YOKE:

Join yarn at waist and work 56 d.c. evenly along foundation ch, 4 ch, turn.

Ribbonhole row: 1 tr in second d.c., * 1 ch, 1 tr in sec. d.c., rep. from * to end, 1 ch, turn. Work in yoke patt. (as for 3 ply) for 4 rows on 56 sts.

Shape Armholes: Dec. 2 sts each end of next 2 rows. Cont. on rem. 48 sts until body meas. 4¼ ins from top of ribbonholes. Fasten off.

FRONT:

Make 35 ch and work as back on 10 shells until 11¼ ins. Fasten off.

Rejoin yarn at waist and work 30 d.c. evenly along ch. Cont. as back to armhole.

Shape armhole by dec. 2 sts on next 3 rows. Cont. on 24 sts until body meas. 3¼ ins. Work on 14 sts for 1 in. at armhole edge (for shoulder), leaving rem. 10 sts free for neck. Fasten off.

Work second front to correspond, working shapings at opposite ends.

SLEEVES:

Make 48 ch and work foundation shells in every 5th ch (9 shells), 1 tr in last ch. Cont. in patt. until 2nd row of fifth patt. has been worked. Turn with 4 ch, 1 d.c., 2 ch in each 2 ch loop of shell, ending 1 ch, 1 tr in turning ch, 1 ch, turn. Work 28 d.c. along row. Work 3 rows of yoke patt., working 1 ch, 1 d.c. in every second d.c. of first row.

Work picot edge: 1 d.c., 1 picot in each 1 ch space.

4 Ply Instructions

COLLAR:

Make 44 ch. Work foundation row (13 shells) and then 2nd patt. row twice, work 3rd and 4th patt. rows and finish with picot edge, working 1 d.c., 1 picot in every 2nd st.

TO MAKE UP:

Join shoulder, side and sleeve seams. Sew in sleeves. D.c. along front edges working 5 d.c. to each 4 row patt. Then work picot edge along front edges making 2 small button loops on right front yoke. Work 1 row of shell edge around lower edge of coat, making (2 tr, 1 picot, 2 tr) between each h.tr group. Sew collar neatly to neck edge. Press work lightly over damp cloth. Thread ribbon at waist. Sew on buttons to correspond with loops.

DRESS:

FRONT:

Make 71 ch and work in shell patt. as for back on 22 shells until 10 ins, ending on 4th patt. row. Rejoin yarn at waist and work 56 d.c. evenly along row. Cont. as for back of coat until yoke meas. $3\frac{1}{4}$ ins. Work shoulder each end for 1 inch on 14 sts, leaving 20 centre sts free for neck.

BACK:

Work as front to armhole shaping.

Next row: Dec. 2 sts, work 24 sts, turn with 1 ch.

Next row: Work to end and dec. 2 sts for armhole.

Cont. on rem. 24 sts until yoke meas. $4\frac{1}{4}$ ins. Fasten off. Rejoin yarn at centre of back and work second half of back to correspond.

SLEEVES:

Make 48 ch, work as for sleeves of coat until 2nd row of second patt. has been completed. Work cuffs as for cuffs of coat.

TO MAKE UP:

Join shoulder, side and sleeve seams. Sew in sleeves. Work picot edge around neck and d.c. around back opening making 3 button-loops evenly spaced on right side. Work picot shell around lower edge as for coat. Press work lightly over damp cloth. Sew on buttons to correspond with buttonloops and thread ribbon through waist holes.

BONNET:

Make 13 ch.

Next row: 1 d.c. in 3rd ch, * 1 ch, 1 d.c. in second ch, rep. from * to end — 12 sts. Cont. yoke patt. inc. 2 sts each end of next and foll. alt. rows to 18 sts. Inc. by working (1 d.c., 1 ch, 1 d.c.) in first space at beg. and in last space at end of row. Cont. on 18 sts until $2\frac{1}{2}$ ins from beg. Now dec. 2 sts each end on next and foll. alt. rows to 12 sts. Work 1 row more. Fasten off. Rejoin yarn at corner of foundation ch and work 13 shells evenly around 2 sides and top. Cont. in shell patt. until 2nd row of 3rd patt. has been worked, 4 ch, turn.

Next row: 1 d.c. in first 2 ch space, * 3 ch, 1 d.c. in next 2 ch sp., rep. from * to end, 1 ch, 1 tr in turning ch, 1 ch, turn.

Next row: Work 60 d.c. evenly along row. Work 3 rows of yoke patt., working 1 ch, 1 d.c. in every 2nd d.c. of first row. Then d.c. 2 rows (approx. 26 d.c.) around lower edge of bonnet. Work picot edge round all edges. Sew ribbon ties to front corners.

BOOTEES:

Make 37 ch, 1 d.c. in 3rd ch, * 1 ch, 1 d.c. in 2nd ch, rep. from * to end — 36 sts.

Work 3 rows of yoke patt.

Ribbonhole row: 2 ch, 1 h.tr in first sp., * 1 ch, 1 h.tr in next sp., rep. from * to end. Work 1 more row in yoke patt.

Next row: Work 22 sts, 1 ch, turn.

Next row: Work 8 sts, 1 ch, turn.

Cont. on the 8 sts until 10 rows. Then pick up 10 sts along side of flap and cont. to end of row.

Next row: Work right across picking up 10 sts along other side of flap — 56 sts. Patt. for 5 rows.

Next row: Dec. 2 sts, patt. 20 sts, (dec. 2 sts) twice, patt. 20 sts, dec. 2 sts.

Next row: Patt.

Next row: Dec. 2 sts, patt. 16 sts, (dec. 2 sts) twice, patt. 16 sts, dec. 2 sts, fasten off. Sew up seam. Work 1 row of picot shells around top edge as for hem of coat. Thread ribbon through holes. Press seams lightly.