

trio
KNITS

Cleckheaton

No. 72

Lincoln

3,4 & 5 ply

20

crochet



4 Ply Instructions

MATERIALS: LINCOLN or CLECKHEATON 4 ply	Sizes	18	19	20
25 gram	balls	5	5	5
Size 3.00mm and 3.50mm crochet hooks or THE SIZE REQUIRED TO GIVE THE CORRECT TENSION 3 buttons for Coat, 3 buttons for Top.				
MEASUREMENTS: Length Coat	ins	9½	10	10½
Sleeve Coat	ins	5	5½	6
Length Top	ins	9½	10	10½
Sleeve Top	ins	3	3	3

TENSION: 5 tr to 1 inch over yoke.
ABBREVIATIONS: Ch = chain; dc = double crochet; tr = treble; st(s) = stitch(es); lp(s) = loop(s); s.s. = slip stitch; sp = space(s); rep = repeat; beg = beginning; inc = increased.

MATINEE COAT: Using size 3.50 hook and working from Yoke down, comm with	ch	53	57	61
to measure	ins	10	10½	11
★ Foundation row: 1 tr into 4th ch from hook, 1 tr into each ch to end, turn. 1st row: 3 ch, miss first tr, 1 tr in next 6 tr, * 2 tr in next tr, 1 tr in next 3 tr, rep from * ending with 2 tr in next tr, 1 tr in next 6 tr, 1 tr in 3rd of 4 ch, turn.	sts	10	11	12
inc. 2nd row: 3 ch, miss first tr, 1 tr in next 4 tr, * 2 tr in next tr, 1 tr in next 4 tr, rep from * ending with 2 tr in next tr, 1 tr in next 4 tr, 1 tr in 3rd of 3 ch, turn.	sts	11	12	13
inc. 3rd row: 3 ch, miss first tr, 1 tr in next 7 tr, * 2 tr in next tr, 1 tr in next 5 tr, rep from * ending with 2 tr in next tr, 1 tr in next 8 tr, 1 tr in 3rd of 3 ch, turn	sts	10	11	12
inc. 4th row: 3 ch, miss first tr, 1 tr in next 4 tr, * 2 tr in next tr, 1 tr in next 6 tr, rep from * ending with 2 tr in next tr, 1 tr in next 5 tr, 1 tr in 3rd of 3 ch, turn.	sts	11	12	13
inc. 5th row: 3 ch, miss first tr, 1 tr in next 9 tr, * 2 tr in next tr, 1 tr in next 7 tr, rep from * ending with 2 tr in next tr, 1 tr in next 9 tr, 1 tr in 3rd of 3 ch, turn.	sts	10	11	12
inc. 6th row: 3 ch, miss first tr, 1 tr in next 5 tr, * 2 tr in next tr, 1 tr in next 8 tr, rep from * ending with 2 tr in next tr, 1 tr in next 5 tr, 1 tr in 3rd of 3 ch, turn.	st	11	12	13
inc. 7th row: 3 ch, miss first tr, 1 tr in next 6 tr, * 2 tr in next tr, 1 tr in next 9 tr, rep from * ending with 2 tr in next tr, 1 tr in next 5 tr, 1 tr in 3rd of 3 ch, turn.	sts	11	12	13
inc. ★	sts	125	136	147

Divide for Armhole: Using a second ball miss attach yarn to next tr, miss next 22 tr, s.s. into next tr, fasten off. Miss next attach yarn to next tr, miss next 22 tr, s.s. into next tr. Fasten off. Using original yarn and working across Left Front, ch extension at Left underarm, Back, ch extension at Right underarm and Right Front (do not work into tr into which extensions are joined,) continue as follows: ★★ Next row: 3 ch, miss first 2 tr, 1 tr into next tr, 1 ch, miss next tr, *(1 tr, 1 ch) 4 times into next st, (miss next st, 1 tr into next st, 1 ch) twice, miss next st, rep from * ending with (1 tr, 1 ch) 4 times into next tr, miss next tr, 1 tr into next tr, 1 tr into 3rd of 3 ch, turn.	ch	11	11	12
Next row: 3 ch, miss next 2 sp, 1 tr into next sp, 1 ch, *(1 tr, 1 ch) 4 times into next sp, (1 tr, into next sp, 1 ch) twice, miss next sp, (1 tr, into next sp, 1 ch) twice, rep from * ending with (1 tr, 1 ch) 4 times into next sp, 1 tr into next sp, 1 tr into 3rd of 3 ch, turn. Next row: 3 ch, miss next 2 sp, 1 tr into next sp, 1 ch, *(1 tr, 1 ch) 4 times into next sp, (1 tr, into next sp, 1 ch) twice, miss 3 sp, (1 tr into next sp, 1 ch) twice, rep from * ending with (1 tr, 1 ch) 4 times into next sp, 1 tr into next sp, 1 tr into 3rd of 3 ch, turn. Rep last row 7 times. Next row: 3 ch, miss first sp, (1 tr into next sp, 1 ch) twice, *(1 tr, 1 ch) 4 times into next sp, (1 tr into next sp, 1 ch) 3 times, miss next sp, (1 tr into next sp, 1 ch) 3 times, rep from * ending with (1 tr, 1 ch) 4 times into next sp, 1 tr into next sp, 1 ch, 1 tr into next sp, 1 tr into 3rd of 3 ch, turn. Next row: 3 ch, miss first 2 sp, (1 tr into next sp, 1 ch) twice *(1 tr, 1 ch) 4 times, into next sp, (1 tr, into next sp, 1 ch) 3 times, miss 3 sp, (1 tr into next sp, 1 ch) 3 times, rep from * ending with (1 tr, 1 ch) 4 times into next sp, 1 tr into next sp, 1 ch, 1 tr into next sp, 1 tr into 3rd of 3 ch, turn. Rep last row until work measures.. from beg of Yoke. Fasten off. ★★	tr	37	44	51
	ch	11	11	12
	shells	16	18	20
	ins	9½	10	10½

SLEEVES: With right side facing attach yarn to the sixth of underarm extension, work across ch extension, tr into which extension is joined and tr left free at Yoke thus: Next row: 4 ch, 1 tr into same place as join, 1 ch, miss next st, (1 tr into next st, 1 ch, miss next 2 sts) twice *(1 tr, 1 ch) 4 times into next st, miss next 2 sts (1 tr into next st, 1 ch, miss next 2 sts) twice, rep from * once more, (1 tr, 1 ch) 4 times into next st (miss next 2 sts, 1 tr into next st, 1 ch) twice, miss (1 tr, 1 ch, 1 tr) into last st, turn. Next row: 4 ch, 1 tr into first tr, *(1 ch, 1 tr into next sp) twice miss 1 sp, (1 ch, 1 tr into next sp) twice, (1 ch, 1 tr) 4 times into next sp, rep from * twice more, (1 ch, 1 tr into next sp) twice, miss 1 sp, (1 ch, 1 tr into next sp) twice, 1 ch, (1 tr, 1 ch, 1 tr) into 3rd of 4 ch, turn. Next row: 4 ch, 1 tr into first tr, *(1 ch, 1 tr into next sp) twice, miss 3 sp, (1 ch, 1 tr into next sp) twice, (1 ch, 1 tr) 4 times into next sp rep from * twice more, (1 ch, 1 tr into next sp) twice, miss 3 sp, (1 ch, 1 tr into next sp) twice, 1 ch, (1 tr, 1 ch, 1 tr) into 3rd of 4 ch, turn. Rep last row until Sleeve measures Fasten off.	ch	11	11	12
	sts	1	1	2
	sts	5	5½	6

FINISHING: Edging: 1st row: With right side facing and using size 3.50mm hook, attach yarn to bottom corner of Right Front, work 1 dc into same place as join, * 2 dc into next row-end, 1 dc into next row-end, rep from * to corner, 1 dc into each rem lp of commencing ch round neck to next corner, 2 dc into first row-end. ** 1 dc into next row-end 2 dc into next row-end, rep from ** to lower corner. Fasten off. **2nd row:** With right side facing and using size 3.50mm hook, attach yarn to first dc at bottom corner of Right Front, 1 dc into same place as join * 3 ch, 1 s.s. into last dc made, 1 dc into each of next 3 dc, rep from * to bottom of Left Front. Fasten off. Join Sleeve Seam. Sew buttons to Left Front Yoke using sp in pattern as buttonholes.

ANGEL TOP

Using size 3.00 hook and working from Yoke down, comm with to measure	ch	53	57	61
Work as given for Matinee Coat from ★ to ★.	ins	9	9½	10
Divide for Armholes: Using size 3.50 hook and a second ball, miss	tr	20	22	24
attach yarn to next tr	ch	11	11	12
miss next 22 tr, s.s. into next tr. Fasten off. Miss next	tr	37	44	51
attach yarn to next tr	ch	11	11	12
miss next 22 tr, s.s. into next tr. Fasten off. Using original yarn and working across Right Back, ch extension at Right underarm, Front, ch extension at Left underarm and Left Back (do not work into tr into which extensions are joined), work as given for Matinee Coat from ★★ to ★★.				
SLEEVES: Using size 3.50 hook with right side facing attach yarn to the 6th of the	ch	11	11	12
of underarm extension, work across ch extension, tr into which extension is joined, tr left free at yoke thus:- Next row: 4 ch, 1 tr into same place as join, 1 ch, (1 tr into next st, 1 ch, miss next st,) twice, *(1 tr, 1 ch) 4 times into next st, miss next st (1 tr into next st, 1 ch, miss next st) twice, rep from * 3 times more (1 tr, 1 ch) 4 times into next st (miss next st, 1 tr into next tr, 1 ch) twice, (1 tr, 1 ch, 1 tr) into last st, turn. Next row: 4 ch, 1 tr into first tr, *(1 ch, 1 tr into next sp) twice, miss 1 sp, (1 ch, 1 tr into next sp) twice, (1 ch, 1 tr) 4 times into next sp, rep from * 4 times more, (1 ch, 1 tr into next sp) twice, miss 1 sp, (1 ch, 1 tr into next sp) twice, 1 ch (1 tr, 1 ch, 1 tr) into 3rd of 4 ch, turn. Next row: 4 ch, 1 tr into first tr, *(1 ch, 1 tr into next sp) twice, miss 3 sp, (1 ch, 1 tr into next sp) twice, (1 ch, 1 tr) 4 times into next sp, rep from * 4 times more, (1 ch, 1 tr into next sp) twice, miss 3 sp, (1 ch, 1 tr into next sp) twice, 1 ch (1 tr, 1 ch, 1 tr) into 3rd of 4 ch, turn. Rep last row until Sleeve measures 3 inches. Fasten off.				
FINISHING: Work Edging the same as for Matinee Coat, but working from bottom corner of Left Back to bottom corner of Right Back.				
Join Sleeve seams.				
Sew buttons evenly down Left Back between neck and hem using sp in pattern for buttonholes.				
Sleeve Edging: 1st round: With right side facing using size 3.50 hook attach yarn to any sp at lower edge of Sleeve 1 dc into same place as join, *miss next sp, 1 dc into next sp, rep from * all round, s.s. into first d.c. 2nd round: 1 dc into first dc, * 3 ch, 1 s.s. into last dc made, 1 dc into each of next 3 dc, rep from * to end, s.s. into first dc. Fasten off.				

3 Ply Instructions

MATERIALS:

LINCOLN or CLECKHEATON 3 ply 25 gr	Sizes	18	19	20
Size 2.50mm and 3.00mm crochet hooks or THE SIZE REQUIRED TO GIVE THE CORRECT TENSION. 3 buttons for Coat, 3 buttons for Top.	balls	4	4	4
MEASUREMENTS: Length Coat	ins	9½	10	10½
Sleeve Coat	ins	5	5½	6
Length Top	ins	9½	10	10½
Sleeve Top	ins	3	3	3

TENSION: 5½ tr to 1 inch over yoke.

MATINEE COAT:

Using Size 3.00 hook and working from yoke down, comm with to measure	ch	57	61	65
★ Work as 4 ply Coat from ★ to ★ having 1 extra increased st every row.*	ins	10	10½	11
Divide for Armholes: Using a second ball miss	sts	136	147	158
attach yarn to next tr,	tr	22	24	26
miss next 22 tr, s.s. into next tr, fasten off. Miss next	ch	11	12	12
attach yarn to next tr,	tr	44	51	58
miss next 22 tr, s.s. into next tr. Fasten off. Work as 4 ply Coat having in first row	ch	11	12	12
SLEEVES: With right side facing attach yarn to the sixth of	shells	18	20	22
of underarm extension, work across ch extension, tr into which extension is joined and tr left free at Yoke thus:- Next row: 4 ch, 1 tr into same place as join, 1 ch, miss next st, (1 tr into next st, 1 ch, miss next 2 sts) twice *(1 tr, 1 ch) 4 times into next st, miss next 2 sts (1 tr into next st, 1 ch, miss next 2 sts) twice, rep from * once more, (1 tr, 1 ch) 4 times into next st (miss next 2 sts, 1 tr into next st, 1 ch) twice, miss	ch	11	12	12
(1 tr, 1 ch, 1 tr) into last st, turn. Complete as 4 ply Sleeves for Coat.	sts	1	2	2

FINISHING: Work Edging as for 4 ply Coat using 3.00mm hook, then complete as for 4 ply.

ANGEL TOP:

Using size 2.50 hook and working from Yoke down, comm with to measure	ch	57	61	65
Work as given for Matinee Coat from ★ to ★. Divide for Armholes: Using size 3.00 hook and a second ball miss	ins	9	9½	10
attach yarn to next tr	tr	22	24	26
miss next 22 tr, s.s. into next tr. Fasten off. Miss next	ch	11	12	12
attach yarn to next tr	tr	44	51	58
miss next 22 tr, s.s. into next tr. Fasten off. Using original yarn and working across Right Back, ch extension at Right underarm, Front, ch extension at Left underarm and Left Back (do not work into tr into which extensions are joined), work as given for 4 ply Matinee Coat from ★★ to ★★.	ch	11	12	12
SLEEVES: Using size 3.00 hook with right side facing attach yarn to the 6th of the	ch	11	12	12
of underarm extension, work as 4 ply Top. Then complete as 4 ply instructions.				

5 Ply Instructions

MATERIALS:

LINCOLN or CLECKHEATON 5 ply 25 gr
Size 3.50mm and 4.00mm crochet hooks or THE SIZE REQUIRED TO GIVE THE CORRECT TENSION. 3 buttons for Coat, 3 buttons for top.

MEASUREMENTS:

Length Coat
Coat
Length Top
Sleeve Top

Sizes balls	18	19	20
	6	6	6
ins	9½	10	10½
ins	5	5½	6
ins	9½	10	10½
ins	3	3	3

TENSION: 4¾ tr to 1 inch over yoke.

MATINEE COAT

Using Size 4.00 hook and working from Yoke down, comm with to measure

Work as 4 ply Coat from ★ to ★ having 1 less increased st every row.

Divide for Armholes: Using a second ball miss

attach yarn to next tr,

miss next 22 tr, s.s. into next tr, fasten off. Miss next

attach yarn to next tr,

miss next 22 tr, s.s. into next tr. Fasten off. Work as 4 ply Coat having in first row

SLEEVES: With right side facing attach yarn to the sixth of

of underarm extension, work across ch extension, tr into which extension is joined and tr left free at Yoke thus:— **Next row:** 4 ch, 1 tr into same place as join, 1 ch, miss next st, (1 tr into next st, 1 ch, miss next 2 sts) twice *(1 tr, 1 ch) 4 times into next st, miss next 2 sts (1 tr into next st, 1 ch, miss next 2 sts) twice, rep from * once more, (1 tr, 1 ch) 4 times into next st (miss next 2 sts, 1 tr into next st, 1 ch) twice, miss

(1 tr, 1 ch, 1 tr) into last st, turn. Complete as 4 ply Sleeves for Coat.

FINISHING: Work Edging as for 4 ply Coat using 4.00mm hook then complete as for 4 ply.

ANGEL TOP

Using size 3.50 hook and working from Yoke down, comm with to measure

Work as given for Matinee Coat from ★ to ★. **Divide for Armholes:** Using size 4.00 hook and a second ball miss

attach yarn to next tr

miss next 22 tr, s.s. into next tr. Fasten off. Miss next

attach yarn to next tr

miss next 22 tr, s.s. into next tr. Fasten off. Using original yarn and working across Right Back, ch extension at Right underarm, Front, ch extension at Left underarm and Left Back (do not work into tr into which extensions are joined), work as given for 4 ply Matinee Coat from ★★ to ★★

SLEEVES: Using size 4.00 hook with right side facing attach

yarn to the 6th of the

of underarm extension, work as 4 ply Top. Then complete as 4 ply instructions.

ch	49	53	57
ins	10	10½	11
sts	114	125	136
tr	18	20	22
ch	11	11	12
tr	30	37	44
ch	11	12	12
shells	14	16	18
ch	11	11	12
sts	1	2	2
ch	49	53	57
ins	9	9½	10
tr	18	20	22
ch	11	11	12
tr	30	37	44
ch	11	12	12
ch	11	11	12