

Cleckheaton

Aran Knits in 8 ply 







Cleckheaton

Aran Knits in 8 ply 



7 Child's Jumper and Cardigan



NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....CM	61	66	71	76
INS	24	26	28	30
Actual Measurement (approx.).....CM	71	78	83	89
Length to Back Neck.....CM	41	44	48	53
Sleeve Seam.....CM	26	31	36	41

CLECKHEATON YARN REQUIREMENTS (50g) Balls:

Cleckheaton 8 Ply Machine Wash or Cleckheaton 8 Ply Pure Wool Jumper and Cardigan	8	9	10	11
or Cleckheaton Country 8 Ply Jumper and Cardigan	9	10	11	12

1 Pr each 4 mm (No. 8) and 3.25 mm (No. 10) Knitting Needles or,
THE REQUIRED SIZE TO GIVE CORRECT TENSION. A set of
3.25 mm (No. 10) Knitting Needles and 2 Stitch Holders for Jumper. 3
Stitch Holders and 7 (7, 7, 8) Buttons for Cardigan. A Cable Needle.

TENSION:

These garments have been designed at a tension of -
22 sts to 10 cm over st st, using 4 mm needles.

ABBREVIATIONS:

- CR = Slip next st onto a cable needle and leave at back of work, K1,
then K1 from cable needle.
CF = Slip next st onto a cable needle and leave at front of work, K1,
then K1 from cable needle.

JUMPER

BACK:

Using 3.25 mm needles, cast on 79 (85, 91, 97) sts.

1st row: K2, * P1, K1, rep from * to last st, K1.

2nd row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 4 (5, 5, 6) cm from beg, ending
with a 2nd row and inc 15 sts evenly across last row.

94 (100, 106, 112) sts.

Change to 4 mm needles.

1st row: K1 (0, 1, 0), (P1, K1) 3 (5, 6, 8) times, work 1st row of Graph,
(CR, CF) 7 times, work 1st row of Graph, (K1, P1) 3 (5, 6, 8) times, K1
(0, 1, 0).

2nd row: P1 (0, 1, 0), (K1, P1) 3 (5, 6, 8) times, work 2nd row of Graph,
P28, work 2nd row of Graph, (P1, K1) 3 (5, 6, 8) times, P1 (0, 1, 0).

3rd row: P1 (0, 1, 0), (K1, P1) 3 (5, 6, 8) times, work 3rd row of Graph,
(CF, CR) 7 times, work 3rd row of Graph, (P1, K1) 3 (5, 6, 8) times, P1
(0, 1, 0).

4th row: K1 (0, 1, 0), (P1, K1) 3 (5, 6, 8) times, work 4th row of Graph,
P28, work 4th row of Graph, (K1, P1) 3 (5, 6, 8) times, K1 (0, 1, 0).

Rows 1 to 4 inclusive form Honey Comb and Moss Stitch Patt.

Keeping patts correct, work a further 16 rows from Graph.

Rows 1 to 20 inclusive form patt.

Cont in patt until work measures 41 (44, 48, 53) cm from beg, working
last row on wrong side.

Shape shoulders:

Keeping patt correct, cast off 11 (12, 13, 13) sts at beg of next 4 rows, then
12 (12, 12, 14) sts at beg of foll 2 rows.

Leave rem 26 (28, 30, 32) sts on a stitch holder.

FRONT:

Work as for Back until there are 22 (24, 26, 26) rows less than Back to
shoulder shaping.

Shape neck:

Next row: Patt 40 (43, 46, 48), turn.

Keeping patt correct, dec one st at neck edge in foll alt rows until 34 (36,
38, 40) sts rem. Work 9 rows.

Shape shoulder:

Cast off 11 (12, 13, 13) sts at beg of next row and foll alt row. Work 1
row. Cast off. With right side facing, slip next 14 (14, 14, 16) sts onto a
stitch holder and leave. Join yarn to rem sts and complete to correspond
with other side of neck, reversing all shapings.

SLEEVES:

Using 3.25 mm needles, cast on 37 (39, 41, 43) sts. Work for 4 (5, 5, 6)
cm in rib as for lower band of Back, ending with a 2nd row and inc 13 (13,
15, 15) sts evenly across last row. 50 (52, 56, 58) sts.

Change to 4 mm needles.

1st row: K0 (1, 1, 0), (P1, K1) 6 (6, 7, 8) times, work 1st row of Graph,
(K1, P1) 6 (6, 7, 8) times, K0 (1, 1, 0).

2nd row: P0 (1, 1, 0), (K1, P1) 6 (6, 7, 8) times, work 2nd row of Graph,
(P1, K1) 6 (6, 7, 8) times, P0 (1, 1, 0).

Keeping Moss Stitch and Graph correct (noting that 20 rows form patt rep)
cont inc one st at each end of 3rd and foll 8th (6th, 6th, 6th) row/s until
there are 54 (58, 60, 62) sts, then in foll 10th (8th, 8th, 8th) rows until
there are 62 (70, 78, 88) sts, working extra sts in Moss Stitch. Cont in patt

without shaping until side edge measures 26 (31, 36, 41) cm from beg,
working last row on wrong side.

Shape top:

Keeping patt correct, cast off 7 (8, 10, 11) sts at beg of next 4 rows, then
7 (9, 9, 12) sts at beg of foll 2 rows. Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, using set of
3.25 mm needles, beg at left shoulder seam, knit up 84 (90, 96, 100) sts
evenly around neck edge (including sts from stitch holders).

1st round: * K1, P1, rep from * to end.

Rep 1st round until neckband measures 5 cm from beg.

Cast off loosely in rib.

TO MAKE UP:

Using back stitch, sew in sleeves placing centre of sleeves to shoulder
seams. Join side and sleeve seams. Fold neckband in half onto wrong side
and loosely slip stitch in position.

CARDIGAN

BACK AND SLEEVES:

Work as for Jumper.

LEFT FRONT:

Using 3.25 mm needles, cast on 39 (43, 45, 49) sts. Work for 4 (5, 5, 6)
cm in rib as for lower band of Back, ending with a 2nd row and inc 7 (6, 7,
6) sts evenly across last row. 46 (49, 52, 55) sts.

Change to 4 mm needles. **

1st row: K1 (0, 1, 0), (P1, K1) 3 (5, 6, 8) times, work 1st row of Graph,
(CR, CF) 3 times, K1.

2nd row: P13, work 2nd row of Graph, (P1, K1) 3 (5, 6, 8) times, P1 (0,
1, 0).

3rd row: P1 (0, 1, 0), (K1, P1) 3 (5, 6, 8) times, work 3rd row of Graph,
(CF, CR) 3 times, K1.

4th row: P13, work 4th row of Graph, (K1, P1) 3 (5, 6, 8) times, K1 (0, 1, 0).

Rows 1 to 4 inclusive form Honey Comb Patt and Moss Stitch Patt.

Keeping patts correct, work a further 16 rows from Graph.

Rows 1 to 20 inclusive form patt.

Cont in patt until there are 15 (19, 19, 21) rows less than Back to shoulder
shaping.

Shape neck:

Keeping patt correct, cast off 7 (7, 8, 8) sts at beg of next row. Dec one st
at neck edge in next and foll alt rows until 34 (36, 38, 40) sts rem.

Work 5 (7, 7, 7) rows.

Shape shoulder:

Complete as for Front of Jumper.

RIGHT FRONT:

Work as for Left Front to **.

1st row: K1, (CR, CF) 3 times, work 1st row of Graph, (K1, P1) 3 (5, 6,
8) times, K1 (0, 1, 0).

2nd row: P1 (0, 1, 0), (K1, P1) 3 (5, 6, 8) times, work 2nd row of Graph,
P13.

3rd row: K1, (CF, CR) 3 times, work 3rd row of Graph, (P1, K1) 3 (5, 6,
8) times, P1 (0, 1, 0).

4th row: K1 (0, 1, 0), (P1, K1) 3 (5, 6, 8) times, work 4th row of Graph,
P13. Complete to correspond with Left Front.

RIGHT FRONT BAND FOR GIRL, LEFT FRONT BAND FOR BOY:

Using 3.25 mm needles, cast on 9 sts.

1st row: K2, (P1, K1) 3 times, K1.

2nd row: K1, (P1, K1) 4 times.

3rd row: Rib 4, cast off 2 sts, rib 3.

4th row: Rib 3, cast on 2 sts, rib 4.

Work 16 (18, 20, 18) rows rib.

Rep last 18 (20, 22, 20) rows 4 (4, 4, 5) times, then 3rd and 4th rows once.

6 (6, 6, 7) Buttonholes. Work 12 (14, 16, 14) rows rib.

Leave sts on a stitch holder.

LEFT FRONT BAND FOR GIRL, RIGHT FRONT BAND FOR BOY:

Work as for other band omitting buttonholes.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, rib across
sts from Right Front Band, knit up 71 (81, 85, 91) sts evenly along neck
edge (including sts from back neck stitch holder), then rib across sts from
Left Front Band, 89 (99, 103, 109) sts.

Work 7 rows in rib as for lower band of Back, beg with a 2nd row and
working a buttonhole (as before) in 4th and 5th rows.

Cast off loosely in rib.

TO MAKE UP:

Using back stitch, sew in sleeves placing centre of sleeves to shoulder
seams. Join side and sleeve seams. Sew front bands in position. Sew on
buttons.

2 Child's Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....	CM	61	66	71	76
	INS	24	26	28	30
Actual Measurement (approx.).....	CM	71	78	83	88
Length to Back Neck.....	CM	40	44	48	52
Sleeve Seam.....	CM	28	33	38	40

CLECKHEATON YARN REQUIREMENTS (50g) Balls:

Cleckheaton 8 Ply Machine Wash	8	9	10	11
or Cleckheaton 8 Ply Pure Wool				
or Cleckheaton Country 8 Ply	9	10	11	12

1 Pr each 4 mm (No. 8), 3.25 mm (No. 10) and 1 set 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. A Cable Needle. 2 Stitch Holders.

TENSION:

This garment has been designed at a tension of – 22 sts to 10 cm over st st, using 4 mm needles.

ABBREVIATIONS:

- CF = Slip next st onto cable needle and leave at front of work, K2, then K1 from cable needle.
CB = Slip next 2 sts onto cable needle and leave at back of work, K1, then K2 from cable needle.

BACK:

Using 3.25 mm needles, cast on 77 (85, 91, 97) sts.

1st row: K2, * P1, K1, rep from * to last st, K1.

2nd row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 6 (6, 7, 7) cm from beg, ending with a 2nd row and inc 18 sts evenly across last row. 95 (103, 109, 115) sts.

Change to 4 mm needles.

1st row: P0 (0, 1, 0), (K1, P1) 0 (2, 3, 5) times, P1, K6, work 1st row of Graph A, (K1, P1) twice, K1, P2, K6, work 1st row of Graph B, K6, P2, (K1, P1) twice, K1, work 1st row of Graph A, K6, P1, (P1, K1) 0 (2, 3, 5) times, P0 (0, 1, 0).

2nd row: K0 (0, 1, 0), (P1, K1) 0 (2, 3, 5) times, K1, P6, work 2nd row of Graph A, (P1, K1) twice, P1, K2, P6, work 2nd row of Graph B, P6, K2, (P1, K1) twice, P1, work 2nd row of Graph A, P6, K1, (K1, P1) 0 (2, 3, 5) times, K0 (0, 1, 0).

3rd row: K0 (0, 1, 0), (P1, K1) 0 (2, 3, 5) times, P1, CB, CF, work 3rd row of Graph A, (P1, K1) twice, P3, CB, CF, work 3rd row of Graph B, CB, CF, P2, (P1, K1) twice, P1, work 3rd row of Graph A, CB, CF, P1, (K1, P1) 0 (2, 3, 5) times, K0 (0, 1, 0).

4th row: P0 (0, 1, 0), (K1, P1) 0 (2, 3, 5) times, K1, P6, work 4th row of Graph A, (K1, P1) twice, K3, P6, work 4th row of Graph B, P6, K2, (K1, P1) twice, K1, work 4th row of Graph A, P6, K1, (P1, K1) 0 (2, 3, 5) times, P0 (0, 1, 0).

Rows 1 to 4 inclusive form Cable Patt and Moss Stitch Patt.

Cont in patt as placed in last 4 rows (noting that when a patt has been completed to refer back to "1st row") until work measures 39 (43, 47, 51) cm from beg, working last row on wrong side.

Shape shoulders:

Keeping patt correct, cast off 9 (9, 10, 10) sts at beg of next 6 rows, then 7 (10, 9, 11) sts at beg of foll 2 rows. Leave rem 27 (29, 31, 33) sts on a stitch holder.

FRONT:

Work as given for Back until there are 20 (22, 22, 22) rows less than Back to beg of shoulder shapings.

Shape neck:

Next row: Patt 40 (44, 46, 49), turn.

Keeping patt correct, dec one st at neck edge in foll alt rows until 34 (37, 39, 41) sts rem. Work 7 (7, 7, 5) rows.

Shape shoulder:

Cast off 9 (9, 10, 10) sts at beg of next and alt rows 3 times in all.

Work 1 row. Cast off. With right side facing, slip next 15 (15, 17, 17) sts at centre (this number does not include any extra sts made in Graph B) onto a stitch holder and leave. Join yarn to rem sts and complete as for other side of neck.

SLEEVES:

Using 3.25 mm needles, cast on 39 (41, 41, 43) sts. Work for 5 (5, 6, 6) cm in rib as given for lower band of Back, ending with a 2nd row and inc 12 (14, 14) sts evenly across last row. 51 (55, 55, 57) sts.

Change to 4 mm needles.

1st row: P0 (0, 0, 1), (K1, P1) 1 (2, 2, 2) time/s, K1, P2, K6, P2, (K1, P1) 12 times, K1, P2, K6, P2, (K1, P1) 1 (2, 2, 3) time/s, K1 (1, 1, 0).

2nd row: K0 (0, 0, 1), (P1, K1) 1 (2, 2, 2) time/s, P1, K2, P6, K2, (P1, K1) 12 times, P1, K2, P6, K2, (P1, K1) 1 (2, 2, 3) time/s, P1 (1, 1, 0).

3rd row: K0 (0, 0, 1), (P1, K1) 1 (2, 2, 2) time/s, P3, CB, CF, P2, (P1, K1) 12 times, P3, CB, CF, P2, (P1, K1) 1 (2, 2, 3) time/s, P1 (1, 1, 0).

4th row: P0 (0, 0, 1), (K1, P1) 1 (2, 2, 2) time/s, K3, P6, K2, (K1, P1) 12 times, K3, P6, K2, (K1, P1) 1 (2, 2, 3) time/s, K1 (1, 1, 0).

Rows 1 to 4 inclusive form patt.

Cont in patt, inc one st at each end of next and foll 8th (6th, 6th, 6th) row/s until there are 65 (59, 71, 75) sts, 2nd, 3rd and 4th sizes only – then in foll 8th rows until there are (73, 79, 83) sts, working extra sts in Moss Stitch.

Cont in patt without further shaping until side edge measures 28 (33, 38, 40) cm from beg, working last row on wrong side.

Shape top:

Keeping patt correct, cast off 6 (7, 8, 8) sts at beg of next 8 rows.

Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, using set of 3.25 mm needles, beg at left shoulder seam, knit up 76 (80, 80, 84) sts evenly around neck edge (including sts from stitch holders).

1st round: * K1, P1, rep from * to end.


Rep 1st round until neckband measures 5 (5, 6, 6) cm from beg.

Cast off loosely in rib.


TO MAKE UP:

Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams. Join side and sleeve seams. Fold neckband in half on to wrong side and slip stitch in position.

Graph A



Graph B



- KEY:**
- TW3L = St next 3 into c/n and leave at front of work, P1, then K3 from c/n.
 - TW3R = St next 3 into c/n and leave at back of work, K1, then P1 from c/n.
 - TW = Knit into front of second st on left hand needle, then into front of first st, slipping both sts off needle together.
 - TWL = St next 3 into c/n and leave at front of work, P1, then K1 from c/n.
 - TWR = St next 3 into c/n and leave at back of work, K1, then P1 from c/n.
 - M1 = Pick up loop which lies before next st, place on left hand needle and put through back of loop.

- Purl = Purl st on an odd numbered row. Knit st on an even numbered row.
- Knit = Knit st on an odd numbered row. Purl st on an even numbered row.
- Bobble = (K1, P1, K1, K1, P1) all in next st, turn, P3, turn, K3 tog th.
- No st = No st.
- yfwd = yfwd.
- ybwd = ybwd.
- P2 tog = P2 tog.
- K2 tog = K2 tog.
- K2 tog, p2st = K2 tog, p2st.

3 Child's Cardigan



NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....CM	61	66	71	76
INS	24	26	28	30
Actual Measurement (approx.).....CM	71	78	83	89
Length to Back Neck.....CM	41	44	48	53
Sleeve Seam.....CM	26	31	36	41

CLECKHEATON YARN REQUIREMENTS (50g) Balls:				
Cleckheaton 8 Ply Machine Wash	8	9	10	11
or Cleckheaton 8 Ply Pure Wool	8	9	10	11
or Cleckheaton Country 8 Ply	9	10	11	12

1 Pr each 4 mm (No. 8) and 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION. A Stitch Holder. A Cable Needle. 7 Buttons.

TENSION:

This garment has been designed at a tension of – 21 sts to 10 cm over Moss Stitch, using 4 mm needles.

ABBREVIATIONS:

tbl = through back of loop.

TW = K1 tbl in back of second st on left hand needle, then K1 in first st, slipping both sts off needle together.

BACK:

Using 3.25 mm needles, cast on 75 (82, 89, 96) sts.

1st row: K1, * (K1 tbl, P1) twice, TW, P1, rep from * to last 4 sts, K1 tbl, P1, K1 tbl, K1.

2nd row: P1, * (P1 tbl, K1) twice, P2, K1, rep from * to last 4 sts, P1 tbl, K1, P1 tbl, P1.

Rep 1st and 2nd rows until band measures 4 (5, 5, 6) cm from beg, ending with a 2nd row and inc 14 (13, 12, 11) sts evenly across last row.

89 (95, 101, 107) sts.

Change to 4 mm needles.

1st row: P0 (1, 0, 1), (K1, P1) 4 (5, 7, 8) times, work 1st row of Graph, P1, (K1, P1) 11 times, work 1st row of Graph, (P1, K1) 4 (5, 7, 8) times, P0 (1, 0, 1).

2nd row: K0 (1, 0, 1), (P1, K1) 4 (5, 7, 8) times, work 2nd row of Graph, K1, (P1, K1) 11 times, work 2nd row of Graph, (K1, P1) 4 (5, 7, 8) times, K0 (1, 0, 1).

3rd row: As 2nd row, working 3rd row of Graph.

4th row: As 1st row, working 4th row of Graph.

Rows 1 to 4 inclusive form Moss Stitch.

Keeping Moss Stitch correct, work a further 12 rows patt from Graph as placed in last 4 rows. Last 16 rows form patt.

Cont in patt until work measures 41 (44, 48, 53) cm from beg, working last row on wrong side.

Shape shoulders:

Keeping patt correct, cast off 11 (12, 13, 14) sts at beg of next 4 rows, then 12 (13, 13, 13) sts at beg of foll 2 rows. Leave rem 21 (21, 23, 25) sts on a stitch holder.

LEFT FRONT:

Using 3.25 mm needles, cast on 40 (40, 47, 47) sts. Work for 4 (5, 5, 6) cm in band patt as for lower band of Back, ending with a 2nd row and inc 2 (5, 1, 4) sts evenly across last row. 42 (45, 48, 51) sts.

Change to 4 mm needles. **

1st row: P0 (1, 0, 1), (K1, P1) 4 (5, 7, 8) times, work 1st row of Graph, P1, (K1, P1) 4 times.

2nd row: (K1, P1) 4 times, K1, work 2nd row of Graph. (K1, P1) 4 (5, 7, 8) times, K0 (1, 0, 1).

3rd row: K0 (1, 0, 1), (P1, K1) 4 (5, 7, 8) times, work 3rd row of Graph, K1, (P1, K1) 4 times.

4th row: P1, (K1, P1) 4 times, work 4th row of Graph, (P1, K1) 4 (5, 7, 8) times, P0 (1, 0, 1).

Rows 1 to 4 inclusive form Moss Stitch.

Keeping Moss Stitch correct, work a further 12 rows patt from Graph as placed in last 4 rows. Last 16 rows form patt.

Cont in patt until there are 17 (19, 19, 21) rows less than Back to beg of shoulder shaping.

Shape neck:

Keeping patt correct, cast off 4 (4, 4, 5) sts at beg of next row. Dec one st at neck edge in next and foll alt rows until 34 (37, 39, 41) sts rem.

Work 9 (11, 9, 11) rows.

Shape shoulder:

Cast off 11 (12, 13, 14) sts at beg of next row and foll alt row.

Work 1 row. Cast off.

RIGHT FRONT:

Work as for Left Front to **

1st row: P1, (K1, P1) 4 times, work 1st row of Graph, (P1, K1) 4 (5, 7, 8) times, P0 (1, 0, 1).

2nd row: K0 (1, 0, 1), (P1, K1) 4 (5, 7, 8) times, work 2nd row of Graph, (K1, P1) 4 times, K1.

Complete to correspond with Left Front, reversing all shapings.

SLEEVES:

Using 3.25 mm needles, cast on 33 (40, 40, 47) sts. Work for 4 (5, 5, 6) cm in band patt as for lower band of Back, ending with a 2nd row and inc 16 (15, 17, 16) sts evenly across last row. 49 (55, 57, 63) sts.

Change to 4 mm needles.

1st row: P0 (1, 0, 1), (K1, P1) 6 (7, 8, 9) times, work 1st row of Graph, (P1, K1) 6 (7, 8, 9) times, P0 (1, 0, 1).

2nd row: K0 (1, 0, 1), (P1, K1) 6 (7, 8, 9) times, work 2nd row of Graph, (K1, P1) 6 (7, 8, 9) times, K0 (1, 0, 1).

Keeping moss stitch and graph correct (noting that 16 rows form patt), inc one st at each end of 3rd and foll 8th (8th, 6th, 8th) row/s until there are 63 (65, 61, 85) sts, 2nd, 3rd and 4th sizes only – then in foll (10th, 8th, 10th) row/s until there are (71, 79, 87) sts, working extra sts in Moss Stitch. Cont in patt without shaping until side edge measures 26 (31, 36, 41) cm from beg, working last row on wrong side.

Shape top:

Keeping patt correct, cast off 7 (8, 9, 10) sts at beg of next 6 rows.

Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, using 3.25 mm needles, knit up 68 (68, 75, 82) sts evenly along neck edge (including sts from back stitch holder). Work for 6 cm in band patt as for lower band of Back, beg and ending with a 2nd row. Cast off loosely.

RIGHT FRONT BAND:

Fold neckband in half onto wrong side and slip stitch in position. With right side facing, using 3.25 mm needles, knit up 117 (124, 138, 145) sts evenly along Right Front edge and side edge of neckband.

Work 5 rows band patt as for lower band of Back, beg with a 2nd row.

6th row: Patt 3 (4, 2, 2), yfwd, K2 tog, * patt 16 (17, 20, 21), yfwd, K2 tog, rep from * to last 4 (4, 2, 3) sts, patt 4 (4, 2, 3). 7 Buttonholes.

Work 7 rows patt.

14th row: As 6th row.

Work 5 rows patt. Cast off loosely.


LEFT FRONT BAND:

Work as for Right Front Band omitting buttonholes.

TO MAKE UP

Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams. Join side and sleeve seams. Fold front bands in half onto wrong side and slip stitch in position. Oversew buttonholes. Sew on buttons.

4 Child's Jumper



- KEY:**
- TW = St next st onto a cn and leave at back of work, K2, then K1 from cn.
 - TWL = St next 2 sts onto a cn and leave at front of work, K1, then K2 from cn.
 - C6B = St next 3 sts onto cn and leave at back of work, K3, then K3 from cn.
 - CAF = St next 3 sts onto cn and leave at front of work, K3, then K3 from cn.
 - TW = Knit into front of 2nd st on left hand needle, then into front of first st, slipping both sts off needle together.

- TWR = St next st onto cn and leave at back of work, K2, then P1 from cn.
- TWL = St next 2 sts onto cn and leave at front of work, P1, then K2 from cn.
- = Purl st on an odd numbered row. Knit st on an even numbered row.
- = Knit st on an odd numbered row. Purl st on an even numbered row.

4 Child's Jumper

NOTE: Before commencing your garment it is essential to first check your tension (see below).

To Fit Underarm.....CM	61	66	71	76
INS	24	26	28	30
Actual Measurement (approx.).....CM	71	78	83	88
Length to Back Neck.....CM	40	44	48	52
Sleeve Seam.....CM	28	33	38	40

CLECKHEATON YARN REQUIREMENTS (50g) Balls:

Cleckheaton 8 Ply Machine Wash	10	11	12	13
or Cleckheaton 8 Ply Pure Wool	11	12	13	14
or Cleckheaton Country 8 Ply				

1 Pr each 4 mm (No. 8), 3.25 mm (No. 10) and 1 set 3.25 mm (No. 10) Knitting Needles or, THE REQUIRED SIZE TO GIVE CORRECT TENSION, 2 Stitch Holders. A Cable Needle.

TENSION:

This garment has been designed at a tension of – 22 sts to 10 cm over st st, using 4 mm needles.

BACK:

Using 3.25 mm needles, cast on 81 (87, 93, 99) sts.

1st row: K2, * P1, K1, rep from * to last st, K1.

2nd row: K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until band measures 6 (6, 7, 7) cm from beg, ending with a 1st row.

Next row: Rib 4 (1, 2, 3), (inc in next st, rib 1) 37 (43, 45, 47) times, rib 3 (0, 1, 2), 118 (130, 138, 146) sts.

Change to 4 mm needles.

Work rows 1 to 24 inclusive from Graph, noting if a C6F or C6B for 1st size and a TWRK or TWLK for 3rd size cannot be worked at side edge to work, K3 or K2 in its place.

Rows 1 to 24 inclusive form patt.

Cont in patt until work measures 39 (43, 47, 51) cm from beg, working last row on wrong side.

Shape shoulders:

Keeping patt correct, cast off 11 (12, 13, 14) sts at beg of next 6 rows, then 9 (11, 12, 12) sts at beg of foll 2 rows.

Leave rem 34 (36, 36, 38) sts on a stitch holder.

FRONT:

Work as given for Back until there are 20 (22, 22, 22) rows less than Back to beg of shoulder shaping.

Shape neck:

Next row: Patt 50 (56, 60, 63), turn.

Keeping patt correct, dec one st at neck edge in alt rows until 42 (47, 51, 54) sts rem. Work 3 rows.

Shape shoulder:

Cast off 11 (12, 13, 14) sts at beg of next and alt rows 3 times in all.

Work 1 row. Cast off. With right side facing, slip next 18 (18, 18, 20) sts at centre onto a stitch holder and leave. Join yarn to rem sts and complete to correspond with other side of neck.

SLEEVES:

Using 3.25 mm needles, cast on 39 (39, 41, 43) sts.

Work for 5 (5, 6, 6) cm in rib as given for lower band of Back, ending with a 1st row.

Next row: Rib 1 (1, 3, 5), inc once in each of next 37 (37, 35, 33) sts, rib 1 (1, 3, 5), 76 sts.

Change to 4 mm needles.

Work in patt as given for 1st size of Back, AT SAME TIME – inc one st at each end of 7th and foll 4th (4th, alt, alt) rows until there are 90 (102, 86, 92) sts, then in foll 6th (6th, 4th, 4th) rows until there are 98 (106, 118, 124) sts, working extra sts in patt.

Cont in patt without shaping until side edge measures 28 (33, 38, 40) cm from beg, working last row on wrong side.

Shape top:

Keeping patt correct, cast off 9 (10, 11, 12) sts at beg of next 6 rows, then 9 (10, 12, 12) sts at beg of foll 2 rows. Cast off rem sts.

NECKBAND:

Using back stitch, join shoulder seams. With right side facing, using set of 3.25 mm needles, beg at left shoulder seam, knit up 92 (96, 96, 100) sts evenly around neck edge (including sts from stitch holders).

1st round: * K1, P1, rep from * to end.

Rep 1st round until neckband measures 5 (5, 6, 6) cm from beg.

Cast off loosely in rib.

TO MAKE UP:

Using back stitch, sew in sleeves placing centre of sleeves to shoulder seams. Join side and sleeve seams. Fold neckband in half onto wrong side and slip stitch in position.

Accessories courtesy of:

Photography
Jacqui Henshaw

ESPRIT

BONDS




(a division of Australian Country Spinners Pty. Ltd.)
314 Albert Street, Bruntwick, Vic., Australia 3056.

This publication is protected by copyright. Reproduction in any form (including photocopying) without prior permission from Australian Country Spinners Pty. Ltd. will lead to proceedings being brought to restrain any infringement.

GENERAL ABBREVIATIONS:


Note: When working from Graphs, work odd numbered rows from right to left and even numbered rows from left to right. sl = slip, cn = cable needle.

1 Child's Jumper and Cardigan



- KEY:**
-  = Slip 2 sts onto a cable needle and leave at back of work, K2, then K2 from cable.
 -  = Slip 1 st onto a cable needle and leave at back of work, K1 tbl, then P1 from cable.
 -  = Slip 1 st onto a cable needle and leave at front of work, P1, then K1 tbl from cable.
 -  = Slip 1 st onto a cable needle and leave at back of work, K1 tbl, then K1 tbl from cable.
 -  = (K1, P1, K1, P1) all in next st, turn, P4, turn, K4, pass 2nd, 3rd and 4th sts over first st.
 -  = Knit stitch on an odd numbered row, Purl stitch on an even numbered row.
 -  = Purl stitch on an odd numbered row, Knit stitch on an even numbered row.
 -  = K1 tbl on an odd numbered row, P1 tbl on an even numbered row.

3 Child's Cardigan



- KEY:**
-  = Knit stitch on an odd numbered row, Purl stitch on an even numbered row.
 -  = Purl stitch on an odd numbered row, Knit stitch on an even numbered row.
 -  = (K1 tbl, K1, K1 tbl) all in next st, turn, P1, turn, K1 tog tbl.
 -  = Slip 2 sts onto a cable needle and leave at front of work, K2, then K2 from cable.
 -  = Slip 2 sts onto a cable needle and leave at back of work, K2, then K2 from cable.