



Cleckheaton
Lincoln

BABY BOOK







3



4



2




5



6



9



SIZES:

cms	46	51	56	61
ins	18	20	22	24

MATERIALS: CLECKHEATON 8 Ply — 25 g balls
 — 25 g balls
 or CLECKHEATON Natural 8 Ply — 50 g balls
 — 50 g balls
 or LIGHT 'N' LOFTY — 40 g balls
 — 40 g balls

M.C.	6	6	7	8
C.C.	8	8	9	10
M.C.	3	3	4	4
C.C.	4	4	5	5
M.C.	2	3	3	4
C.C.	4	4	4	5

1 Pr. each 4mm (No. 8) and 3.25mm (No. 10) needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION. Zipp length 25 (25, 30, 30) cm.

TENSION: 21 stitches to 10 cm over garter stitch.

MEASUREMENTS: Length of Leg — crotch to ankle
 Length of Sleeve seam

cms	15	22	32	43
cms	15	18	21	26

FIRST LEG:

Using M.C. and 3.25mm needles, cast on

sts	49	55	61	65
-----	----	----	----	----

1st row: (Right side facing) K1, * P1, K1, rep. from * to end of row.

2nd row: P1, * K1, P1, rep. from * to end of row.

Repeat these 2 rows 6 times.

Change to 4mm needles and C.C. Cont. in garter st., (each row K), until work measures

cms	12.5	19	28.5	37.5
-----	------	----	------	------

from beg., ending with a wrong side row. Inc. 1 st. at each end of next, then every following alt. row until

sts	59	67	75	83
-----	----	----	----	----

on needle. Knit 1 row. **

Break off yarn, and leave sts. on a holder.

SECOND LEG:

Work as for First Leg to **.

WORK BODY:

Next row: Cast on 2 sts., (all sizes) for crotch. Knit across

sts	59	67	75	83
-----	----	----	----	----

from second leg, cast on 4 sts., (all sizes) for crotch, knit across

sts	59	67	75	83
-----	----	----	----	----

from first leg, and cast on 2 sts., (all sizes) for crotch **TOTAL**

sts	126	142	158	174
-----	-----	-----	-----	-----

Knit 3 rows. Cont. in garter st. on these sts.,

SHAPE as follows:

1st Dec. Row: K

sts	29	33	37	41
-----	----	----	----	----

K2 tog. twice, K

sts	60	68	76	84
-----	----	----	----	----

K2 tog. twice, K to end of row.

Knit

rows	11	11	9	9
------	----	----	---	---

2nd Dec. Row: K

sts	28	32	36	40
-----	----	----	----	----

K2 tog. twice, K

sts	58	66	74	82
-----	----	----	----	----

K2 tog. twice, K to end of row.

Knit

rows	11	11	9	9
------	----	----	---	---

3rd Dec. Row: K

sts	27	31	35	39
-----	----	----	----	----

K2 tog. twice, K

sts	56	64	72	80
-----	----	----	----	----

K2 tog. twice, K to end of row.

Knit

rows	11	11	9	9
------	----	----	---	---

Cont. to dec. 4 sts. in this manner on next and every following

row	12th	12th	10th	10th
-----	------	------	------	------

at the sides of the garment in this manner, until

sts	106	118	130	142
-----	-----	-----	-----	-----

remain.

Cont. on these sts. without further shaping until work measures

cms	32	41	51	63
-----	----	----	----	----

from beg., along side of leg, ending with a wrong side row. Change to M.C.

Next row: K2, * P2, K2, rep. from * to end of row.

Next row: P2, * K2, P2, rep. from * to end of row.

Repeat the last 2 rows until work measures

cms	38.5	49.5	63	76
-----	------	------	----	----

from beg., ending with a wrong side row.

DIVIDE FOR FRONTS AND BACK AS FOLLOWS:

Next row: Rib

sts	26	29	32	35
-----	----	----	----	----

Turn. Keeping continuity of rib patt., continue on these sts. until front meas-

cms	5.5	6	6.5	8
-----	-----	---	-----	---

ures

from divide row, ending with a wrong side row.

SHAPE NECK:

Cast off

sts	5	5	7	7
-----	---	---	---	---

at beg. of next row, work to end. Work 1 row. Dec. 1 st. at beg. of next and foll.

alt. row until

sts	17	20	20	22
-----	----	----	----	----

remain. Cont. without shaping until work measures

cms	9.5	10.5	11.5	13
-----	-----	------	------	----

from divide row, ending with a wrong side row. Cast off.

Re-join yarn to rem. sts. Rib across

sts	54	60	66	72
-----	----	----	----	----

Turn. Keeping continuity of rib patt., continue on these sts. until back meas-

cms	9.5	10.5	11.5	13
-----	-----	------	------	----

ures

from divide row, ending with a wrong side row.

SHAPE SHOULDERS:

Cast off

sts	17	20	20	22
-----	----	----	----	----

at beg. of next 2 rows.

Cast off rem.	sts	20	20	26	28
Re-join yarn to rem. sts., patt. to end. Work as for Left Front, reversing all shapings.					
SLEEVES:					
Using M.C. and 4mm needles, cast on	sts	30	38	46	56
Work in K2, P2 rib as for Back until work measures	cms	9.5	10.5	11.5	13
from beg. Place a coloured marker at end of last row. Cont. in rib patt. until work measures	cms	19	21	23	26
from beg. Cast off.					
RIB BAND FOR SLEEVES:					
Using M.C. and 4mm needles, with right side facing, pick up and K	sts	29	29	31	31
evenly along edge opposite that with marker. Work in K1, P1, rib for 6 cm. Cast off.					
COLLAR:					
Using M.C. and using a flat seam, join shoulders. Using 4mm needles, with right side facing, pick up and K	sts	21	23	27	27
up right side of neck, pick up and K	sts	21	21	27	29
across back neck, and pick up and K	sts	21	23	27	27
down left side of neck. TOTAL	sts	63	67	81	83
Work in K1, P1 rib until work measures 7 cm, ending with a wrong side row. Cast off loosely in rib.					
MAKE UP:					
Cut elastic to wasit size and attach to inside of rib around waist using herring-bone st. Sew leg and sleeve seams, reversing seam on 3 cm fold back of sleeve. Set sleeves into armholes, matching markers to shoulder seams. Sew front seam, leaving	cms	25	25	30	30
open for zip. Sew in zip.					

2.

SIZES	cms	41	46	51	56
	ins	16	18	20	22
MATERIALS					
CLECKHEATON 8 Ply Pure Wool – 25 g	balls	6	6	7	8
or LIGHT 'N' LOFTY – 40 g	balls	3	3	4	4
1 Pair 3.25mm (No. 10) needles and					
1 Pair 4mm (No. 8) needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION. 3 Buttons.					
TENSION:					
23 sts. to 10 cm over st. st.					
MEASUREMENTS:					
Length from top to shoulder	cms	19	22	25	31
Sleeve seam	cms	12.5	15	18	21
BACK:					
**Using 3.25mm needles cast on	sts	53	59	62	68
1st row: P2, * K1, P2, rep. from * to end.					
2nd row: K2, * P1, K2, rep. from * to end.					
Rep. 1st and 2nd rows 6 times more. Change to 4mm needles and st. st. (1 row K, 1 row P). Continue until work measures	cms	9	11.5	13.5	18.5
from the beg. ending with a P. row. Mark each end of last row with a coloured thread to facilitate easier working when joining seams.					
COMMENCE PATTERN:					
1st row: (Right Side) P2, * K1, P2, rep. from * to end.					
2nd row: K2, * P1, K2, rep. from * to end. These 2 rows form rib pattern **.					
Continue in pattern until work measures	cms	10	10.5	11.5	12.5
from coloured markers, ending with a wrong side row.					
SHAPE SHOULDERS:					
Cast off	sts	8	9	9	11
at the beg. of the next 2 rows and	sts	8	10	10	11
at the beg. of the following 2 rows.					
Cast off remaining	sts	21	21	24	24
in rib.					
FRONT:					
Follow instructions for Back from ** to **.					
DIVIDE FOR FRONT OPENING:					
Next row: Rib across	sts	11	14	14	17
and turn, leaving remaining sts. on a spare needle.					
Next row: Cast on 5 sts. and rib to end.					
Continue in rib pattern until work measures	cms	10	10.5	11.5	12.5
from coloured markers, ending with a wrong side row.					
SHAPE SHOULDERS:					
Cast off	sts	8	9	9	11
at beg. of next row. Work 1 row. Cast off remaining	sts	8	10	10	11
Join in yarn at Front Opening to remaining sts., pattern to end. Continue in rib					

pattern until work measures	cms	6	6.5	7	7.5
from coloured markers, ending with a wrong side row.					
SHAPE NECK:					
Next row: Rib across	sts	12	12	13	13
and turn, leaving remaining sts. on a spare needle. Dec. 1 st. at neck edge on every row until 5 sts. remain. Continue without further shaping until work measures the same as Back to Shoulder, ending at side edge.					
Cast off. Join yarn at neck edge.					
Cast off	sts	7	7	8	8
Pattern to end. Dec. 1 st. at neck edge on every row until	sts	16	19	19	22
remain. Continue without further shaping until work measures the same as Back to Shoulder, ending at side edge. Cast off	sts	8	9	9	11
Work 1 row. Cast off remaining	sts	8	10	10	11
SLEEVES:					
Using 4mm needles cast on	sts	23	29	38	44
Work in rib pattern until work measures	cms	10	10.5	11.5	12.5
ending with a wrong side row.					
Mark end of last row with a coloured thread. Cont. in rib for a further	cms	10	10.5	11.5	12.5
ending with a wrong side row. Cast off in rib.					
CUFFS:					
With right side of work facing and using 3.25mm needles pick up and K	sts	27	29	31	33
evenly along side edge without coloured thread.					
Work 14 rows in K1, P1 rib.					
Cast off.					
TO MAKE UP:					
Using a back stitch join shoulder seams leaving Left Front overlap free. Join sleeves to body placing coloured thread at shoulder. Join sleeve and body seamd. Work 3 buttonhole loops along front opening. Sew on buttons. Work 1 row of double crochet around neck edge.					

3.

SIZES	cms	46	51	56	61
	ins	18	20	22	24
MATERIALS: CLECKHEATON 8 Ply Pure Wool— 25 g	balls	14	16	18	20
or LIGHT 'N' LOFTY — 40 g	balls	8	8	9	10
1 Pair each 4mm (No.8) and 3.25mm (No.10) needles or THE REQUIRED SIZE					
TO GIVE CORRECT TENSION. 6 buttons.					
TENSION: 19 sts. to 10 cm. over pattern.					
MEASUREMENTS: Length to Shoulder	cms	29	32	37	41
Sleeve seam	cms	15	18	21	26
BACK:					
Using 4mm needles, cast on	sts	49	53	59	63
1st row: (Right side) K.					
2nd row: K1, * insert right-hand needle knitwise into next st. on left-hand needle and wind yarn loosley twice, clockwise, around the first finger on left hand, K. the st. into which the right-hand needle is inserted, then K. into loops around finger, now slip the second st. on right-hand needle over the first st. (loops now completed), K1. rep. from * to end.					
These 2 rows form the pattern.					
Continue in pattern until work measures	cms	19	21	25	28
from beg., ending with a wrong side row.					
SHAPE RAGLAN ARMHOLES:					
Keeping continuity of pattern, cast off 3 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alt. row until	sts	17	19	21	23
remain, ending with a wrong side row. Cast off loosely.					
LEFT FRONT:					
Using 4mm needles, cast on	sts	25	27	29	31
Work in pattern as given for Back until work measures	cms	19	21	25	28
from beg., ending with a wrong side row.					
** SHAPE RAGLAN ARMHOLES:					
Cast off 3 sts. at beg. of next row.					
1st and 2nd Sizes only:					
Dec. 1 st. at each end of next row.					
3rd and 4th Sizes only:					
Work 1 row.					
All Sizes:					
Now dec. 1 st. at armhole edge on the next and every following alt. row until	sts	13	15	17	18
remain, ending at neck edge.					

SHAPE NECK:

Cast off 3 sts., patt. to end. Dec. 1 st. at armhole edge on next and every alt. row, whilst at the same time dec. 1 st. on neck edge on every row until remain. Cont. to dec. at armhole edge on every alt. row until 2 sts. remain. **Next row:** Patt. 2, turn, work 2 tog. Fasten off. **

RIGHT FRONT:

Using 4mm needles, cast on
Work in pattern as given for Back until work measures
from beg., ending with a right side row. Follow instructions for Left Front from ** to **.

sts	4	4	5	4
sts	25	27	29	31
cms	19	21	25	28

SLEEVES:

Using 4mm needles, cast on
Work in pattern as given for Back. Inc. at each end of the
until there are
Continue without shaping until work measures
ending with a wrong side row.

sts	27	27	29	31
row	8th	8th	10th	10th
sts	35	37	39	41
cms	15	18	21	26

SHAPE RAGLAN:

Cast off 3 sts. at the beg. of the next 2 rows.

3rd and 4th Sizes only:

Dec. 1 st. at each end of following 4th row. Work 1 row.

All sizes:

Dec. 1 st. at each end of the next and every following alt. row until 3 sts. remain, ending with a wrong side row. Cast off.

HOOD:

Using 4mm needles, cast on
Work in pattern as given for Back until work measures
from beg., ending with a wrong side row. Cast off.

sts	83	89	95	99
cms	18	18	20	20

FRONT BANDS:**Right Front:**

With right side of work facing, using 3.25mm needles and commencing at lower edge, pick up and knit
Knit 1 row.

Next row: K3, * y.fwd., K2 tog., (buttonhole) Knit
rep. from * ending last rep. with K3.

Knit 4 rows. Cast off loosely.

sts	56	61	71	81
sts	8	9	11	13

LEFT FRONT:

With right side of work facing, using 3.25mm needles and commencing at neck edge, pick up and knit
Knit 6 rows. Cast off loosely.

sts	56	61	71	81
-----	----	----	----	----

TO MAKE UP:

Using a back stitch sew up raglans noting that tops of sleeves form part of neck-line. Sew up side and sleeve seams. Using a flat stitch join hood seam and stitch in position. Sew buttons onto left band to correspond with buttonholes.

4.

SIZES

cms	41	46	51	56
ins	16	18	20	22

MATERIALS: CLECKHEATON Pure Wool 8 Ply — 25 g.....
or LIGHT 'N' LOFTY — 40 g.....
or NATURAL 8 Ply — 50 g.....

balls	6	6	7	8
balls	3	3	4	4
balls	3	3	4	4

1 Pair 4mm (No 8) needles, or THE REQUIRED SIZE TO GIVE CORRECT TENSION. 4 buttons.

TENSION: 22 sts. to 10 cm. over garter stitch.

MEASUREMENTS: Length to shoulder
Sleeve seam

cms	19	21	25	31
cms	12.5	15	18	21

Commencing at lower edge of Back, using 4mm needles, cast on
Continue in garter st. (every row K, first row wrong side) until work measures....

sts	50	56	60	66
cms	10	11.5	14.5	19.5

SHAPE SLEEVES:

Cast on
at the beg. of the next 2 rows.

Cont. on these
until work measures
from sleeve cast on.

sts	28	34	40	46
sts	106	124	140	158
cms	9	9.5	10.5	11.5

SHAPE NECK:

Next row: K
and leave these sts. on a spare needle, cast off the foll.
K to end.

Cont. on the rem.

sts	44	52	60	68
sts	18	20	20	22
sts	44	52	60	68

and work	rows	10	10	12	14
in garter st.					
Inc. 1 st. at neck edge on every row 5 times. Cont. on these	sts	49	57	65	73
until work measures	cms	28	30.5	35.5	42.5
from beg. ending with a right side row.					
Next row: Cast off	sts	28	34	40	46
K to end. Work 2 rows.					
Break yarn and leave rem.	sts	21	23	25	27
Return to	sts	44	52	60	68
on spare needle, join in yarn at neck edge for Right Side and work to corre- spond to Left Side.					

FRONT FLAP:

Using 4mm needles cast on	sts	18	20	20	22
Work 3 rows in garter st.					
4th row: K3, y.fwd, K2 tog., (buttonhole made) K. to last 4 sts., y.fwd, K2 tog, K2.					
5th row: K to end.					
Work	rows	10	10	12	14
in garter st., then rep. 4th and 5th rows once.					
Work 3 more rows, break yarn and leave.					

JOIN FLAP TO BODY:

Return to sts. on spare needle for Right Side and with side facing join yarn at outer edge. K across	sts	16	18	20	22
from holder, place needle with flat sts. in front of work, then K each of first 5 sts. of flap tog. with 5 sts. rem. on holder, K next	sts	8	10	10	12
of flap, then place holder with sts. for Left Side at back of rem. sts. of flap, then K each of rem. 5 sts of flap tog. with first 5 sts. from Left Side holder. K to end	sts	50	56	60	66
Cont. in garter st. on these sts. until work measures	cms	10	11.5	14.5	19.5
from sleeve cast off. Cast off loosely.					

TO MAKE UP:

Using a back stitch, sew up side and sleeve seams. Sew on buttons to body to
correspond to buttonholes on flap.

5.

SIZES	cms 46
	ins 18

MATERIALS:	LINCOLN Babysoft 3 Ply or CLECKHEATON Baby Natural Wool 3 Ply — 25g	balls 8
------------	--	---------

1 Pair 3.25mm (No. 10) and 2.75mm (No. 12) needles or THE SIZE REQUIRED TO GIVE CORRECT TENSION.
Crochet hook size 2.50mm, 3 small buttons, 1½ metres ribbon.

MEASUREMENTS:

Dress:	Length to shoulder	cms 38
	Sleeve seam	cms 5
Bonnet:	Width around face	cms 28
Shoes:	Length of foot	cms 9

TENSION: 28 sts. to 10 cms over st.st.

FROCK:

BACK:

** Using 3.25mm needles, cast on	sts 130
K 10 rows.	
Commence pattern.	
1st row: K3, * K1, (M1, sl.1, K2, p.s.s.o.) twice, K6, repeat from * to last 10 sts., K1 (M1, sl.1, K2, p.s.s.o.) twice, K3.	
2nd row: P.	
3rd row: K3, * (sl. 1, K2, p.s.s.o., M1) twice, K7, repeat from * to last 10 sts., (sl. 1, K2, p.s.s.o., M1) twice, K4.	
4th row: K3, * P7, K6, repeat from * to last 10 sts., P7, K3 **.	
Repeat the last 4 rows until work measures 18 cm.	

DIVIDE FOR BACK OPENING:

Patt. 64 sts., turn, leaving rem. sts. on a spare needle, cast on 2 sts., K into back of cast on sts., patt. to end. Cont. in patt., working 4 border sts. in garter st., until work measures 30 cm.	
Change to 2.75mm needles and decrease for Yoke as follows:	
Next row: K3, * K2 tog., repeat from * to last 3 sts., K3. K3 rows.	
Next row: K1, * y.fwd., K2 tog., repeat from * to last 3 sts., K3.	
K3 rows.	
Change to 3.25mm needles. Work in st.st. keeping border sts. in garter st.	

SHAPE ARMHOLES:

Cast off 4 sts. at beg. of next row.	
Dec. 1 st. at armhole edge on foll. 3 rows. Cont. straight until work measures 8 cms from cast off. Join yarn to rem. sts. at neck edge and work other side to correspond, working buttonholes as follows; 1st one being on ribbon holes, then work 2 more 4 cm apart.	

BUTTONHOLES: K2, y.fwd., K2 tog., work to end.

FRONT:

Follow instructions for Back from ** to **. Repeat the last 4 rows until work measures 30 cm.

Change to 2.75mm needles and decrease for yoke as follows:

Next row: K3, * K2 tog., repeat from * to last 3 sts., K3. K3 rows.

Next row: K1, * y.fwd., K2 tog., repeat from * to last st., K1. K3 rows, dec. 1 st. on last row.

Change to 3.25mm needles.

SHAPE ARMHOLES:

Next row: Cast off 4 sts., K13, * K1, (M1, sl.1, K2, p.s.s.o.) twice, K6, repeat from * ending last rep. K17.

Next row: Cast off 4 sts., P to end.

Next row: K2 tog., K11, * (sl.1., K2, p.s.s.o., M1) twice, K7, repeat from * ending last repeat with K12, K2 tog.

Next row: P2 tog., P4, (K6, P7) 3 times, K6, P4, P2 tog.

Next row: K2 tog., K10, (M1, sl.1, K2, p.s.s.o.) twice, K7, (M1, sl.1, K2, p.s.s.o.) twice, K7, (M1, sl.1, K2, p.s.s.o.) twice, K9, K2 tog.

Next row: P.

Next row: K2 tog., K8, * (sl.1, K2, p.s.s.o., M1) twice, K7, repeat from * ending last repeat with K9, K2 tog.

Next row: P3, (K6, P7) 3 times, K6, P3.

Next row: K2 tog., K7, * K1, (M1, sl.1, K2, p.s.s.o.) twice, K6, repeat from * ending last repeat with K7, K2 tog.

Next row: P.

Next row: K2 tog., K6, * (sl.1, K2, p.s.s.o., M1) twice, K7, repeat from * ending last repeat with K7, K2 tog.

Next row: P1, (K6, P7) 3 times, K6, P1.

Next row: K2 tog., K5, * K1 (M1, sl.1, K2, p.s.s.o.) twice, K6, repeat from * ending last repeat with K5, K2 tog.

Next row: P.

Next row: K6, * (sl.1, K2, p.s.s.o., M1) twice, K7, repeat from * ending last repeat with K7.

Next row: * K6, P7, repeat from * to last 6 sts., K6.

Cont. in patt. until armhole measures 5 cm, ending with a wrong side row.

SHAPE NECK:

Patt. 17 (leave on a spare needle) cast off 11 sts., patt. 17 sts. Work on last 17 sts., dec. 1 st. at neck edge on next 2 rows.

Cont. straight until work measures 8 cm from cast off. Join yarn to rem. sts. and work to correspond.

SLEEVES:

Using 2.75mm needles cast on 49 sts. K 4 rows.

Next row: K twice into every 3rd st. (65 sts.)

Change to 3.25mm needles.

Work in pattern until sleeve measures 5 cm.

SHAPE TOP:

Cast off 3 sts. at the beg. of every row until 23 sts. remain. Cast off.

BONNET:

Front Piece:

Using 3.25mm needles, cast on 9 sts.

Work as follows:—

1st row: K2, (M1, sl.1, K2, p.s.s.o.) twice, K1.

2nd row: K1, P7, K1.

3rd row: K1, (sl.1, K2, p.s.s.o., M1) twice, K2.

4th row: K1, P7, K1.

Repeat the last 4 rows for 28 cm. Cast off.

With right side facing, using 2.75mm needles, pick up and K91 sts. along edge of strip of work.

Next row: P.

Change to 3.25mm needles and work in patt. until work measures 12 cms.

Shape Back:

1st row: * K8, K2 tog., repeat from * to last st., K1.

2nd and alt. rows: K.

3rd row: * K7, K2 tog., repeat from * to last st., K1.

5th row: * K6, K2 tog., repeat from * to last st., K1.

Cont. to dec. in this manner for 11 rows.

17th row: * K2 tog., repeat from * to last st., K1. Break off yarn, thread through a darning needle, draw all sts. into a circle and fasten off.

SHOES:

Commence at top.

Using 3.25mm needles cast on 26 sts., K 4 rows.

Work in patt. as for Frock. Cont. until work measures 4 cms, leave on a spare needle.

Work another piece in same way.

Work both pieces onto one needle as follows: K across all sts. of 1st piece, then K across all sts. of 2nd piece.

Next row: P, decreasing 4 sts. along row.

Change to 2.75mm needles and work 3 rows in K1, P1 rib.

Next row: (Wrong side) K1, * y.fwd., K2 tog., repeat from * to last st., P1.

Work 3 rows in K1, P1 rib.

Next row: K32, leaving remaining st., turn, P16, turn, K16. Work on 16 centre sts. in st. st. for 5 cm.

Pick up and K 10 sts. down side of flap. K16.

Next row: K42, pick up and K 10 sts. down other side of flap, K16.

K 8 rows.

Next row: K32, (K2 tog.) twice, K32.

Next row: K1, K2 tog., K. to last 3 sts., K2 tog., K1.

Next row: K30, (K2 tog.) twice, K30.

Next row: K1, K2 tog., K to last 3 sts., K2 tog., K1.

Next row: K28, (K2 tog.) twice, K28.
 Next row: K1, K2 tog., K to last 3 sts., K2 tog., K1.
 Next row: K26, (K2 tog.) twice, K26.
 Next row: K1, K2 tog., K to last 3 sts., K2 tog., K1.
 Next row: K24, (K2 tog.) twice, K24.
 Next row: K1, K2 tog., K to last 3 sts., K2 tog., K1.
 Cast off.

TO MAKE UP:

FROCK:

Using a flat seam sew up shoulder seams. Set in sleeves. Sew up side and sleeve seams. Using a crochet hook 2.50mm, work 2 rows double crochet around neck. Sew on small buttons on back opening. Thread ribbon through yoke.

BONNET:

Using a flat seam sew up back seam. Sew on ribbon.

SHOES:

Using a flat seam, sew up foot and leg seams. Turn top down. Thread ribbon through holes.

6.

SIZE: 3 – 6 months.

MATERIALS: LINCOLN Babysoft 3 Ply or
 CLECKHEATON Baby Natural Wool — 25 g Balls 6

1 Pair each of 2.75mm (No 12) and 3.25mm (No 10) needles. 1 Set of four 2.75mm (No 12) needles or THE SIZE REQUIRED TO GIVE CORRECT TENSION. Four buttons.

MEASUREMENTS: — Length to shoulder 21 cm
 Sleeve seam 15 cm

TENSION: 32 sts. to 10 cm over patt.

JUMPER

BACK:

Using 2.75mm needles, cast on 85 sts.

**** 1st row:** K1, * P1, K1, rep. from * to end.

2nd row: P1, * K1, P1, rep. from * to end.

Rep. these 2 rows 7 times more.

Change to 3.25mm needles and patt.

1st row: (Right side) K1, * P3, K1, rep. from * to end.

2nd row: P1, * K3, P1, rep. from * to end.

3rd row: K to end.

4th row: P to end.

These 4 rows form the patt. **

Cont. in patt. until work measures 12 cm ending with a wrong side row.

SHAPE ARMHOLE:

Dec. 1 st. at each end of next and every row until 61 sts. remain, ending with a wrong side row. Leave these stitches on a spare needle.

FRONT:

Work as given for Back.

SLEEVES:

Using 2.75mm needles, cast on 61 sts.

Work as given for Back from ** to **.

Cont. in patt. until work measures 15 cm, ending with a wrong side row.

SHAPE TOP:

Dec. 1 st. at each end of next and every foll. row until 37 sts. remain. Leave these sts. on a spare needle.

THE YOKE:

Using the set of four 2.75mm needles and commencing at the centre front, divide the stitches of the front, back and two sleeves on the three needles — 65 sts. onto two needles and 66 on the third (196 sts.).

Work in rows.

1st row: K2, * P1, K1, rep. from * to end of row. Repeat this row 21 times more.

Next row: K2, * y.fwd., K2 tog., rep. from * to end. Rib 1 row.

Next row: K2 tog. to end.

Cast off in rib firmly.

KNICKERS:

Using 2.75mm needles, cast on 85 sts.

Rib 6 rows. (K1, P1).

Next row: * K1, P1, y.fwd., K2 tog., rep. from * to last st., K1.

Rib 6 rows.

Change to 3.25mm needles. Cont. in patt. as given for Jumper until work measures 17 cm from the beg.

PLACE LEG OPENINGS:

Cast off 34 sts. at beg. of next 2 rows.

Cont. in patt. on the rem. 17 sts. for 20 rows. Cast on 34 sts. at beg. of next 2 rows. Cont. in patt. until work measures 14 cm from leg cast on, ending with a wrong side row. Change to 2.75mm needles. Rib 6 rows (K1, P1).

Next row: * K1, P1, y.fwd., K2 tog., rep. from * to last st., K1.

Rib 6 rows. Cast off in rib.

LEG BANDS:

With right side of work facing and using 2.75mm needles, pick up and K 80 sts. along leg opening. Work 2.5 cm in K1, P1 rib. Cast off in rib.

TO MAKE UP:

JUMPER:

Using a flat seam, sew up side and sleeve seams. Sew the shaped edges of sleeves to shaped edges of front and back. Work 1 row of d.c. round the front opening, making 4 chain loops along the left front of opening. Sew on buttons. Using double yarn make a chain length for neck tie. Insert through eyelets at neck.

KNICKERS:

Using a flat seam sew up sides. Using the yarn double, make a length of crochet chain to thread through the holes at the waist. Finish with tassels.

7.

SIZES:

Birth to 2 months: Use size 2.75mm (No.12) needles.

3 to 6 months: Use size 3.25mm (No.10) needles.

6 to 9 months: Use size 3.75mm (No. 9) needles.

These needle sizes give a foot length of 10, 11.5 and 12.5 cm respectively.

MATERIALS: LINCOLN Babysoft 3 Ply or
CLECKHEATON Baby Natural Wool — 25g ball 1
Length of ribbon.

Using the required size needles, cast on 47 sts.

1st row: K1, inc. into next st., K20, inc., K1, inc., K20, inc., K1.

2nd and every alt. row: K.

3rd row: K1, inc., K22, inc., K1, inc., K22, inc., K1.

5th row: K1, inc., K24, inc., K1, inc., K24, inc., K1.

7th row: K1, inc., K26, inc., K1, inc., K26, inc., K1.

9th row: K1, inc., K28, inc., K1, inc., K28, inc., K1.

10th row: K2 tog., K to last 2 sts., K2 tog. (65 sts.).

Work 10 rows in garter st. without shaping.

Commence Instep Shaping:

1st row: K37, K2 tog. t.b.s., turn.

2nd and every alt. row: Sl.1, P9, P2 tog., turn.

3rd row: Sl.1, K1, y.fwd., Sl.1, K1, p.s.s.o., K3, K2 tog., y.fwd., K1, K2 tog. t.b.s., turn.

5th row: Sl.1, K2, y.fwd., Sl.1., K1, p.s.s.o., K1, K2 tog., y.fwd., K2, K2 tog. t.b.s., turn.

7th row: Sl.1, K3, y.fwd., Sl.1, K2 tog., p.s.s.o., y.fwd., K3, K2 tog. t.b.s., turn.

8th row: As 2nd row.

Rep. from 3rd to 8th row inclusive twice more (45 sts.)

Next row: Sl.1, K9, K2 tog., t.b.s., turn.

Next row: Sl.1, P9, P2 tog. t.b.s., turn.

Next row: Sl.1, K to end. (43 sts.)

Next row: P.

Make Ribbon Holes:

K1 * y.fwd., K2 tog., rep. from * to end.

Next row: P.

Work 4 rows in K1, P1 rib.

Work 13 rows in garter st. Cast off loosely.

8.

Work the first 10 rows as for Design 7.

Work 10 rows in garter st.

Commence Instep Shaping:

1st row: K37, K2 tog. t.b.s., turn.

2nd row: Sl.1, P9, P2 tog., turn.

3rd row: Sl.1, K9, K2 tog. t.b.s., turn.

4th row: Sl.1, P9, P2 tog., turn.

Rep. the last 2 rows until 43 sts. rem. (16 sts. at each side of instep).

Next row: Sl.1, K to end.

Next row: P.

Make Ribbon Holes:

K1, * y.fwd., K2 tog., rep. from * to end.

Next row: P.

Work 4 rows in K1, P1 rib.

Next row: P.

Work 6 rows in st. st. (1 row K, 1 row P).

Cast off loosely.

Pleating:

Using 2.25mm needles cast on 7 sts.

- 1st row: K.
- 2nd row: P5, turn.
- 3rd row: K5.
- 4th row: P5, K2.
- 5th row: K2, P5.
- 6th row: K5, turn.
- 7th row: P5.
- 8th row: K.

Rep. these 8 rows until pleating is long enough to fit around top of bootee. Join to upper edge of bootee so that the seam will be on the wrong side when top is turned over.

ALL BOOTTEES

To Make Up: Using a flat seam join under foot and leg seam. Thread with ribbon.

9.		
SIZES		cms 46
		ins 18

MATERIALS: CLECKHEATON 5 Ply Pure Wool or RIVERINA 5 Ply — Main Colour (M.C.) 25g Balls 4
 2 Balls in each of four contrast colours. 1 Crochet Hook size 2.50mm (No. 12) or THE SIZE REQUIRED TO GIVE CORRECT TENSION. 15 cm Zip.
 50 cm length of hat elastic.

MEASUREMENTS: Length from Shoulder	cms 56
Leg Seam	cms 19

TENSION: Each square motif measures 7 x 7cm.

MOTIF

Using 2.50 hook and first contrast, make 4 ch. Join with a sl. st. into first ch. to form circle.

1st round: 3 ch. to form first tr., 2 tr. into ring, * 1 ch., 3 tr. into ring, rep. from * twice, 1 ch., sl. st. in 3rd ch, at beg. Break off first C.C.

2nd round: Join 2nd C.C. into a ch. loop, 3 ch. to form first tr., 2 tr. into sp., 1 ch., 3 tr. into same ch. sp. (corner formed), * 1 ch., (3 tr., 1 ch., 3 tr.) all into next ch. sp., rep. from * twice, 1 ch., sl. st. into 3rd ch. at beg. Break off second C.C.

3rd round: Join 3rd C.C. into corner sp., 3 ch. to form first tr., 2 tr. into sp., 1 ch., 3 tr. into same sp., * 1 ch., 3 tr. into next sp., 1 ch., (3 tr., 1 ch., 3 tr.) all into next ch. sp., rep. from * twice, 1 ch., 3 tr. into next sp., 1 ch., sl. st. into 3rd ch. at beg. Break off third C.C.

4th round: Join M.C. into corner sp., 3 ch. to form first tr., 2 tr. into sp., 1 ch., 3 tr. into same sp., * (1 ch., 3 tr. into next sp.) twice, 1 ch. (3 tr., 1 ch., 3 tr.) all into next ch. sp., rep. from * twice, (1 ch., 3 tr. into next sp.) twice, 1 ch., sl. st. into 3rd ch. at beg. Fasten off.

Make 39 more squares in the same way, varying the colours for the first 3 rounds but always keeping 4th round in M.C. Join squares as shown on chart by sewing them tog. on wrong side using M.C.

With right side facing using 2.50 hook and MC work 1 row of 3 tr, 1 ch along motifs from point O to point X along all 4 edges.

Fold right and left sections along fold line and join leg seam up to point X.

LEG BORDERS:

Using size 2.50 hook and first contrast, right side facing, beg. at lower edge. Work across motifs as foll.

1st row: Into corner sp. work 3 ch. to form edge st., 3 tr. into same sp., 1 ch., * into next ch.sp. Work 3 tr., 1 ch., rep. from * 15 times in all in each square to end, 1 tr. into end corner sp. to form edges st. Fasten off.

2nd row: Join in next colour into first sp., 3 ch. to form edge st., * into next ch. sp. work 3 tr., 1 ch., rep. from * until 1 sp. rem., 1 tr. into end sp. Fasten off.

3rd row: Join next colour into first sp., 3 ch. to form edge st., into same sp. work 3 tr., 1 ch., * into next ch. sp. work 3 tr., 1 ch., rep. from * to end, 1 tr. into same end sp. to form edge st. Fasten off.

Rep. 2nd and 3rd rows once, changing colours each time, ending with M.C.

STRAPS (Make 2):

Using size 2.50 hook make 7 ch.


1st row: Miss 3 ch. (to form edge st.) 1 tr. in each ch. to end.

2nd row: 3 ch. to form edge st., 1 tr. in each tr. to end.

Rep. 2nd row until work measures 14 cm.

TO MAKE UP:

Join back seam and along 2 motifs at front. Work 7 rows along top edge in same manner but omitting 1 ch. between 3 tr. groups as for Leg Borders, finishing with M.C. Work 1 row of d.c. over hat elastic along top edge. Sew in zip and sew on straps.



10.

SIZES		cms	46	51	56	61
		ins	18	20	22	24
MATERIALS:	CLECKHEATON 12 Ply, or					
	NATURAL 12 Ply — Mittens 50 g	balls	1	1	1	1
	Overalls 50 g	balls	5	6	7	8
1 Pair each 4.5mm (No. 7) and 6mm (No. 4) needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION. 2 buttons.						
TENSION: 16 stitches to 10 cm over garter st.						
MEASUREMENTS: Length of Leg — crotch to ankle		cms	15	22	32	43
FIRST LEG:						
Using 4.5mm needles, cast on		sts	37	41	45	49
1st row: (Right side facing) K1, * P1, K1, rep. from * to end.						
2nd row: P1, * K1, P1, rep. from * to end.						
Repeat these 2 rows 6 times. Change to 6mm needles. Cont., working in garter st., until work measures		cms	13	19	29	38
from beg., ending with a wrong side row. Inc. 1 st. at each end of next, then every following alt. row until		sts	45	51	57	63
on needle. Knit 1 row. **						
Break off yarn, and leave sts. on a holder.						
SECOND LEG:						
Work as for first leg to **.						
Continue as follows:						
Cast on 2 sts., (all sizes) for crotch, knit		sts	45	51	57	63
for second leg, cast on 4 sts., (all sizes) for crotch, knit		sts	45	51	57	63
for first leg, cast on 2 sts., (all sizes) for crotch. TOTAL		sts	98	110	122	134
Knit 3 rows.						
Next row: (Right side facing) K2 tog., K		sts	45	51	57	63
K2 tog. twice, K		sts	45	51	57	63
K2 tog.						
Knit 3 rows.						
Next row: K2 tog., K		sts	43	49	55	61
K2 tog. twice, K		sts	43	49	55	61
K2 tog.						
Knit 3 rows.						
Next row: K2 tog., K		sts	41	47	53	59
K2 tog. twice, K		sts	41	47	53	59
K2 tog.						
Knit 3 rows.						
Cont. to dec. 1 st. at beg., 2 sts. at centre, and 1 st. at end of next, and every following 4th row until		sts	86	94	102	110
remain.*						
Work 3 rows, dec. 1 st. at each end of next row. Cont. on these sts. without further shaping until work measures		cms	33	41	51	63
from beg., along side of leg, ending with a wrong side row.						
Next row: K		sts	41	45	49	53
K2 tog., K to end.						
Knit 1 row.						
Change to 4.5mm needles.						
Work 8 rows in K1, P1 rib.						
Next row: Cast off loosely in rib.		sts	25	28	31	34
Work in rib		sts	33	35	37	39
Cast off loosely in rib rem.		sts	26	29	32	35
Re-join yarn to centre		sts	33	35	37	39
and work in K1, P1 rib as before until		cms	11	12	13	14
from beg. of rib, ending with a wrong side row.						
Next row: Rib 7 sts., cast off centre		sts	19	21	23	25
in rib, rib 7 sts. Cont. working last 7 sts. in rib as before, until strap measures...		cms	24	28	32	38
Next row: Rib 3 sts., y.fwd., work 2 sts. tog., rib to end.						
Work 1 row in rib.						
Cast off in rib.						
Return to rem. sts. and work in rib as for 1st strap.						
TO MAKE UP:						
Cut elastic to waist measurement and attach to inside of rib around waist using a herringbone st. Using a back st., join inside leg back seams. Sew buttons on back.						

BABY MITTENS — 12 PLY					
SIZES TO FIT		cms ins	46 — 51 18 — 20	56 — 61 22 — 24	
Length at Centre		cms	10	13	
Using size 6mm needles, cast on		sts	21	25	

Work	rows	12	16
in garter st. Inc. for thumb as follows:			
1st row: K.....	sts	10	12
M1, K1, M1, Knit to end of row.			
2nd and every alt. row: Knit.			
3rd row: K	sts	10	12
M1, K3, M1, Knit to end of row.			
Cont. to inc. in this matter in every foll. alt. row until	sts	27	33
on needle.			
Next row: K	sts	17	21
Turn.			
Next row: K	sts	7	9
Turn.			
Cast on 2 sts.			
Cont. on these centre	sts	9	11
for a further	cms	3	4
from thumb. Dec.	sts	4	5
on next row. Leaving a length of yarn, break yarn.			
Thread end through rem. sts, and draw up tightly and fasten. With flat seam, sew thumb seam. With right side facing, join yarn to base of thumb. On right needle, there are	sts	10	12
K1 st. from sts. at base of thumb, K	sts	10	12
Cont. on these	sts	21	25
in Garter st. until work measures	cms	8	11
from beg.			
SHAPE TOP:			
1st row: K1, * K2 tog., K	sts	6	8
K2 tog., rep. from * once.			
2nd and every alt. row: Knit.			
3rd row: K1, * K2 tog., K	sts	4	6
K2 tog., rep. from * once.			
5th row: K1, * K2 tog., K	sts	2	4
K2 tog., rep. from * once.			
Cont. to dec. 4 sts. in this manner on every foll. alt. row until	sts	9	9
remain. Cast off.			
TO MAKE UP:			
Sew outter edge with a flat seam. Using a crochet hook make	ch	50	60
Fasten off. Securely attach mitten on each end.			

11.

SIZES	cms ins	41 16	46 18	51 20	56 22
MATERIALS:					
CLECKHEATON 12 Ply Pure Wool					
or NATURAL 12 Ply					
Main Colour (MC) — 50 g	balls	7	7	9	9
Contrast Colour (CC) — 50 g	balls	2	2	2	2
1 Crochet Hook size 5mm (No. 6) or THE SIZE REQUIRED TO GIVE CORRECT TENSION. 3 Toggles.					
MEASUREMENTS:					
Length	cms	26	29	33	38
Sleeve (including cuff)	cms	12.5	15	18	21
TENSION:					
13 hl.tr and 10 rows to 10 cm.					
BACK:					
Using MC and 5mm hook make	ch	32	36	38	42
1st row: Miss 2 ch., * y.o.h., insert hook into next ch. and draw a loop through, then draw a loop through all 3 loops on hook (1 hl. tr. made) rep. from * to end.					
2nd row: Make 2 ch. (to stand for 1st hl. tr.) * 1 hl. tr. into each hl. tr., rep. from * to end.					
Rep. last row until work measures	cms	16	18.5	21.5	25.5
Mark each end of last row with coloured markers. Cont. until work measures..... from beg. Fasten off.	cms	26	29	33	38
RIGHT FRONT:					
Using MC and 5mm hook make	ch	18	20	22	24
Cont. in hl. tr. until work measures	cms	16	18.5	21.5	25.5
* Mark beg. of last row with a coloured thread (armhole edge) ** Cont. until work measures	cms	22	25	28	33
from beg., ending at front edge.					
At beg. of next row sl. st. across	sts	3	4	4	5
then work to end.					
Dec. 1 st. at neck edge on every row 3 times.					
1st and 2nd sizes only — Fasten off.					
3rd and 4th sizes — Work 1 row. Fasten off.					

LEFT FRONT:
Work as for Right Front from *. Mark end of last row with a coloured thread (armhole edge). Cont. from ** to end.

SLEEVES:

Using MC and 5mm hook make	ch	18	22	26	30
Cont. in hl.tr. until work measures	cms	20	21	23	25
from the beg. Fasten off.					

HOOD:					
Using MC and 5mm hook make	ch	24	24	26	28
Cont. in hl.tr. until work measures	cms	38	45	48	50
from the beg. Fasten off.					

TO MAKE UP:
Using CC and size 5mm hook work 1 round of d.c. around all pieces.
Using a flat seam join shoulders, side and sleeve seams. Placing sleeve seam at shoulder seam join sleeves to body. Fold Hood strip in half and sew the back seam. Ease lower edge of Hood to neck edge leaving 2cm free on each side of front edges. Sew on toggles — button through fabric.

12.

SIZE 3 — 6 months
MATERIALS: CLECKHEATON Baby Natural Wool 3 Ply, or
LINCOLN Babysoft 3 Ply 25g Balls 2.
1 Pair each 3.25mm (No. 10) and 3mm (No. 11) needles. 1 Crochet hook.

MEASUREMENTS: Length to top shoulder — 28 cm.

TENSION: 26 sts. to 10 cms over patt.

BACK:
Using 3mm needles, cast on 62 sts., work as follows (working 1st row into back of sts.)
1st row: * P2, y.fwd., K2 tog., P2, K2, rep. from * to last 6 sts., P2, y.fwd., K2 tog., P2.
2nd row: K2, * P2, K2, rep. from * to end.
3rd row: * P2, K2 tog., y.r.n., P2, K2, rep. from * to last 6 sts., P2, K2 tog., y.r.n., P2.
4th row: K2, * P2, K2, rep. from * to end.
Rep. the last 4 rows and when 10th row has been worked, change to 3.25mm needles. Cont. in patt. until work measures 25 cms.
Work as follows.
Next row: Work 19 sts. (leave on a spare needle), cast off 24 sts., work 19 sts. Cont. on last 19 sts. and K2 tog. at neck edge every row until decreased to 14 sts. When work measures 29 cms, cast off. Join yarn at neck edge to rem. sts. and work other side to correspond.

FRONT:
Work the same as for back until work measures 23 cms.
Next row: Work 20 sts. (leave on a spare needle), cast off 22 sts., work 20 sts. Cont. on last 20 sts. and K2 tog. at neck edge of the next 3 rows, then every **2nd row** until decreased to 14 sts.
When work measures 29 cms, cast off. Join in yarn at neck edge and work other side to correspond.

TO MAKE UP:
Using a flat stitch sew up seams, leaving 7 cms opening for armholes. Crochet around neck as follows:
1st row: 1 treble in 1st st. * 1 chain, miss 1 st., 1 treble into next st., rep. from * to end.
2nd row: * (1 d.c., 2 tr., 1 d.c.) into each space, rep. from * to end. Fasten off. Work 1 row of d.c. around armholes.
Make a twisted cord and thread through holes at neck.

13.

MATERIALS: CLECKHEATON Country Craft 5 x 100 gram hanks.
1 Pr. 7mm (No. 2) needles or THE SIZE REQUIRED TO GIVE CORRECT TENSION.
MEASUREMENT: 94 cm x 60 cm.
TENSION: 10 sts. to 10 cms over st. st.

Using 7mm needles, cast on 74 sts.
Knit 3 rows. Commence Berry pattern.
1st row: (Right side) K3, P to last 3 sts., K3.
2nd row: K3, * (K1, P1, K1) all into next st., P3 tog. rep. from * to last 3 sts., K3.
3rd row: As 1st row.
4th row: K3, P3 tog, (K1, P1, K1) all into next st., rep. from * to last 3 sts, K3.
Rep. rows 1 to 4 inclusive twice.
COMMENCE PATTERN:
1st row: K3, P17, K4 (P11, K4) twice, P17, K3.
2nd row: K3, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K5, (P4, K11) twice, P4, K5, ([K1, P1, K1] all into next

st., P3 tog.) 3 times, K3.

3rd row: K3, P17, Cr4, (P11, Cr4) twice, P17, K3.

4th row: K3 (P3 tog., [K1, P1, K1] all into next st.) 3 times, K5, (P4, K11) twice, P4, K5, (P3 tog., [K1, P1, K1] all into next st.) 3 times, K3.

5th row: K3, P16, Cr2R, Cr2L, (P9, Cr2R, Cr2L) twice, P16, K3.

6th row: K3, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K4, P2, K1, P3, (K9, P2, K1, P3) twice, K4 ([K1, P1, K1] all into next st., P3 tog.) 3 times, K3.

7th row: K3, P15, Cr2R, P1, K1, Cr2L (P7, Cr2R, P1, K1, Cr2L) twice, P15, K3.

8th row: K3 (P3 tog., [K1, P1, K1] all into next st.) 3 times, K3, P2, (K1, P1) twice, P2, (K7, P2, [K1, P1] twice, P2) twice, K3 (P3 tog., [K1, P1, K1] all into next st.) 3 times, K3.

9th row: K3, P14, Cr2R, (P1, K1) twice, Cr2L, (P5, Cr2R), [P1, K1] twice, Cr2L) twice, P14, K3.

10th row: K3, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K2, P2, (K1, P1) 3 times, P2 (K5, P2, [K1, P1] 3 times, P2) twice, K2, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K3.

11th row: K3, P13, Cr2R, (P1, K1) 3 times, Cr2L (P3, Cr2R [P1, K1] 3 times, Cr2L) twice, P13, K3.

12th row: K3, (P3 tog., [K1, P1, K1] all into next st.) 3 times, K1, P2, (K1, P1) 4 times, P2, (K3, P2 [K1, P1] 4 times, P2) twice, K1, (P3 tog., [K1, P1, K1] all into next st.) 3 times, K3.

13th row: K3, P12, Cr2R, (P1, K1) 4 times, Cr2L (P1, Cr2R [P1, K1], 4 times, Cr2L) twice, P12, K3.

14th row: K3, ([K1, P1, K1] all into next st., P3 tog.) 3 times, P2, (K1, P1) 5 times, P2 (K1, P2, [K1, P1] 5 times, P2) twice, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K3.

15th row: K3, P12, Cr2L, (K1, P1) 4 times, Cr2, (P1, Cr2L, [K1, P1] 4 times, Cr2) twice, P12, K3.

16th row: K3 (P3 tog., [K1, P1, K1] all into next st.) 3 times, K1, P2, (K1, P1) 4 times, P2 (K3, P2, [K1, P1] 4 times, P2) twice, K1, (P3 tog., [K1, P1, K1] all into next st.) 3 times, K3.

17th row: K3, P13, Cr2L, (K1, P1) 3 times, Cr2 (P3, Cr2L, [K1, P1] 3 times, Cr2) twice, P13, K3.

18th row: K3 ([K1, P1, K1] all into next st., P3 tog.) 3 times, K2, P2, (K1, P1) 3 times, P2 (K5, P2 [K1, P1] 3 times, P2) twice, K2, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K3.

19th row: K3, P14, Cr2L (K1, P1) twice, Cr2, (P5, Cr2L [K1, P1] twice, Cr2) twice, P14, K3.

20th row: K3, (P3 tog., [K1, P1, K1] into next st.) 3 times, K3, P2, (K1, P1) twice, P2, (K7, P2, [K1, P1] twice, P2) twice, K3, (P3 tog., [K1, P1, K1] into next st.) 3 times, K3.

21st row: K3, P15, Cr2L, K1, P1, Cr2 (P7, Cr2L, K1, P1, Cr2) twice, P15, K3.

22nd row: K3, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K4, P2, K1, P3, (K9, P2, K1, P3) twice, K4, ([K1, P1, K1] all into next st., P3 tog.) 3 times, K3.

23rd row: K3, P16, Cr2L, Cr2 (P9, K9, Cr2L, Cr2) twice P16, K3.

24th row: K3 (P3 tog., [K1, P1, K1] all into next st.) 3 times, K5, P4, (K11, P4) twice, K5, (P3 tog., [K1, P1, K1] all into next st.) 3 times, K3.

25th row: K3, P17, K4 (P5, PC1, P5, K4) twice, P17, K3.

Rep. from 2nd to 25th row inclusive, 3 times, ending last rep. with the 24th row.

Change to Berry Pattern and work 12 rows in pattern. Knit 3 rows and cast off.

ABBREVIATIONS:

y.b. — yarn back, P — Purl, K — Knit, St(s) — Stitches, Rep. — Repeat, Cr4 — Cable 4 — Slip next 2 sts. onto a cable needle and leave at front of work, K next 2 sts., then K2 sts. from cable needle. Cr2R — slip 1 st. onto a cable needle and leave at back of work, K2, then K1 from cable needle.

Cr2 — slip 1 st. onto a cable needle and leave at back of work, K2, then P1 from cable needle.

Cr2L — slip 2 sts. onto a cable needle and leave at front of work, P1, then K2 from cable needle.

PC1 — Popcorn 1 — (K1, P1, K1, P1, K1) all into next st., turn P5, turn, y.b., slip next 4 sts, K1, P.S.S.O.

SIZE		cms	56
		ins	22

MATERIALS: CLECKHEATON Baby Natural Wool 3 Ply, or
LINCOLN Babysoft 3 Ply 25g Balls 5
1 Pair each 3mm (No. 11) and 3.25mm (No. 10) needles, or, THE REQUIRED SIZE TO GIVE
CORRECT TENSION. 115 cm (45") narrow ribbon. 1 Crochet hook.

MEASUREMENTS:			
Coat:	Actual Garment Size	cms	61
	Length to Shoulder	cms	25.5
	Sleeve Seam	cms	15
Bootees:	Length from top of heel	cms	7.5
	Length of foot	cms	7.5

TENSION: 28 sts. to 10 cm over patt.

COAT:

BACK:
Using 3.25mm needles, cast on sts 80
Work 6 rows garter st. (working 1st row into back of sts.).

Commence Pattern:
1st row: P2 * w.o.n., sl. 1, K1, p.s.s.o., K7, K2, tog., w.r.n., P2, repeat from * to end.
2nd row: K3, * P9, K4, repeat from * to last 12 sts., P9, K3.
3rd row: P3 * w.o.n., sl. 1, K1, p.s.s.o., K5, K2 tog., w.r.n., P4, repeat from * to last 12 sts., w.o.n., sl. 1, K1, p.s.s.o., K5, K2 tog., w.r.n., P3.
4th row: K4 * P7, K6, repeat from * to last 11 sts., P7, K4.
5th row: P4 * w.o.n., sl. 1, K1, p.s.s.o., K3, K2 tog., w.r.n., P6, repeat from * to last 11 sts., w.o.n., sl. 1, K1, p.s.s.o., K3, K2 tog., w.r.n., P4.
6th row: K5 * P5, K8, repeat from * to last 10 sts., P5, K5.
7th row: P5, * w.o.n., sl. 1, K1, p.s.s.o., K1, K2 tog., w.r.n., P8, repeat from * to last 10 sts., w.o.n., sl. 1, K1, p.s.s.o., K1, K2 tog., w.r.n., P5.
8th row: K6 * P3, K10, repeat from * to last 9 sts., P3, K6.
9th row: P6 * w.o.n., sl. 1, K2 tog., p.s.s.o., w.r.n., P10, repeat from * to last 9 sts., w.r.n., sl. 1, K2 tog., p.s.s.o., w.r.n., P6.
10th row: K.
These 10 rows form the pattern.
Cont. in pattern until work measures 15 cm from beg.

SHAPE ARMHOLES:
Cast off 4 sts. at beg. of next 2 rows, then cast off 3 sts. at beg of following 6 rows. Cont. straight until work measures 10 cm from beg. of armhole shaping. Cast off.

LEFT FRONT:
Using 3.25mm needles, cast on sts 46
Work 6 rows in garter st. (working 1st row into back of sts.)
Next row: Work 41 sts. in patt., K5.
Next row: K5, work 41 sts. in patt.
Cont. in pattern, keeping the 5 border sts. in garter st. at front edge until work measures 15 cm from beg., ending at armhole edge.

SHAPE ARMHOLES:
Keeping continuity of patt. with garter st. border, cast off 4 sts. at beg. of next row, patt. to end.
Work 1 row.
Cast off 3 sts. at armhole edge on next, then each following alt. row 3 times. Cont. straight until work measures 7.5 cm from beg. of armhole shaping, ending at neck edge.

SHAPE NECK:
Cast off 10 sts. at beg. of next row, patt. to end. Dec. 1 st. at neck edge on next and every following row 4 times, then on every following alt. row until 16 sts. remain. Cast off.

RIGHT FRONT:
Work to correspond with Left Front, working shaping and border at opposite end of work.

SLEEVES:
Using 3mm needles, cast on sts 41
Work 6 rows in garter st. (working 1st row into back of sts.) Change to 3.25mm needles and work in patt. Inc. 1 st. each end of every 4th row until 57 sts. on needle. Cont. straight until sleeve measures 15 cm from beg.

SHAPE SLEEVE HEAD:
Dec. 1 st. each end of every row until 23 sts. remain. Cast off.

TO MAKE UP:
Using a back stitch sew up side and sleeve seams. Set in sleeves. Crochet around neck as follows:
1 treble in 1st st. * 1 chain, miss 1 st., 1 treble into next st., repeat from * to end. Thread ribbon through crochet holes.

BOOTEES:
Using 3mm needles, cast on sts 43
1st row: K1, K twice into next st., K 18, K twice into next st., K1, K twice into next st., K18, K twice into next st., K1.
2nd and alt rows: K.

3rd row: K1, K twice into next st., K20, K twice into next st., K1, K twice into next st., K20, K twice into next st., K1.
5th row: K1, K twice into next st., K22, K twice into next st., K1, K twice into next st., K22, K twice into next st., K1.
7th row: K1, K twice into next st., K24, K twice into next st., K1, K twice into next st., K24, K twice into next st., K1.
9th row: K1, K twice into next st., K26, K twice into next st., K1, K twice into next st., K26, K twice into next st., K1.
10th row: K.
 K 10 rows.
Next row: K37, K2 tog., turn, * P12, P2 tog., turn, repeat from * until there are 43 sts. on needle, turn, K to end of row.
Next row: K.
Next row: K1, * w.r.n., K2 tog., repeat from * to end.
Next row: P2 tog., P to last 2 sts., P2 tog.
 K1 row.
 P1 row.
 Work 2 patterns.
 Cast off.

TO MAKE UP:

Using a flat seam, sew up seams. Work a crochet edge around top. Thread ribbon through holes.

15.

SIZES

0 – 3 months

MATERIALS:

LINCOLN Babysoft 4 Ply 25g Balls 3
 1 Crochet Hook 3.00mm (No. 10 - 11) or THE SIZE REQUIRED TO GIVE CORRECT TENSION.

MEASUREMENTS:

Length to Shoulder cms 19
 Sleeve Seam cms 3

TENSION:

12 tr. and 6 rows to 5 cms measured over treble fabric.

Commencing at Yoke.

Using 3.00mm Hook make 46 chains.

- ✓ **1st row:** Miss 4 ch., 3 tr., in next ch, * 1 ch., miss 2 ch., 3 tr. in next ch., rep. from * to last 2 ch., 1 ch., miss 1 ch., 1 tr. in last ch. (14 groups of 3 tr.)
- ✓ **2nd row:** (1 d.c., 1 ch.) in first tr., * 5 tr. in centre tr. of next group, rep. from * to end, 1 tr. in top of turning ch.
- ✓ **3rd row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in next tr., 3 tr. in next tr., 1 tr. in next tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **4th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in next tr., 5 tr. in next tr., 1 tr. in next tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **5th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 2 tr., 3 tr. in next tr., 1 tr. in each of next 2 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **6th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 2 tr., 5 tr. in next tr., 1 tr. in each of next 2 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **7th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 3 tr., 3 tr. in next tr., 1 tr. in each of next 3 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **8th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 3 tr., 5 tr. in next tr., 1 tr. in each of next 3 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **9th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 4 tr., 3 tr. in next tr., 1 tr. in each of next 4 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr., instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **10th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 4 tr., 5 tr. in next tr., 1 tr. in each of next 4 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **11th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 5 tr., 3 tr. in next tr., 1 tr. in each of next 5 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **12th row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 5 tr., 5 tr. in next tr., 1 tr. in each of next 5 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- ✓ **Next row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 6 tr., 3 tr. in next tr., 1 tr. in each of next 6 tr., miss 2 tr., * rep. from * to * once, miss next 3 sections, rep. from * to * 4 times, commencing on 2nd tr. of next group, miss next 3 sections, rep. from * to * twice, working to last 2 sts., miss 1 tr., 1 tr. in top of turning ch.

Work 8 rows in patt. Fasten off.

SLEEVES:

With right side facing, join in yarn with a sl.st. in first tr. and continue as follows:—

- 1st row:** (1 d.c., 1 ch.) in same place as sl. st., miss 1 tr., * 1 tr. in each of next 6 tr., 3 tr. in next tr., 1 tr. in each of next 6 tr., miss 2 tr., rep from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.
- 2nd row:** (1 d.c., 1 ch.) in first tr., miss 1 tr., * 1 tr. in each of next 6 tr., 5 tr. in next tr., 1 tr. in each of next 6 tr., miss 2 tr., rep. from * ending last rep. with miss 1 tr. instead of miss 2 tr., 1 tr. in top of turning ch.

Work 2 rows in patt. Fasten off.

MAKE UP:

With right side facing, using 3.00mm hook work 1 row of d.c. along front edges and around neck.

Using 2 strands of yarn make 2 lengths of ch. for neck ties.

Using a flat seam join sleeve seams.

Attach ties at neck edge.

SIZE	3 to 6 months.		
MATERIALS:	LINCOLN Babysoft 4 Ply	25g Balls	4
	Size 3.00mm (No. 10 - 11) Crochet Hook, or, THE SIZE REQUIRED TO GIVE CORRECT TENSION.		
MEASUREMENTS:	Length	cms	24
	Sleeve	cms	13
TENSION:	1 Cluster to 2.5 cms and 5 rows to 5 cm in depth.		

Using size 3 hook, begin at top by making 62 ch.

Foundation Row: Work 1 d.c. into 3rd ch., from hook, 1 d.c., into each ch. to end, turn — 61 d.c.

1st row: (Right side) Make 4 ch. to stand for 1 st. tr. and 1 ch. sp., miss next 2 d.c., 1 cl. into next d.c., 1 ch., 1 miss 2 d.c., 1 tr. in next d.c., * 1 ch., miss 2 d.c., 1 cl. in next d.c., 1 ch., miss 2 d.c., 1 tr. in next d.c., repeat from * to end, working last tr. in top of 2 ch. at end, turn.

2nd row: 3 ch. for 1 st. tr., 1 tr. in 1 ch. sp., 1 ch., 1 cl. in ch. sp. in centre of cl., * 1 ch., 1 tr. in next ch. sp., 1 tr. in next tr., 1 tr. in next ch. sp., 1 ch., 1 cl. in ch. sp. in centre of cl., repeat from * until 4 ch. at end remain, 1 ch., 1 tr. in next ch. sp., 1 tr. in top of 3 ch. at end, turn.

3rd row: 3 ch. for 1st tr., 1 tr. in next tr., 1 tr. in next ch. sp., * 1 ch., 1 cl. in ch. sp. in centre of cl., 1 ch., 1 tr. in next ch. sp., 1 tr. in each of next 3 tr., 1 tr. in next ch. sp., repeat from * until 1 cl. remains, 1 ch., 1 cl. in ch. sp. in centre of cl., 1 ch., 1 tr. in next ch. sp., 1 tr. in next tr., 1 tr. in top of 3 ch. at end, turn.

4th row: 3 ch. for 1st tr., 1 tr. in each of next 2 tr., 1 tr. in next ch. sp., * 1 ch., 1 cl. in ch. sp. in centre of cl., 1 ch., 1 tr. in next ch. sp., 1 tr. in each of next 5 tr., 1 tr. in next ch. sp., repeat from * until 1 cl. remains, 1 ch., 1 cl. in ch. sp. in centre of cl., 1 ch., 1 tr. in next ch. sp., 1 tr. in each of next 2 tr., 1 tr. in 3 ch. at end, turn.

Repeat the last row 3 times more working 2 tr. more between cl(s) and 1 tr. more at each end of each row. There should be 13 tr. between cl(s), and 7 tr. at each end on completion of the 7th row.

8th row: 3 ch. for 1st tr., 1 tr., in each of next 6 tr., * 1 ch., 1 cl. in ch. sp. in centre of cl., 1 ch., 1 tr. in each of next 13 tr., repeat from * until 1 cl. remains, 1 ch., 1 cl. in ch. sp. in centre of cl., 1 ch., 1 tr. in each of next 6 tr., 1 tr. in top of 3 ch. at end, turn.

9th row: 3 ch. for 1st tr., miss 1 tr., 1 cl. in next tr., miss 1 tr., 1 tr. in next tr., miss 1 tr., 1 cl. in next tr., 1 tr. in 1st tr. of cl., 1 cl. in ch. sp. in centre of cl., 1 tr. in last tr. of cl., (1 cl. in next tr., miss 2 tr., 1 tr. in next tr., miss 2 tr.) twice, 1 cl. in next tr., 1 tr. in 1st tr. of cl., 3 tr. in ch. sp. in centre of cl., 1 ch., miss last 3 tr. of cl., 13 tr., 1 cl., 13 tr. for 1st Sleeve, 3 tr. in ch. sp. in centre of next cl., 1 tr. in last tr. of same cl., (1 cl. in next tr., miss 2 tr., 1 tr. in next tr., miss 2 tr.) twice, 1 cl. in next tr., 1 tr. in 1st tr. of next cl., 1 cl. in ch. sp. in centre of cl., 1 tr. in last tr. of cl., (1 cl. in next tr., miss 2 tr., 1 tr. in next tr., miss 2 tr.) twice, 1 cl. in next tr., 1 tr. in 1st tr. of next cl., 1 cl. in ch. sp. in centre of cl., 1 tr. in last tr. of cl., (1 cl. in next tr., miss 2 tr., 1 tr. in next tr., miss 2 tr.) twice, 1 cl. in next tr., 1 tr. in 1st tr. of cl., 3 tr. in ch. sp. in centre of cl., 1 ch., miss last 3 tr. of cl., 13 tr., 1 cl., 13 tr. for 2nd Sleeve, 3 tr. in ch. sp. in centre of cl., 1 tr. in last tr. of same cl., (1 cl. in next tr., miss 2 tr., 1 tr. in next tr., miss 2 tr.) twice, 1 cl. in next tr., 1 tr. in 1st tr. of next cl., 1 cl. in ch. sp. in centre of cl., 1 tr. in last tr. of same cl., 1 cl. in next tr., miss 1 tr., 1 tr. in next tr., miss 1 tr., 1 cl. in next tr., miss 1 tr., 1 tr. in top of 3 ch. at end, turn — 25 cls.

Continue on this section for main part as follows.

1st row: 3 ch. for 1st tr., * 1 cl. in ch. sp., in centre of cl., 1 tr. in next tr., repeat from * until 1 cl. remains, 1 cl. in cl., 1 tr. in top of 3 ch. at end, turn.

Repeat the last row 13 times more, do not fasten off, but continue up right front edge as follows.

Next row: 2 ch. to stand for 1st d.c., 1 d.c. into 1st tr., 2 d.c. into each tr. to top of neck, 1 d.c. into row end of d.c. row, 2 d.c. into corner, 1 d.c. into each d.c. of foundation row, 2 d.c. into corner, 1 d.c. into row of d.c. row, 2 d.c. into each tr. to end. Fasten off.

NECK EDGING: With right side of work facing, rejoin yarn at top of right neck edge, 3 ch., for 1st tr., * miss 2 d.c., 1 cl. in next d.c., miss next 2 d.c., 1 tr. in next d.c., repeat from * to end. Fasten off.

SLEEVES: (Both alike)

With wrong side of work facing, rejoin yarn with a sl. st. to 1 half cl. at underarm unworked, then sl.st. along and into last tr. of this cl., make 2 ch., miss ch. sp., * 1 cl. in next tr., (miss next 2 tr., 1 tr. in next tr., miss 2 tr., 1 cl. in next tr.) twice, * 1 tr. in 1st tr. of cl., 1 cl. in next cl., 1 tr. in last tr. of cl., repeat from * to * once, join with a sl. st. to top of 2 ch. at beg., turn.

2nd row: 3 ch., for 1st tr., * 1 cl. in next cl., 1 tr. in next tr., repeat from * to end omitting last tr., join with a sl. st., turn.

3rd row: As 2nd row.

4th row: 3 ch. for 1st tr. (1 tr., 1 ch., 1 tr.) all into next cl., 1 tr. into next tr., pattern until 1 cl. remains (1 tr., 1 ch., 1 tr.) all into cl., join, turn.

5th row: As 4th row.

6th row: As 4th row.

7th row: As 4th row.

8th row: 3 ch. for 1st st., (2 tr., 1 ch., 3 tr.) all into sl. st., miss 1 tr., 1 ch., 1 tr., then 1 tr. in next tr., pattern to end missing last 1 tr., 1 ch., 1 tr., join with a sl. st. to top of 3 ch. at beg., turn.

9th row: Sl. st. into 1st tr., pattern to end, join, turn.

Work 4 rows straight in pattern.

Fasten off.

TO MAKE UP:

Join tiny underarm seams. Make a twisted cord for neck tie. Thread tie through slots between cl(s) at top of neck.

SIZES		cms	45
		ins	18
MATERIALS:	LINCOLN Babysoft 4 Ply	25g Balls	3
	1 Pair each of 3.25mm (No. 10) and 2.75mm (No. 12) needles. 8 buttons.		
MEASUREMENTS:	Length to Shoulder	cms	23
	Sleeve seam	cms	13
TENSION:	30 sts. to 10 cm over st. st.		

NOTE:

Garment is made in one piece.

Commence at neck edge.

Using 2.75mm needles, cast on sts 72

1st row: * K1, P1, rep. from * to end.

2nd row: * P1, K1, rep. from * to end.

These 2 rows form moss st. Work 1 row more.

Next row: Work to last 5 sts., K2 tog., y.o.n. once, moss st. 3.

Work 2 rows in moss st.

Next row: Moss st. 5, * (K1, P1) into next st., rep. from * to last 5 sts., moss st. 5 **TOTAL** sts 134

Next row: Moss st. 5 * K1, P1, rep. from * to last 5 sts., moss st. 5.

Repeat last row 4 times more.

Work 6 rows moss st. across all sts., but on the last row make 2nd buttonhole and increase 20 sts evenly across row
..... **TOTAL** sts 154

SHAPE RAGLAN:

Change to 3.25mm needles.

1st row: Moss st. 5, K22, K twice into each of the next 2 sts., K23, K twice into each of the next 2 sts., K46, K twice into each of the next 2 sts., K23, K twice into each of the next 2 sts., K22, moss st. 5.

2nd row: P, keeping 5 sts. each end in moss st.

3rd row: Moss st. 5, K23, K twice into each of the next 2 sts., K25, K twice into each of the next 2 sts., K48, K twice into each of the next 2 sts., K25, K twice into each of the next 2 sts., K23, moss st. 5.

Cont. in this way increasing 8 sts. every 2nd row until increased to 266 sts., whilst at the same time make buttonholes in border 3 cms apart.

Now work fronts, sleeves and back separately as follows.

Next row: Work 42 sts. for left front and turn, leave rem. sts. on a spare needle. Cont. on these 42 sts., keeping the 5 border sts. in moss for 9 cms. Cont. to make buttonholes 3 cms apart.

Change to 2.75mm needles and work in K1, P1 rib for 4 cms, making 8th buttonhole on ribbing. Cast off loosely in rib. Join in yarn to rem. sts. Work across 53 sts. for sleeve and turn. Cont. in st. st. on these 53 sts. for 10 cms or required length, ending with a K row.

Next row: P, decreasing 11 sts. evenly across row.

Change to 2.75mm needles and work in K1, P1 rib for 2.5 cms. Cast off loosely in rib.

Join in yarn to rem. sts. and work across 76 sts. for back in st. st. for 9 cms. Change to 2.75mm needles and work in K1, P1 rib for 4 cms. Cast off in rib. Work the next 53 sts. for 2nd sleeve and finally work the last 42 sts. for right front to correspond with left front, omitting buttonholes.

TO MAKE UP:

Using a back stitch sew up all seams. Sew buttons onto right front.

SIZES		cms	41	46
		ins	16	18
MATERIALS:	CLECKHEATON 5 Ply or RIVERINA 5 Ply — 25g	balls	5	6
	1 Pair No. 3.24mm (No. 10) needles or THE SIZE RE- QUIRED TO GIVE CORRECT TENSION. Tapestry yarn for embroidery. 3 buttons.			
MEASUREMENTS:	Length to back neck	cms	24	26
	Sleeve length	cms	12.5	15
TENSION:	28 sts. to 10 cm over pattern.			
JACKET (Worked in one piece to underarm)				
Using 3.25mm needles, cast on		sts	129	149
and work 7 rows garter stitch.				
COMMENCE PATTERN:				
1st row: (Right side) K4, * P3, K2 tog., y.fwd., K1, y.fwd., K2 tog. t.b.l., P2, rep. from * to last 5 sts., P1, K4.				
2nd row: K4, * K3, P5, K2, rep. from * to last 5 sts., K5.				
3rd row: K4, * P2, K2 tog., y.fwd., K3, y.fwd., K2 tog. t.b.l., P1, rep. from * to last 5 sts., P1, K4.				
4th row: K4, * K2, P7, K1, rep. from * to last 5 sts., K5.				
5th row: K4, * P1, K2 tog., y.fwd., K5, y.fwd., K2 tog. t.b.l., rep. from * to last 5 sts., P1, K4.				
6th row: K5, * P9, K1, rep. from * to last 4 sts. K4.				
7th row: K4, K2 tog., * y.fwd., K7, y.fwd., sl. 1, K2 tog., p.s.s.o., rep. from * to last 13 sts., y.fwd., K7, y.fwd, K2 tog. t.b.l., K4.				
8th row: K4, P. to last 4 sts., K4.				
These 8 rows form the pattern.				
Rep. rows 1 to 8		times	5	6
DIVIDE FOR FRONTS AND BACK:				
Next row: Patt		sts	34	39
turn.				
RIGHT FRONT:				
Dec. 1 st. at armhole edge on next and every foll. 4th row until		sts	30	35
remain. Work 2 rows. Leave these sts. on a spare needle.				
BACK:				
Join yarn to rem. sts. Patt		sts	61	71
and turn.				
Dec. 1 st. at each end of next and every foll. 4th row until		sts	53	63
remain. Work 2 rows. Leave these sts. on a spare needle.				
LEFT FRONT:				
Join in yarn to rem.		sts	34	39
Dec. 1 st. st armhole edge on next and every foll. 4th row until		sts	30	35
remain. Work 2 rows. Leave these sts. on a spare needle.				
SLEEVES:				
Using 3.25mm needles, cast on 31 sts. Work 6 rows in garter stitch.				
Next row: K6, K. twice into each st. until last 5 sts., K. to end.				
Work in patt. as given for Jacket, omitting garter st. border and work patt. rep.		times	6	8
Mark each end of last row with coloured markers. Dec. 1 st. at each end of next and every foll. 4th row, until 43 sts. remain. Work 3 rows. Leave these sts. on a spare needle.				
YOKE:				
With right side facing K. across sts. of Right Front, Sleeve, Back, Sleeve and Left Front. TOTAL		sts	199	219
Knit 3 rows.				
Next row: K		sts	9	13
K2 tog., * K10, K2 tog., rep. from * to last		sts	8	12
K. to end.				
Knit 3 rows.				
Next row: K.		sts	8	12
K2 tog., * K9, K2 tog., rep. from * to last		sts	8	12
K. to end.				
Knit 3 rows.				
Next row: K		sts	7	11
K2 tog., * K8, K2 tog., rep. from * to last		sts	8	12
Cont. dec. in this manner in every foll. 4th row until		sts	55	66
remain. Knit 2 rows. Cast off loosely.				
TO MAKE UP:				
Using a flat seam join sleeve seams to markers, then rem. to armhole of Jacket. Make 3 buttonhole loops along right front of Yoke. Sew on buttons. Embroider rose buds and chain st. leaves around yoke.				

SIZES		cms	41	46	51
		ins	16	18	20
MATERIALS:	CLECKHEATON Pure Wool 8 Ply — 25g — MC	balls	5	5	6
	CC	balls	1	1	1
	1 Pair 4mm (No. 8) needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION.				
TENSION:	24 sts. over moss stitch to 10 cm.				
MEASUREMENTS:	Length from top of Shoulder	cms	22	25	28
	Sleeve seam	cms	12.5	15	18
BACK:					
Using 4mm needles and CC cast on		sts	55	61	67
Knit 2 rows. Join in MC and commence pattern.					
*1st row: (Right side) K1, * P1, K1, rep. from * to end.					
2nd row: P1, * K1, P1, rep. from * to end.					
3rd row: P1, * K1, P1, rep. from * to end.					
4th row: K1, * P1, K1, rep. from * to end.					
These 4 rows form the patt.					
Cont. in patt. until work measures		cms	12	14.5	16.5
from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread to facilitate easier working when joining raglan seams. **					
SHAPE RAGLAN ARMHOLES:					
Dec. 1 st. at each end of the next and every row until		sts	45	47	45
remain, then 1 st. at each end of every alternate row until		sts	19	21	21
remain, ending with a wrong side row. Mark each end of last row with a coloured thread. Leave these sts. on a spare needle.					
LEFT FRONT:					
Using 4mm needles and CC, cast on		sts	27	29	31
Follow instructions for Back from ** to **.					
SHAPE RAGLAN ARMHOLE:					
Dec. 1 st. at beg. of next row and at this same edge on every row until		sts	22	24	24
remain, then 1 st. on every alternate row until		sts	14	16	16
remain, ending at front edge.					
SHAPE NECK:					
Next row: Patt. 2 sts. and slip them onto a safety pin, patt. to end.					
Dec. 1 st. at each end of next and every following alternate row until 2 sts. remain. Work 1 row, K2 tog.					
RIGHT FRONT:					
Using 4mm needles and CC, cast on		sts	27	29	31
Follow instructions for Back from ** to **.					
SHAPE RAGALN ARMHOLE:					
Dec. 1 st. at end of next row and at this same edge on every row until		sts	22	24	24
remain, then 1 st. on every alternate row until		sts	14	16	16
remain ending at front edge.					
SHAPE NECK:					
Next row: Patt. 2 sts. and slip them onto a safety pin, pattern to end.					
Dec. 1 st. at each end of next and every following alternate row until 2 sts. remain. Work 1 row., K2 tog.					
SLEEVES:					
Using 4mm needles and CC, cast on		sts	41	43	45
Knit 2 rows. Join MC and work 7 rows in pattern.					
Next row: K1, * y.fwd., K2 tog., rep. from * to end.					
Continue in pattern until work measures		cms	12.5	15	18
from beg., ending with a wrong side row. Mark each end of last row with a coloured thread.					
SHAPE RAGLAN TOP:					
Dec. 1 st. at each end of the next and every row until		sts	31	33	35
remain, then 1 st. at each end of every alternate row until 5 sts. remain, ending with a wrong side row. Mark each end of last row with a coloured thread. Leave these sts. on a spare needle.					
NECK EDGING:					
With right side of work facing and using 4mm needles, MC, slip the 2 sts. on right side safety pin onto needle, join yarn at inside edge, pick up and K		sts	10	12	12
up right side of neck, K across the 5 sts. on sleeve top, K across		sts	19	21	21
on back neck, K across the 5 sts. on sleeve top, pick up and K		sts	10	12	12
down left side of neck, then K across 2 sts. on left safety pin		sts	53	59	59
TOTAL					
Next row: K1, * y.fwd., K2 tog, rep. from * to end.					
Knit 3 rows.					
Change to CC. and K 1 row. Cast off loosely.					

FRONT EDGINGS:

With right side of work facing, using 4mm needles, CC, and commencing at lower edge, pick up and K sts 40 46 50 evenly along edge to top of Neck Edging. K 1 row. Cast off loosely.

TIES FOR SLEEVES, MAKE 2:

Using 4mm needles and CC, cast on sts 90 90 90 Cast off.

TIE FOR NECK:

Using 4mm needles cast on sts 150 160 170 Cast off.

TO MAKE UP:

Using a flat seam join raglan seams. Join side and sleeve seams with a back stitch. Thread ties through holes at wrist edge and neck edge.

20.

SIZES		cms	46
		ins	18

MATERIALS:	LINCOLN Babysoft 3 Ply	— 25g Balls	MC	2
	or CLECKHEATON BABY NATURAL WOOL	25g Balls	CC	1
	3.50mm (No. 9) Crochet Hook or THE REQUIRED SIZE TO GIVE CORRECT TENSION.			

MEASUREMENTS:	Length to back neck		cms	18
	Sleeve length		cms	7

TENSION: 4 patterns to 5 cm.

NOTE: Jacket is made in one piece.

Commencing at Back and using MC make 49 ch.
** Foundation row: 1 tr. in 3rd ch. from hook, 1 tr. in next 2 ch., * 1 ch., miss 1 ch., 1 tr. in each of next 3 ch., rep. from * to end.
1st row: * 3 ch., 1 d.c. in 1 ch. sp., rep. from * to end, working last d.c. in top of 3 turning ch.
2nd row: 3 ch., 2 tr. in 3 ch. sp., * 1 ch., 3 tr. in next 3 ch. sp., rep. from * to end **.
Rep. last 2 rows 10 times more ***.

DIVIDE FOR BACK NECK:

Work in patt. over 4 patts., turn and continue on these 4 patts. only, until 12 ROWS patts. have been worked from ***. Fasten off.

Leaving centre 4 patts. free for back neck, rejoin MC and work on rem. 4 patts. to correspond to first side. Fasten off. With right side of back facing and CC work across commencing 1 d.c. into first tr., 3 ch., * 1 d.c. in ch. sp., 3 ch., rep. from * to end of back, 1 d.c. into last tr. Work along side of jacket as follows *. (3 ch., 1 d.c.) between patts., rep. from * to front corner, 3 ch., 1 d.c. into last tr., (3 ch., 1 d.c.) in each 1 ch. sp. across front edge, (3 ch., 1 d.c.) into last tr., (3 ch., 1 d.c.) between each patt. along other side, (3 ch., 1 d.c.) in each 1 ch. sp. across back neck, then continue working other side to match until round is completed, join with sl. st. Fasten off.

2nd Round: Using MC join in first 3 ch. sp. with sl. st., 3 ch., 3 tr. into sp. (1 ch., 3 tr.) in each of next ten 3 ch. sps. (1 ch., 4 tr.) in each of next 2 sps. (1 ch., 3 tr.) in every sp. around both fronts to last sp. of round, 4 tr. into last sp., 1 ch., join with a sl. st. Fasten off.

3rd Round: Using CC join in centre of first 4 tr. group, 1 d.c. (3 ch., 1 d.c. in 1 ch. sp) 11 times, (3 ch., 1 d.c. in centre of 4 tr. group) twice, (3 ch., 1 d.c. in 1 ch. sp.) to last 4 tr. group, 3 ch., 1 d.c. in centre of group, 3 ch., 1 d.c. in 1 ch. sp., 3 ch., join with sl. st. Fasten off.

4th Round: Using MC work (3 tr., 1 ch.) in each 3 ch. sp. working two 4 tr. groups in each corner of fronts. Join with a sl. st. Fasten off.

5th Round: Using CC, work (1 d.c. in ch. sp., 3 ch.) to end.

6th Round: Using MC, work in patt. but working two 4 tr. groups at each corner on back only.

7th Round: Using CC, work in patt., working 3 ch., 1 d.c. in centre of each of 4 tr. group at back.

8th Round: Using MC, work (3 tr., 1 ch.) in each 3 ch. sp. working two 4 tr. groups in each corner of fronts. Fasten off.

RIGHT SLEEVE: Fold jacket at shoulders. With right side facing count 7 patts. down from shoulder towards back, join CC with 1 d.c. in 1 ch. sp., (3 ch., 1 d.c., in 1 ch. sp.) over 13 patts., 3 ch., join with sl. st. to first d.c. Work in rounds on these 14 patts., working 2nd round as 2nd patt. row in MC, and cont. in 2 colour patt. until 6 complete patts. have been worked. Fasten off. Work other sleeve to match.

TO MAKE UP:

Using a flat seam join 3 patts. at each underarm. Fold back front edge on 3rd round to form collar. Make a crochet chain length to tie at centre front.

EDGING:

Using CC and with right side facing, beg. at left underarm and work * 1 d.c. in 1 ch. sp., (1 d.c., 3 ch., sl. st. to d.c.) in next tr., 1 d.c. in next tr., rep. from * around entire edge, placing picots in each 3 tr. group. Join with sl. st. Fasten off. Work edging around sleeve edges.

SIZES		cms	41	46
		ins	16	18
MATERIALS:	LINCOLN Babysoft 3 Ply or			
	CLECKHEATON 3 Ply Baby Natural Wool			
	Main Colour (M.C.) – 25 g	balls	4	5
	Contrast Colour (C.C.) – 25 g	balls	2	3
1 Pair each No. 3.75mm (No. 9) and 3.25mm (No. 10) needles or THE SIZE REQUIRED TO GIVE CORRECT TENSION. 8 cm strip of Velcro Fastener. 1 metre of round elastic.				
MEASUREMENTS: Smock – Length to back neck		cms	24	26
	Sleeve Seam	cms	15	16
TENSION:	23 sts. to 10 cm over garter st.			
SMOCK:				
Worked in one piece lengthways starting with one half back.				
Using 3.75mm needles and M.C. cast on		sts	56	60
NOTE: When turning, bring yarn to front of work, slip next st. from left-hand needle on to right-hand needle, take yarn to back of work, slip st. back on to left-hand needle, turn and proceed as given in instructions. This avoids a hole in work. Work 6 rows in garter stitch (every row K).				
COMMENCE TURNINGS:				
** Next row: Right side K. across		sts	32	36
turn.				
Next row: K		sts	32	36
Next row: K across		sts	50	54
turn.				
Next row: K		sts	50	54
Next row: K across all sts.				
Next row: K across all sts.				
** Rep. from ** to **		times	10	11
but on the last row K across first 24 sts only. Leave the remaining		sts	32	36
on a spare needle.				
COMMENCE FIRST SLEEVE:				
*** Next row: Change to C.C. and with right side facing cast on		sts	35	37
at right edge of 24 sts., K to end	TOTAL	sts	59	61
Next row: K to end.				
* Next row: K across		sts	35	39
turn.				
Next row: K		sts	35	39
Next row: K across		sts	53	57
turn.				
Next row: K		sts	53	57
Next row: K across all sts.				
Next row: K across all sts.				
* Rep. from * to *		times	13	14
***FRONT:				
Next row: Cast off		sts	35	37
from Sleeve. Break C.C., join in M.C. and K to end.				
Next row: K 24 sts., then K across the		sts	32	36
from spare needle.	TOTAL	sts	56	60
Cont. on these sts. Follow instructions for Back from ** to **		times	17	18
but on last row K across first 24 sts. only. Leave rem.		sts	32	36
on a spare needle.				
SECOND SLEEVE:				
Follow instructions from *** to ***.				
BACK:				
Next row: Cast off		sts	35	37
from Sleeve. Break C.C., join in M.C. and K to end.				
Next row: K 24 sts., then K across the		sts	32	36
from spare needle	TOTAL	sts	56	60
Cont. on these sts. Follow instructions for Back from ** to **.				
Rep. from ** to **		times	10	11
Work 6 rows in garter st.				
Cast off.				
PANTS:				
BACK: Using 3.25mm needles and C.C. cast on 61 sts. and work 5 rows in K1, P1 rib.				
Next row: Rib 2, K2 tog., y.fwd., * rib 4, K2 tog., y.fwd., * rep. from * to * ending with rib 3.				
Work 4 rows in K1, P1 rib.				
Change to 3.75mm needles and M.C. and garter st. Cont. until work measures				

Join in C.C. to rem. 25 sts. at centre and complete in same way.

Follow instructions for Back.

SMOCK: Using a flat seam join sleeve seams. Sew small pieces of Velcro fastener along back opening. Thread 1 round of elastic through sts. around neck.

PANTS: Using a flat seam sew side and crotch seams. Thread 1 round of elastic through eyelets at waist.

22.

6 to 9 months: Use size 3.75mm (No. 9) needles.

These needle sizes give a foot length of 10, 11.5 and 12.5 cm respectively.

MATERIALS: LINCOLN Babysoft 3 Ply or
CLECKHEATON Baby Natural Wool — 25g Ball 1
Length of ribbon.

K11 rows without shaping.

Next row: (Wrong side) P across all sts.

4th row: P.

These 4 rows form the patt. Rep. patt. 5 times more, (24 rows in all). Work 10 rows in garter st. Cast off loosely.

Using a flat seam join under foot and leg seam. Thread with ribbon.

ABBREVIATIONS

K	Knit
P.	Purl
St(s)	Stitch(es)
tog.,	together
in(s)	inch(es)
cm(s)	centimetre(s)
mm(s)	millimetre(s)
y.o.n.	yarn over needle
rep.	repeat
rem.	remain(ing)
y.fwd	yarn forward
y.r.n.	yarn round needle
patt(s)	pattern(s)
beg.	beginning
st.st.	stocking st.
dec.	decrease or decreasing
cont.	continue
sl. st.	slip stitch
alt.	alternate
inc.	increase or increasing

M.1.	Make 1 stitch
Sl.	Slip
p.s.s.o.	pass slip stitch over
t.b.s.	through back of sts.
M.C.	Main Colour
C.C.	Contrast Colour
g	gram(s)
w.o.n.	wool over needle
Wn	wool round needle

d.c.	double crochet
tr.	treble
ch.	chain
ch.sp(s)	chain space(s)
sl.st.	slip stitch
sp.	space
hl.tr.	half treble
y.o.h.	yarn over hook
cl(s)	cluster(s) (3 tr., 1 ch., 3 tr.)

INSTRUCTIONS

HELPFUL HINTS FOR KNITTING AND CROCHET

MATERIALS

When purchasing materials, be sure to buy enough to finish the article. The quantities stated in the patterns are based on average requirements and are therefore approximate.

TENSION

Unless you work at the same tension you can hardly expect to complete the garment to correct measurements. Check your tension by working a 10 cm (4 in.) square in the stitch pattern. Count the number of stitches in your sample against a ruler. If you have more stitches to 10 cm than specified, use larger needles. If you have less stitches use smaller needles.

ASTERISKS

An asterisk is usually a sign that you repeat from that point. One or two, or even more asterisks, are sometimes placed before a row or section to denote that at some point later the instructions will ask you to return to this point again.

MAKE-UP OF GARMENTS

Here are a few tricks of the trade which will enable you to give all your garments the finish and flair of a ready-to wear design.

SEAMS

The choice of seaming method will largely depend on the type of garment being assembled. Use a blunt ended wool needle and the original yarn for joining pieces together. If the yarn is not suitable for sewing purposes, use a finer quality such as 3 ply in the same shade.

INVISIBLE SEAM


Secure the sewing yarn to one side of the pieces to be joined. With the right sides of both pieces facing you, pass the needle across to the other side of the work, pick up one stitch and pull the yarn through. Pass the needle across the back of the first side of the work, pick up one stitch and pull the yarn through. Continue working in this way, making rungs across from one piece to the other and pulling each stitch up tightly so that it is not seen on the right side of the work when the seam is completed.

NEEDLE AND HOOK CHART			
NEEDLES		CROCHET HOOKS	
Imperial	Metric (mm)	Imperial	Metric (mm)
000	9	2	7
00	8.5	3	6.5
0	8	4	6
1	7.5	5	5.5
2	7	6	5
3	6.5	7	4.5
4	6	8	4
5	5.5	9	3.5
6	5	10	3.25
7	4.5	11	3
8	4	12	2.5
9	3.75	13	2.25
	3.5		
10	3.25		
11	3		
12	2.75		
	2.5		
13	2.25		



BACK STITCH SEAM

Place the right sides of each piece to be joined together and work along the wrong side of the fabric about one stitch in from the edge. Keep checking the other side of the seam to make sure that you are working in a straight line. Begin by securing the sewing yarn, making two or three small running stitches one on top of the other, * with the needle at the back of the work move along to the left and bring the needle through to the front of the work the width of one stitch from the end of the last stitch, and pull the yarn through, take the needle back across the front of the work to the right and put it through to the back of the work at the end of the last stitch and pull the yarn through. Continue in this way repeating from * until the seam is completed, taking care to pull each sewing stitch firmly through the knitting, without stretching the pieces or drawing up the seaming stitches too tightly.



FLAT SEAM

Place the right sides of each piece to be joined together and place your forefinger between the two pieces. Secure the sewing yarn to one side of the pieces to be joined then pass the needle through the edge stitch on the underside piece directly across to the matching stitch on the upperside piece and pull the yarn through. Turn the needle and work back through the next stitch on the upperside piece directly across to the matching stitch on the underside piece, again pulling the yarn through. Continue in this way until the seam is completed.




SHOULDER SEAMS


Use a firm back stitch seam, taking the stitches across the steps of shaping in a straight line. On heavy outer garments, school or sports jerseys, or any garment where extra strength is needed, reinforce these seams with ribbon or tape.



SEWING IN ZIP FASTENERS

Pin the zip fastener into the required opening, taking care not to stretch the knitting. With the right side of the work facing, sew in the zip using a back stitch seam and keeping as close to the edge of the knitting as possible. When inserting an open-ended zip, keep the fastener closed and insert it as for an opening from top to lower edge, fastening off securely at the end. Break off the yarn and work along the other side in the same way. This ensures that both sides match and that one side is not pulled out of shape, making it difficult to operate the zip smoothly.







11



12



13







22

21



Cleckheaton
Lincoln

BABY BOOK

