

COPLEY LOTUS

Cadette
4 ply Nylon

9046
10p

18"-19"
46-48 cm



Christening Dress, Coat and Bootees

TENSION. Correct tension is the secret of all successful knitting. Please knit a trial square before using Copley Lotus Cadette 4 ply Nylon.

Dress/Coat

To fit chest	in.	18-19
	cm	46-48
Length from top of shoulders (excluding border)	in.	23/9½
	cm	58/24
Sleeve seam	in.	1½/5½
	cm	4/14
Cadette 4 Ply Nylon	× 20 gram balls	10/4

Bootees

Cadette 4 ply Nylon	× 20 gram balls	1
---------------------	-----------------	---

Pair each Nos. 12 and 10 Milward Disc needles. 5 buttons. Length narrow ribbon.

To ensure satisfaction, use the yarn specified. Responsibility cannot be accepted for any garment not knitted from the Brand recommended.

TENSION. 14 sts. and 18 rows to 2 in. measured over stocking stitch on No. 10 needles.

ABBREVIATIONS

K.=knit; P.=purl; st.=stitch; sl.1K.=slip stitch knitways; sl.2K.=slip 2 stitches knitways; p.s.s.o.=pass slipped stitch over; y.fwd.=yarn forward. p.2.s.s.o.=pass 2 slipped stitches over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 stitches together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; in.=inches; cm=centimetres.

M.S.=make Scallop as follows—drop next st. off left-hand needle and run down to and including cast-on, place right hand needle under these 6 long strands from the front and K. them firmly together round the strands.

M.B.=make bobble as follows—(K. into front, then into back) twice of next st. thus making 4 sts. out of 1, turn, K.4, turn, (K.2 tog.) twice, pass first st. on right-hand needle over 2nd st.

PANEL (worked over 33 sts.)

1st row—(Right side), y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.5, y.fwd., sl.1K., K.1, p.s.s.o., K.6, y.fwd., sl.1K., K.1, p.s.s.o., K.5, K.2 tog., y.fwd., K.5, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.

2nd and alt. rows—P.

3rd row—K.9, y.fwd., sl.1K., K.1, p.s.s.o., K.3, K.2 tog., y.fwd., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.3, K.2 tog., y.fwd., K.9.

5th row—Y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.4, (y.fwd., sl.1K.,

K.1, p.s.s.o., K.1) twice, K.2 tog., y.fwd., K.1, M.B., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.1, K.2 tog., y.fwd., K.1, K.2 tog., y.fwd., K.4, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.,

7th row—K.8, y.fwd., sl.1K., K.1, p.s.s.o., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.2, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.2, K.2 tog., y.fwd., K.1, K.2 tog., y.fwd., K.8.

9th row—Y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.6, y.fwd., sl.1K., K.1, p.s.s.o., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.2, y.fwd., sl.1K., K.1, p.s.s.o., K.1, K.2 tog., y.fwd., K.1, K.2 tog., y.fwd., K.6, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.

11th row—K.10, y.fwd., sl.1K., K.1, p.s.s.o., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.3, K.2 tog., y.fwd., K.1, K.2 tog., y.fwd., K.10.

13th row—Y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.5, K.2 tog., y.fwd., K.1, (y.fwd., sl.1K., K.1, p.s.s.o., K.1) twice, (K.2 tog., y.fwd., K.1) twice, y.fwd., sl.1K., K.1, p.s.s.o., K.5, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.

15th row—K.7, K.2 tog., y.fwd., K.3, y.fwd., sl.1K., K.1, p.s.s.o., K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, K.2 tog., y.fwd., K.3, y.fwd., sl.1K., K.1, p.s.s.o., K.7.

17th row—Y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.3, K.2 tog., y.fwd., K.5, y.fwd., sl.1K., K.1, p.s.s.o., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.2 tog., y.fwd., K.5, y.fwd., sl.1K., K.1, p.s.s.o., K.3, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.

19th row—K.5, K.2 tog., y.fwd., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.4, y.fwd., sl.1K., K.1, p.s.s.o., K.1, K.2 tog., y.fwd., K.4, K.2 tog., y.fwd., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.5.

21st row—Y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, K.2 tog., y.fwd., K.1, M.B., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.4, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.4, K.2 tog., y.fwd., K.1, M.B., K.1, y.fwd., sl.1K., K.1, p.s.s.o., K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.

23rd row—K.6, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.7, y.fwd., sl.1K., K.1, p.s.s.o., K.6, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.6.

25th row—Y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.4, y.fwd., sl.1K., K.1, p.s.s.o., K.16, y.fwd., sl.1K., K.1, p.s.s.o., K.3, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd.

27th row—K.15, y.fwd., sl.1K., K.1, p.s.s.o., K.16. **28th row**—P.33. These 28 rows form panel.

Dress

FRONT

** With No. 10 needles and using the thumb method, cast on 141 sts. and work border as follows:—

1st to 3rd row—K. **4th row**—P.

5th row—K.4, * M.S., K.5, rep. from * to last 5 sts., M.S., K.4. **6th and 7th rows**—K.

Next row—P.10, (inc. purlways in next st., P.4, inc. purlways in next st., P.5) 11 times, P.10 (163 sts.).

Work in **panel patt.** as follows:—

1st row—(Right side), K.1, (work 1st row of panel, K.14, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.14) twice, work 1st row of panel, K.1. **2nd row**—K.1, (work 2nd row of panel, P.31) twice, work 2nd row of panel, K.1.

3rd to 28th row—Rep. 1st and 2nd rows 13 times, but working rows 3 to 28 of panel. These 28 rows form patt.

Keeping continuity of patt. **shape Skirt** as follows:—

1st row—Patt. 34, (sl.1K., K.1, p.s.s.o., K.12, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.12, K.2 tog., patt. 33) twice, K.1,

2nd to 10th row—Work straight in patt.

11th row—Patt 34, (sl.1K., K.1, p.s.s.o., K.11, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.11, K.2 tog., patt. 33) twice, K.1. Continue in this way dec. 4 sts. on every following 10th row until 115 sts. remain. Work 9 rows straight in patt.

Next row—Patt. 34, (sl.1K., K.1, p.s.s.o., y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.2 tog., patt. 33) twice, K.1 (111 sts.).

Next row—K.1, P. to last st., K.1.

Next row—Patt. 34, (K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, patt. 33) twice, K.1. Work 7 rows straight in patt.

Next row—Patt. 34, (sl.2K., K.3, K.3 tog., p.2.s.s.o., patt. 33) twice, K.1 (103 sts.). **Next row**—K.1, P. to last st., K.1.

Next row—Patt. 34, (K.1, patt. 33) twice, K.1. Work 5 rows straight in patt.

Keeping continuity of patt., **shape armholes** as follows:—
Cast off 5 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of every row until 79 sts. remain.

Change to No. 12 needles.

Next row—P.3, (P.2 tog.) 8 times, P.7, (P.3 tog.) 9 times, P.7, (P.2 tog.) 8 times, P.3 (45 sts.).**

Now work in **Yoke patt.** as follows:—

Next row—K.11, * y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., *, K.9, work from * to *, K.11.

Work 3 rows in stocking stitch.

These 4 rows form yoke patt. Work 12 rows straight in yoke patt.

Keeping continuity of yoke patt., **shape neck** as follows:—

Next row—Work across 16 sts., turn and leave remaining sts. on a length of yarn.

Continue on these sts. for first side as follows:—

Dec. 1 st. at neck edge on every row until 12 sts. remain. Work 5 rows straight.

Shape shoulder by casting off 6 sts. at beg. of next row. Work 1 row straight. Cast off remaining 6 sts.

With right side facing, slip centre 13 sts. on a length of yarn.

Rejoin yarn to remaining sts. and work 1 row straight.

Complete to match first side, reversing shapings.

BACK

Work as Front from ** to **.

With No. 12 needles **divide for back opening** and work in **yoke patt.** as follows:—

Next row—K.11, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.7, turn and leave remaining sts. on a length of yarn.

Next row—K.5, P. to end. **Next row**—K. **Next row**—K.5, P. to end.

Work a further 22 rows straight in yoke patt. as set in last 4 rows, but **working a buttonhole** on 3rd, 11th and 19th of these rows as follows: work to last 3 sts., y.fwd., K.2 tog., K.1.

Shape shoulder by casting off 6 sts. at beg. of next and following alt. row. Work 1 row straight. Slip remaining 13 sts. on a length of yarn.

With No. 12 needles and right side facing, rejoin yarn to remaining sts., cast on 5 sts., then work across these 25 sts. as follows:—

K.5, K.2, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.11.

Omitting buttonholes, complete to correspond with first side, reversing shapings.

SLEEVES

With No. 12 needles, cast on 39 sts. and K. 4 rows.

Next row—K.4, (inc. in next st.) 30 times, K.5 (69 sts.).

Change to No. 10 needles and work in **patt.** as follows:—

1st row—(Right side), K. **2nd row**—K.1, P. to last st., K.1. **3rd row**—* K.1, y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., rep. from * to last st., K.1.

4th row—As 2nd row. These 4 rows form patt.

Continue straight in patt. until sleeve seam measures 1½ in., ending with a P. row.

Keeping continuity of patt., **shape top** by casting off 5 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next and every alt. row until 47 sts. remain, then on every row until 41 sts. remain.

Next row—K.3 tog., work to last 2 sts., K.2 tog. (38 sts.).

Cast off working P.2 tog. all across.

MAKE UP AND NECKBAND

With wrong side of work facing, block each piece by pinning out round edges, and press lightly using a **cool** iron and **dry** cloth.

Using a flat seam, join shoulder seams.

With No. 12 needles and right side facing, K. across 13 sts. from Back, **knit up** 11 sts. down left side of neck, K. across 13 sts. from Front, **knit up** 11 sts. up right side of neck, finally K. across 13 sts. from Back (61 sts.).

Knit 3 rows working a buttonhole on 2nd row. Cast off firmly. Using a flat seam, join side and sleeve seams.

Insert Sleeves.

Stitch down under-flap on wrong side.

Sew on buttons.

Coat

FRONTS AND BACK

(Worked in one piece up to division for armholes)

With No. 10 needles and using thumb method, cast on 179 sts. and work rows 1 to 7 as on Front of Dress but knitting 5 sts. at each end of 4th and 5th rows.

Next row—K.5, P.7, (inc. purlways in next st., P.4) 32 times, P.2, K.5 (211 sts.).

Work in **panel patt.** as follows:—

1st row—(Right side), K.7, (work 1st row of panel, K.49) twice, work 1st row of panel, K.7. **2nd row**—K.5, P.2, (work 2nd row of panel, P.49) twice, work 2nd row of panel, P.2, K.5.

3rd to 28th row—Rep. 1st and 2nd rows 13 times, but working rows 3 to 28 of panel. These 28 rows form patt.

Work a further 19 rows in patt.

Keeping continuity of patt., divide for Back and Fronts as follows:—

Next row—K.5, P.44, cast off 4, P. to last 53 sts., cast off 4, P. to last 5 sts., K.5.

Continue on last group of 49 sts. for **Right Front** and **shape raglan** as follows:—

1st row—Work to last 3 sts., K.2 tog., K.1. **2nd row**—K.1, P. to last 5 sts., K.5. Rep. the last 2 rows 3 times more (45 sts.).

Work buttonhole and dec. across next row as follows: K.1, K.2 tog., y.fwd., K.6, (K.2 tog.) 15 times, K.3, K.2 tog., *K.1 (29 sts.). **Next row**—K.

Shape front slope working in stocking stitch with ridges as follows:—

1st row—K.5, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1. **2nd row**—K.1, P. to last 5 sts., K.5. **3rd row**—As 1st row. **4th row**—K.

Rep. the last 4 rows once (21 sts.).

Working a K. ridge on every following 4th row, continue shaping by dec. at armhole edge on next and every alt. row, **at the same time** dec. 1 st. at front edge on next and every following 4th row until 10 sts. remain.

Next row—K.1, P.4, K.5. **Next row**—K. to last 3 sts., K.2 tog., K.1. **Next row**—K. **Next row**—K.5, sl.1K., K.2 tog., p.s.s.o., K.1 (7 sts.).

Keeping front edge straight, continue dec. at raglan edge until 5 sts. remain, ending with right side facing for next row.

Work straight in garter stitch for 1½ in. when slightly stretched.

Cast off.

With right side facing, rejoin yarn to 105 sts. of **Back** and **shape raglans** as follows:—

1st row—K.1, K.2 tog.t.b.l., work to last 3 sts., K.2 tog., K.1. **2nd row**—K.1, P. to last st., K.1. Rep. the last 2 rows 3 times more (97 sts.).

Next row—K.1, K.2 tog.t.b.l., K.3, (K.2 tog.) 42 times, K.4, K.2 tog., K.1 (53 sts.). **Next row**—K.

**** Next row**—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1. **Next row**—K.1, P. to last st., K.1. **Next row**—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1. **Next row**—K. **

Rep. the last 4 rows until 23 sts. remain, ending with right side facing. Cast off.

With right side facing, rejoin yarn to remaining 49 sts. of **Left Front** and **shape raglan** as follows:—

1st row—K.1, K.2 tog.t.b.l., work to end. **2nd row**—K.5, P. to last st., K.1. Rep. the last 2 rows 3 times more (45 sts.).

Next row—K.1, K.2 tog.t.b.l., K.3, (K.2 tog.) 15 times, K. to end. (29 sts.). **Next row**—K.

Complete to match Right Front, reversing shapings, reading **tog.t.b.l.** in place of tog. at raglan shaping and **tog.** in place of tog.t.b.l. at front slope.

SLEEVES

With No. 12 needles, cast on 35 sts. and P. 5 rows.

Next row—P.3, (inc. in next st., P.1) 14 times, P.4 (49 sts.).

Change to No. 10 needles and work in patt. as on Sleeves of Dress shaping sides by inc. 1 st. at each end of 9th and every following 6th row until there are 61 sts., taking inc. sts. into patt.

Work a few rows straight in patt. until sleeve seam measures 5½ in.

Keeping continuity of patt., **shape raglan** as follows:—

1st and 2nd rows—Cast off 2 sts., work to end.

3rd row—K.1, K.2 tog.t.b.l., work to last 3 sts., K.2 tog., K.1. **4th row**—K.1, P. to last st., K.1. Rep. 3rd and 4th rows 3 times more (49 sts.).

Next row—K.1, K.2 tog.t.b.l., K.9, (K.2 tog.) 12 times, K.10, K.2 tog., K.1 (35 sts.). **Next row**—K.

Work as Back from ** to **.

Rep. the last 4 rows until 5 sts. remain, ending with a P. row. Cast off.

TO MAKE UP

Block and Press as for Dress. Using a flat seam, join raglan shapings. Join sleeve seams. Join cast-off edges of neck border and sew in position to back of neck. Sew on button.

Bootees

With No. 10 needles, cast on 33 sts. and purl 4 rows, inc. 4 sts. evenly across on last row (37 sts.).

Work in **patt.** as follows:—

1st row—(Right side), K.1, * y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1, rep. from * to end. **2nd row**—K.1, P. to last st., K.1. **3rd row**—K.

4th row—K.1, P. to last st., K.1.

5th to 8th row—Rep. 1st to 4th row. **9th row**—K.13, (y.fwd., sl.1K., K.2 tog., p.s.s.o., y.fwd., K.1) 3 times, K.12.

10th to 12th row—As 2nd to 4th.

13th to 20th row—Rep. 9th to 12th row twice. **21st and 22nd rows**—As 1st and 2nd.

Divide for instep as follows:—

1st row—K.25, turn. **2nd row**—P.13, turn. Work 10 rows in patt. on these 13 sts. Break yarn.

With right side facing, rejoin yarn to 12 sts. on right-hand needle, using this needle, **knit up** 10 sts. along side of instep, patt. across 13 sts. of instep, **knit up** 10 sts. down other side of instep, K.12 (57 sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.23, patt. 12, K.22. Rep. last 2 rows twice more.

Next row—K.1, P. to last st., K.1.

Shape foot as follows:—

1st row—K.1, K.2 tog.t.b.l., K.17, K.2 tog., patt. 13, K.2 tog.t.b.l., K.17, K.2 tog., K.1. **2nd and alt. rows**—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K.16, K.2 tog., patt. 11, K.2 tog.t.b.l., K.16, K.2 tog., K.1.

5th row—K.1, K.2 tog.t.b.l., K.15, K.2 tog., patt. 9, K.2 tog.t.b.l., K.15, K.2 tog., K.1. Cast off remaining 45 sts. purlways.

TO MAKE UP

Using a flat seam, join seam. Thread ribbon through holes at ankles.

L. COPLEY-SMITH & SONS LIMITED
P.O. BOX, DARLINGTON, CO. DURHAM, DL1 1YW