

NATIONAL
DOLL WORLD

2

\$3.00

Summer Wardrobe for Adopted Kids



Summer Wardrobe for Adopted Kids

DESIGN CREDITS

Ruth Gwartney
Patti Bachelder

Brenda Tyler
Dot Lang

Dolores Bamber

EDITOR

Barbara Hall Pedersen

GRAPHIC DESIGN

Karen P. Sherrer

ARTIST

Mary Cook

MODELS: Barthum Benton, Lisa Analisa,
Jay Jethro, Oscar Horace, Amanda Me-
lissa, and Acacia Cassandra.


TYPOGRAPHER

Nancy B. May

PHOTOS

Karen P. Sherrer

COPYRIGHT ©1985 BY THE HOUSE OF WHITE BIRCHES, INC.
P.O. Box 337, Seabrook, NH 03874



Introduction

The ever-growing popularity of the huggable soft-sculptured "adoptable" kids has created a demand for clothing suitable for every occasion. In answer to that demand, we are proud to offer you a summer wardrobe designed to be a delight to the mother or grandmother who makes it and to the child who receives it.

All clothing is designed to fit a variety of similar "Kids", whether purchased or hand-crafted, measuring approximately 16½" in height. Some of these dolls may have a more pronounced bottom than others, and slight adjustments may be in order, but the patterns are generously sized to allow for some variation from doll to doll.

We would especially like to thank the adoptive mothers of the models, who loaned us their "children" only after repeated assurances that they would be well treated and promptly returned. In the case of Barthum Benton, who models outfits for both boys and girls, we are solemnly pledged to tell you that he is really a boy.



General Directions

FABRICS

All of the sewn costumes shown in this book can be cut from less than ½ yard of fabric. You will, of course, utilize scraps and whatever is at hand.

Choose small-scale prints and lightweight materials, keeping trim in proportion.

PATTERNS

Some of the patterns are given in two parts to accommodate our pages. Trace the separate parts and join them together to make one complete pattern before proceeding. Pellon or a similar non-woven interfacing material is excellent to use for making patterns because it can be reused many times. Brown craft paper also works well. Be sure to mark each pattern piece as in the original. Unless otherwise indicated, ¼ inch seams are included in all pattern pieces.

CONSTRUCTION DETAILS

Clip curves and right angles.

Elastic is ¼ inch unless other-

wise specified. Do not cut elastic before sewing it on. Instead, anchor the end to the fabric with a few wide zigzags, and then gently stretch it as you go along and cut it when finished. If you measure around the doll's leg, wrist, etc., and mark off on the length of elastic where you want to end, you can stretch it accordingly. It may take several tries to master this technique, but it is a great time saver.

Hems are turned up once. Where you will elasticize and hem in one step, place the elastic down ¼ inch from the edge, turn the raw edge over the elastic and zigzag on top, stretching as you go.

Lace may be applied at the time of hemming by laying the edge of the lace on top of the ¼ inch hem allowance and stitching through all thicknesses at once. Another way to add lace is to place it face down on the right side of the fabric ¼ inch from edge with the scallops pointing up to the top of the garment piece and the edge of the lace

aligned with the raw edge of the fabric. Straight stitch through the lace edge. When you turn up the hem, the lace will automatically hang down. Laces used for these garments are ½ inch to ¾ inch flat and gathered laces.

On cotton and lycra knits, use a narrow zigzag stitch to give it some stretch. Otherwise knits need no special attention (except not to stretch too much while sewing). A little extra stretch at necklines is desirable.

Ribbing is sold by the inch and is used in 2 inch widths.

FINISHING

Seams are sewn with a short machine stitch, and are left unfinished. Hems are turned only once, unless otherwise specified. On facings, a row of stitching ¼" from raw edges will suffice.


FASTENINGS

Garments are fastened with Velcro for ease in putting on and taking off. In most cases the Velcro used is cut to half of its width and the desired length.


Pajamas



Diaper Sets



*Dress, Hat,
& Bloomers*



*Jacket
Poncho & Pants*



Jacket



LOOP STITCH JACKET
Shown in Color on Page 6

Materials:

Two 50 gm balls Baby Sayelle of Main Colors
Small amounts (20 gm) of two accent colors
No. 1 or 3.00 mm hook
4 buttons
Gauge: 7 sts = 1" (2.5 cm)

Loop Stitch: Insert hook in sc, loop yarn over index finger, catch yarn underneath finger and draw thru sc. Remove finger from loop and finish sc st.

Start at bottom back edge: Main Color. Ch 53.
ROW 1: 1 sc in 2nd ch from hk, 1 sc in each ch across. Ch 1, turn.

ROW 2: 1 sc in each sc across. Ch 1, turn.

ROWS 3 thru 6: Repeat row 2.

ROW 7: Start of lp st row, 1 sc in 1st sc, 1 lp st in each sc across, ending 1 sc in last sc. Ch 1, turn. Repeat rows 6 and 7 for pattern and continue until piece is 4 3/4" to 5" long, ending with lp st row. Break off. Join Accent No. 1.

ROW 1: 1 sc in each st across, ch 1, turn.

ROW 2: 1 sc in 1st sc, 1 lp st in each sc across, ending 1 sc in last sc. Break off. Join Accent No. 2.

Repeat last 2 rows. Break off. Join Main Color. Continue in established pattern until total piece is 7 1/2" long, ending in lp st.

Neck Shaping:

ROW 1: Sc in 1st 22 sts, insert hk in next st, pull up thread, insert hk in next st, pull up thread, yo and pull thru all 3 lps on hk. (1 dec st made) ch 1, turn.

ROW 2: 1 dec st, lp st across ending 1 sc in last sc, ch 1, turn. Continue dec at neck edge until there are 19 sts remaining, then work 2 dec sts at neck edge until 15 sts remain. NOTE: Be careful when working 2nd dec st; lp st must continue in this st. This is not easy but it is not too difficult if care is taken. Break off. Repeat for other side but work 23 sts away from edge, do not dec in first row and work toward edge.


Front Right Side

Ch 26. Follow directions for back until piece is 7" long. Ending with lp st row.

Neck Shaping

ROW 1: Sc across 19 sts, 1 dec, Ch 1, turn.

Continued on Next Page



ROW 2: 1 dec st, lp st across, 1 sc in last sc. Continue dec at neck edge until 15 sts remain. Work 5 even rows in pattern. Break off.

Front Left Side

Repeat instructions for right side until neck shaping.

ROW 1: Sl st across first 7 sts, 1 sc in next 18 sts to end. Ch 1, turn. Finish neck shaping same as Right Front with 1 dec st at neck edge per row. Break off after working 5 even rows. Sew shoulder seams tog.

Sleeves

Start with Accent No. 2. Join to side edge in Accent No. 2 strip (sc row) with wrong side facing.

ROW 1: Lp st across to Accent No. 2 sc row (1 lp st per row). Ch 1, turn.

ROW 2: Sc to shoulder seam, 1 dec st, sc to end. Break off. Join Accent No. 1, 1 sc in 1st sc, lp st across, ending 1 sc in last sc, ch 1, turn.

Repeat Row 2 of Accent No. 2. Join Main Color. Continue in established pattern with 1 dec st at shoulder seam every 2nd row until sleeve is 2 1/4" long. Ending in lp st row. Next 5 rows are even sc. Break off. Repeat for second sleeve.

Sew side and sleeve seams.

Front and Neck Edging

Join Main Color to bottom right side.

ROW 1: 1 sc per row to neck edge, 3 sc in corner row, 1 sc per row around neck, 3 sc in corner row, 1 sc per row to left bottom. Ch 1, turn.

ROWS 2 and 3: Repeat row 1.

ROW 4: Sc to top of right corner, 3 sc in corner st, 1 sc in next sc, (ch 2, sk 3 sc, sc in next 11 sc) 3 times, ch 2, sk 3 sc, sc in last 3 sc ch 1, turn.

ROW 5: Sc in each sc, 3 sc in each ch 2 space, continue around to left bottom edge.

ROW 6: Repeat Row 2. Break off.

Finishing

Hide and clip stray threads. Sew on buttons.

SOCKS

Material:

Small amounts of Sparkle Twist or

Baby Sayelle wool

No. 2 or 3.00 mm hk

Gauge: 7 sc = 1" (2.5 cm)

Ch 35.

ROW 1: 1 sc in 2nd ch from hk, 1 sc in each ch across. Ch 1, turn.

ROWS 2 thru 18: 1 sc in each sc across ch 1, turn. Break off after row 18. Fold in half with rows going around foot. Sew back and bottom seams tog. Join wool at back, ch 3, 1 dc, ch 2, 2 dc in same sp. Sk 1 st. * 2 dc, ch 2, 2 dc in next st, sk 1 st. Repeat from * around. Join with sl st to ch 3.

ROW 2: Sl st to ch 2 space. 1 dc, ch 2, 2 dc in same sp. * 2 dc, ch 2, 2 dc in next ch 2 space. Repeat from * around. Join with sl st to ch 3. Break off. Repeat for next sock. Hide and clip loose strands. Thread 6 or 6 1/2" of elastic thread thru last row of sc on inside.



Pajamas

P.J.'S WITH SLEEVES
Shown in Color on Page 3

Materials:

1 50 gm ball baby wool
1/3 50 gm ball of
Sparkle Twist
No. 5 or 4.00 mm hk
3 buttons
32" of ribbon

Gauge: 5 dc = 1" (2.5 cm)

Repeat instructions of first P.J.'s up until but not including row of sc. Last row should have 65 dc.

NEXT ROW: Ch 3, turn. 1 dc in next 15 dc, 1 dec st in next 2 dc, ch 3, turn.

NEXT ROW: 1 dc in each dc across, ch 3, turn.

NEXT ROW: 1 dc in each dc but not in top of ch 3. Ch 3, turn.

NEXT ROW: 1 dc in each dc across. Break off.

Next Side: Join yarn to top of ch 3 on opposite front.

ROW 1: 1 dc in each of next 11 dc, 1 dec st in next 2 dc, ch 3, turn.

ROWS 2, 3 and 4: Repeat last three rows from instructions of 1st front.

Back: Join yarn with right side facing, in 3rd dc from front edge. Ch 3.

ROW 1: 1 dec st in next 2 dc, 1 dc in each of next 24 dc ending with 1 dec st in next 2 dc. Ch 3, turn.

ROW 2: 1 dc in each dc across, ch 3, turn.

ROW 3: 1 dec st in next 2 dc, 1 dc in each dc across ending with 1 dec st in last 2 dc, ch 3, turn.

ROW 4: 1 dc in each dc across. DO NOT BREAK OFF.

Shoulders: * Yo, thru of st (on yoke sts directly opposite back), yo and thru st, yo and thru 2 lps, yo and thru last lps. Insert hk in dc beside st just made. Repeat from * in next 5 dc's. Break off. Join yarn to sleeve edge, right front side facing and repeat instructions as before.

Sleeves: Join Sparkle Twist yarn to underarm. Ch 3.

ROW 1: 1 dc, ch 2, 2 dc in same sp as ch, (2 dc, ch 2, 2 dc) in the base of each row around arm hole and in every 2nd dc at underarm. Join with sl st. Sl st to ch 2 sp. Ch 3.

ROW 2: 1 dc, ch 2, 2 dc in same sp, (2 dc, ch 2, 2 dc) in each ch 2 sp around. Join with sl st. Sl st to ch 2 sp. Ch 3.

ROWS 3 thru 6: Repeat row 2. Ch 1 after last row.


ROW 7: 2 sc in each ch 2 sp around. Join with sl st. Ch 1.

ROWS 8 and 9: 1 sc in each sc around. Join with sl st. Ch 1. Break off. Repeat for second sleeve.

Neck Edging: Join yarn in right front corner. Ch 3.

ROW 1: 1 dc, ch 2 2 dc in same sp. * sk 3 dc, 2 dc, ch 2 2 dc in next dc, (1 shell set in each shoulder seam also). Repeat around to left front corner. 1 shell set in top of corner. 1 shell set in the base of every 2nd row to bottom of opening. 1 sl st at opening base. Break off.

Finishing: Hide and clip all loose yarn. Sew 3 buttons down front using dc's as button holes. Touch up with ribbon.



Diaper Sets



Shown in Color on Page 4

BOY'S DIAPER SET

The matching diaper and top are cut from print fabric and bound with bias binding. The model shown is closed with buttons and buttonholes, but you may use a Velcro closure if you prefer. Diaper has a double flannel lining and is shaped with tucks.

Materials:

- 1/2 yard printed fabric
- Contrasting bias tape
- 1/2 yard flannel
- 6 - 1/2" buttons

Diaper

To make the diaper, for which no pattern is given, cut 1 piece of print fabric 12" x 14". Fold all edges over to wrong side 1" and press. Miter corners. Cut 2 pieces of flannel 10" x 12". Center on back, turn under edges of print fabric and stitch down over flannel.

1. Fold all edges over to wrong side 1" and press. Miter corners.

2. Cut 2 pieces of flannel 10" x 12". Center on back, turn under edges of print fabric and stitch down over flannel.

3. 2 1/4" from each side of diaper, at center, make a 1" tuck, stitching down for about 1/2" each side of center. (Diaper should measure 5 1/4" at center. See diagram).

4. Try diaper on doll and mark for fasteners. The position will vary with the doll, as some have bigger bottoms than others.

5. Sew buttons on front and make buttonholes for back, or use Velcro.

Top

1. Cut 2 fronts and 1 back.
2. Stitch together at shoulder seams and press open. Crease front facings on the line so marked.
3. Bind neck, armholes and bottom edges with double fold bias tape.
4. Fasten front with buttons and buttonholes. (Buttonholes go on the left side, buttons on the right, for a boy). Or, if you prefer, use Velcro fastenings.

GIRL'S RUFFLED-TRIMMED DIAPER SET

The same pattern pieces are used for this set as for the Boy's Diaper Set. Diapers are closed with ribbon ties and top is trimmed with ruffled lace.

Materials:

- 1/2 yard dainty print
- 1 1/4 yards 3/4" ruffled lace
- 1/2 yard flannel
- 1 yard 1/2" ribbon
- 3 - 1/4" buttons

Diaper

1. Make diaper same as for boy's set, except center a 16" piece of ribbon at front and stitch in place in a 2" rectangle, leaving the ends loose.

2. Cut two 11" pieces of ribbon. Loop ends and stitch one to each back corner of diaper. When dressing doll, adjust to fit.

Ruffle-Trimmed Top

1. Construct top same as for boy's top, binding armholes, neck and hem with bias tape. Stitch ruffled lace on top of bias.

2. Make buttonholes on right side. Sew buttons on left.

Dress, Hat, & Bloomers



Shown in Color on Page 5

Choose a tiny calico print for this yoked dress with hat and bloomers to match. Dress opens in the back. Hat is for two ponytails, and ties under the chin with a grosgrain ribbon.

Materials:

- ½ yard tiny print calico
- ½ yard ¼" elastic
- 1 pkg. bias binding
- 2 buttons (for hat)
- Velcro or 1 button (for back closure)
- 1 yard flat ¾" lace
- 1 yard grosgrain ribbon

DRESS

1. Cut 4 back yokes and 2 fronts. Stitch together at shoulder seams. Press open. With right sides together, stitch around neck and down backs. Clip curves and corners, turn to right side and press. Bind bottom edge with double fold bias tape.
2. Cut placket in center back skirt to mark (3¼"). Bind placket with bias tape. Stitch skirt together at side seams. Bind armholes with tape. Gather top edges to fit and attach to bottom of yoke with armhole edges at dots.
3. Narrowly hem bottom of dress. Fasten

back yoke with Velcro or button and button-hole, if preferred.

4. Add a piece of lace to bottom of dress for trim. Press pleats in dress from yoke to hem to control fullness.

BLOOMERS



1. Cut 2 fronts and 2 backs. Stitch together at side seams and center seams.
2. Hem top and insert elastic to fit waist.
3. Narrowly hem legs. Put a casing made from bias tape on wrong side, ½" from bottom, and insert elastic to fit legs.
4. Stitch crotch seam.

HAT

1. Cut 2 pieces by pattern.
2. With right sides together, stitch all around, leaving a place for turning.
3. Clip curves and corners, turn to right side and press.
4. Topstitch all around, closing opening.
5. Put buttonholes at marks and add lace to front edge if desired. Put buttons at dots.
6. Stitch ribbons to each side front to tie under chin.



$\frac{1}{4}$ " Seams Allowed



Leave Open for Turning

Place on Fold

Buttonhole

HAT FOR TWO PONYTAILS

$\frac{1}{4}$ " Seams Allowed

Front

Button

Clip Center Back Only

FRONT AND BACK DRESS
(Dress with Matching Hat and Bloomers)
Cut 2 on Fold

Cut on Fold

BABY DOLL TOP
CUT TWO
ON FOLD

FOLD

BABY DOLL PANTIES
CUT TWO
ON FOLD

FOLD

GATHER

Turn back neckline 3/8" and elasticize.

Shoulder Seam

Sew elastic on this line.

Pajamas



BABY DOLLS
Shown in Color on Page 36

Choose a small-print plisse or nursery print knit fabric.

Materials:

$\frac{1}{2}$ yard fabric

$\frac{1}{2}$ " wide flat lace (24")

$\frac{1}{4}$ " elastic

6" ribbon for bow

Cut 2 Baby Doll Tops on fold. Cut 2 Baby Doll Panties on fold.

1. Stitch one shoulder seam.
2. Elasticize neckline with approximately 10" of elastic, turning down neck edge $\frac{3}{8}$ " over elastic, and stretching as you sew, using a zigzag stitch.
3. Stitch other shoulder seam.
4. Elasticize sleeve edges, using approximately 5" of elastic for each sleeve.
5. Stitch sides.
6. Hem Top.
7. Tack a ribbon bow at center front.

Panties

1. Trim edges of legs with lace, placing lace

face down on the right side of the fabric $\frac{1}{4}$ " from edge with the scallops pointing up to the top of panties. Stitch along straight edge. When you turn up the hem, the lace will automatically hang down. Hem with a zigzag stitch.

2. Elasticize legs by sewing approximately 6" of elastic on line, using a zigzag stitch and stretching as you go.

3. Sew front seam from top to crotch.


4. Elasticize waist with approximately 10" of elastic, turning down top edge $\frac{3}{8}$ " over elastic.

5. Sew back seam from top to crotch.


6. Sew across crotch from leg to leg.

SHORT SLEEVED SUMMER NIGHTGOWN

Use the Baby Doll Top pattern, and extend 7" in length. Construct same as for Baby Doll Top, except apply lace to bottom of nightgown using the same construction methods given for the lace at bottom of Baby Doll Panties.




BASIC BEANIE
CUT FOUR



BASIC
BEANIE
FOR BALD
BABY

CUT FOUR



Leave open to turn

HAT FOR ONE PONYTAIL
CUT TWO

Tie Placement

Fold



Shown in Color on Pages 28 and 37.

BASIC BEANIE

The Basic Beanie pattern can be used to make several of the hats shown in this book. It is designed to fit dolls with looped hair and no ponytails. The smaller pattern will fit the bald-headed baby.

FELT BEANIE

Materials:

1 square felt
Lining fabric

1. Cut 4 from felt and 4 from lining fabric. Match felt to lining pieces and treat each section as though it were one piece of fabric. (This is easier than making a separate lining.)

2. Stitch together two of the sections on the curved edge. ($\frac{1}{4}$ " seam)

3. Stitch together the other two sections.

4. Cut a strip of felt $\frac{1}{4}$ " x $1\frac{1}{4}$ ", double it into a loop and place it between the two sections at the very top where all points meet, so that the ends will be caught into the seam when the two sections are joined. Join sections.

5. Turn up bottom edge of beanie and baste.

6. Stitch one row of stitching close to raw edge and another row of stitching close to turned edge.

EYELET SUNHAT

Materials:

Small amount of eyelet fabric
Small amount of sheer lining material

$\frac{1}{2}$ yd. $\frac{3}{4}$ " wide eyelet ruffle, with bound edge
 $\frac{1}{4}$ yard pink ribbon

1. Construct crown of hat as for Basic Beanie, treating eyelet and lining as one fabric.

2. With right sides together, stitch ruffled eyelet to bottom of hat, starting at back.

3. Seam ends of eyelet.

4. Turn seam to inside of hat and make a double row of stitching, one close to raw edge, and one close to fold.

5. Make a bow of pink ribbon and tack to top center of hat where all seams meet.

SAILOR HAT

1. Follow directions for Felt Beanie, using a heavy cotton twill for hat and lining or a fabric to match the sailor dress. Make hat and lining separately.

2. Eliminate loop at top hat.

3. Join hat to lining in $\frac{1}{4}$ " seam, leaving opening to turn.

4. Turn to right side and close opening by hand. Tack at top where points meet.

5. Turn up a 1 inch brim on hat and tack to hold in place.



HAT FOR ONE PONYTAIL

1. Cut 2. Pin wrong sides together, sandwiching in ruffled lace at the same time across front edge, and pinning in 12" ribbon ties.

2. Sew around all edges, leaving open where indicated for turning. Clip curves and angles, turn right side out.

3. Stitch opening closed.

Ribbon ties can be added after construction, with ribbon roses for decoration, small bows, etc.



There is enough fabric in an 18" square fluorescent kerchief to cut the jumpsuit. A fluorescent shoelace is used as the belt. Shorten the shoelace if necessary by cutting a piece from the middle and sewing the raw ends together.

To make the wide belt loops, cut a strip of fabric about 7½" long and stitch down ¼" on both long edges. Use this strip to cut 6 belt loops 1½" each. Press under edges ¼", pin in place on jumpsuit and stitch. Run shoelace through loops and tie in front.

Jumpsuit



Shown in Color on Page 62

JUMPSUIT
CUT TWO

JUMPSUIT COLLAR
Cut 4

Pantywaist



Shown in Color on Pages 28 and 29
Patterns on Pages 24 and 25

Make it in a soft white fabric, either knit or woven, and the Pantywaist is an undergarment, easy to put on or remove because of the Velcro shoulder closures. Choose a bright nursery print or plain with applique trim, and it's a sunsuit. Add a ruffled skirt and you have a summer sundress.

Materials:

Round Velcro closures (2)

$\frac{1}{4}$ yard fabric

$\frac{1}{4}$ yard $\frac{1}{8}$ " elastic.

1. Turn up $\frac{1}{4}$ " at bottom edges of front and back facings and stitch, using straight stitch or zigzag.

2. Wrong sides facing, stitch Front Facing to Front, beginning at underarm edge on one side and going up around curved tabs, ending at other underarm edge. Trim, clip, turn and press.

3. Stitch Back Facing to Back in same manner. Trim, clip, turn, and press.

4. Right sides facing, seam Front to Back at sides.

5. Turn under panty leg opening $\frac{1}{4}$ " and apply elastic, stretching and stitching with a zigzag stitch. Repeat for other leg opening.

6. Join Front to Back at crotch, taking a small

tuck in back crotch. Press crotch seam to one side and stitch again $\frac{1}{8}$ " from seam.

7. Apply Velcro closures to shoulder tabs so that back tabs overlap front tabs.

Sunsuit


Make same as for undergarment except use a bright fabric and a contrasting applique. (See general directions for applique). Or select a printed fabric and trim with ruffles or rickrack.


Summer Sundress

Cut a rectangle $3\frac{1}{2}$ " x 36" and make a narrow hem on the two short ends and one long side. With machine set on a long stitch, make two rows of stitching on remaining long edge, and pull up to form gathers. With raw edges on skirt line and wrong side of skirt OUT, pin skirt to romper so that the two short hemmed edges meet at center front, and dress hem is facing top of garment. Stitch close to raw edge and again $\frac{1}{4}$ " from first stitching.

Press skirt toward bottom of garment to cover stitching. Tack a small bow at front where skirt edges meet.

If preferred, use 3" wide eyelet lace and hem only the short ends. Use a pink bow and sew pink buttons at shoulders "for show".





Jumper



CAP SLEEVED JUMPER
Shown in Color on Page 27

Materials:

- 1 - 50 gm ball Baby Sayelle, No. 5 or 4.00 mm hook and No. 2 or 3.00 mm hook.
- 4 snaps
- Approx. 30" ribbon
- Gauge: dc = 5 dc = 1" (2.5 cm)
- 7 sc = 1" (2.5 cm)

Start at foot with No. 5 or 4.00 mm hk, ch 5. Join with sl st to form ring.
 ROW 1: Ch 2, 12 dc in ring. Join. Ch 2.
 ROW 2: * 2 dc in dc, 2 dc in next dc, 1 dc in next dc. Repeat from * around. Join. Ch 2.
 ROW 3: * 2 dc in next dc, 1 dc in next 2 dc. Repeat from * around. Join. Ch 2.
 ROW 4: * 1 dc in next 5 dc, 2 dc in next dc. Repeat from * around. Join. Ch 2.
 ROWS 5 to 18: 1 dc in each dc. Join. Ch 2.
 Break off after Row 18. Repeat for 2nd leg. DO NOT BREAK OFF.

Crotch

Yo, insert hk in one dc of 1st leg, yo and thru st, yo and thru 2 lps, yo and thru all lps on hk. Repeat this in next nine dc on 1st leg. 2 dc in next dc on 2nd leg, (inside will be facing), 1 dc in each dc around leg, 2 dc in last dc before joining dc sts, 2 dc in bar of joining dc, 2 dc in next dc in 1st leg. 1 dc in each dc around leg. 2 dc in last dc, 2 dc in bar of joining dc. Join. Ch 3.

NEXT ROW: 2 dc in 1st dc, 1 dc in each dc around. 2 dc in each dc worked in joining dc, 1 dc in each of next 8 dc, ch 1, turn, 1 sc in 1st dc, 1 hdc in next dc, 1 dc in each of next 16 dc, 1 hdc in next dc, 1 sc in next dc, ch 1, turn. 1 sc in 1st sc, 1 hdc in 1st hdc, dc in each dc, 1 hdc in hdc, 1 sc in sc. DO NOT TURN. 1 dc in

each dc to front, 2 dc in last dc. Join. Ch 3. Work 2 even rows of dc. DO NOT CH OR TURN.

Body

Ch 6, 1 dc in 3rd ch from hk, 1 dc in each ch, 1 dc in each st around. DO NOT JOIN. Ch 3, turn. Work 5 even rows. Work 1 row of sc. Break off.


Yoke

Change to No. 2 or 3.00 mm hk. Ch 48.
 ROW 1: 1 sc in 2nd ch, 1 sc in each ch. Ch 1, turn.
 ROW 2: 1 sc in each sc. Ch 1, turn.
 ROW 3 and 5: * 1 sc in next 2 sc, 2 sc in next sc. Repeat from *. Ch 1, turn.
 ROW 4, 6 thru 10: 1 sc in each sc. Ch 1, turn. Break off.


Sew yoke to body: Line up front edges and sew across 1st 9 dc on each side and 1st 12 on the other front. (sc on yoke will be about 12 for every 9 dc) For arms count 11 dc from stitching of each side, mark with wool. Find center back by lining up marks. Find center back on yoke by lining up stitching. Tack center backs tog. Lay pieces flat and stitch from one mark to the other mark.

Finish with ribbon and snaps.


Jumper



**Sundress
Bantywaist**



Sunsuit



Dress



Summer Ward

Dress



SHELL YOKE DRESS

Shown in Color on Page 30
Matching Sweater Directions on Page 32

Materials:

1 ball (50 gm.) Baby Sayelle
1/3 ball (50 gm) Sparkle Twist baby wool
No. 2 or 3.00 mm hk
2 snaps
7" ribbon
Gauge: 7 sc = 1" (2.5 cm)

Start with accent color. Yoke: ch 48.

ROW 1: 1 sc in 2nd ch from hk, 1 sc in each ch across, ch 1, turn.

ROW 2: 1 sc in each sc across. Break off. Join main color.

ROW 3 (Note: ch 3 = 1 dc) 1 dc in 1st 2 sc, * sk 1 sc, (2 dc, ch 2, 2 dc = shell) in next sc, sk 1 sc, 1 dc in each of next 2 sc. Repeat from * around, turn.

ROW 4: 1 dc in each single dc, shell over shell (work 1 shell in ch 2 sp). Repeat this pattern across. Break off. Join accent color.

ROW 5: * 1 sc in top of each dc, 4 sc in ch 2 sp. Repeat from * around. Ch 1, turn.

ROW 6: 1 sc in each sc around = 92 sc. Break

off. Join main color.

ROW 7: Repeat row 3.

ROW 8: Work in pattern of 2 dc, shell, 2 dc etc., over 3 shells with shell over shell on 3rd shell, ch 5, sk 3 shells and 4 2 dc sets. Work in pat over next 6 shells with shell over shell on 6th shell, ch 5, sk 3 shells and 4 2 dc sets, work in pat to end. Break off.

Join accent color.

ROW 9: 1 sc in top of each dc, 4 sc in ch 2 spaces and 6 sc in 1st ch 5 sp and 7 sc in 2nd ch 5 sp. Ch 1, turn.

ROW 10: 1 sc in each sc around. Break off. Join main color.

ROWS 11 thru 22: Repeat rows 3, 4, 5 and 6 in the following order: 3, 4, 4, 4, 5, 6 two times. Break off.

Finishing

Hide and clip all stray yarn. Sew snaps on back. Use two snaps, one at top of yoke and the other at the 2nd band of sc. Add buttons or ribbon if desired.

Sweater



SHELL YOKE SWEATER

Materials:

2/3 ball (50 gm) of Sparkle Twist

1/4 ball (50 gm) of Baby Sayelle

No. 2 or 3.00 mm hk

3 snaps and 3 buttons

Gauge: 7 sc = 1" (2.5 cm)

Start with accent color.

Yoke: Ch 53.

ROW 1: 1 sc in 2nd ch from hk, 1 sc in each ch across. Ch 1, turn.

ROW 2: 1 sc in each sc across. Ch 1, turn. Break off. Join main color. Note: ch 3 = 1 dc.

ROW 3: 1 dc in each of 1st 2 sc, * sk 1 sc, (2 dc, ch 2, 2 dc) shell made, in next sc, sk 1 sc, 1 dc in each of next 2 sc. Repeat from * around.

ROW 4: 1 dc in each single dc, 1 shell in each ch 2 space. Repeat around. Break off. Join accent color.

ROW 5: 1 sc in top of each dc (including dc in shell), 4 sc in ch 2 sps. Ch 1, turn.

ROW 6: 1 sc in each sc around. Break off. Join main color.

ROW 7: Repeat row 3.

ROW 8: Repeat row 4. Break off. Join accent color.

ROW 9: 1 sc in each dc and 4 in ch 2 space, over first 2 shells, sc to ch 2 sp of next shell, 2 sc

in this shell, ch 5, sk 4 shells. 2 sc in ch 2 sp of next shell, sc over next 4 shells, sc to ch 2 sp of next shell. 2 sc in this ch 2 sp, ch 5, sk 4 shells. 2 sc in ch 2 sp of next shell, sc to end.

ROW 10: 1 sc in each sc with 8 sc in each ch 5 space. Break off. Join main color.

ROWS 11 thru 17: Repeat row 3 once and row 4 6 times. Break off.

Sleeves

Join main color to one corner of sleeve hole. Starting with shell, work in shell 2 dc shell pattern around sleeve hole.

ROWS 2 thru 5: Repeat row 4 of body except join rows with sl st and sl st to ch 2 sp to start next shell. Break off. Join accent color.

ROW 1: 1 sc in top of each dc, 1 sc in each ch 2 sp around. Join with sl st. Ch 1.

ROW 2: 1 sc in 1st sc, * 1 dec st over next 2 sc (To DEC: insert hook in sc, yo and pull lp thru, insert hk in next sc, yo and pull lp thru, yo and pull thru all three lps on hk). Repeat from * around. Join with sl st. Break off. Repeat for second sleeve.

Finish

Hide and clip all loose yarn. Sew on three snaps, 1 on each band of sc. Add buttons for decoration if desired.

Poncho



Shown in Color on Page 6

Materials:

1/4 50 gm ball Main Color
Small amounts of 2 Accent colors
No. 2 or 3.00 mm hook
Small amount of ribbon
Gauge: 7 sts = 1" (2.5 cm)

Using Main Color, Start at neck edge. Ch 61.
ROW 1: 1 sc in 2nd ch from hk, 1 sc in each ch across = 60 sc. Ch 1, turn.
ROW 2: 1 sc in each sc, ch 1, turn.
ROW 3: * 1 sc in each of next 2 sc, 2 sc in next sc. Repeat from * across = 79 sc. Ch 1, turn.
ROWS 4 and 5: Repeat Row 2.
ROW 6: * 1 sc in each of next 3 sc, 2 sc in next sc. Repeat from * across. Ch 1, turn.
ROWS 7 and 8: Repeat Row 2.
ROW 9: * 1 sc in next 12 sc, 2 sc in next sc. Repeat from * across = 105 sc. Ch 1, turn.
ROWS 10 and 11: Sc in next 45 sc, 2 sc in next sc, sc in next 13 for rows 10 and 15 for row 11, 2 sc in next sc, sc to end = 109 sts.
ROWS 12 and 13: Repeat Row 2. DO NOT TURN. Sl st in 1st sc of other side to join tog.

Ch 1, 1 sc in same sc as sl st. * 1 sc in next 9 sc, 2 sc in next sc. Repeat from * around. Sl st to 1st sc to join. Break off.

Join Accent No. 1. (for smoother sts, do not join in sl st space).

ROW 1: Ch 3, 2 dc in same sc, * sk 1 sc, 1 sc in next sc, sk 1 sc, 5 dc in next sc. Repeat from * ending 2 dc in same space as ch 3, 2 dc set. Sl st to top of ch 3. Break off.

Join Accent No. 2.

ROW 2: Sc in same space as sl st, * 5 dc in next sc, sc in 3rd dc of next shell *. Repeat from * to * ending with sl st to sc. Break off.

ROW 3: Join Main Color. Ch 3, 2 dc in same sc, * sc in 3rd dc of next shell, 5 dc in next sc. Repeat from * ending 2 dc to finish half shell. St st to top of ch 3. Break off. Repeat rows 2 and 3 for pattern, changing color after each row. Continue until there are at least 14 rows of shell. Add extra sets of 3 rows if extra length is desired.

Finishing

Hide and clip loose yarn. Attach ribbon for ties at neck edge.

Dress



SHELL DRESS/JUMPER
Shown in Color on Page 35

Materials:

1½ 50 gm ball Sparkle Twist baby yarn
No. 2 or 3.00 mm hk.
3 snaps and 3 buttons
Gauge: 7 sts = 1" (2.5 cm)

Start at one front shoulder: Ch 10.

ROW 1: 1 sc in 2nd ch from hk., 1 sc in each ch to end. (9 sc) ch 1, turn.

ROW 2: 1 sc in each sc across. Ch 1, turn.

ROW 3: 2 sc in 1st sc, 1 sc in each sc across. Ch 1, turn.

ROW 4: 1 sc in each sc across. Ch 1, turn.

ROW 5: 1 sc in each sc to 2nd last sc., 2 sc in last sc. Ch 1, turn.

ROW 6: 1 sc in each sc to 2nd last sc., 2 sc in last sc., ch 1, turn.

ROW 7: 1 sc in each sc across. Break off. Repeat for other side but DO NOT BREAK OFF after 7th row.

ROW 8: 1 sc in each sc across, ch 8, do not turn, 1 sc in 1st sc of bottom neck edge of other side, sc across sc. Ch 1, turn.

ROW 9: 1 sc in each sc, 1 sc in each ch, 1 sc in each sc across. Ch 1, turn.

ROW 10 thru 19: 1 sc in each sc across. Ch 1, turn. Break off after Row 19.

Back

Ch 10.

ROW 1: 1 sc in 2nd ch from hk. 1 sc in each ch across (9 sc) ch 1, turn.

ROWS 2 and 3: 1 sc in each sc, ch 1, turn after row 2. DO NOT TURN after Row 3. Ch 10.

ROW 4: 1 sc in 2nd ch from hk, 1 sc in each ch

and 1 sc in each sc, ch 1, turn.

ROWS 5 thru 19: 1 sc in each sc across, ch 1, turn. Break off after Row 19. Repeat for other side. DO NOT BREAK OFF. Ch 1, turn, 1 sc in each sc across, ch 3, 1 sc in each sc across bottom FRONT edge, ch 3, 1 sc in each sc across other BACK edge, ch 1, turn.

NEXT ROW: (21): sc across, working 2 sc in every 4th sc and 7 sc in each ch 3 space = 94 sts. Ch 2, turn.

Shell Skirt

ROW 1: 2 dc, ch 2, 2 dc in 3rd sc from edge, * sk 2 sc, 2 dc, ch 2, 2 dc in next sc. Repeat from * around. Ch 2, turn.

ROW 2: * s dc, ch 2, 2 dc in each ch 2 space. Repeat row 2 until there are 12 rows of shell. Sew shoulder seams tog.

Sleeve Ruffle

Count 5 rows from bottom of sleeve hole edge. Join wool in 5th row. Ch 3, 1 dc, ch 2, 2 dc in same space (sk 1 row, 2 dc, ch 2, 2 dc in next row) 16 times = 17 shells.

ROW 2: Sl st to ch 2 space, ch 3, 1 dc, in same space. 2 dc, ch 2, 2 dc (shell overshell) in next and each shell across to 2nd last shell. 2 dc in last shell.

ROW 3: Sl st to ch 2 space and repeat row 2. Break off. Repeat for other side.

Finishing

Hide and clip loose strands. Sew three snaps on back and three buttons on front for decoration if desired.

Dress




Pajamas



*Sailor Hat,
& Dress*



Shorts



Pattern for Leotard on Page 63



Shorts

Shown in Color on Page 38
T-Shirt Directions on Page 44

Place on Fold

SHORTS - Cut 2

(Will fit various types of dolls)

There is only one pattern piece. Cut 2 on fold. Front and back are cut as one, with no side seam.

1. Join front seams.
2. Join back seams
3. Turn down top casing on fold line and stitch, leaving an opening for elastic.
4. Turn up a $\frac{1}{2}$ " hem on legs and stitch.
5. Join crotch seam.
6. Thread elastic through casing and adjust to fit doll's waist. Join elastic and close opening.

Fold Line for Casing

Sailor Dress

Shown in Color on Page 37



Dress is front-opening with a Velcro closure. Sleeves and collar are trimmed with a double row of soutache braid. Pocket has embroidered anchor trim.

Materials:

2" Velcro strip, cut in half lengthwise

Red embroidery floss

Red soutache braid

Scrap of red broadcloth for tie

White fabric (1/4 yd.)

1. Before cutting out, trace pocket with anchor to fabric. Place on embroidery hoop and embroider anchor with a chain-stitch. Or, if preferred, use a press-on, purchased anchor. Turn under pocket top 1/4" and stitch down, using a short machine stitch. Turn under remaining pocket edges, baste or press and place in position on left Dress Front. Stitch close to edge on remaining edges.

2. Join Dress Fronts at center seam from notch to hem.

3. On right Dress Front, fold placket extension in half on dashed lines, and press. Fold again on center front line and press. On inside, sew fuzzy half of Velcro strip. On left half of Dress Front, fold placket extension in half and press, allowing it to extend beneath Right Front. On top side, stitch other half of Velcro strip.

4. Join Dress Front to Dress Back at shoulders. Turn neck edge under 1/4" all around and press.

5. Make collar. Stitch Collar to Collar Facing 1/4" around outside right side and press. With

raw edges together, and using a short machine stitch, stitch edges 1/4" from edge. Stitch again between stitching and raw edge and finish with a zigzag. Apply a double row of red soutache braid to collar, starting the outside row 1/2" from collar edge.


6. Apply collar. Place finished collar just inside turned-under neckline of dress, matching centers back. Baste in place, clipping away any excess at points. On outside, make a row of stitching, 1/4" from neck edge and another row close to neck edge.


7. Make sleeves. Turn under wrist edge 3/8" and on right side, apply a double row of soutache braid. Baste and stitch sleeves into sleeve openings before stitching dress sides.


8. Join dress sides and sleeves all in one operation.

9. Turn up dress hem 3/8" and stitch close to raw edge. Stitch again close to folded edge.

10. Cut 2 ties from red fabric on bias. Seam edges, leaving an opening to turn. Turn and press. Tie around collar and knot in front.







T-Shirt



Shown in Color on Page 38

Cut 1 Front on fold and 2 Backs.

Materials:

Printed T-shirt knit

Coordinated print sweatshirt print (pants)

Coordinated ribbing

$\frac{1}{4}$ elastic for shorts

6" Velcro, $\frac{1}{4}$ width

Raw edges do not need to be finished. They will not ravel.

1. Sew shoulder seams.

2. Trim neck edge: Cut rib knit trim 2" wide. Do not cut length yet. Fold it in half lengthwise and align raw edges with neck edge. Using a narrow zigzag stitch, tack ends with a backstitch then gently stretch the ribbing along neck edge

as you stitch. The neck edge may be stretched a bit as well, to assure that it will go around the doll's neck, but not a lot. The ribbing will "gather" the raw edge and make a snug wrist or neck opening. Cut off excess ribbing when you reach the end of the neck edge.

3. Trim armhole edge same as neck.

4. Sew side seam from underarm to waist.

5. Hem waist, using $\frac{1}{4}$ " hem and zigzag stitch.

6. Fasten back: Turn in one edge $\frac{1}{4}$ " and sew the loopy side of Velcro on the "facing". This will be the outside edge of the shirt opening. On the other side, right side up, place the fuzzy side of the Velcro on the edge; this edge does not need a facing, so the raw edge is left as is and the Velcro lined up with the edge.

Match Line

Join front and back pattern pieces
here. Cut sunsuit fabric in 1 piece.

Ribbon Placement

SUNSUIT FRONT PORTION OF PATTERN

Sunsuit

SUNSUIT - BACK PORTION
OF PATTERN

Match Line
Join front and back pattern pieces
here.
Cut sunsuit fabric in 1 piece.

Back Edge

Materials:

Cotton knit or gingham, etc. (If you use cotton knit, cut the lining of a woven fabric.)

1. Sew trim across front or trim top front edge with lace, if desired.

2. Pin 12" ribbon ties in place.

3. Pin lining piece all around; stitch, leaving all sides open for turning, and sewing across back edge. Clip curves, turn.

4. Zigzag elastic around legholes, across back edge.


5. Stitch side seams, treating the two thicknesses as one.


Shown in Color
on Page 60

Appliques

Decorate your clothing with these simple appliques or as an alternative, purchase a nursery print with colorful motifs which may be cut out and used as appliques.

Leave a good $\frac{1}{2}$ " or more margin around the applique when you cut it out. To apply, put paper under the piece, and by machine, straight stitch in place close to what will be the edge. Trim close to the stitching and then satin stitch all around OVER the straight stitching.





Trunks

Shown in Color on Page 60

Fold Line for Casing

TRUNKS

Materials:


$\frac{1}{2}$ yd. shiny fabric

1 white sport shoelace 36" long

1. Cut 2 Fronts and 2 Backs.
2. Seam Fronts to Backs at sides.
3. Fold shoelace in half and cut an 8" piece from the middle to use as trim. Stitch the remaining two pieces back together to use as a drawstring. (Overlap raw ends and stitch securely).
4. Cut the 8" piece of shoelace in half and stitch over the side seams of the shorts.
5. Clip front seams at mark, turn under and stitch down, to form front opening of casing.
6. Fold over top of shorts at line and stitch down with a zigzag stitch, forming a casing for drawstring.
7. Sew front seam.
8. Turn up bottom hems of legs $\frac{1}{2}$ " and stitch.
9. Stitch crotch.
10. Thread drawstring through casing and tie at front.

Clip Mark

Hem



BASIC LONG PANTS
BACK - FOR SEATED DOLLS
Cut 2 - Also Cut 2
from Basic long Pants

FLOWER KID PANTS

Flower Kids and other seated dolls with large bottoms use 4 pattern pieces. Cut 2 from the Basic Long Pants pattern for the fronts, and 2 from the Flower Kids Pants pattern for the backs.

1. Make darts in back of pants.
2. Sew backs to fronts at sides.
3. Turn waist edge under and apply elastic, and complete construction the same as for Basic Long Pants.

Shown in Color on Page 6

BASIC LONG PANTS

Pattern for Front and Back

For Seated Dolls Use for
Front Only.

BASIC LONG PANTS

Most dolls will use the Basic Long Pants pattern, with the seam line placed on a fold so that front and back are cut as one piece.

Materials:

$\frac{1}{2}$ yd. fabric

Elastic for waist

1. Cut 2 from Basic Long Pants pattern, on fold.
2. Stitch front seam.
3. Turn down waist edge $\frac{1}{4}$ " and apply elastic, stretching as you go.
4. Sew back seam.
5. Turn up $\frac{1}{4}$ " hems at bottom of legs.
6. Sew crotch seam.

Seam or Fold Line

Diaper Sets



Shown in Color on Page 61

Easy to make, and easy for a child to put on and take off, these two sets can be made up in a wide variety of fabrics. Two diaper patterns are given. One is for 16" dolls in standing position. The other fits the seated type dolls with larger bottoms.

ROSEBUD SET

Materials:

- 1/2 yard tiny print rosebud fabric
- Velcro
- Purchased bias binding (optional)

CROSSOVER SHIRT

1. Cut 2 Fronts and 1 Back.
2. From scrap, cut approximately 30" of 3/4" bias strip. (or use purchased)
3. Join Fronts to Back at shoulders.
4. Bind front edge, back neck, and other front.
5. Bind armholes.
6. Sew sides in 1/4" seam.
7. Turn bottom edge under 1/4" and press, turn up 1/2" and stitch hem.
8. Sew Velcro hooks to inside of one front, and sew Velcro loops to outside of other front.

Prefolded Diaper

1. Using the smaller of the two diaper patterns, cut 1.
2. Hem side and crotch edges. Leave waists unhemmed for now.
3. Pleat: Bring pleat line to edge of crotch following arrows on pattern. See Figure A. This

will form a triple thickness in crotch for length of diaper. Edge stitch down both sides of pleat. See Figure B.

4. Hem waist edges.

5. Sew Velcro hooks to back tabs on inside of diaper.

6. Place Velcro loops on front tabs on outside of diaper. Adjust to fit doll. Sew in place.

7. If desired, applique a design to outside of back tabs.

Hints: Use 1" to 2" strips of Velcro or Velcro circles. Use zigzag stitch for hems and pleat.

STRIPED SET

Materials:

- 1/2 yd. knit fleece
- Velcro

Make as for rosebud set. Fleece for binding is cut on the straight of goods, rather than the bias, as it will stretch. Binding method: With right sides facing, stitch 1/4" from edge. Turn binding over edge, and on right side, stitch "in the ditch", catching in raw edge of binding.

Diaper for Seated Kid

1. Make dart in back of diaper.
2. Hem side and crotch edges.
3. Pleat diaper to a triple thickness as for C.P. diaper, except do not stitch down all the way from front to back. Stitch only as far as indicated on pattern (2 1/2" at back, 4 1/2" at front) and leave center folded but unstitched.
4. Hem waist edges.
5. Sew on Velcro fastenings as for C.P. diaper.





FIG. A




FIG. B

DIAPER FOR SEATED DOLL

Fold

Pleat Line

Pleat Line


Dart

Dart

Back

Add 1" to Pattern Here

Summer Wardrobe




Fold

ROSEBUD OR MULTISTRIPED SHIRT
BACK
Cut One

ROSEBUD OR MULTISTRIPED SHIRT
FRONT
Cut Two

VELCRO

VELCRO





Windbreaker

Shown in Color on Page 60

Materials:

Satin, chino, or nylon windbreaker fabric

Velcro for front closing

Elastic for sleeves

Use Windbreaker Collar pattern, Raglan Windbreaker pattern, and Basic Raglan Sleeve pattern.

1. Cut two collars on fold. Seam one side of collar. Turn, press and topstitch.

2. Cut 2 fronts and one back on fold. Cut 2 sleeves on fold. Sew sleeves to fronts and back.

3. Center collar on jacket. Turn back a 5/8"


facing (right sides together) at both front edges, and stitch collar to jacket, catching end of facing in seam. Turn facing to inside. Finish collar edge with zigzag stitch and press collar up.

4. Turn bottom of sleeves up 1/4" over elastic and gather to fit doll's wrists.

5. Sew side seams.

6. Turn bottom of jacket up 1/4" over elastic and gather.

7. Sew Velcro strips to front edges for fastening.



Dress



SHELL DRESS WITH ROUND YOKE
Shown in Color on Page 59

Materials:

1 ball (50 gm) Baby Sayelle
No. 2 or 3.00 mm hk
Two snaps
18" of lace
10" of ribbon
Gauge: 7 sc = 1" (2.5 cm)

Yoke: Ch 48.

ROW 1: 1 sc in 2nd ch from hk. 1 sc in each ch across. Ch 1, turn.

ROW 2: 1 sc in each sc across. Ch 1, turn.

ROWS 3 and 5: * 1 sc in next 2 sc, 2 sc in next sc. Repeat around from *. Ch 1, turn.

ROW 4 and 6 thru 10: 1 sc in each sc around. Ch 1, turn.

ROW 11: 1 sc in each of next 14 sc, ch 16, sk 13 sc, 1 sc in each of next 28 sc, ch 16, sk 13 sc, 1 sc in each of last 14 sc. Ch 1, turn.

ROW 12: 1 sc in each of the next 13 sc, 2 sc in next sc, 1 sc in each ch, 2 sc in next sc, 1 sc in each of next 26 sc, 2 sc in next sc, 1 sc in each ch, 2 sc in next sc, 1 sc in each sc to end. Ch 2, turn.

Start of Shell Skirt

ROW 1: Sk 2 sc, * 2 dc, ch 2, 2 dc in next sc (1 shell made), sk 2 sc. Repeat from * around, ch 2, turn.

ROW 2: * 2 dc, ch 2, 2 dc in ch 2 space of shell (shell over shell made). Continue shell over shell pat across. Ch 2, turn. Repeat row 2 until there are 14 rows of shell. Break off.

Sleeves

With right side facing, join wool in back crook of armhole. (3 ch = 1 dc)

ROW 1: 1 shell in same sc as joining sc. 1 shell in every 3rd sc around armhole. (Note: Shells hold better on bottom edge of armhole if done in 1st row of sc of skirt and not in remaining lp of ch.) Join with sl st to top of ch 3.

ROW 2: Sl st to ch 2 sp. Shell over shell around. Join with sl st. Repeat row 2 until there are 8 rows of shell.

ROW 9: 1 sc in sl st, * 1 sc in ch 2 space, 1 sc in space between two shells. Repeat from * around. Join with sl st. Ch 1, turn.


ROWS 10 and 11: 1 sc in each sc around. Join ch 1, turn.

ROW 12: 1 shell in 1st sc, 1 shell in every 2nd sc around. Join to top of ch 3. Break off. Repeat for second sleeve.

Finishing

Hide and clip stray threads. Sew 2 snaps on back yoke. Add lace and ribbon if desired. (Approx. 15" of eyelet lace around yoke).

Dress




Windbreaker



Diaper Sets



Jumpsuit





Leotard Shown in Color on Page 38

LEOTARD OR SWIMSUIT

Materials:


Cotton knit or lycra, no woven fabrics. Unlined.

1. Elasticize legs.
2. Sew shoulder seams.
3. Sew side seams.
4. Narrow hem armholes and neckline as indicated with a zigzag stitch.
5. Stretch a piece of elastic at lower armhole as shown on pattern with a wide zigzag. This will snug it in and give for putting on and taking off.
(Adjust to Flower Kids by lengthening shoulder straps.)

AEROBIC OUTFIT

Cut leg warmers of matching fabric, 8" by 3½". Seam short ends, turn a narrow hem at top and bottom.

Cut a headband 2¼" by doll's head measurement - be sure to cut this on the crosswise grain of the knit, not the lengthwise grain, so that it will have a little stretch for fit. Seam the long ends (fold right sides together and sew long edge to make a tube). Turn and sew short ends together, fitting one into the other and turning raw edges to inside.



Note: Lengthen straps
here for sitting dolls.

NOTE:
Pattern is shown folded
over to fit our page size.
Fold out before cutting
fabric.

LEOTARD OR SWIM SUIT
Cut 1 on Fold

Cut on Fold

FOLD