


Family Knits

Over 25 knitwear designs for babies, children and adults

Debbie Bliss



CONTENTS

Introduction 6

Basic Information 7

Aran lace-edged cardigan 9

Guernsey with bobble edging 12

Traditional guernsey 16

Fairisle sweater 19

Shawl collar fairisle jacket 23

Cream denim tunic with pockets 26

Herringbone denim sweater 30

Diamond and zigzag denim sweater 33

Denim lace 36

Cable and moss stitch jacket and tunic 41

Boxy moss stitch jacket 44

Simple sweater with polo neck or shawl collar 47

Snowflake and heart jacket with zip 53

Star and heart sweater 57

Heart and star baby wrap 58

Scandinavian jacket 62

Smock jacket with floral panels 65

Chenille jacket 69

Rosebud crossover cardigan 71

Floral jacket 75

Bobble and cable tunic 77

Rowan Yarn addresses 80

INTRODUCTION

The Family Collection has been a wonderful opportunity for me to include, for the first time, a range of handknit designs for adults as well as children.

There are 21 styles to choose from – delicate florals in soft antique shades, denim knits inspired by fisherman sweaters, sporty knits with a stars and hearts theme and cabled classics in soft tweeds. Most range in size from toddler up to adult and some have variations such as jacket style or an alternative collar.

I hope there will be designs here for everyone to enjoy. With this in mind I have included styles to suit all shapes, from the neatly tailored to the more generous tunics. The patterns are also designed to suit knitters of all levels of skill with both easy and advanced knits, stitch textures and colour patterning.

BASIC INFORMATION

Notes

Figures for larger sizes are given in round () brackets. Where only one figure appears, this applies to all sizes. Work figures given in square [] brackets the number of times stated afterwards. Alternatively, figures in square brackets give the resultant number of stitches.

Where 0 appears, no stitches or rows are worked for this size.

The yarn amounts given in the instructions are based on average requirements and should therefore be considered approximate. If you want to use a substitute yarn, choose a yarn of the same type and weight as the one recommended. The following descriptions of the various Rowan yarns are meant as a guide to the yarn

weight and type (i.e., cotton, mohair, wool, etc.). Remember that the description of the yarn weight is only a rough guide and you should always test a yarn first to see if it will achieve the correct tension.

Maggie Aran: a fisherman medium-weight yarn (100% pure new wool); approximately 150m/164yd per 100g/3½oz hank.

Cotton Glacé: a lightweight cotton yarn (100% cotton); approximately 112m/123yd per 50g/1½oz ball.

Designer DK: a double knitting-weight yarn (100% pure new wool); approximately 115m/125yd per 50g/1½oz ball.

Handknit DK Cotton: a medium-weight cotton yarn (100% cotton); approximately 85m/90yd per 50g/1½oz ball.

True 4-ply Botany: a 4-ply yarn (100% pure new wool); approximately 170m/220yd per 50g/1½oz ball.

DK Tweed: a double knitting-weight yarn (100% pure new wool); approximately 110m/120yd per 50g/1½oz ball.

Chunky: a chunky weight yarn (100% wool); approximately 120m/130yd per 100g/3½oz hank.

Chunky Chenille: a chunky weight chenille yarn (100% cotton);

approximately 140m/153yd per 100g/3½ oz ball.

The amount of a substitute yarn needed is determined by the number of metres/yards needed rather than by the number of grams/ounces. If you are unsure when choosing a substitute, ask your yarn shop to advise you.

Tension

Each pattern in this book specifies a tension – the number of stitches and rows per centimetre/inch that should be obtained with the given needles, yarn and stitch pattern. Check your tension carefully before commencing work.

Use the same yarn, needles and stitch pattern as those to be used for the main work and knit a sample at least 12.5cm/5in square. Smooth out the finished sample on a flat surface, but do not stretch it. To check the tension, place a ruler horizontally on the sample and mark 10cm/4in across with pins. Count the number of stitches between the pins. To check the row tension, place a ruler vertically on the sample and mark 10cm/4in with pins. Count the number of rows between the pins. If the number of stitches and rows is greater than specified, try again using larger needles; if less, use smaller needles.

The stitch tension is the most important element to get right.

In the US, balls or hanks of yarn are sold in ounces, not in grams; the weights of the relevant Rowan yarns are given opposite. In addition, a few specific knitting or crochet terms may be unfamiliar to some readers. The list below explains the abbreviations used in this book to help the reader understand how to follow the various stitches and stages.

Standard abbreviations

alt = alternate

beg = begin(ning)

cont = continue

dec = decreas(e)ing

foll = following

inc = increas(e)ing

k = knit

ml = make one by picking up the loop lying just between st just worked and next st and working into the back of it

patt = pattern

p = purl

psso = pass slipped stitch over

rem = remaining

rep = repeat

skpo = slip 1, knit 1, pass slipped stitch over

sl = slip

st(s) = stitch(es)

st st = stocking stitch

tbl = through back of loop

tog = together

yb = yarn back

yf = yarn forward

yon = yarn over needle

yrn = yarn round needle

Important

Check on ball band for washing instructions. After washing, pat garments into shape and dry flat, away from direct heat.

Rowan Denim will shrink and fade when it is washed, just like a pair of jeans. Unlike many 'denim look' yarns, this one uses real indigo dye which only coats the surface of the yarn, leaving a white core that is gradually exposed through washing and wearing. When washed for the first time, the yarn will shrink by up to one-fifth on length; the width, however, will remain the same; all the necessary adjustments have been made in the instructions for the patterns specially designed for Denim.

The knitted pieces should be washed separately at a temperature of 60–70°C (140–158°F) before you sew the garment together. The pieces can then be tumble-dried. Dye loss will be greatest during the initial wash; the appearance of the garment will, however, be greatly enhanced with additional washing and wearing. The cream denim yarn will shrink in the same way but will not fade.

The following terms may be unfamiliar to US readers:

UK terms

Aran wool
ball band
cast off
DK wool
double crochet stitch
make up (garment)
rib
stocking stitch
tension

US terms

'fisherman' (unbleached wool) yarn
yarn wrapper
bind off
knitting worsted yarn
single crochet stitch
finish (garment)
ribbing
stockinette stitch
gauge



ARAN LACE-EDGED CARDIGAN

This boxy cardigan with cable and lace panels has a pretty, easy to knit lace edging. The design shown is a cropped style, but it can easily be lengthened if you prefer a longer look.

MATERIALS

14(15:16) 50g balls of Rowan Cotton Glace.
Pair each of 2½mm (No 12/US 2) and 3½mm (No 10/US 3) knitting needles.
Cable needle.
4 buttons.

TENSION

25 sts and 34 rows to 10cm/4in square over st st on 3½mm (No 10/US 3) needles.

23 sts of panel A pattern measures 7cm/2½in on 3½mm (No 10/US 3) needles.

ABBREVIATIONS

C4F = sl next 2 sts onto cable needle and leave at front of work, k2, then k2 from cable needle;

Cr3L = sl next 2 sts onto cable needle and leave at front of work, p1, then k2 from cable needle;

Cr3R = sl next st onto cable needle and leave at back of work, k2, then p1 from cable needle;

Tw4L = sl next 3 sts onto cable needle and leave at front of work, k1, then k1 tbl, p1, k1 tbl from cable needle;

Tw4R = sl next st onto cable needle and leave at back of work, k1 tbl, p1, k1 tbl, then k st from cable needle;

mb = [k1, yf, k1, yf, k1] all in next st, turn, p5, turn, k3, k2 tog, then pass 2nd, 3rd and 4th st over 1st st.

Also see page 7.

PANEL A

Worked over 23 sts.

1st row (wrong side) K8, p1, k1, p3, k1, p1, k8.

2nd row P7, Tw4R, k1 tbl, Tw4L, p7.

3rd row K7, p1, [k1, p1] 4 times, k7.

MEASUREMENTS

To fit bust	86	91	97 cm
	34	36	38 in
Actual bust measurement	98	103	108 cm
	38½	40½	42½ in
Length	42	45	48 cm
	16½	17½	19 in
Sleeve seam	44	45	46 cm
	17½	17¾	18 in

4th row P6, Tw4R, k1, k1 tbl, k1, Tw4L, p6.

5th row K6, p1, k1, p1, [k2, p1] twice, k1, p1, k6.

6th row P5, Tw4R, k2, k1 tbl, k2, Tw4L, p5.

7th row K5, p1, k1, p2, k2, p1, k2, p2, k1, p1, k5.

8th row P4, Tw4R, k1 tbl, [k2, k1 tbl] twice, Tw4L, p4.

9th row K4, p1, [k1, p1] twice, [k2, p1] twice, [k1, p1] twice, k4.

10th row P3, Tw4R, k1, k1 tbl, [k2, k1 tbl] twice, k1, Tw4L, p3.

11th row K3, p1, k1, p1, [k2, p1] 4 times, k1, p1, k3.

12th row P2, Tw4R, k2, [k1 tbl, k2] 3 times, Tw4L, p2.

13th row K2, p1, k1, p1, k3, p1, [k2, p1] twice, k3, p1, k1, p1, k2.

14th row P2, k1 tbl, p1, k1 tbl, k3, mb, [k2, mb] twice, k3, k1 tbl, p1, k1 tbl, p2.

15th row K2, p1, k1, p1, k3, p1 tbl, [k2, p1 tbl] twice, k3, p1, k1, p1, k2.

16th row P2, k1 tbl, p1, k1 tbl, p3, k1 tbl, p1, k3 tbl, p1, k1 tbl, p3, k1 tbl, p1, k1 tbl, p2.

These 16 rows form patt.

PANEL B

Worked over 8 sts.

1st row (wrong side) K1, p2, k5.

2nd row P2, mb, p1, Cr3R, p1.

3rd row K2, p2, k4.

4th row P3, Cr3R, p2.

5th row K3, p2, k3.

6th row P2, Cr3R, p3.

7th row K4, p2, k2.

8th row P1, Cr3R, p4.

9th row K5, p2, k1.

10th row P1, Cr3L, p1, mb, p2.

11th row K4, p2, k2.

12th row P2, Cr3L, p3.

13th row K3, p2, k3.

14th row P3, Cr3L, p2.

15th row K2, p2, k4.

16th row P4, Cr3L, p1.

These 16 rows form patt.

BACK

With 3½mm (No 10/US 3) needles cast on 160(166:172) sts.

1st row (wrong side) K4(7:10), [work 1st row of panel A, p4, work 9th row of panel B, p4] twice, work 1st row of panel B, p4, work 1st row of panel A, p4, work 1st row of panel B, p4, work 1st row of panel A, k4(7:10).

2nd row K4(7:10), work 2nd row of panel A, C4F, work 2nd row of panel A, C4F, work 2nd row of panel B, [C4F, work

10th row of panel B, C4F, work 2nd row of panel A] twice, k4(7:10).

3rd row K4(7:10), [work 3rd row of panel A, p4, work 11th row of panel B, p4] twice, work 3rd row of panel B, p4, work 3rd row of panel A, p4, work 3rd row of panel B, p4, work 3rd row of panel A, k4(7:10).

4th row K4(7:10), [work 4th row of panel A, k4, work 4th row of panel B, k4] twice, work 12th row of panel B, k4, work 4th row of panel A, k4, work 12th row of panel B, k4, work 4th row of panel A, k4(7:10).

These 4 rows set position of panels, form cable patt between panels and garter st at side edges. Cont in patt until work measures 40(43:46)cm/15½(17:18½)in from beg, ending with a wrong side row.

Shape Shoulders

Cast off 29(30:31) sts at beg of next 2 rows and 30(31:32) sts at beg of foll 2 rows. Cast off rem 42(44:46) sts.

LEFT FRONT

With 3¼mm (No 10/US 3) needles cast on 84(87:90) sts.

1st row (wrong side) K6, work 1st row of panel B, p4, work 1st row of panel A, p4, work 1st row of panel B, p4, work 1st row of panel A, k4(7:10).

2nd row K4(7:10), work 2nd row of panel A, C4F, work 2nd row of panel B, C4F, work 2nd row of panel A, C4F, work 2nd row of panel B, k6.

3rd row K6, work 3rd row of panel B, p4, work 3rd row of panel A, p4, work 3rd row of panel B, p4, work 3rd row of panel A, k4(7:10).

4th row K4(7:10), work 4th row of panel A, k4, work 4th row of panel B, k4, work 4th row of panel A, k4, work 4th row of panel B, k6.

These 4 rows set position of panels, form cable patt between panels and garter st at side edges. Cont in patt until work measures 23(25:27)cm/9(10:10½)in from beg, ending with a right side row.

Shape Neck

Keeping patt correct, cast off 6 sts at beg of next row. Dec one st at neck edge on every right side row until 59(61:63) sts rem. Cont straight until Front matches Back to shoulder shaping, ending with a wrong side row.

Shape Shoulder

Cast off 29(30:31) sts at beg of next row. Work 1 row. Cast off rem 30(31:32) sts.

Mark front edge to indicate buttons: first one 3 rows up from lower edge, last one 4 rows below neck shaping and rem 2 evenly spaced between.

RIGHT FRONT

With 3¼mm (No 10/US 3) needles cast on 84(87:90) sts.

1st row (wrong side) K4(7:10), work 1st row of panel A, p4, work 9th row of panel B, p4, work 1st row of panel A, p4, work 9th row of panel B, k6.

2nd row K6, work 10th row of panel B, C4F, work 2nd row of panel A, C4F, work 10th row of panel B, C4F, work 2nd row of panel A, k4(7:10).

3rd row K4(7:10), work 3rd row of panel A, p4, work 11th row of panel B, p4, work 3rd row of panel A, p4, work 11th row of panel B, k6.

4th (buttonhole) row K1, k2 tog, yf, k3, work 12th row of panel B, k4, work 4th row of panel A, k4, work 12th row of panel B, k4, work 4th row of panel A, k4(7:10).

These 4 rows set position of panels, form cable patt between panels and garter st at side edges. Complete as given for Left Front, reversing shapings and making buttonholes as before to match markers.

SLEEVES

With 3¼mm (No 10/US 3) needles cast on 84(86:88) sts.

1st row (wrong side) K1(2:3), p4, work 1st row of panel A, p4, work 9th row of panel B, p4, work 1st row of panel B, p4, work 1st row of panel A,

p4, k1(2:3).

2nd row K0(1:2), p1, C4F, work 2nd row of panel A, C4F, work 2nd row of panel B, C4F, work 10th row of panel B, C4F, work 2nd row of panel A, C4F, p1, k0(1:2).

3rd row K1(2:3), p4, work 3rd row of panel A, p4, work 11th row of panel B, p4, work 3rd row of panel B, p4, work 3rd row of panel A, p4, k1(2:3).

4th row K0(1:2), p1, k4 work 4th row of panel A, k4, work 4th row of panel B, k4, work 12th row of panel B, k4, work 4th row of panel A, k4, p1, k0(1:2). These 4 rows set position of panels and form cable patt between panels. Cont in patt, inc one st at each end of 5th row and 1(6:8) foll 4th rows then on every foll 6th row until there are 124(130:136) sts, working inc sts into garter st. Cont straight until work measures 42(43:44)cm/16½(17:17½)in from beg, ending with a wrong side row. Cast off.

WELT EDGING

With 2¼mm (No 12/US 2) needles cast on 4 sts. K 1 row.

1st row (wrong side) K2, yf, k2.

2nd row and 2 foll alt rows Sl 1, k to end.

3rd row K3, yf, k2.

5th row K2, yf, k2 tog, yf, k2.

7th row K3, yf, k2 tog, yf, k2.

8th row Cast off 4, k to end.

These 8 rows form patt. Cont in patt until edging, when slightly stretched, fits along lower edge of back and both fronts, ending with 8th patt row. Cast off.

SLEEVE EDGINGS (MAKE 2)

Work as given for Welt Edging until edging, when slightly stretched, fits along lower edge of sleeve, ending with 8th patt row. Cast off.

COLLAR

Join shoulder seams.

Work as given for Welt Edging, inc one st at beg of 3rd patt row and 12 foll

4th rows, working inc sts as k. Cont straight until collar, when slightly stretched, fits shaped edge of Right Front to centre of back neck, ending with 8th patt row. Work other half of collar to match, working dec instead of inc and ending with 8th patt row. Cast off.

TO MAKE UP

Sew sleeve edgings in place. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams. Sew on welt edging and collar in place, beginning and ending at centre of front bands. Sew on buttons.

Aran Lace-edged Cardigan (left) and Guernsey with Bobble Edging (right; see page 12)



GUERNSEY WITH BOBBLE EDGING

Worked in classic cables and moss stitch diamonds, this guernsey-inspired design has a triangular garter stitch border with bobbles. If you prefer a less decorative collar, you can work the plain neckband instead (see detail overleaf).

MATERIALS

8(9;12;14;18;20;21) 50g balls of Rowan Cotton Glace.

Pair of 3¼mm (No. 10/US 3) knitting needles.

Cable needle.

TENSION

25 sts and 34 rows to 10cm/4in square over st st on 3¼mm (No. 10/US 3) needles.

14 sts of panel B pattern measures 4cm/1½in, 24 sts of panel D pattern measures 6cm/2½in on 3¼mm (No. 10/US 3) needles.

ABBREVIATIONS

C3B = sl next st onto cable needle and leave at back of work, k2, then k st from cable needle;

C3F = sl next 2 sts onto cable needle and leave at front of work, k1, then k2 from cable needle;

C4B = sl next 2 sts onto cable needle and leave at back of work, k2, then k2 from cable needle;

C4F = sl next 2 sts onto cable needle and leave at front of work, k2, then k2 from cable needle;

C5B = sl next 2 sts onto cable needle and leave at back of work, k3, then k2 from cable needle;

C5F = sl next 3 sts onto cable needle and leave at front of work, k2, then k3 from cable needle;

C6B = sl next 3 sts onto cable needle and leave at back of work, k3, then k3 from cable needle;

Cr3L = sl next 2 sts onto cable needle and leave at front of work, p1, then k2 from cable needle;

Cr3R = sl next st onto cable needle

MEASUREMENTS

To fit ages/sizes	1-2yrs	3-5yrs	6-9yrs	10-12 yrs	small	medium	large
Actual chest/bust measurement	70 27½	82 32¼	100 39½	112 44	112 44	128 50½	140 55 in
Length	40 15½	46 18½	52 20½	60 23½	70 27½	74 29½	78 30½ in
Sleeve seam	22 8½	28 11	34 13½	40 15½	44 17½	46 18	48 19 in

and leave at back of work, k2, then p st from cable needle;

Cr4L = sl next 2 sts onto cable needle and leave at front of work, p2, then k2 from cable needle;

Cr4R = sl next 2 sts onto cable needle and leave at back of work, k2, then p2 from cable needle;

Cr5L = sl next 3 sts onto cable needle and leave at front of work, p2, then k3 from cable needle;

Cr5R = sl next 2 sts onto cable needle and leave at back of work, k3, then p2 from cable needle.

Also see page 7.

PANEL A

Worked over 7 sts.

1st row (right side) P3, p into front, back, front, back, front, back of next st, then pass 2nd, 3rd, 4th, 5th and 6th sts over 1st st, p3.

2nd, 3rd, 4th, 5th and 6th rows P7. These 6 rows form patt.

PANEL B

Worked over 14 sts.

1st row (right side) P3, k8, p3.

2nd row K3, p8, k3.

3rd row P4, C3B, Cr3L, p4.

4th row K4, p3, k1, p2, k4.

5th row P3, Cr3R, k1, p1, C3F, p3.

6th row K3, p2, k1, p1, k1, p3, k3.

7th row P2, C3B, [p1, k1] twice, Cr3L, p2.

8th row K2, p3, k1, [p1, k1] twice, p2, k2.

9th row P1, Cr3R, [k1, p1] 3 times, C3F, p1.

10th row K1, p2, k1, [p1, k1] 3 times, p3, k1.

11th row P1, Cr3L, [k1, p1] 3 times, Cr3R, p1.

12th row As 8th row.

13th row P2, Cr3L, [p1, k1] twice, Cr3R, p2.

14th row As 6th row.

15th row P3, Cr3L, k1, p1, Cr3R, p3.

16th row As 4th row.

17th row P4, Cr3L, Cr3R, p4.

18th row K5, p4, k5.

19th row P3, C4B, C4F, p3.

20th row K3, p8, k3.

21st and 22nd rows As 1st and 2nd rows.

23rd and 24th rows As 19th and 20th rows.

These 24 rows form patt.

PANEL C

Worked over 11 sts.

1st row (right side) K11.





2nd row P11.
3rd row K5, p1, k5.
4th row P4, k1, p1, k1, p4.
5th row K3, p1, [k1, p1] twice, k3.
6th row P2, k1, [p1, k1] 3 times, p2.
7th row K1, [p1, k1] 5 times.
8th row As 6th row.
9th row As 5th row.
10th row As 4th row.
11th row As 3rd row.
12th row P11.
13th row K11.
14th row P11.
 These 14 rows form patt.

PANEL D

Worked over 24 sts.

1st row (right side) P1, k2, p6, C6B, p6, k2, p1.
2nd row K1, p22, k1.
3rd row P1, k2, p4, Cr5R, Cr5L, p4, k2, p1.
4th row K1, p9, k4, p9, k1.
5th row P1, Cr4L, Cr5R, p4, Cr5L, Cr4R, p1.
6th row K3, p5, k8, p5, k3.
7th row P3, C5B, p4, mb thus: pick up loop lying between st just worked and next st and work into front, back, front,

back and front of the loop, then pass 2nd, 3rd, 4th and 5th sts over 1st st, p1, then pass bobble st over the p st just worked, p3, C5F, p3.

8th row As 6th row.

9th row P1, Cr5R, Cr4L, p4, Cr4R, Cr5L, p1.

10th row As 4th row.

11th row P1, k3, [p4, k2] twice, p4, k3, p1.

12th row As 4th row.

13th row P1, k3, p4, k2, p2, mb (as in 7th row), p1, pass bobble st over the p st just worked, p1, k2, p4, k3, p1.

14th to 16th rows Work 10th to 12th rows.

17th row P1, Cr5L, Cr4R, p4, Cr4L, Cr5R, p1.

18th row As 6th row.

19th row P3, C5F, p4, mb (as in 7th row), p1, pass bobble st over the p st just worked, p3, C5B, p3.

20th row As 6th row.

21st row P1, Cr4R, Cr5L, p4, Cr5R, Cr4L, p1.

22nd row As 4th row.

23rd row P1, k2, p4, Cr5L, Cr5R, p4, k2, p1.

24th row As 2nd row.

These 24 rows form patt.

BACK

With 3¼mm (No 10/US 3) needles cast on 102(116:138:152:180:194) sts.

Beg with a k row, work 4(6:8:10:14:15:16)cm/1½(2¼:3¼:5¼:6¼)in in st st, ending with a p row.

1st size

1st row (right side) Work 1st row of panels B, A, C, A, D, A, C, A and B.

2nd size

1st row (right side) Work 1st row of panels A, B, A, C, A, D, A, C, A, B and A.

3rd size

1st row (right side) Work 1st row of panels C, A, B, A, C, A, D, A, C, A, B, A and C.

4th and 5th sizes

1st row (right side) Work 1st row of

panels A, C, A, B, A, C, A, D, A, C, A, B, A, C and A.

6th size

1st row (right side) Work 1st row of panels [B, A, C, A] twice, D, [A, C, A, B] twice.

7th size

1st row (right side) Work 1st row of panels [A, B, A, C] twice, A, D, A, [C, A, B, A] twice.

All sizes

The last row sets position of panels. ** Cont in patt until work measures 37(43:49:57:67:71:75)cm/14½(17:19:22½:26¼:28:29½)in from beg, ending with a wrong side row.

Shape Shoulders

Cast off 16(19:24:27:27:33:36) sts at beg of next 2 rows and 17(20:24:27:27:33:36) sts at beg of foll 2 rows. Leave rem 36(38:42:44:44:48:50) sts on a holder.

Welt

With 3¼mm (No. 10/US 3) needles and right side facing, k up 90(99:126:135:135:162:171) sts along lower edge of Back, K 5 rows.

* **Next row** K9, turn.

Work on these 9 sts only.

Next row K2 tog, k2, k into front, back, front, back, front and back of next st, then pass 2nd, 3rd, 4th, 5th and 6th sts over 1st st – leave bobble on right side of work, k2, k2 tog tbl. K 1 row.

Next row K2 tog, k3, k2 tog tbl.

K 1 row.

Next row K2 tog, k1, k2 tog tbl.

K 1 row. K3 tog and fasten off. Rejoin yarn at inside edge to rem sts and work from * until all sts are worked off.

FRONT

Work as given for Back to **. Cont in patt until work measures 33(38:44:52:61:65:69)cm/13(15:17½:20½:24:25½:27¼)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 41(48:57:63:63:76:82),

turn.

Work on this set of sts only. Dec one st at neck edge on every row until 33(39:48:54:54:66:72) sts rem. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 16(19:24:27:27:33:36) sts at beg of next row. Work 1 row. Cast off rem 17(20:24:27:27:33:36) sts.

With right side facing, slip centre 20(20:24:26:26:28:30) sts onto a holder; rejoin yarn and patt to end. Complete as given for first side.

Welt

Work as given for Back Welt.

SLEEVES

With 3¼mm (No. 10/US 3) needles cast on 50(50:60:60:60:66:66) sts.

1st and 2nd sizes

1st row (right side) K6 – last 6 sts of panel C, work 1st row of panels A, D and A, k6 – first 6 sts of panel C.

3rd, 4th and 5th sizes

1st row (right side) Work 1st row of panels C, A, D, A and C.

6th and 7th sizes

1st row (right side) P3 – last 3 sts of panel A, work 1st row of panels C, A, D, A and C, p3 – first 3 sts of panel A.

All sizes

The last row sets position of panels. Cont in patt, inc one st at each end of 7th row and every foll 5th(6th:6th:5th:5th:4th:4th) row until there are 72(76:90:102:116:128:138) sts, working inc sts into patt to match Back. Cont straight until Sleeve measures 19(25:31:37:41:43:45)cm/7½(9¼:12¼:14¼:16:16¼:17¼)in from beg, ending with a wrong side row. Cast off.

Cuffs

With 3¼mm (No. 10/US 3) needles and right side facing, k up 45(45:54:54:54:63:63) sts along lower edge of sleeve. Complete as given for Back Welt.

COLLAR

Join right shoulder seam. With 3¼mm

(No. 10/US 3) needles and right side facing, k up 19(22:22:22:25:25:25) sts down left front neck, k centre front sts dec 4 sts evenly, k up 18(21:21:21:24:24:24) sts up right front neck, k back neck sts dec 4 sts evenly, 85(93:101:105:111:117:121) sts.

1st row K1, [p1, k1] to end.

2nd row P1, [k1, p1] to end.

Rep last 2 rows 3(3:4:4:5:5:5) times more. Rib 1 row, dec 4(3:2:6:3:0:4) sts evenly across last row. 81(90:99:99:108:117:117) sts. K 5(5:7:7:9:9:9) rows.

Work as given for Back Welt from * to end, K14(14:18:18:22:22:22). Cast off.

NECKBAND

Join right shoulder seam. With 3¼mm (No. 10/US 3) needles and right side facing, k up 16(19:19:19:22:22:22) sts down left front neck, k centre front sts dec 4 sts evenly, k up 15(18:18:18:21:21:21) sts up right front neck, k back neck sts dec 6 sts evenly, 77(85:93:97:103:109:113) sts. K5(5:5:5:7:7:7) rows. Cast off.

TO MAKE UP

Join left shoulder and collar or neckband seam; reversing seam on garter stitch edge of collar. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams.



TRADITIONAL GUERNSEY

This sweater is based on a classic fisherman's guernsey and has a ribbed yoke. It is worked using the traditional method on a circular needle, with shoulder and armhole gussets. The sleeves are knitted from the shoulders down to the wrist.

MATERIALS

5(5:6:6:7:8:9:10:11:12:13) 50g balls of Rowan True 4 ply Botany.

Pair each of 2mm (No 12/US 2) and 3mm (No 10/US 3) knitting needles.

One 3mm (No 10/US 3) circular needle 40(40:50:50:50:60:60:70:70:80:80)cm/16(16:20:20:20:24:24:28:28:32:32)in long.

Set of four in each of 2mm (No 12/US 2) and 3mm (No 10/US 3) open ended knitting needles.

TENSION

28 sts and 36 rows to 10cm/4in square over st st on 3mm (No 10/US 3) needles.

ABBREVIATIONS

See page 7.

BACK AND FRONT

Worked in one piece to armholes. With 2mm (No 12/US 2) needles; cast on 84(92:100:108:116:124:132:140:148:156:164) sts for back welt. K 13(13:13:13:15:15:17:17:17:17) rows. Leave these sts on a spare needle. Work front welt in same way. Change to 3mm (No 10/US 3) circular needle.

Next round K front welt sts, then k back welt sts. 168(184:200:216:232:248:264:280:296:312:328) sts. Mark end of last round to denote end of rounds.

1st round *P1, k82(90:98:106:114:122:130:138:146:154:162), p1; rep from * once more.

2nd round K.

Rep last 2 rounds until work measures 16(18:20:22:24:26:28:30:31:32:33)cm/

MEASUREMENTS

To fit ages	2yrs	3-4yrs	4-5yrs	5-6yrs	7-8yrs	8-9yrs	9-10yrs
Actual chest/bust measurement	60 23½	66 26	71 28	77 30½	82 32½	88 34½	94 37
Length	35 13½	39 15½	43 17	47 18½	51 20	55 21½	59 23½
Sleeve seam	21 8½	24 9½	27 10½	30 11½	33 13	37 14½	40 15½
To fit adult sizes	small	medium	large	extra large			
Actual chest/bust measurement	100 39½	106 41½	111 43½	117 46	cm in		
Length	63 24½	65 25½	67 26½	69 27	cm in		
Sleeve seam	43 17	45 17½	47 18½	49 19½	cm in		

6½(7½:8½:9½:10½:11½:11½:12½:12½:13)in from beg, ending with a 2nd round.

Inc round [P1, k1, m1, k1, p1] to end. 210(230:250:270:290:310:330:350:370:390:410) sts.

Work in rib patt as follows:

1st round *K4, p2, [k3, p2] 19(21:23:25:27:29:31:33:35:37:39) times, k4; rep from * once more.

2nd round [P1, k3, p1] to end.

These 2 rounds form rib. Cont in rib until work measures 20(22:24:26:29:31:34:36:37:38:39)cm/8(8½:9½:10½:11½:12½:13½:14½:14½:15½:15½)in from beg, ending with a 1st round.

Shape Underarm Gussets

Next round *P1, m1, rib 103(113:123:133:143:153:163:173:183:193:203), m1, p1; rep from * once more.

Working inc sts as k, work 3 rounds


straight.

Next round *P1, k1, m1, rib 103(113:123:133:143:153:163:173:183:193:203), m1, k1, p1; rep from * once more. Work 3 rounds straight.

Next round *P1, k2, m1, rib 103(113:123:133:143:153:163:173:183:193:203), m1, k2, p1; rep from * once more. Cont in this way; inc 2 sts as set at each side on 3(3:3:3:3:3:4:4:4:4) foll 4th rounds. Work 1 round straight. Break off yarn.

Divide for Back

Next row Sl last 7(7:7:7:7:7:8:8:8:8) sts of last round and next 7(7:7:7:7:7:8:8:8:8) sts onto a holder; rejoin yarn to rem sts, m1 (for selvedge), rib 103(113:123:133:143:153:163:173:183:193:203), m1 (for selvedge), turn. Work on this set of sts only.



Next row (wrong side) P4, k2, [p3, k2] to last 4 sts, p4.

Next row K4, p2, [k3, p2] to last 4 sts, k4.

Rep last 2 rows until work measures 35(39:43:47:51:55:59:63:65:67:69)cm/13½(15½:17:18½:20:21½:23½:24½:25½:26½:27)in from beg, ending with a wrong side row.

Dec row K2, k2 tog, p2, [k1, k2 tog, p2] to last 4 sts, k1, k2 tog, k1. 84(92:100:108:116:124:132:140:148:156:164) sts.

Leave these sts on a spare needle.

With right side facing, return to sts rem on needle for front, sl first 14(14:14:14:14:14:14:16:16:16:16) sts onto a holder, rejoin yarn, m1, rib to end, m1, turn.

Complete as given for Back.

Shape Shoulders and Neck Gusset

With 3¼mm (No 10/US 3) needles, wrong sides of back and front together and beg at outside edge, cast off together (see diagrams) 21(23:27:29:31:35:37:37:41:43:47) sts from each needle, leave last st on right hand needle, k next st, turn.

Next row Sl 1, p2, turn.

Next row Sl 1, k3, turn.

Next row Sl 1, p4, turn.

Next row Sl 1, k5, turn.

Cont in this way until there are 18(20:20:22:22:22:24:24:24:24) sts for gusset, turn.

Next row Sl 1, p8(9:9:9:10:10:10:11:11:11:11), m1, p10(11:11:11:12:12:12:13:13:13:13), turn.

Leave these sts.

Work other shoulder in same way.

Neckband

With set of four 2¼mm (No 12/US 2) needles and right side facing, rib as set the 88(96:96:104:112:112:120:136:136:144:144) sts around neck. Rib a further 7(7:9:9:11:11:13:13:15:15:15) rounds. P 2 rounds. K 2 rounds. Cast off knitwise.

SLEEVES

With set of four 3¼mm (No 10/US 3) needles and right side facing, sl first

7(7:7:7:7:7:8:8:8:8) sts from underarm gusset onto one needle, join in yarn and with next needle, p1, k6(6:6:6:6:6:6:7:7:7) rem sts, k up 73(83:93:103:113:123:133:143:143:153:163) sts around armhole edge arranging needles as required, k6(6:6:6:6:6:6:7:7:7), p1 sts of gusset.

87(97:107:117:127:137:147:159:159:169:179) sts.

1st round K10(10:10:10:10:10:10:11:11:11:11), [p2, k3] 13(15:17:19:21:23:25:27:27:29:31) times, p2, k10(10:10:10:10:10:10:11:11:11:11).

2nd round P1, k5(5:5:5:5:5:5:6:6:6:6), k2 tog, k2, [p2, k3] 13(15:17:19:21:23:25:27:27:29:31) times, p2, k2, skpo, k5(5:5:5:5:5:5:6:6:6:6), p1.

These 2 rounds set rib patt. Work 3 rounds straight.

Next round P1, k4(4:4:4:4:4:4:5:5:5:5), k2 tog, rib 71(81:91:101:111:121:131:141:141:151:161) sts, skpo, k4(4:4:4:4:4:4:5:5:5:5), p1.

Work 3 rounds straight.

Next round P1, k3(3:3:3:3:3:3:4:4:4:4), k2 tog, rib 71(81:91:101:111:121:131:141:141:151:161), skpo, k3(3:3:3:3:3:3:4:4:4:4), p1.

Cont in this way, dec 2 sts as set on 3(3:3:3:3:3:3:4:4:4:4) foll 4th rounds. 75(85:95:105:115:125:135:145:145:155:165) sts. Cont in rib until work measures 7(8:9:10:11:11:12:13:15:16:17)cm/2¾(3:3¼:4:4¼:4¼:5½:6:6¼:6¼)in from beg, ending with a 1st round.

Next round P1, k1, k2 tog, [p2, k1, k2 tog] 14(16:18:20:22:24:26:28:28:30:32) times, p1, 60(68:76:84:92:100:108:116:116:124:132) sts.

Keeping the 2 sts at seam as before and remainder in st st (every round k), work 7(3:1:3:3:1:1:1:1:3:5) rounds.

Dec round P1, k2 tog, k to last 3 sts, skpo, p1.

Work 5(5:5:3:3:3:3:3:3:3) rounds straight. Rep last 6(6:6:4:4:4:4:4:4:4)

rounds until 52(56:60:60:64:64:68:72:72:80:88) sts rem. Work


4(2:0:2:2:2:0:0:2:4) rounds straight. Change to set of four 2¼mm (No 12/US 2) needles.

Next round [P1, k2, p1] to end.

Rep last round until welt measures 6cm/2¼in. Cast off in rib.



A



B



FAIRISLE SWEATER

This is a very simple fairisle to work and would be particularly suitable for a knitter who is just beginning to tackle colour. It has a neat, boxy shape and moss stitch borders.

MATERIALS

4(5:6:7:8:10:11:13:13) 50g balls of Rowan DK Handknit Cotton in Burgundy (A).
1(1:2:2:2:2:3:3) balls of same in each of Red, Purple, Navy, Green, Lime and Light Blue.
1 ball of same in Cream.
Pair each of 3¼mm (No 10/US 3) and 4mm (No 8/US 6) knitting needles.

TENSION

23 sts and 25 rows to 10cm/4in square over pattern on 4mm (No 8/US 6) needles.

ABBREVIATIONS

See page 7.

NOTE

Read chart from right to left on right side (k) rows and from left to right on wrong side (p) rows. When working in pattern, strand yarn not in use loosely across wrong side to keep fabric elastic.

BACK

With 3¼mm (No 10/US 3) needles and A, cast on 79(87:95:103:111:121:127:135:143) sts.

1st row K1, [p1, k1] to end.

This row forms moss st. Moss st 6(6:6:8:8:10:10:10) rows more.

Inc row Moss st 6(5:3:7:6:6:8:7:5), *m1, moss st 6(7:8:8:9:12:10:11:12); rep from * to last 7(5:4:8:6:7:9:7:6) sts, m1, moss st to end, 91(99:107:115:123:131:139:147:155) sts.

Change to 4mm (No 8/US 6) needles. Beg with a k row, work in st st and patt from chart until Back measures 37(42:46:52:56:62:66:69:71)cm/14½(16½:18:20½:22:24½:26:27:28)in from beg,

MEASUREMENTS

To fit ages	2-3yrs	3-5yrs	5-7yrs	7-9yrs	9-11yrs
Actual chest/bust measurement	79 31	86 34	93 36½	100 39½	107 42
Length	37 14½	42 16½	46 18	52 20½	56 22
Sleeve seam	25 10	31 12½	35 13½	40 15½	43 17
To fit adult sizes	small	medium	large	extra large	
Actual chest/bust measurement	114 45	120 47½	128 50½	134 52½	
Length	62 24½	66 26	69 27	71 28	
Sleeve seam	46 18	46 18	51 20	51 20	

ending with a wrong side row.

Shape Shoulders

Cast off 14(16:18:19:21:23:24:26:28) sts at beg of next 2 rows and 15(16:18:20:22:23:25:26:28) sts at beg of foll 2 rows. Leave rem 33(35:35:37:37:39:41:43:43) sts on a holder.

FRONT

Work as given for Back until Front measures 32(36:40:46:49:55:59:61:63)cm/12½(14½:15½:18:19½:21½:23½:24:25)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 37(40:44:47:51:54:57:61:65), turn.
Work on this set of sts only. Keeping patt correct, dec one st at neck edge on next 6 rows then on every foll alt row until 29(32:36:39:43:46:49:52:56) sts rem. Cont straight until Front

matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 14(16:18:19:21:23:24:26:28) sts at beg of next row. Work 1 row. Cast off rem 15(16:18:20:22:23:25:26:28) sts. With right side facing, slip centre 17(19:19:21:21:23:25:25:25) sts onto a holder, rejoin yarn to rem sts and patt to end. Complete as first side.

SLEEVES

With 3¼mm (No 10/US 3) needles and A, cast on 37(39:41:43:43:45:45:47:47) sts. Work 13(13:13:13:13:17:17:17:17) rows in moss st as given for Back.

Inc row Moss st 3(3:2:4:4:3:3:1:1), *m1, moss st 6(3:4:5:5:3:3:4:4); rep from * to last 4(3:3:4:4:3:3:2:2) sts, m1, moss st to end, 43(51:51:51:51:59:59:59:59) sts. Change to 4mm (No 8/US 6) needles. Beg with a k row, work in st st and patt

from chart, inc one st at each end of 5th row and every foll 3rd (5th:4th:4th: 4th:4th:4th:4th:4th) row until there are 67 (73:81:85:89:95:99:103:109) sts, working inc sts into patt. Cont straight until Sleeve measures 25 (31:35:40:43: 46:46:51:51) cm/10 (12:13:15:17:18: 18:20:20) in from beg, ending with a wrong side row. Cast off.

NECKBAND

Join right shoulder seam.

With 3/4mm (No. 10/US 3) needles, A and right side facing, k up 14 (16:16:16: 18:18:18:20:20) sts down left front neck, k centre front sts, k up 14 (16:16:16:18:18:18:20:20) sts up right front neck, k back neck sts dec one st at centre.

77 (85:85:89:93:97:101:107:107) sts.

1st row P1, [k1, p1] to end.


2nd row K1, [p1, k1] to end.

Rep last 2 rows 3 (3:3:4:4:5:5:5) times.

Work 9 (9:9:11:11:11:13:13:13) rows in moss st as given for Back. Cast off loosely.

TO MAKE UP

Join left shoulder and neckband seam, reversing seam on moss stitch section of neckband. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams.



20

10

1

□ = Burgundy (A)

△ = Red

▧ = Purple

▤ = Navy

◻ = Green

⊗ = Lime

⊗ = Light Blue

□ = Cream





SHAWL COLLAR FAIRISLE JACKET

This jacket has subtly shading fairisle bands and an integrated patterned collar. My fondness for this design is in no way influenced by the fact that it is worn by my daughter Eleanor!

MATERIALS

4(4:5:5:6:7:8) 100g hanks of Rowan Magnie in Deep Green (A).
1(1:1:2:2:2:2) hanks of same in Mid Green.
1(1:1:1:2:2:2) hanks of same in Light Green.
1(1:1:1:1:2:2) hanks of same in Gold.
1 hank of same in each of Natural, Mid Red and Deep Red.
2(2:2:3:3:3:4) 50g balls of Rowan Designer DK Wool in Brown and 1 ball in Cream (this yarn is used double throughout).
Pair each of 4mm (No 8/US 6) and 5mm (No 6/US 8) knitting needles.
4(4:5:5:6:6:6) buttons.

TENSION

18 sts and 21 rows to 10cm/4in square over pattern on 5mm (No 6/US 8) needles.

ABBREVIATIONS

See page 7.

NOTES

Read chart from right to left on right side (k) rows and from left to right on wrong side (p) rows. When working in pattern, strand yarn not in use loosely across wrong side to keep fabric elastic.

BACK

With 4mm (No 8/US 6) needles and A, cast on 73(79:85:91:109:115:121) sts. Beg with a p row, work 6 rows in st st. K 1 row for fold line.
Change to 5mm (No 6/US 8) needles. Beg with a k row, work 6 rows in st st. Cont in st st and beg with 1st(1st:1st:1st:35th:35th:35th) row, work in patt from chart until Back measures 45(49:

MEASUREMENTS

To fit ages/sizes	3-4yrs	5-6yrs	7-8yrs	9-10yrs	small	medium	large
Actual chest/bust measurement	81 32	88 34½	94 37	101 39½	121 47½	128 50½	134 cm 52½ in
Length	46 18	50 19½	54 21½	60 23½	74 29	75 29½	76 cm 30 in
Sleeve seam	28 11	31 12½	35 13½	38 15	44 17½	45 17½	46 cm 18 in

53: 59:73:74:75)cm/17½(19½:21:23½:28½:29½:29½)in from fold line, ending with a right side row.

Shape Neck and Shoulders

Next row Patt 29(32:34:36:44:47:49), cast off next 15(15:17:19:21:21:23) sts, patt to end.
Work on last set of sts only. Patt 1 row. Cast off 3 sts at beg of next row. Cast off rem 26(29:31:33:41:44:46) sts.
With right side facing, rejoin yarn to rem sts, cast off 3 sts, patt to end. Patt 1 row. Cast off rem 26(29:31:33:41:44:46) sts.

POCKET LININGS (MAKE 2)

With 5mm (No 6/US 8) needles and A, cast on 18(18:20:20:22:22:24) sts. Beg with a k row, work 20(20:22:22:24:24:26) rows in st st. Leave these sts on a holder.

LEFT FRONT

With 4mm (No 8/US 6) needles and A, cast on 42(45:48:51:60:63:66) sts. Work as given for Back until Front measures 12(14:16:18:20:21:22)cm/4½(5½:6½:7:8:8½:8½)in from folding line, ending with a wrong side row.

Place Pocket

Next row Patt 9(10:10:12:15:17:17),

slip next 18(18:20:20:22:22:24) sts onto a holder; patt across sts of pocket lining, patt to end.

Cont in patt until work measures 32(33:34:37:48:48:48)cm/12½(13:13½:14½:19:19:19)in from folding line, ending at front edge.

Shape Neck


Cast off 9 sts at beg of next row. Keeping patt correct, dec one st at neck edge on 3rd row and every foll 4th row until 26(29:31:33:41:44:46) sts rem. Cont straight until Front measures same as Back to cast off edge, ending with a wrong side row. Cast off.
Mark front edge to indicate buttons: first one 8(9:6:9:8:8:8)cm/3(3½:2½:3½:3:3)in from fold line, last one 1.5cm/½in below neck shaping and rem 2(2:3:3:4:4:4) evenly spaced between.

RIGHT FRONT

Work as given for Left Front until Front measures 8(9:6:9:8:8:8)cm/3(3½:2½:3½:3:3)in from fold line, ending with a wrong side row.



Buttonhole row (right side) Patt 3, k2 tog, yf, patt to end.

Complete as given for Left Front, working buttonholes to match markers, reversing neck shaping and placing



Key

- = Deep Green (A)
- ▤ = Brown (use two strands of yarn together)
- = Mid Red
- ▥ = Natural
- ▦ = Mid Green
- ▧ = Deep Red
- ▨ = Light Green
- ▩ = Gold
- = Cream (use two strands of yarn together)



pocket as follows:

Next row Patt 15(17:18:19:23:24:25), slip next 18(18:20:20:22:22:24) sts onto a holder; patt across sts of pocket lining, patt to end.

SLEEVES

With 4mm (No 8/US 6) needles and A, cast on 35(37:39:41:45:47:51) sts. Beg with a p row, work 6 rows in st st. K 1 row for fold line. Change to 5mm (No 6/US 8) needles. Beg with a k row, work 6 rows in st st. Cont in st st and beg with 1st(1st:1st:47th:35th:1st:1st) row, work in patt from chart, inc one st at each end of next row and every foll 4th(4th:3rd:3rd:3rd:3rd:3rd) row until there are 53(63:73:81:91:95:101) sts, working inc sts into patt. Cont straight until Sleeve measures 28(31:35:38:44:45:46)cm/11(12½:13½:15:17½:17½:18)in from fold line, ending with a wrong side row. Cast off.

COLLAR

With 5mm (No 6/US 8) needles and A, cast on 25 sts. K 1 row. Cont in st st, and beg with 3rd(5th:7th:13th:9th:9th:9th) row, work in patt from chart as indicated for 1st size of Back, inc one st at each end of every alt row until there are 49(53:57:61:65:65:65) sts, working inc sts into patt. Cont straight until collar fits along shaped edge of one front to centre back neck. Leave these sts on a holder. Work one more piece

in same way. Graft collar sts together (see diagram).

POCKET TOPS

With 5mm (No 6/US 8) needles and right side facing, rejoin A yarn to pocket sts. K 3 rows. Cast off knitwise.

TO MAKE UP

Catch down pocket linings and sides of pocket tops. Join shoulder seams. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams. Fold all hems at fold line to wrong side and slip stitch in place.

Front Bands With 4mm (No 8/US 6) needles, right side facing and A, k up 48(50:52:57:73:73:73) sts along straight edge of one front. K 2 rows. Cast off knitwise. Work other front band in same way.

Fold collar in half lengthwise and sew open edges to neck edge, sewing cast on sts of collar to cast off sts of neck shaping. Sew on buttons.

CREAM DENIM TUNIC WITH POCKETS

Knitted in a beautiful cream denim yarn, which shrinks to the required measurements after the first wash, this design is longline, with a centre cable that integrates down into the deep patterned welt.

MATERIALS

29(30/31) 50g balls of Rowan Denim.
Pair each of 3mm (No 9/US 4) and 4mm (No 8/US 6) knitting needles.
Cable needle.

MEASUREMENTS

The following measurements are after the garment has been washed according to the instructions on the ball band.

To fit bust	small	medium	large
Actual bust measurement	114	124	134cm
	45	48½	52¼in
Length	71	73	75cm
	28	28½	29½in
Sleeve seam	46	46	46cm
	18	18	18 in

TENSION

20 sts and 28 rows to 10cm/4in square over st st on 4mm (No 8/US 6) needles before washing.

16 sts of panel A pattern measures 16cm/6¼in, 24 sts of panel B pattern measures 9cm/3½in and 20 sts of panel C pattern measures 7.5cm/3in.

ABBREVIATIONS

C4B = sl next 2 sts onto cable needle and leave at back of work, k2, then k2 from cable needle;

C4F = sl next 2 sts onto cable needle and leave at front of work, k2, then k2 from cable needle;

Cr2L = sl next st onto cable needle and leave at front of work, p1, then k st from cable needle;

Cr2R = sl next st onto cable needle and leave at back of work, k1, then p st from cable needle;

Cr3L = sl next 2 sts onto cable needle and leave at front of work, p1, then k2 from cable needle;

Cr3R = sl next st onto cable needle and leave at back of work, k2, then p st from cable needle;

mb = pick up loop lying between st just worked and next st, work into back, front and back of the loop, turn, p3, turn, k3, turn, p1, p2 tog, turn, k2 tog. Also see page 7.

PANEL A

Worked over 40 sts.

1st row (right side) P3, mb, p1, pass bobble st over p st just worked, p2, k4, [p4, mb, p1, pass bobble st over the p st just worked, p3, k4] twice, p3, mb, p1, pass bobble st over p st just worked, p2.

2nd row K6, p4, [k8, p4] twice, k6.

3rd row P6, C4B, [p8, C4B] twice, p6.

4th row As 2nd row.

5th row P5, Cr3R, Cr3L, [p6, Cr3R, Cr3L] twice, p5.

6th row K5, p2, k2, p2, [k6, p2, k2, p2] twice, k5.

7th row P4, [Cr3R, p2, Cr3L, p4] 3 times.

8th row K4, [p2, k4] 6 times.

9th row P3, Cr3R, p4, Cr3L, [p2, Cr3R, p4, Cr3L] twice, p3.

10th row K3, p2, k6, p2, [k2, p2, k6, p2] twice, k3.

11th row P2, [Cr3R, p6, Cr3L] 3 times, p2.

12th row K2, [p2, k8, p2] 3 times, k2.

13th row P2, k2, p8, [C4B, p8] twice, k2, p2.

14th row As 12th row.

15th row P2, k2, p4, mb, p1, pass bobble st over p st just worked, p3, [k4, p4, mb, p1, pass bobble st over p st just

worked, p3] twice, k2, p2.

16th to 18th rows Work 12th to 14th rows.

19th row P2, [Cr3L, p6, Cr3R] 3 times, p2.

20th row As 10th row.

21st row P3, Cr3L, p4, Cr3R, [p2, Cr3L, p4, Cr3R] twice, p3.

22nd row As 8th row.

23rd row P4, [Cr3L, p2, Cr3R, p4] 3 times.

24th row As 6th row.

25th row P5, Cr3L, Cr3R, [p6, Cr3L, Cr3R] twice, p5.

26th to 28th rows Work 2nd to 4th rows. These 28 rows form patt.

PANEL B

Worked over 24 sts.

1st row (right side) P4, Cr3R, p2, Cr3R, Cr3L, p2, Cr3L, p4.

2nd row K4, p2, k3, p2, k2, p2, k3, p2, k4.

3rd row P3, [Cr3R, p2] twice, Cr3L, p2, Cr3L, p3.

4th row [K3, p2] twice, k4, [p2, k3] twice.

5th row P2, [Cr3R, p2] twice, mb, p1, pass bobble st over p st just worked, p1, [Cr3L, p2] twice.

6th row K2, p2, k3, p2, k6, p2, k3, p2, k2.

7th row [P2, Cr3L] twice, p4, [Cr3R, p2] twice.

8th row As 4th row.

9th row P3, [Cr3L, p2] twice, Cr3R, p2, Cr3R, p3.

10th row As 2nd row.

11th row P4, Cr3L, p2, Cr3L, Cr3R, p2, Cr3R, p4.

12th row K5, p2, k3, p4, k3, p2, k5. These 12 rows form patt.





Cream Denim tunic with Pockets (left), and Herringbone Denim Sweater (right; see page 30).

PANEL C

Worked over 20 sts.

1st row (right side) P2, k2, p4, k4, p4, k2, p2.

2nd row K2, p2, k4, p4, k4, p2, k2.

3rd row P2, k2, p4, C4B, p4, k2, p2.

4th row As 2nd row.

5th row P2, [Cr3L, p2, Cr3R] twice, p2.

6th row K3, p2, [k2, p2] 3 times, k3.

7th row P3, Cr3L, Cr3R, p2, Cr3L, Cr3R, p3.

8th row K4, [p4, k4] twice.

9th row P4, [C4B, p4] twice.

10th row As 8th row.

11th row P4, [k4, p4] twice.

12th to 14th rows Work 8th to 10th

rows.

15th row P3, Cr3R, Cr3L, p2, Cr3R, Cr3L, p3.

16th row As 6th row.

17th row P2, [Cr3R, p2, Cr3L] twice, p2.

18th and 19th rows As 2nd and 3rd rows.

20th row As 2nd row.

These 20 rows form patt.

BACK

With 3¼mm (No 9/US 4) needles cast on 144(154:166) sts.

1st row (right side) K2(3:2), *p2, Cr2R, k1, Cr2L, p2, k2(3:2)*; rep from * to * 3(3:4) times more, p2, k4, work 1st row

of panel A, k4, p2, k2(3:2), rep from * to * 4(4:5) times.

2nd row P2(3:2), *k2, [p1, k1] twice, p1, k2, p2(3:2)*; rep from * to * 3(3:4) times more, k2, p4, work 2nd row of panel A, p4, k2, p2(3:2), rep from * to * 4(4:5) times.

3rd row K2(3:2), *p1, Cr2R, p1, k1, p1, Cr2L, p1, k2(3:2)*; rep from * to * 3(3:4) times more, p2, C4F, work 3rd row of panel A, C4B, p2, k2(3:2), rep from * to * 4(4:5) times.

4th row P2(3:2), *k1, p1, k2, p1, k2, p1, k1, p2(3:2)*; rep from * to * 3(3:4) times more, k2, p4, work 4th row of panel A, p4, k2, p2(3:2), rep from * to * 4(4:5) times.

The last 4 rows set position of panel A and form cable patt at each side of panel.

5th row K2(3:2), *Cr2R, p2, k1, p2, Cr2L, k2(3:2)*; rep from * to * 3(3:4) times more, p2, work 48 sts in patt as set, p2, k2(3:2), rep from * to * 4(4:5) times.

6th row P2(3:2), *k4, p1, k4, p2(3:2)*; rep from * to * 3(3:4) times more, k2, patt 48, k2, p2(3:2), rep from * to * 4(4:5) times.

The last 6 rows form welt patt at side edges. ** Patt a further 65 rows.

*****Inc row** Patt 17(13:6), *m1, patt 22(12:22)*; rep from * to * 0(1:1) time more, m1, patt 66(80:66), rep from * to * 1(2:2) times, m1, patt 17(13:6), 148(160:172) sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) P2(0:2), k0(0:4), [p4, k4] 0(1:1) time, work 1st row of panel B, k4, work 1st row of panel C, patt 48, work 1st row of panel B, [k4, p4] 0(1:1) time, k0(0:4), p2(0:2).

2nd row K2(0:2), p0(0:4), [k4, p4] 0(1:1) time, work 2nd row of panel B, p4, work 2nd row of panel C, patt 48, work 2nd row of panel B, [p4, k4] 0(1:1) time, p0(0:4), k2(0:2).

3rd row P2(0:2), [C4F]0(0:1) time, [p4,

C4F] 0(1:1) time, work 3rd row of panel B, C4F, work 3rd row of panel C, patt 48, work 3rd row of panel C, C4B, work 3rd row of panel B, [C4B, p4] 0(1:1) time, [C4B] 0(0:1) time, p2(0:2).

4th row K2(0:2), p0(0:4), [k4, p4] 0(1:1) time, work 4th row of panel B, p4, work 4th row of panel C, patt 48, work 4th row of panel C, p4, work 4th row of panel B, [p4, k4] 0(1:1) time, p0(0:4), k2(0:2).

These 4 rows set position of panels at side edges and form cable patt. Cont in patt until work measures 86(89:92)cm/34(35:36)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 57(63:69), turn.

Work on this set of sts only. Cast off 2 sts at beg of next row and 2 foll alt rows. 51(57:63) sts.

Shape Shoulder

Cast off 17(19:21) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 17(19:21) sts.

With right side facing, slip centre 34 sts onto a holder; rejoin yarn to rem sts and patt to end. Patt 1 row. Complete as first side.

POCKET LININGS (MAKE 2)

With 3mm (No 9/US 4) needles cast on 22(24:27) sts. Beg with a k row, work 38(42:42) rows in st st, inc 2(3:4) sts evenly on last row, 24(27:31) sts. Leave these sts on a holder.

FRONT

Work as given for Back to **. Patt a further 59 rows.

Place Pockets

Next row Patt 11(12:13), cast off next 24(27:31) sts, patt to last 35(39:44) sts, cast off next 24(27:31) sts, patt to end.

Next row Patt 11(12:13), patt across sts of first pocket lining, patt to last 11(12:13) sts, patt across sts of second pocket lining, patt to end.

Patt 4 rows across all sts. Work as given for Back from *** until Front measures

82(85:88)cm/32(33:34)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 59(65:71), turn.

Work on this set of sts only. Dec one st at neck edge on next 8 rows.

51(57:63) sts. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 17(19:21) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 17(19:21) sts.

With right side facing, slip centre 30 sts onto a holder; rejoin yarn to rem sts and patt to end. Complete as first side.

SLEEVES

With 3mm (No 9/US 4) needles cast on 66(71:68) sts.

1st row (right side) K1(1:2), *p2, Cr2R, k1, Cr2L, p2, k2(3:2); rep from * to last 10(10:11) sts, p2, Cr2R, k1, Cr2L, p2, k1(1:2).

2nd row P1(1:2), *k2, [p1, k1] twice, p1, k2, p2(3:2); rep from * to last 10(10:11) sts, k2, [p1, k1] twice, p1, k2, p1(1:2).

These 2 rows set welt patt. Work welt patt to match Back for a further 28 rows, inc 10(5:8) sts evenly on last row, 76 sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) Work 1st row of panel B, k4, work 1st row of panel C, k4, work 1st row of panel B.

2nd row Work 2nd row of panel B, p4, work 2nd row of panel C, p4, work 2nd row of panel B.

3rd row Work 3rd row of panel B, C4F, work 3rd row of panel C, C4B, work 3rd row of panel B.

4th row Work 4th row of panel B, p4, work 4th row of panel C, p4, work 4th row of panel B.

These 4 rows set position of panels and form cable patt. Cont in patt, inc one st at each end of 3rd row and every foll 6th(5th:4th) row until there are 110(116:124) sts, working inc sts

into reverse st st and 4 st cable patt as at side edges on 3rd side on Back. Cont straight until Sleeve measures 57cm/22in from beg, ending with a wrong side row. Cast off.

NECKBAND

Join right shoulder seam.

With 3mm (No 9/US 4) needles and right side facing, k up 24 sts down left front neck, k centre front sts dec 6 sts evenly, k up 24 sts up right front neck, 10 sts down right back neck, k centre back sts dec 3 sts evenly, k up 10 sts up left back neck, 123 sts.

1st row P2(3:2), *k4, p1, k4, p2(3:2); rep from * to end.

2nd row K2(3:2), p2, Cr2R, k1, Cr2L, p2, k2(3:2); rep from * to end.

3rd row P2(3:2), *k2, [p1, k1] twice, p1, k2, p2(3:2); rep from * to end.

The last 2 rows set position of welt patt. Work welt patt to match Back for a further 22 rows. Cast off in patt.

TO MAKE UP

Join left shoulder and neckband seam.

Wash pieces according to the instructions given on ball band. When dry, catch down pocket linings. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams.



HERRINGBONE DENIM SWEATER

A simple sweater with a herringbone stitch yoke and knitted in the denim yarn. Pictured opposite on Donal in cream, it is worn by babies Cairo and Max on pages 28 and 33 in the blue shade, which fades beautifully when washed and worn.

MATERIALS

6(8:10:12:14:16:21:22:23:24) 50g balls of Rowan Denim.

Pair each of 3¼mm (No. 10/US 3) and 4mm (No. 8/US 6) knitting needles.

TENSION

20 sts and 28 rows to 10cm/4in square over st st on 4mm (No. 8/US 6) needles before washing.

ABBREVIATIONS

See page 7.

BACK

With 3¼mm (No. 10/US 3) needles cast on 62(74:82:94:102:110:114:122:126:134) sts.

1st rib row (right side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep last 2 rows 5(5:5:7:7:7:9:9:9:9) times, inc 3 sts evenly across last row. 65(77:85:97:105:113:117:125:129:137) sts.

Change to 4mm (No. 8/US 6) needles. Beg with a k row, work in st st until Back measures 23(25:29:36:39:42:45:45:45)cm/9(10:11½:14½:15½:16½:17½:17½)in from beg, ending with a p row.

Work in patt from chart until Back measures 38(47:53:63:68:70:75:78:80:80)cm/15(18½:21:24½:26½:27½:29½:30½:31½:31½)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 22(27:30:35:39:42:44:47:49:52), turn.

Work on this set of sts only. Dec one st at neck edge on next 4 rows. 18(23:26:31:35:38:40:43:45:48) sts. Work 1 row.

MEASUREMENTS

The following measurements are after the garment has been washed according to the instructions given on ball band.

To fit ages	1-2yrs	2-4yrs	4-6yrs	6-8yrs	8-10yrs	10-12yrs
Actual chest/bust measurement	65 25½	77 30½	85 33½	97 38	105 41½	113 44½
Length	32 12½	39 15½	44 17½	52 20½	56 22	58 22½
Sleeve seam	22 8½	28 11	32 12½	36 14½	44 17½	46 18

To fit adult sizes	small	medium	large	extra large
Actual chest/bust measurement	117 46	125 49	129 50½	137 54
Length	62 24½	64 25½	66 26	66 26
Sleeve seam	48 19	48 19	52 20½	52 20½

Shape Shoulders

Cast off 6(8:8:10:11:12:13:14:15:16) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6(7:10:11:13:14:14:15:15:16) sts.

With right side facing, slip centre 21(23:25:27:27:29:29:31:31:33) sts onto a holder, rejoin yarn to rem sts and patt to end. Complete to match first side.

FRONT

Work as given for Back until Front is 14(16:18:20:22:22:24:24:26:26) rows less than Back to shoulder shaping, ending with a wrong side row.

Shape Neck

Next row Patt 27(32:35:40:44:47:49:52:54:57), turn. Work on this set of sts only. Dec one

st at neck edge on next 8(6:4:4:2:2:2:2:2) rows then on every alt row until 18(23:26:31:35:38:40:43:45:48) sts rem. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 6(8:8:10:11:12:13:14:15:16) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 6(7:10:11:13:14:14:15:15:16) sts.

With right side facing, slip centre 11(13:15:17:17:19:19:21:21:23) sts onto a holder, rejoin yarn to rem sts and patt to end. Complete as given for first side.

SLEEVES

With 3¼mm (No. 10/US 3) needles cast on 38(42:46:50:54:54:58:58:62:62) sts. Work 12(12:14:14:16:16:20:20:20:20)





20) rows in rib as given for Back welt. Change to 4mm (No 8/US 6) needles. Beg with a k row, work in st st, inc one st at each end of 5th(5th:5th:3rd:3rd:3rd:3rd:3rd:3rd) row and every foll 4th(4th:4th:5th:6th:5th:5th:6th:6th:6th)

row until there are 64(74:82:88:94:100:106:106:112:112) sts. Cont straight until Sleeve measures 27(35:40:45:55:57:60:60:65:65)cm/10(13:15:17:21:22:23:23:25:25)in from beg, ending with a wrong side row. Cast off.

NECKBAND

Join right shoulder seam. With 3mm (No 10/US 3) needles and right side facing, k up 18(20:22:24:26:26:28:30:32:32) sts down left front neck, k centre front sts, k up 18(20:22:24:26:26:28:30:32:32) sts up right front neck, 9 sts down right back neck, k back neck sts, k up 9 sts up left back neck, 86(94:102:110:114:118:122:130:134:138) sts. Work 9(9:11:11:11:11:13:13:13:13) rows in rib as given for Back welt. ** Cast off in rib.

POLO COLLAR

Work as given for Neckband to **. Change to 4mm (No 8/US 6) needles. Rib a further 10(10:12:12:14:14:16:16:18:18) rows. Cast off in rib.


TO MAKE UP

Join left shoulder and neckband or collar seam, reversing seam half way on polo collar. Wash all pieces according to the instructions on the ball band. When dry, sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams. If desired, leave side seams open on welts.

Key

□ = K on right side
P on wrong side

● = P on right side
K on wrong side



DIAMOND AND ZIGZAG DENIM SWEATER

This design uses classic guernsey stitch patterns and is shown in both the black and blue shades. The more the garments are washed, the better the designs look, as the fading produces beautiful shaded effects on the stitches.

MATERIALS

12 (16/20/24/27) 50g balls of Rowan Denim.
Pair each of 3½mm (No 9/US 4) and 4mm (No 8/US 6) knitting needles.

TENSION

20 sts and 28 rows to 10cm/4in square over st st on 4mm (No 8/US 6) needles before washing.

ABBREVIATIONS

See page 7.

NOTE

Read charts from right to left on right side rows and from left to right on wrong side rows.

BACK AND FRONT (ALIKE)

With 3½mm (No 9/US 4) needles, cast on 87 (105/119/137/151) sts.

1st rib row (right side) K0 (1:0:1:0), p3, [k1, p3] to last 0 (1:0:1:0) st, k0 (1:0:1:0).

2nd rib row P0 (1:0:1:0), k1, [p1, k1] to last 0 (1:0:1:0) st, p0 (1:0:1:0).

These 2 rows form rib. Rep last 2 rows until welt measures 18 (20/22/27/30)cm/ 7 (8/8½/10½/12)in, ending with a 2nd row.

Change to 4mm (No 8/US 6) needles.

1st row Rib 7 (0:7:0:7), [work 1st row of chart 2, rib 7] 0 (1:1:0:0) time, [work 1st row of chart 1, rib 7, work 1st row of chart 2, rib 7] to last 16 (25/32/9:16) sts, work 1st row of chart 1, [rib 7, work 1st row of chart 2] 0 (1:1:0:0) time, rib 7 (0:7:0:7).

This row sets position of panel patt from charts with rib panels in between. Cont in patt until Back measures 46 (54: 62/75/77)cm/18 (21¼/24¼/29¼/30½)in

MEASUREMENTS

The following measurements are after the garment has been washed according to the instructions on ball band.

To fit ages/sizes	3-4yrs	6-8yrs	8-10yrs	small-medium	medium-large
Actual chest/bust measurement	81 32	98 38½	110 43	127 50	140 55 cm in
Length	42 16½	48 19	55 21½	65 25½	67 26½ cm in
Sleeve seam	28 11	36 14	40 15½	48 19	54 21¼ cm in



Diamond and Zigzag Denim Sweater (left) and Herringbone Denim Sweater (see page 30).

from beg, ending with a wrong side row.

Shape Shoulders

Cast off 11(14:16:13:14) sts at beg of next 6(6:6:8:8) rows. Leave rem 21(21:23:33:39) sts on a holder.

SLEEVES

With 3¼mm (No 9/US 4) needles cast on 47(49:51:53:55) sts.

1st rib row (right side) P3(0:1:2:3), k1, [p3, k1] to last 3(0:1:2:3) sts, p3(0:1:2:3).

2nd rib row K1(0:1:0:1), p1, [k1, p1] to last 1(0:1:0:1) st, k1(0:1:0:1).

These 2 rows form rib. Rep last 2 rows until cuff measures 7(8:8:10:10)cm/2¼(3:3:4:4)in, ending with a 2nd row.

Change to 4mm (No 8/US 6) needles.

1st row Rib 3(4:5:6:7), work 1st row of chart 1, rib 7, work 1st row of chart 2, rib 7, work 1st row of chart 1, rib 3(4:5:6:7).

This row sets position of panel patt from charts with rib panels in between. Cont in patt, inc one st at each end of

2nd row and every foll 5th row until there are 73(81:93:101:111) sts, working inc sts into patt. Cont straight until Sleeve measures 35(45:50:60:67)cm/13¼(17¼:19¼:23¼:26½)in from beg, ending with a wrong side row.

Shape Saddle Shoulder

Cast off 25(29:35:39:44) sts at beg of next 2 rows. Cont straight on rem 23 sts until saddle measures 13(18:20:21:24)cm/5(7:8:8¼:9½)in, ending with a wrong side row.

Shape Neck

Next row Patt 8(8:8:10:10), turn.

Work on this set of sts only. Dec one st at inside edge on next row and every foll alt row until 2 sts rem. Work 2 tog and fasten off.

With right side facing, slip centre 7(7:7:3:3) sts onto a holder; rejoin yarn to rem sts and patt to end. Complete as first side.

NECKBAND

Sew both front saddles and right back saddle in position.

With 3¼mm (No 10/US 3) needles and right side facing, k up

11(11:11:15:15) sts down first side of left sleeve saddle, k centre sts, k up 11(11:11:14:15) sts up other side of saddle, k centre front sts, k up 10(10:11:14:15) sts up first side of right sleeve saddle, k centre sts, k up 10(10:11:14:15) sts up other side of saddle, k centre back sts. 98(98:104:129:144) sts.

1st rib row P1(1:0:1:0), k1, [p1, k1] to last 0(0:1:1:1) st, p0(0:1:1:1).

2nd rib row K0(0:1:1:1), [p3, k1] to last 2(2:3:0:3) sts, p2(2:3:0:3).

Rep last 2 rows 4(4:4:5:5) times more, then work 1st row again. Beg with a k row, work 6 rows in st st. Cast off loosely.

TO MAKE UP

Sew remaining saddle and neckband seam. Wash the garment according to the instructions given on ball band. When dry, sew remainder of sleeves in place. Join side and sleeve seams.

Chart 1





Chart 2



Key

- = K on right side
P on wrong side
- = P on right side
K on wrong side



DENIM LACE

In this design I have mixed zigzag cables with lace and bobble panels. The deep cable and faggot stitch welts give a delicate scalloped effect to the body, neckband and sleeves.

MATERIALS

24(27;29;31) 50g balls of Rowan Denim.

Pair each of 3¼mm (No 10/US 3), 3mm (No 9/US 4) and 4mm (No 8/US 6) knitting needles.

Cable needle.

TENSION

20 sts and 28 rows to 10cm/4in square over st st on 4mm (No 8/US 6) needles before washing.

12 sts of panel A or D pattern

measures 3.5cm/1¼in and 49 sts of panel C pattern measures 17cm/6¾in.

ABBREVIATIONS

C2B = sl next st onto cable needle and leave at back of work, p1, then p st from cable needle;

C2F = sl next st onto cable needle and leave at front of work, p1, then p st from cable needle;

C3B = sl next st onto cable needle and leave at back of work, k2, then k st from cable needle;

C3F = sl next 2 sts onto cable needle and leave at front of work, k1, then k2 from cable needle;

C4B = sl next 2 sts onto cable needle and leave at back of work, k2, then k2 from cable needle;

C4F = sl next 2 sts onto cable needle and leave at front of work, k2, then k2 from cable needle;

C5 = sl next 3 sts onto cable needle and leave at back of work, k2, sl first st on cable needle back onto left hand needle, k this st, then k2 from cable needle;

C6B = sl next 3 sts onto cable needle and leave at back of work, k3, then k3 from cable needle;

MEASUREMENTS

The following measurements are after the garment has been washed according to the instructions on ball band.

To fit age/sizes	4-6yrs	9-11yrs	small-medium	medium-large	
Actual chest/bust measurement	90 35½	108 42½	124 49	138 54½	cm in
Length	48 19	56 22	70 27½	76 30	cm in
Sleeve seam	31 12½	43 17	52 20½	56 22	cm in

C6F = sl next 3 sts onto cable needle and leave at front of work, k3, then k3 from cable needle;

Cr2L = sl next st onto cable needle and leave at front of work, p1, then k st from cable needle;

Cr2R = sl next st onto cable needle and leave at back of work, k1, then p st from cable needle;

Cr3L = sl next 2 sts onto cable needle and leave at front of work, p1, then k2 from cable needle;

Cr3R = sl next st onto cable needle and leave at back of work, k2, then p st from cable needle;

Cr4L = sl next 2 sts onto cable needle and leave at front of work, p1, k1, then k2 from cable needle;

Cr4R = sl next 2 sts onto cable needle and leave at back of work, k2, then k1, p1 from cable needle;

Tw4L = sl next 2 sts onto cable needle and leave at front of work, k1, p1, then k2 from cable needle;

Tw4R = sl next 2 sts onto cable needle and leave at back of work, k2, then p1, k1 from cable needle;

mb = make bobble, [k1, p1, k1, p1] all

in next st, turn, p4, turn, [k2 tog] twice, then pass second st over first st. Also see page 7.

PANEL A

Worked over 12 sts.

1st row (wrong side) P2, [k1, p1] 5 times.

2nd row [K1, p1] 4 times, Cr4R.

3rd row K1, p3, [k1, p1] 4 times.

4th row [K1, p1] 3 times, Cr4R, Cr2L.

5th row P1, k2, p3, [k1, p1] 3 times.

6th row [K1, p1] twice, Cr4R, Cr2L, Cr2R.

7th row K1, C2B, k2, p3, [k1, p1] twice.

8th row K1, p1, Cr4R, Cr2L, Cr2R, Cr2L.

9th row P1, k2, C2F, k2, p3, k1, p1.

10th row Cr4R, [Cr2L, Cr2R] twice.

11th row K1, [C2B, k2] twice, p3.

12th row Tw4L, [Cr2R, Cr2L] twice.

13th row As 9th row.

14th row K1, p1, Tw4L, Cr2R, Cr2L, Cr2R.

15th row As 7th row.

16th row [K1, p1] twice, Tw4L, Cr2R, Cr2L.



17th row As 5th row.

18th row [K1, p1] 3 times, Tw4L, Cr2R.

19th row As 3rd row.

20th row [K1, p1] 4 times, Tw4L.

These 20 rows form patt.

PANEL B

Worked over 11 sts.

1st row and every foll alt row

(wrong side) P11.

2nd row K5, yf, skpo, k4.

4th row K3, k2 tog, yf, k1, yf, skpo, k3.

6th row K2, k2 tog, yf, k3, yf, skpo, k2.

8th row K1, k2 tog, yf, k2, mb, k2, yf, skpo, k1.

10th row K11.

These 10 rows form patt.

PANEL C

Worked over 49 sts.

1st row (wrong side) K2, p6, k9, p15, k9, p6, k2.

2nd row P2, k6, p8, C3B, k1, C4B, k1, C4F, k1, C3F, p8, k6, p2.

3rd row K2, p6, k8, p17, k8, p6, k2.

4th row P2, C6F, p7, C3B, k2 tog, yf, k9, yf, skpo, C3F, p7, C6B, p2.

5th row K2, p6, k7, p19, k7, p6, k2.

6th row P2, k6, p6, C3B, k2 tog, yf, k1, C4F, k1, C4B, k1, yf, skpo, C3F, p6, k6, p2.

7th row K2, p6, k6, p21, k6, p6, k2.

8th row P2, k6, p5, C3B, [k2 tog, yf] twice, k2, C5, k2, [yf, skpo] twice, C3F, p5, k6, p2.

9th row K2, p6, k5, p23, k5, p6, k2.

10th row P2, k6, p4, C3B, [k2 tog, yf] twice, k1, C4B, k1, C4F, k1, [yf, skpo] twice, C3F, p4, k6, p2.

11th row K2, p6, k4, p25, k4, p6, k2.

12th row P2, C6F, p3, C3B, [k2 tog, yf] 3 times, k9, [yf, skpo] 3 times, C3F, p3, C6B, p2.

13th row K2, p6, k3, p27, k3, p6, k2.

14th row P2, k6, p3, Cr3L, k1, [k2 tog, yf] twice, k1, C4F, k1, C4B, k1, [yf, skpo] twice, k1, Cr3R, p3, k6, p2.

15th row As 11th row.

16th row P2, k6, p4, Cr3L, k1, [k2 tog, yf] twice, k2, C5, k2, [yf, skpo] twice, k1,

Cr3R, p4, k6, p2.

17th row As 9th row.

18th row P2, k6, p5, Cr3L, k1, k2 tog, yf, k1, C4B, k1, C4F, k1, yf, skpo, k1,

Cr3R, p5, k6, p2.

19th row As 7th row.

20th row P2, C6F, p6, Cr3L, k1, k2 tog, yf, k9, yf, skpo, k1, Cr3R, p6, C6B, p2.

21st row As 5th row.

22nd row P2, k6, p7, Cr3L, k2, C4F, k1, C4B, k2, Cr3R, p7, k6, p2.

23rd row As 3rd row.

24th row P2, k6, p8, Cr3L, k3, C5, k3, Cr3R, p8, k6, p2.

These 24 rows form patt.

PANEL D

Worked over 12 sts.

1st row (wrong side) [P1, k1] 5 times, p2.

2nd row Cr4L, [p1, k1] 4 times.

3rd row [P1, k1] 4 times, p3, k1.

4th row Cr2R, Cr4L, [p1, k1] 3 times.

5th row [P1, k1] 3 times, p3, k2, p1.

6th row Cr2L, Cr2R, Cr4L, [p1, k1] twice.

7th row [P1, k1] twice, p3, k2, C2F, k1.

8th row Cr2R, Cr2L, Cr2R, Cr4L, p1, k1.

9th row P1, k1, p3, k2, C2B, k2, p1.

10th row [Cr2L, Cr2R] twice, Cr4L.

11th row P3, [k2, C2F] twice, k1.

12th row [Cr2R, Cr2L] twice, Tw4R.

13th row As 9th row.

14th row Cr2L, Cr2R, Cr2L, Tw4R, p1, k1.

15th row As 7th row.

16th row Cr2R, Cr2L, Tw4R, [p1, k1] twice.

17th row As 5th row.

18th row Cr2L, Tw4R, [p1, k1] 3 times.

19th row As 3rd row.

20th row Tw4R, [p1, k1] 4 times.

These 20 rows form patt.

PANEL E

Worked over 9 sts.

1st row and every foll alt row

(wrong side) P9.

2nd row K5, skpo, yf, k2.

4th row K4, skpo, yf, k3.

6th row K3, skpo, yf, k4.

8th row K2, skpo, yf, k5.

10th row K1, skpo, yf, k3, mb, k2.

12th row K2, yf, k2 tog, k5.

14th row K3, yf, k2 tog, k4.

16th row K4, yf, k2 tog, k3.

18th row K5, yf, k2 tog, k2.

20th row K3, mb, k2, yf, k2 tog, k1.

These 20 rows form patt.

PANEL F

Worked over 9 sts.

1st row and every foll alt row

(wrong side) P9.

2nd row C4B, k1, C4F.

4th row K9.

6th row C4F, k1, C4B.

8th row K2, C5, k2.

These 8 rows form patt.

BACK

With 3mm (No 9/US 4) needles cast on 113 (145:161:177) sts.

1st row (right side) Skpo, [p2, k2, p2, yon, k1, yrn, p2, k2, p2, yb, insert right hand needle knitwise into 2nd st then 1st st on left hand needle and sl these 2 sts, k1, then pass the 2 slipped sts over - referred to as s2kpsso] to last 15 sts, p2, k2, p2, yon, k1, yrn, p2, k2, p2, k2 tog.

2nd row P1, [k2, p2, k2, p3, k2, p2, k2, p1] to end.

3rd row Skpo, [p1, k2, p2, k1, yf, k1, yf, k1, p2, k2, p1, yb, s2kpsso] to last 15 sts, p1, k2, p2, k1, yf, k1, yf, k1, p2, k2, p1, k2 tog.

4th row P1, [k1, p2, k2, p5, k2, p2, k1, p1] to end.

5th row Skpo, [k2, p2, k2, yf, k1, yf, k2, p2, k2, s2kpsso] to last 15 sts, k2, p2, k2, yf, k1, yf, k2, p2, k2, k2 tog.

6th row P3, [k2, p7, k2, p5] to last 14 sts, k2, p7, k2, p3.

7th row Skpo, [k1, p2, k2, p1, yon, k1, yrn, p1, k2, p2, k1, s2kpsso] to last 15 sts, k1, p2, k2, p1, yon, k1, yrn, p1, k2, p2, k1, k2 tog.

8th row P2, [k2, p2, k1, p3, k1, p2, k2,

p3] to last 15 sts, k2, p2, k1, p3, k1, p2, k2, p2.

These 8 rows form welt patt. Rep them 2(3:4:5) times more.

Dec row K2, [p2 tog, k2, p2 tog, k1, p2 tog, k2, p2 tog, k3] to last 15 sts, p2 tog, k2, p2 tog, k1, p2 tog, k2, p2 tog, k2. 85(109:121:133) sts.

K 3 rows.

Inc row K2, m1, [k2(3:1:3), m1] 3 times, [k2(3:2:2), m1, k2(3:3:2), m1] to last 9(14:6:10) sts, [k2(3:1:2), m1] 4 times, k to end. 127(145:173:197) sts. Change to 4mm (No 8/US 6) needles.

1st row (wrong side) K2(0:3:1), [work 1st row of panel A, k2] 0(0:0:1) time, [work 1st row of panel F, k2] 0(0:1:1) time, [work 1st row of panel E, k2] 0(1:1:1) time, p4, k2, work 1st row of panel D, k2, p4, k2, work 1st row of panels B, C and B, k2, p4, k2, work 1st row of panel A, k2, p4, [k2, work 11th row of panel E] 0(1:1:1) time, [k2, work 1st row of panel F] 0(0:1:1) time, [k2, work 1st row of panel D] 0(0:0:1) time, k2(0:3:1).

2nd row P2(0:3:1), [work 2nd row of panel D, p2] 0(0:0:1) time, [work 2nd row of panel F, p2] 0(0:1:1) time, [work 12th row of panel E, p2] 0(1:1:1) time, k4, p2, work 2nd row of panel A, p2, k4, p2, work 2nd row of panels B, C and B, p2, k4, p2, work 2nd row of panel D, p2, k4, [p2, work 2nd row of panel E] 0(1:1:1) time, [p2, work 2nd row of panel F] 0(0:1:1) time, [p2, work 2nd row of panel A] 0(0:0:1) time, p2(0:3:1).

3rd row K2(0:3:1), [work 3rd row of panel A, k2] 0(0:0:1) time, [work 3rd row of panel F, k2] 0(0:1:1) time, [work 3rd row of panel E, k2] 0(1:1:1) time, p4, k2, work 3rd row of panel D, k2, p4, k2, work 3rd row of panels B, C and B, k2, p4, k2, work 3rd row of panel A, k2, p4, [k2, work 13th row of panel E] 0(1:1:1) time, [k2, work 3rd row of panel F] 0(0:1:1) time, [k2, work 3rd row of panel D] 0(0:0:1) time, k2(0:3:1).

4th row P2(0:3:1), [work 4th row of panel D, p2] 0(0:0:1) time, [work 4th row of panel F, p2] 0(0:1:1) time, [work 14th row of panel E, p2] 0(1:1:1) time, C4F, p2, work 4th row of panel A, p2, C4F, p2, work 4th row of panels B, C and B, p2, C4B, p2, work 4th row of panel D, p2, C4B, [p2, work 4th row of panel E] 0(1:1:1) time, [p2, work 4th row of panel F] 0(0:1:1) time, [p2, work 4th row of panel A] 0(0:0:1) time, p2(0:3:1).

These 4 rows set position of panels and form cable patt between panels. Cont in patt until work measures 54(63:79:87)cm/21¼(24¾:31¾:34¾)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 47(54:65:76), turn. Work on this set of sts only. Dec one st at neck edge on next 4 rows. 43(50:61:72) sts. Patt 1 row. Cast off. With right side facing, rejoin yarn to rem sts, cast off centre 33(37:43:45) sts, patt to end. Complete as first side.

FRONT

Work as given for Back until Front measures 49(57:72:79)cm/19¼(22¾:28¾:31)in from beg, ending with a wrong side row.

Shape Neck

Next row Patt 53(62:75:86), turn. Work on this set of sts only. Dec one st at neck edge on every row until 43(50:61:72) sts rem. Cont straight until Front matches Back to shoulder shaping, ending with a wrong side row. Cast off. With right side facing, rejoin yarn to rem sts, cast off centre 21(21:23:25) sts, patt to end. Complete as first side.

SLEEVES

With 3¼mm (No 9/US 4) needles cast on 49(65:65:81) sts. Work 16(24:24:32) rows in welt patt as given for Back, then work the dec row. 37(49:49:61) sts. K3 rows.

Inc row K1(2:2:6), m1, [k2(4:3:7), m1] to last 2(3:2:6) sts, k to end. 55(61:65:69) sts.

Change to 4mm (No 8/US 6) needles.

1st row (wrong side) Work last 3(6:8:10) sts of 1st row of panel B, work 1st row of panel C, work first 3(6:8:10) sts of panel B.

This row sets position of panels. Cont in patt, inc one st at each end of 8(5:3:1) 2nd rows, working inc sts into panel B patt. Inc one st at each end of every foll 4th(5th:6th:6th) row until there are 101(107:111:117) sts, working first 2 inc sts in reverse st st, next 4 sts into 4 st cable and remaining sts in reverse st st. Cont straight until Sleeve measures 36(50:60:65)cm/14(19¾:23¾:25¾)in from beg, ending with a wrong side row. Cast off.

NECKBAND

Join right shoulder seam. With 3¼mm (No 10/US 3) needles and right side facing, k up 18(21:23:23) sts down left front neck, 17(19:21:21) sts across centre front, 17(20:22:22) sts up right front neck, 8 sts down right back neck, 29(33:39:39) sts across centre back and 8 sts up left back neck. 97(109:121:121) sts. K3 rows. Leave these sts on a spare needle.

Collar

With 3¼mm (No 10/US 3) needles cast on 129(145:161:161) sts. Work 16 rows in welt patt as given for Back, then work the dec row. 97(109:121:121) sts. With right sides of collar and neckband together, cast off collar and neckband sts together.

TO MAKE UP

Join left shoulder, neckband and collar seam. Wash pieces according to the instructions given on ball band. When dry, sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams.



CABLE AND MOSS STITCH JACKET AND TUNIC

This jacket is knitted in a subtly flecked tweedy yarn, and has a wide ribbed collar. It is also featured in the tunic style on model Susie on page 45, pictured with sons Oscar and Cairo.

MATERIALS

Jacket 20(21:22) 50g balls of Rowan DK Tweed.

Medium size crochet hook.

Tunic 18(19:20) 50g balls of Rowan DK Tweed.

Both designs Pair each of 3½mm (No 10/US 3), 3mm (No 9/US 4) and 4mm (No 8/US 6) knitting needles.
Cable needle.

TENSION

26 sts and 34 rows to 10cm/4in square over moss stitch and cable pattern on 4mm (No 8/US 6) needles.

ABBREVIATIONS

See page 7.

JACKET

BACK

With 3½mm (No 9/US 4) needles cast on 134(150:166) sts.

1st rib row (right side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep last 2 rows until welt measures 10cm/4in, ending with a right side row.

Inc row Rib 3, [m1, rib 7, m1, rib 2, m1, rib 7] to last 3 sts, m1, rib 3. 159(178:197) sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) K1, [p1, k1] 3 times; * p2, [k1, p1] twice, k4, p2, k1, [p1, k1] 3 times; rep from * to end.

2nd row K1, [p1, k1] 3 times; * k2, p5, k1, p1, k4, [p1, k1] 3 times; rep from * to end.

3rd and 4th rows As 1st and 2nd rows.

MEASUREMENTS

To fit sizes	small-medium	medium-large	large-extra large
Actual bust measurement	122 48	136 53½	151 59½ in
Length	72 28½	75 29½	78 30½ in
Sleeve seam (with cuff turned back)	46 18	46 18	46 18 in

5th row K1, [p1, k1] 3 times; * p2, sl next 4 sts onto cable needle and leave at back of work, k4, then [k1, p1] twice from cable needle, p2, k1, [p1, k1] 3 times; rep from * to end.

6th row K1, [p1, k1] 3 times; * k2, [p1, k1] twice, p4, k3, [p1, k1] 3 times; rep from * to end.

7th row K1, [p1, k1] 3 times; * p2, k5, p1, k1, p3, k1, [p1, k1] 3 times; rep from * to end.

8th row As 6th row.

9th to 14th rows Work 7th and 8th rows 3 times.

15th row K1, [p1, k1] 3 times; * p2, sl next 4 sts onto cable needle and leave at back of work, [k1, p1] twice, then k4 from cable needle, p2, k1, [p1, k1] 3 times; rep from * to end.

16th row As 2nd row.

17th to 20th rows Work 1st and 2nd rows twice. These 20 rows form moss st and cable patt. Cont in patt until work measures 72(75:78)cm/28½(29½:30½)in from beg, ending with a wrong side row.

Shape Shoulders

Cast off 28(32:36) sts at beg of next 2 rows and 28(33:37) sts at beg of foll 2 rows. Cast off rem 47(48:51) sts.

LEFT POCKET LINING

With 4mm (No 8/US 6) needles cast on 32(33:34) sts. Work 15cm/6in in st st, ending with a k row.

Inc row P2(7:12), m1, p2, m1, p15, m1, p2, m1, p11(7:3), 36(37:38) sts. Leave these sts on a holder.

LEFT FRONT

With 3½mm (No 9/US 4) needles cast on 70(80:86) sts.

1st rib row (right side) [K2, p2] to last 2(0:2) sts, k2(0:2).

2nd rib row P2(0:2), [k2, p2] to end. Rep last 2 rows until welt measures 10cm/4in, ending with a right side row.

Inc row [Rib 3, m1, rib 3] 1(0:1) time. [rib 4, m1, rib 2, m1, rib 7, m1, rib 3] to end, 83(95:102) sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) * K1, [p1, k1] 3 times, p2, [k1, p1] twice, k4, p2; rep from * to last 7(0:7) sts, k1(0:1), [p1, k1] 3(0:3) times.

2nd row K1(0:1), [p1, k1] 3(0:3) times; * k2, p5, k1, p1, k4, [p1, k1] 3 times; rep from * to end.

These 2 rows set position of moss st and cable patt. Cont in patt to match Back until Front measures 22(23;

24)cm/8½(9:9½)in from beg, ending with a wrong side row.

Place Pocket

Next row Patt 19(23:27), slip next 36(37:38) sts onto a holder; patt across sts of pocket lining, patt to end.
Cont in patt until Front measures 40(43:46)cm/15½(17:18)in from beg, ending with a wrong side row.

Shape Neck

Keeping patt correct, dec one st at neck edge on next row and every foll 3rd row until 56(65:73) sts rem. Patt 7(0:0) rows. Mark last row at neck edge. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 28(32:36) sts at beg of next row. Work 1 row. Cast off rem 28(33:37) sts.

RIGHT POCKET LINING

Work as Left Pocket Lining, reversing inc row as follows:

Inc row P11(7:3), m1, p2, m1, p15, m1, p2, m1, p2(7:12).

RIGHT FRONT

With 3¼mm (No 9/US 4) needles cast on 70(80:86) sts.

1st rib row (right side) K2(0:2), [p2, k2] to end.

2nd rib row [P2, k2] to last 2(0:2) sts, p2(0:2).

Rep last 2 rows until welt measures 10cm/4in, ending with a right side row.

Inc row [Rib 3, m1, rib 7, m1, rib 2, m1, rib 4] to last 6(0:6) sts, [rib 3, m1, rib 3] 1(0:1) time. 83(95:102) sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) K1(0:1), [p1, k1] 3(0:3) times, * p2, [k1, p1] twice, k4, p2, k1, [p1, k1] 3 times; rep from * to end.

2nd row * [K1, p1] 3 times, k3, p5, k1, p1, k3; rep from * to last 7(0:7) sts, k1(0:1), [p1, k1] 3(0:3) times.

These 2 rows set position of moss st and cable patt. Complete as Left Front reversing pocket placing as follows:

Next row Patt 28(35:37), slip next 36(37:38) sts onto a holder; patt across sts of pocket lining, patt to end.

SLEEVES

With 3¼mm (No 9/US 4) needles cast on 54 sts. Work 12cm/4½in in rib as given for Back, ending with a right side row.

Inc row Rib 3, [m1, rib 7, m1, rib 2, m1, rib 7] to last 3 sts, m1, rib 3. 64 sts. Change to 4mm (No 8/US 6) needles. Work in patt as given for Back, inc one st at each end of 3rd row and every foll 5th(4th:4th) row until there are 110(116:120) sts, working inc sts into moss st patt. Cont straight until Sleeve measures 52cm/20½in from beg, ending with a wrong side row. Cast off.

POCKET TOPS

With 3¼mm (No 10/US 3) needles and right side facing, rejoin yarn to sts on holder; patt 1 row, dec 1 st over each moss st section and 2 sts over each cable. 30(32:32) sts.

1st rib row K0(1:1), p2, [k2, p2] to last 0(1:1) st, k0(1:1).

2nd rib row P0(1:1), k2, [p2, k2] to last 0(1:1) st, p0(1:1).

Rep last 2 rows 4 times more. Cast off in rib.

RIGHT FRONT BAND AND COLLAR

With 3¼mm (No 10/US 3) needles and right side facing, k up 108(116:124) sts along right front edge to beg of neck shaping and 66 sts along shaped edge to marker. 174(182:190) sts. Beg with a 2nd row, work 2 rows in rib as given for Back.

Next 2 rows Rib 58, yb, sl 1, yf, turn, sl 1, rib to end.

Next 2 rows Rib 54, yb, sl 1, yf, turn, sl 1, rib to end.

Next 2 rows Rib 50, yb, sl 1, yf, turn, sl 1, rib to end.

Next 2 rows Rib 46, yb, sl 1, yf, turn, sl 1, rib to end.

Next 2 rows Rib 42, yb, sl 1, yf, turn, sl 1, rib to end.

Rib a further 28 rows across all sts. Cast off in rib.

LEFT FRONT BAND AND COLLAR

With 3¼mm (No 10/US 3) needles, right side facing and beg at marker, k up 66 sts along shaped edge of left front to beg of neck shaping and 108(116:124) sts along straight edge to cast on edge. 174(182:190) sts. Beg with a 2nd row, work 1 row in rib as given for Back.

Next 2 rows Rib 58, yf, sl 1, yb, turn, sl 1, rib to end.

Next 2 rows Rib 54, yf, sl 1, yb, turn, sl 1, rib to end.

Next 2 rows Rib 50, yf, sl 1, yb, turn, sl 1, rib to end.

Next 2 rows Rib 46, yf, sl 1, yb, turn, sl 1, rib to end.

Next 2 rows Rib 42, yf, sl 1, yb, turn, sl 1, rib to end.

Rib a further 29 rows across all sts. Cast off in rib.

COLLAR

With 3¼mm (No 10/US 3) needles cast on 186 sts. Work 30 rows in rib as given for Back. Cast off in rib.

BELT

With 3¼mm (No 10/US 3) needles cast on 14 sts.

Work in rib as given for Back until Belt measures approximately 140(150:160)cm/55(59:63)in. Cast off in rib.

TO MAKE UP

Catch down pocket linings and sides of pocket tops. Join shoulder seams. Pin cast on edge of collar along row ends of front collars, remainder of front neck edges and along back neck, sew in place. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams, reversing seam on cuffs. Turn back cuffs. With crochet hook,

make loops at side seams in desired position for belt.

TUNIC

BACK

Work as given for Back of Jacket but working 4cm/1½in in rib instead of 10cm/4in.

FRONT

Work as given for Back until Front measures 40(43:46)cm/15½(17:18)in, from beg, ending with a right side row.

Shape Neck

Next row Patt 66(75:85), cast off next 27(28:27) sts, patt to end.

Work on last set of 66(75:85) sts. Dec one st at neck edge on 4th row and every foll 8th(8th:7th) row until 56(65:73) sts rem. Patt 9(9:4) rows. Mark last row at neck edge. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 28(32:36) sts at beg of next row. Work 1 row. Cast off rem 28(33:37) sts.

With right side facing, rejoin yarn to rem sts and patt to end. Complete as first side.

SLEEVES

Work as Sleeves of Jacket.

RIGHT FRONT COLLAR

With 3¼mm (No 10/US 3) needles and right side facing, k up 62 sts along right front neck to marker. Complete as Right Front Band and Collar of Jacket.

LEFT FRONT COLLAR

With 3¼mm (No 10/US 3) needles, right side facing and beg at marker, k up 62 sts down left front neck. Complete as Left Front Band and Collar of Jacket.

COLLAR

Work as Collar of Jacket.

TO MAKE UP

Lap front collars over and catch down row ends to centre of front neck. Join shoulder seams. Pin cast on edge of collar along top row ends of front collars, remainder of front neck edges and along back neck, sew in place. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams, reversing seams on cuffs. Turn back cuffs.

Susie in the Cable and Moss Stitch Tunic with baby Cairo in the Boxy Moss Stitch Jacket (see page 44).



BOXY MOSS STITCH JACKET

This design is so simple it is perfect for beginners, or for knitters who are looking for something easy and quick. Worked in moss stitch with turned-back cuffs and pockets, it is edged in blanket stitch.

MEASUREMENTS

To fit ages/sizes	1yr	1-2yrs	2-3yrs	3-4yrs	4-6yrs	6-8yrs	8-10yrs	10-12yrs	small	medium	large
Actual chest/bust measurement	64 25½	70 27½	77 30½	81 32	86 34	90 35½	96 37½	100 39½	104 41	108 42½	112 cm 44 in
Length	30 12	33 13	35 13½	37 14½	39 15½	42 16½	44 17½	46 18	48 19	50 19½	52 cm 20½ in
Sleeve seam	21 8½	24 9½	27 10½	30 11½	33 13	36 14	39 15½	43 17	46 18½	48 19	50 cm 19½ in

MATERIALS

6(7:8:9:10:12:13:14:15:16:17) 50g balls of Rowan DK Tweed in main colour (A). Small amount of same in contrast colour (B) for embroidery.
Pair each of 3mm (No 10/US 3) and 4mm (No 8/US 6) knitting needles.
4(5:5:5:6:6:6:7:7:7) buttons.

TENSION

21 sts and 36 rows to 10cm/4in square over moss st on 4mm (No 8/US 6) needles.

ABBREVIATIONS

See page 7.

BACK

With 4mm (No 8/US 6) needles and A, cast on 67(73:81:85:91:95:101:105:109:113:117) sts.

1st row K1, [p1, k1] to end.

This row forms moss st. Cont in moss st until Back measures 30(33:35:37:39:42:44:46:48:50:52)cm/12(13:13½:14½:15½:16½:17½:18:19:19½:20½)in from beg.

Shape Shoulders

Cast off 10(11:13:13:14:15:16:16:17:17:

18) sts at beg of next 2 rows and 11(12:13:14:15:15:16:17:17:18:18) sts at beg of foll 2 rows. Cast off rem 25(27:29:31:33:35:37:39:41:43:45) sts.

POCKET LININGS (MAKE 2)

With 4mm (No 8/US 6) needles and A, cast on 17(19:19:21:21:23:23:25:27:27:27) sts. Work 7(8:8:9:9:10:10:11:12:12:12)cm/2½(3¼:3¼:3¼:4:4:4¼:4¼:4¼)in in moss st. Leave these sts on a spare needle.

LEFT FRONT FOR GIRLS, RIGHT FRONT FOR BOYS

With 4mm (No 8/US 6) needles and A, cast on 35(39:43:45:49:51:53:55:57:61:63) sts.

Work in moss st until Front measures 9(10:10:11:11:12:12:13:14:14:14)cm/3½(4:4¼:4¼:4¼:5:5½:5½:5½)in from beg, ending at side edge.

Place Pocket

Next row Moss st 8(10:12:12:14:14:14:14:16:18), cast off next 17(19:19:21:21:23:23:25:27:27:27) sts, moss st to end.

Next row Moss st 10(10:12:12:14:14:16:16:16:18:18), moss st across sts of

pocket lining, moss st to end.

Cont in moss st across all sts until Front measures 20(22:23:24:25:27:28:29:30:31:32)cm/8(8½:9:9½:10:10½:11:11½:12:12½)in from beg, ending at side edge.

Shape Neck

Dec one st at neck edge on next row, 10 foll alt rows, then on every 2nd (2nd:2nd:2nd:2nd:2nd:3rd:3rd:3rd:3rd:3rd) row until 21(23:26:27:29:30:32:33:34:35:36) sts rem. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 10(11:13:13:14:15:16:16:17:17:18) sts at beg of next row. Work 1 row. Cast off rem 11(12:13:14:15:15:16:17:17:18:18) sts.

Mark front edge to indicate buttons: first one 1cm/½in up from lower edge, last one 2cm/½in below neck shaping and rem 2(3:3:3:4:4:4:5:5:5) evenly spaced between.

Boxy Moss Stitch Jacket (left), Cable and Moss Stitch Tunic (centre; see page 43), and Fairisle Sweater (right; see page 19).





RIGHT FRONT FOR GIRLS;

LEFT FRONT FOR BOYS

With 4mm (No 8/US 6) needles and A, cast on 35(39:43:45:49:51:53:55:57:61:63) sts.

Work in moss st for 1cm/¼in, ending at front edge.

Buttonhole row Moss st 3, yf, k2 tog, moss st to end.

Complete as given for Left Front for girls or Right Front for boys, making buttonholes to match markers and placing pocket as follows:

Next row Moss st 10(10:12:12:14:14:16:16:16:18:18), cast off next 17(19:19:21:21:23:23:25:27:27:27) sts, moss st to end.

Next row Moss st 8(10:12:12:14:14:14:14:16:18), moss st across sts of pocket lining, moss st to end.

SLEEVES

With 4mm (No 8/US 6) needles and A cast on 33(35:37:39:43:47:49:51:53:57:59) sts. Work in moss st for 3(4:4:5:5:6:6:7:8:8:8)cm/1¼(1½:1½:2:2¼:2¼:2¼:3:3:3)in.

Change to 3mm (No 10/US 3) needles.

Work in moss st for a further 3(4:4:5:5:6:6:7:8:8:8)cm/1¼(1½:1½:2:2¼:2¼:2¼:3:3:3)in.

Change to 4mm (No 8/US 6) needles. Cont in moss st, inc one st at each end of next row and every foll 5th(4th:4th:4th:4th:5th:5th:5th:5th:5th:6th) row until there are 55(61:67:73:79:83:87:91:95:99:101) sts. Cont straight until Sleeve measures 24(28:31:35:38:42:45:50:54:56:58)cm/9½(11:12¼:13¼:15:16¼:17¼:19¼:21¼:22:22¼)in from beg. Cast off.

TO MAKE UP

Join shoulder seams. Sew on sleeves, placing centre of sleeves to shoulder seams. Beginning 3(3:4:4:4:5:5:6:6:6)cm/1¼(1½:1½:1½:2:2:2¼:2¼:2¼)in up from lower edges, join side seams then sleeve seams, reversing seams on cuffs. Catch down pocket linings. Sew on buttons. With B, work blanket stitch around lower edges of sleeves, along pocket tops and along lower edge (including side openings), front edges and around neck edge of jacket. Turn back cuffs.

SIMPLE SWEATER WITH POLO NECK OR SHAWL COLLAR

This easy, stocking stitch sweater is knitted in a soft, chunky-weight yarn and is quick to knit. The polo neck, pictured on page 48, is worn by my son Billy and his friends Cabral and Ibrahim.

MEASUREMENTS

To fit ages/sizes	2-4yrs	4-6yrs	6-8yrs	8-10yrs	10-12yrs	small	medium	large	extra large
Actual chest/bust measurement	82 32½	91 36	97 38	106 41½	114 45	122 48	128 50½	131 51½	136 53½
Length	43 17	48 19	52 20½	56 22	62 24½	66 26	68 26½	70 27½	72 28½
Sleeve seam	28 11	32 12½	36 14	40 15½	44 17½	46 18	48 19	50 19½	52 20½

MATERIALS

5(6:6:7:8:9:10:11:12) 100g balls of Rowan Chunky for each sweater.
Pair each of 5½mm (No 5/US 9) and 6½mm (No 3/US 10½) knitting needles.
One 6½mm (No 3/US 10½) circular needle for shawl collar jacket.

TENSION

14 sts and 20 rows to 10cm/4in square over st st on 6½mm (No 3/US 10½) needles.

ABBREVIATIONS

See page 7.

POLO NECK SWEATER

BACK

With 5½mm (No 5/US 9) needles, cast on 58(62:66:74:78:86:90:90:94) sts.

1st rib row (right side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

These 2 rows form rib. Rep them

2(2:2:3:3:3:4:4:4) times more, inc

0(2:2:0:2:0:0:2:2) sts evenly on last row.





58(64:68:74:80:86:90:92:96) sts.
Change to 6mm (No 3/US 10½) needles.
Beg with a k row, work in st st until Back measures 43(48:52:56:62:66:68:70:72)cm/17(19:20:22:24:26:26½:27:28½) in from beg, ending with a p row.

28½ in from beg, ending with a p row.

Shape Shoulders

Cast off 10(11:12:13:14:15:15:16) sts at beg of next 2 rows and 10(12:12:13:14:15:16:16:16) sts at beg of foll 2 rows. Leave rem 18(18:20:22:24:26:28:

30:32) sts on a holder.

FRONT

Work as given for Back until Front measures 39(43:47:51:56:60:62:63:65)cm/15½(17:18½:20:22:23½:24½:25½) in from beg, ending with a p row.

Shape Neck

Next row K24(27:28:31:33:36:38:38:39), turn.

Work on this set of sts only. Dec one st at neck edge on every row until 20(23:24:26:28:30:31:31:32) sts rem. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 10(11:12:13:14:15:15:16) sts at beg of next row. Work 1 row. Cast off rem 10(12:12:13:14:15:16:16:16) sts. With right side facing, slip centre 10(10:12:12:14:14:14:16:18) sts onto a holder, rejoin yarn to rem sts and k to end. Complete as first side.

SLEEVES

With 5mm (No 5/US 9) needles cast on 22(26:26:30:30:34:38:42:42) sts. Work 10(10:10:12:12:12:16:16:16) rows in rib as given for Back, inc 2(0:2:0:4:2:2:0:4) sts evenly on last row. 24(26:28:30:34:36:40:42:46) sts.
Change to 6mm (No 3/US 10½) needles.

Beg with a k row, work in st st, inc one st at each end of 5th row and every foll 3rd(3rd:4th:4th:5th:5th:5th:6th:6th) row until there are 48(50:54:56:60:62:66:68:72) sts. Cont straight until Sleeve measures 28(32:36:40:44:46:48:50:52)cm/11(12½:14:15½:17½:18:19:19½:20½) in from beg, ending with a wrong side row. Cast off.

POLO NECK

Join right shoulder seam.

With 5mm (No 5/US 9) needles and right side facing, k up 11(13:13:14:14:15:16:16:16) sts down left front neck, k centre front sts, k up 11(13:13:14:14:15:16:16:16) sts up right front neck, k back



neck sts, 50(54:58:62:66:70:74:78:82) sts. Work 28(32:32:36:36:40:40:40:40) rows in rib as given for Back. Cast off loosely in rib.

TO MAKE UP

Join left shoulder and polo neck seam, reversing seam half way on polo neck. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams.

SHAWL COLLAR SWEATER

BACK

Work as given for Back of Polo Neck Sweater, but cast off back neck sts.

FRONT

Work as given for Back until Front measures 27(31:34:37:41:44:45:46:47)cm/10½(12½:13½:14½:16½:17½:17½:

18:18½)in from beg, ending with a k row.

Shape Neck

Next row P20(23:24:26:28:30:31:31:32), cast off next 18(18:20:22:24:26:28:30:32) sts, p to end.

Work straight on last set of sts only until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 10(11:12:13:14:15:15:15:16) sts at beg of next row. Work 1 row. Cast off rem 10(12:12:13:14:15:16:16:16) sts. With right side facing, rejoin yarn to rem sts and complete as first side.

SLEEVES

Work as Sleeves of Polo Neck Sweater.

COLLAR

Join shoulder seams.

With 6½mm (No 3/US 10½) circular needle and right side facing, k up 32(34:35:38:42:45:46:49:50) sts along straight right front neck edge, 22(22:24:26:30:32:34:36:38) sts across back neck and 32(34:35:38:42:45:46:49:50) sts along straight left front neck edge, 86(90:94:102:114:122:126:134:138) sts. Work backwards and forwards.

1st rib row P2, [k2, p2] to end.

2nd rib row K2, [p2, k2] to end.

Rep last 2 rows until collar measures 13(13:14:16:17:18:20:21:23)cm/5(5:5½:6¼:6½:7:8:8¼:9)in. Cast off loosely in rib.


TO MAKE UP

Lap row ends edges of collar over and catch down to cast off sts at base of front neck. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams.



The Simple Sweater with Shawl collar





SNOWFLAKE AND HEART JACKET WITH ZIP

This design is based on a 1950s college-style jacket and has embroidered cross stitch detailing with moss stitch patterning and borders. It has pockets, a neat shawl collar and is knitted in a pure wool Aran-weight yarn for a crisp finish.

MATERIALS

6(7:8:9:9:10) 100g hanks of Rowan Magpie in Black (A),
1 hank of same in Cream,
1 50g ball of Rowan Designer DK Wool in Red.
Pair each of 3½mm (No 9/US 4), 4mm (No 8/US 6) and 4½mm (No 7/US 7) knitting needles.
40(45:45:50:55:55)cm/16(18:18:20:22:22)in open-ended zip fastener.

TENSION

18 sts and 26 rows to 10cm/4in square over st st on 4½mm (No 7/US 7) needles.

ABBREVIATIONS

See page 7.

NOTES

Read charts from right to left on right side (k) rows and from left to right on wrong side (p) rows. Use separate lengths of contrast colours when working heart or snowflake motifs and twist yarns together on wrong side at joins to avoid holes.

BACK

With 3½mm (No 9/US 4) needles and A, cast on 83(87:91:99:103:107) sts. Work welt patt as follows:
1st row K1, [p1, k1] to end.
This row forms moss st. Moss st 4 more rows.

Snowflake and Heart Jacket with Zip (right) and Scandinavian Jacket (left; see page 62).

MEASUREMENTS

To fit ages/sizes	4-6yrs	6-8yrs	8-10yrs	small	medium	large
Actual chest/bust measurement	92 36½	96 38	101 39½	110 43½	114 45	119 cm 47 in
Length	46 18	49 19½	52 20½	55 21½	60 23½	62 cm 24½ in
Sleeve seam	33 13	36 14	40 15½	46 18	48 19	48 cm 19 in

6th row (right side) [K1, p1] 0(1:0:0:1:0) time, k3, [p1, k1, p1, k1, p1, k3] to last 0(2:0:0:2:0) sts, [p1, k1] 0(1:0:0:1:0) time.

7th row P4(0:4:4:0:4), k1, [p1, k1] 1(0:1:1:0:1) time, [p5, k1, p1, k1] to last 4(6:4:4:6:4) sts, p4(5:4:4:5:4), k0(1:0:0:1:0).

8th row K5(7:5:5:7:5), [p1, k7] to last 6(8:6:6:8:6) sts, p1, k to end.
Change to 4½mm (No 7/US 7) needles.

Beg with a p row; work 3 rows in st st. Stranding yarn not in use loosely across wrong side, work the 3 rows of chart 1. Cont in A only until Back measures 29(32:34:37:42:43)cm/11½(12½:13½:14½:16½)in from beg, ending with a wrong side row. Work the 3 rows of chart 1. With A, st st 3 rows.

Next row K4(4:6:7:7:9)A, *k 1st row of chart 2, k3(4:4:5:6:6)A, k 1st row of chart 3, k3(4:4:5:6:6)A, k 1st row of chart 2*; k5(5:5:7:7:7)A, rep from * to *, with A, k to end.

Next row P4(4:6:7:7:9)A, *p 2nd row of chart 2, p3(4:4:5:6:6)A, p 2nd row of chart 3, p3(4:4:5:6:6)A, p 2nd row of

chart 2*; p5(5:5:7:7:7)A, rep from * to *, with A, p to end.

Work a further 9 rows as set. With A, st st 3 rows, then work the 3 rows of chart 1. Cont in A only, st st 3 rows, then work 8th, 7th and 6th rows of welt patt. Cont in moss st across all sts until Back measures 46(49:52:55:60:62)cm/18(19½:20½:21½:23½:24½)in from beg, ending with a right side row.

Shape Shoulders and Neck

Next row Moss st 33(34:35:38:39:40), cast off next 17(19:21:23:25:27) sts, moss st to end.

Work on last set of sts only. Cast off 15(16:16:18:18:19) sts at beg of next row and 3 sts at beg of foll row. Cast off rem 15(15:16:17:18:18) sts. With right side facing, rejoin yarn to rem sts and moss st to end. Complete as first side.

POCKET LININGS (MAKE 2)

With 4½mm (No 7/US 7) needles and A, cast on 21(21:23:23:25:25) sts. Beg with a k row, work 27(27:29:29:33:33) rows in st st. Leave these sts on a holder.

LEFT FRONT

With 3mm (No 9/US 4) needles and A, cast on 43(45:47:51:53:55) sts. Work 5 rows in moss st as given for Back.

6th row (right side) [K1, p1]

0(1:0:0:1:0) time, [k3, p1, k1, p1, k1, p1] to last 3(3:7:3:3:7) sts, k1(1:3:1:1:3), [p1, k1] 1(1:2:1:1:2) times.

7th row K1, [p1, k1] 3(3:1:3:3:1) times, [p5, k1, p1, k1] to last 4(6:4:4:6:4) sts, p4(5:4:4:5:4), k0(1:0:0:1:0).

8th row K5(7:5:5:7:5), [p1, k7] to last 6(6:10:6:6:10) sts, p1, k3(3:7:3:3:7), p1, k1.

Change to 4mm (No 7/US 7) needles.

1st row K1, p1, k1, p to end.

2nd row K to last 2 sts, p1, k1.

3rd row As 1st row.

4th row K 1st row of chart 1 to last 3 sts, with A, k1, p1, k1.

5th row With A, k1, p1, k1, p 2nd row of chart 1 to end.

6th row K 3rd row of chart 1 to last 3 sts, with A, k1, p1, k1.

With A, rep 1st and 2nd rows 1(1:1:1:2:2) times, then work 1st row again.

Next row K16(17:18:20:21:22)A, k 1st row of chart 2, with A, k to last 2 sts, p1, k1.

Next row With A, k1, p1, k1, p15(16:17:19:20:21), p 2nd row of chart 2, with A, p to end.

Work a further 9 rows as set. Cont in A only. Keeping the 3 sts at front edge in moss st and remainder in st st, work 1(1:3:3:5:5) rows.

Place Pocket

Next row K10(11:11:13:13:14), p1, [k1, p1] 10(10:11:11:12:12) times, k to last 2 sts, p1, k1.

Next row K1, p1, k1, p10(11:11:13:13:14), [k1, p1] 9(9:10:10:11:11) times, k1, p to end.

Next row K10(11:11:13:13:14), cast off in moss st next 21(21:23:23:25:25) sts, k to last 2 sts, p1, k1.

Next row K1, p1, k1, p9(10:10:12:12:13), p across sts of pocket lining, p

to end.

Cont in st st with 3 sts at front edge in moss st until Front measures 29(32:34:37:42:43)cm/11½(12½:13½:14½:16½:17)in from beg, ending with a wrong side row.

Work the 3 rows of chart 1 as set before. With A, work 3 rows.

Next row K4(4:6:7:7:9)A, k 1st row of chart 2, k3(4:4:5:6:6)A, k 1st row of chart 3, k3(4:4:5:6:6)A, k 1st row of chart 2, with A, k to last 2 sts, p1, k1.

Next row With A, k1, p1, k1, p1(1:1:2:2:2), p 2nd row of chart 2, p3(4:4:5:6:6)A, p 2nd row of chart 3, p3(4:4:5:6:6)A, p 2nd row of chart 2, with A, p to end.

Work a further 9 rows as set. With A, work 3 rows, then work the 3 rows of chart 1. Cont in A only, work 3 rows, then work 8th, 7th 6th rows of welt patt.

Shape Neck

Next row Moss st 3 and slip these 3 sts onto a safety pin, moss st to end. Cont in moss st, dec one st at neck edge on every row until 30(31:32:35:36:37) sts rem. Work a few rows straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 15(16:16:18:18:19) sts at beg of next row. Work 1 row. Cast off rem 15(15:16:17:18:18) sts.

RIGHT FRONT

With 3mm (No 9/US 4) needles and A, cast on 43(45:47:51:53:55) sts. Work 5 rows in moss st as given for Back.

6th row (right side) [K1, p1] 1(1:2:1:1:2) times, k1(1:3:1:1:3), [p1, k1, p1, k1, p1, k3] to last 0(2:0:0:2:0) sts, [p1, k1] 0(1:0:0:1:0) time.

7th row K0(1:0:0:1:0), p4(5:4:4:5:4), [k1, p1, k1, p5] to last 7(7:3:7:7:3) sts, k1, [p1, k1] 3(3:1:3:3:1) times.

8th row K1, p1, k3(3:7:3:3:7), p1, [k7, p1] to last 5(7:5:5:7:5) sts, k to end.

Change to 4mm (No 7/US 7)

needles.

1st row P to last 3 sts, k1, p1, k1.

2nd row K1, p1, k to end.

3rd row As 1st row.

4th row With A, k1, p1, k1, k 1st row of chart 1 to end.

5th row P 2nd row of chart 1 to last 3 sts, with A, k1, p1, k1.

6th row With A, k1, p1, k1, k 3rd row of chart 1 to end.

With A, rep 1st and 2nd rows 1(1:1:1:2:2) times, then work 1st row again.

Next row With A, k1, p1, k16(17:18:20:21:22), k 1st row of chart 2, with A, k to end.

Next row With A, p16(17:18:20:21:22), p 2nd row of chart 2, with A, p to last 3 sts, k1, p1, k1.

Work a further 9 rows as set. Cont in A only. Keeping the 3 sts at front edge in moss st and remainder in st st, work 1(1:3:3:5:5) rows.

Place Pocket

Next row K1, p1, k10(11:11:13:13:14), [p1, k1] 10(10:11:11:12:12) times, p1, k to end.

Next row P11(12:12:14:14:15), k1, [p1, k1] 9(9:10:10:11:11) times, p to last 3 sts, k1, p1, k1.

Next row K1, p1, k10(11:11:13:13:14), cast off in moss st next 21(21:23:23:25:25) sts, k to end.

Next row P10(11:11:13:13:14), p across sts of pocket lining, p to last 3 sts, k1, p1, k1.

Cont in st st with 3 sts at front edge in moss st until Front measures 29(32:34:37:42:43)cm/11½(12½:13½:14½:16½:17)in from beg, ending with a wrong side row.

Work the 3 rows of chart 1 as set before. With A, work 3 rows.

Next row With A, k1, p1, k2(2:2:3:3:3), k 1st row of chart 2, k3(4:4:5:6:6)A, k 1st row of chart 3, k3(4:4:5:6:6)A, k 1st row of chart 2, with A, k to end.

Next row With A, p4(4:6:7:7:9)A, p 2nd row of chart 2, p3(4:4:5:6:6)A, p 2nd row of chart 3, p3(4:4:5:6:6)A, p 2nd row of chart 2, with A, p to last 3

sts; k1, p1, k1.

Complete as Left Front, reversing neck shaping.

SLEEVES

With 3mm (No 9/US 4) needles and A, cast on 39(39:39:43:43:43) sts. Work 8 rows of welt patt as given for 2nd(2nd:2nd:1st:1st:1st) size on Back. Change to 4mm (No 7/US 7) needles.

Beg with a p row, work 3 rows in st st, inc one st at each end of 2nd row. Work the 3 rows of chart 1 as indicated for 1st(1st:1st:2nd:2nd:2nd) size of Back, inc one st at each end of last row. 43(43:43:47:47:47) sts. With A, st st 3 rows.

Next row With A, k twice in first st, k15(15:15:17:17:17), k 1st row of chart 3, with A, k to last st, k twice in last st.

Next row With A,

p17(17:17:19:19:19), p 2nd row of chart 3, with A, p to end.

Work a further 9 rows as set, inc one st at each end of 3rd row and foll 4th row. 49(49:49:53:53:53) sts. Cont in A only, inc one st at each end of 2nd row and every foll 4th row until there are 65(65:75:79:83:87) sts. Cont straight until Sleeve measures 28(31:35:40:42:42)cm/11(12½:13½:15½:16½:16½)in from beg, ending with a wrong side row. Work the 3 rows of chart 1, setting position to match patt at lower edge. With A, st st 3 rows.

Next row K4(6:1:7:1:3), p1, [k7, p1] to last 4(6:1:7:1:3) sts, k to end.

This row sets reverse welt patt. Work 2 more rows to match lower edge. Cont in moss st across all sts until Sleeve measures 33(36:40:46:48:48)cm/13(14:15½:18:19:19)in from beg, ending with a wrong side row. Cast off.

COLLAR


With 4mm (No 8/US 6) needles, rejoin A yarn at inside edge to the 3 sts on left front safety pin. Cont in moss st, inc one st at inside edge on every 2nd row

until there are 24 sts, working inc sts into moss st. Cont straight until Collar fits up front neck to centre of back neck, ending at outside edge. Leave these sts on a spare needle. Work right front collar to match left side. With right sides of collar pieces together, cast off together collar sts (see diagrams page 18).

TO MAKE UP

Catch down pocket linings. Join shoulder seams. Sew collar in place. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams. With one strand of Red, work single cross stitch in centre of each stocking stitch triangle formed by welt pattern. Sew in zip.

Chart 1



Key

- = Black (A)
- ⊗ = Cream
- ▲ = Red (use two strands of yarn together)

Chart 2





Chart 3





STAR AND HEART SWEATER

A patchwork of textured hearts and stars, this generous sweater has moss stitch sleeves and a moss stitch, rolled over collar.

MATERIALS

12 100g hanks of Rowan Magpie.
Pair of 4mm (No 7/US 7) knitting needles.

MEASUREMENTS

To fit bust	86-102cm 34-40in
Actual bust measurement	120cm 47¼in
Length	68cm 26½in
Sleeve seam (with cuff turned back)	46cm 18 in

TENSIONS

18 sts and 26 rows to 10cm/4in square over st st on 4mm (No 7/US 7) needles.

19 sts and 30 rows to 10cm/4in square over moss st on 4mm (No 7/US 7) needles.

ABBREVIATIONS

See page 7.

BACK

With 4mm (No 7/US 7) needles cast on 111 sts.

1st row K1, [p1, k1] to end.

This row forms moss st. Work 11 rows more in moss st.

Work in patt as follows:

1st row (right side) Moss st 12, work 1st row of chart 1, moss st 3, work 1st row of chart 2, moss st 3, work 1st row of chart 1, moss st 12.

2nd to 38th rows Rep last row 37 times, but working 2nd to 38th rows of charts.

39th to 42nd rows K1, [p1, k1] to

end.

43rd row Moss st 12, work 1st row of chart 2, moss st 3, work 1st row of chart 1, moss st 3, work 1st row of chart 2, moss st 12.

44th to 80th rows Rep last row 37 times, but working 2nd to 38th rows of charts.

81st to 84th rows K1, [p1, k1] to end.

These 84 rows form patt. Patt a further 80 rows.** Cont in moss st across all st, work 8 rows.

Shape Neck

Next row Patt 42, turn.

Work on this set of sts only. Cast off 3 sts at beg of next row and foll alt row. Cast off rem 36 sts.

With right side facing, slip centre 27 sts onto a holder; rejoin yarn to rem sts,

cast off 3, patt to end. Work 1 row.

Cast off 3 sts at beg of next row. Work 1 row. Cast off rem 36 sts.

FRONT

Work as given for Back to **.

Continuing in moss st across all sts, work as follows:

Shape Neck

Next row Patt 42, turn.


Work on this set of sts only. Dec one st at neck edge on next 6 rows. 36 sts. Patt 5 rows straight. Cast off.

With right side facing, slip centre 27 sts onto a holder; rejoin yarn to rem sts and patt to end. Complete as first side.

SLEEVES

With 4mm (No 7/US 7) needles cast on 49 sts. Work 16 rows in moss st as

Chart 1




Key

□ = K on right side
P on wrong side

◻ = P on right side
K on wrong side

Chart 2





given for Back, dec one st at each end of 5th row and foll 6th row. 45 sts. Cont in moss st, inc one st at each end of 9th row and every foll 4th row until there are 91 sts. Cont straight until Sleeve measures 51cm/20in from beg. Cast off.

COLLAR

Join right shoulder seam. With 4mm (No 7/US 7) needles and right side facing, k up 13 sts down left front neck, work p1, [k1, p1] 13 times across centre front sts, k up 12 sts up right front neck, 7 sts down right back neck, work p1, [k1, p1] 13 times across

centre back sts, k up 7 sts up left back neck. 93 sts.

1st rib row P1, [k1, p1] to end.

2nd rib row K1, [p1, k1] to end.

Rib 12 rows more. Work 20 rows in moss st as given for Back. Cast off firmly.

TO MAKE UP

Join left shoulder and collar seam, reversing seam on moss st section of collar. Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams, reversing seams on first 16 rows at lower edge of sleeves for cuffs. Turn back cuffs.

HEART AND STAR BABY WRAP

Continuing the heart and star theme, the wrap is knitted in a pure wool double-knitting yarn and has cross stitch embroidery. If preferred, the colour motifs can be embroidered on afterwards to give an authentic patchwork quilt effect.

MATERIALS

5 50g balls of Rowan Designer DK Wool in Cream (A).

1 ball of same in Red (B).

Pair of 4mm (No 8/US 6) knitting needles.

Cable needle.

MEASUREMENT

Approximately 53cm x 79cm/21in x 31in.

TENSION

24 sts and 32 rows to 10cm/4in square over st st on 4mm (No 8/US 6) needles.

ABBREVIATIONS

C4B = sl next 2 sts onto cable needle and leave at back of work, k2, then k2 from cable needle.
Also see page 7.

NOTES

Read charts from right to left on right side and from left to right on wrong side. When working colour motifs, use separate small ball of B for each coloured area and twist yarn together on wrong side when changing colour to avoid holes. If desired, the colour motifs can be Swiss darned (see diagrams, page 66) when knitting is complete.

TO MAKE

With 4mm (No 8/US 6) needles and A, cast on 129 sts.

1st row (right side) P1, k1, p1, k4, p1, [k1, p1] to last 7 sts, k4, p1, k1, p1.

2nd row P1, k1, p6, k1, [p1, k1] to last 8 sts, p6, k1, p1.

3rd row P1, k1, p1, C4B, p1, [k1, p1] to last 7 sts, C4B, p1, k1, p1.

4th row As 2nd row.

These 4 rows form moss st with cable

patt at side edges. Work 2 more rows.

7th row Patt 10, work 1st row of chart 1, moss st 3, work 1st row of chart 2, moss st 3, work 1st row of chart 3, moss st 3, work 1st row of chart 4, patt 10.

8th row Patt 10, work 2nd row of chart 4, moss st 3, work 2nd row of chart 3, moss st 3, work 2nd row of chart 2, moss st 3, work 2nd row of chart 1, patt 10.

9th to 44th rows Rep last 2 rows 18 times more but working 3rd to 38th rows of charts.

45th row Patt 8, moss st to last 8 sts, patt 8.

46th to 48th rows Rep last row 3 times.

49th row Patt 10, work 1st row of chart 4, moss st 3, work 1st row of chart 1, moss st 3, work 1st row of chart 2, moss st 3, work 1st row of

chart 3, patt 10.

50th row Patt 10, work 2nd row of chart 3, moss st 3, work 2nd row of chart 2, moss st 3, work 2nd row of chart 1, moss st 3, work 2nd row of chart 4, patt 10.

51st to 90th rows Work 9th to 48th rows.

91st row Patt 10, work 1st row of chart 3, moss st 3, work 1st row of chart 4, moss st 3, work 1st row of chart 1, moss st 3, work 1st row of chart 2, patt 10.

92nd row Patt 10, work 2nd row of chart 2, moss st 3, work 2nd row of chart 1, moss st 3, work 2nd row of chart 4, moss st 3, work 2nd row of chart 3, patt 10.

93rd to 132nd rows Work 9th to 48th rows.

133rd row Patt 10, work 1st row of chart 2, moss st 3, work 1st row of chart 3, moss st 3, work 1st row of chart 4, moss st 3, work 1st row of chart 1, patt 10.

134th row Patt 10, work 2nd row of chart 1, moss st 3, work 2nd row of chart 4, moss st 3, work 2nd row of chart 3, moss st 3, work 2nd row of chart 2, patt 10.

135th to 174th rows Work 9th to 48th rows.


175th to 258th rows Work 7th to 90th rows.

259th and 260th rows Rep 45th row twice.

Cast off in patt, working 2 sts tog twice over each cable. Embroider single cross stitch in B on moss st along lower and top edges and along inside moss st panels at side edges. With B, make 4 pom-poms and attach firmly to each corner.

Overleaf: (left) Heart and Star Baby Wrap; (right) Scandinavian Jacket (right; see page 62) and Star and Heart Sweater (left; see page 57).


Chart 1



Key

- = With A, K on right side, P on wrong side
 ◻ = With A, P on right side, K on wrong side

Chart 2



- ⊗ = With B, K on right side, P on wrong side

Chart 3





Chart 4







SCANDINAVIAN JACKET

Hearts and snowflakes are featured in this red and cream jacket, which uses traditional Scandinavian patterning. Cross stitch embroidery adds to a folkloric look, and this design has patch pockets.

MATERIALS

4(5:7:9:10) 50g balls of Rowan Designer DK Wool in Red (A),
1(1:1:2:2) balls of same in Cream,
Pair each of 3½mm (No 10/US 3) and
4mm (No 8/US 6) knitting needles,
5(5:6:6:7) buttons.

TENSION

24 sts and 32 rows to 10cm/4in square
over st st on 4mm (No 8/US 6)
needles.

ABBREVIATIONS

See page 7.

NOTES

Read charts from right to left on right
side (k) rows and from left to right on
wrong side (p) rows. When working in
pattern, strand yarn not in use loosely
across wrong side over no more than
5 sts at the time to keep fabric elastic.
Use separate length of Cream when
working motif on pockets and twist
yarns together on wrong side at joins
to avoid holes.

BACK

With 3½mm (No 10/US 3) needles and
A, cast on 73(85:97:109:121) sts.

1st row K1, [p1, k1] to end.

This row forms moss st. Work
7(7:11:13:13) rows more in moss st.
Change to 4mm (No 8/US 6) needles.
Beg with a k row, work 2 rows in st st.
Cont in st st and work 1st, 2nd and 3rd
rows of chart 1. With A only, cont in st
st until work measures 16(21:26:26:
30)cm/6½(8¼10¼10¼12)in from beg,
ending with a p row. Work 36(36:36:
50:50) rows of chart 1, beg 2nd rep of
patt on 4th and 5th sizes only with 6th

MEASUREMENTS

To fit age	1yr	1-2yrs	3-5yrs	6-8yrs	9-11yrs
Actual chest measurement	63 24¼	73 28	82 32¼	93 36¼	102 40
Length	30 11¼	35 13¼	40 15¼	44 17¼	48 19
Sleeve seam	18 7	22 8¼	26 10¼	36 14	40 15¼

row. Cont in A only, work 2 rows.

Shape Shoulders

Cast off 10(12:15:17:20) sts at beg of
next 2 rows and 10(13:15:18:20) sts at
beg of foll 2 rows. Leave rem 33(35:37:
39:41) sts on a holder.

LEFT FRONT

With 3½mm (No 10/US 3) needles and
A, cast on 41(47:53:59:65) sts.

Work 8(8:12:14:14) rows in moss st as
given for Back, inc one st at centre of
last row, 42(48:54:60:66) sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) K to last 5 sts,
moss st 5.

2nd row Moss st 5, p to end.

Keeping the 5 sts at front edge in moss
st and A and remainder in st st, work
1st, 2nd and 3rd rows of chart 1. With
A only, cont in st st with 5 sts at front
edge in moss st until Front measures
16(21:26:26:30)cm/6½(8¼10¼10¼12)in
from beg, ending with a wrong side
row. Working in st st with 5 sts at front
edge in moss st and A, patt 25(25:23:
35:35) rows from chart 1.

Shape neck

Next row With A, moss st 5 and slip
these 5 sts onto safety pin, patt to end.
Patt 1 row. Keeping patt correct, cast

off 5(6:6:6:6) sts at beg of next row
and 6 sts at beg of foll alt row. Dec one
st at neck edge on every row until
20(25:30:35:40) sts rem. Patt 0(0:1:2:1)
rows. Cont in A only, work 2 rows.

Shape Shoulder

Cast off 10(12:15:17:20) sts at beg of
next row. Work 1 row. Cast off rem
10(13:15:18:20) sts.

Mark front edge to indicate buttons;
first one on 5th row of welt and last
one on last row before neck shaping
and rem 3(3:4:4:5) evenly spaced
between.

RIGHT FRONT

With 3½mm (No 10/US 3) needles and
A, cast on 41(47:53:59:65) sts.

Work 4 rows in moss st as given for
Back.

Buttonhole row (right side) K1, p1,
k2 tog, yf, k1, patt to end.

Moss st 3(3:7:9:9) rows more, inc one
st at centre of last row, 42(48:54:60:66)
sts.

Change to 4mm (No 8/US 6) needles.

1st row (right side) Moss st 5, k to end.

2nd row P to last 5 sts, moss st 5.

Complete to match Left Front, making
buttonholes to match markers as
before.



SLEEVES

With 3mm (No 10/US 3) needles and A, cast on 33(37:41:45:49) sts. Work 12(12:16:18:18) rows in moss st as given for Back, inc 10 sts evenly across last row, 43(47:51:55:59) sts. Change to 4mm (No 8/US 6) needles. Beg with a k row, work 2 rows in st st. Cont in st st, work first 3 rows of chart 1, then cont in A only, **at the same time**, inc one st at each end of 1st row and every foll 2nd(3rd:4th:5th:6th) row until there are 67(71:75:79:83) sts. Work 1(2:1:4:5) rows straight. Beg with 15th(15th:15th:1st:1st) row, work 22(22:22:38:38) rows of chart 1, inc and work into patt one st at each end of 1st(1st:3rd:1st:1st) row and 1(2:4:4:5) foll 2nd(3rd:4th:5th:6th) rows, 71(77:85:89:95) sts. Cast off.

NECKBAND

Join shoulder seams.

With 3mm (No 10/US 3) needles and

right side facing, slip the 5 sts from right front safety pin onto needle, rejoin A yarn and k up 19(21:23:25:27) sts up right front neck, k centre back sts, k up 19(21:23:25:27) sts down left front neck, then moss st 5 sts from left front safety pin, 81(87:93:99:105) sts. Moss st 6(6:6:8:8) rows. Cast off in moss st.

POCKETS (MAKE 2)

With 4mm (No 8/US 6) needles and A, cast on 21(23:23:25:27) sts.

Work 4 rows in moss st.

Next row Moss st 4, k to last 4 sts, moss st 4.

Next row Moss st 4, p to last 4 sts, moss st 4.

Rep last 2 rows 0(1:2:2:2) times more.

Next row With A, moss st 4, k2(3:3:4:5), k 1st row of chart 2, with A, k2(3:3:4:5), moss st 4.

Next row With A, moss st 4, p2(3:3:4:5), p 2nd row of chart 2, with A, p2(3:3:4:5), moss st 4.

Work a further 7 rows as set. Keeping the 4 sts at each side in moss st and remainder in st st, cont in A only, work 1(3:5:5:5) rows. Moss st 4 rows across all sts. Cast off in moss st.

TO MAKE UP

Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams. Sew on buttons and pocket flaps. With Cream, embroider single cross stitches on moss st hems, cuffs, front bands and neckband. Work single cross stitch with Cream in each corner on pockets.

Chart 1





Chart 2



Key

- = Red (A)
- ⊗ = Cream



SMOCK JACKET WITH FLORAL PANELS

I love an 'A-line' style or smock shape on small children. The one featured here has vertical panels of moss stitch diamonds and florals on the front and a horizontal panel on the back yoke.

MATERIALS

6(7:7:8) 50g balls of Rowan Cotton Glace in Cream (A),
1 ball of same in each of Green, Pale Pink and Deep Pink for swiss darning.
Pair each of 3mm (No 10/US 3) and 3mm (No 9/US 4) knitting needles.
Cable needle.
5 buttons.

TENSION

25 sts and 34 rows to 10cm/4in square over st st on 3mm (No 10/US 3) needles.

ABBREVIATIONS

C4B = sl next 2 sts onto cable needle and leave at back of work, k2, then k2 from cable needle;

C4F = sl next 2 sts onto cable needle and leave at front of work, k2, then k2 from cable needle.
Also see page 7.

LEFT FRONT

With 3mm (No 10/US 3) needles and A, cast on 67(71:75:79) sts.

1st row K1, [p1, k1] to end.

This row forms moss st. Work 5 rows more in moss st.

Next row (right side) K to last 4 sts, moss st 4.

Next row Moss st 4, p to end.

Rep last 2 rows until Front measures 11(14:16:20)cm/4½(5½:6½:8)in from beg, ending with a right side row.

Dec row Moss st 4, p3(5:7:9), [p2 tog, p1] 3 times, p2 tog, * [p2 tog] twice, p3 tog; rep from * 3 times more, [p2 tog] twice, [p1, p2 tog] 3 times, p8(10:12:14), 42(46:50:54) sts.

Work in patt as follows:

1st row (right side) K8(10:12:14), p1,

MEASUREMENTS

To fit age	6	12	24	36months
Actual chest measurement	56 22	63 24½	66 26	70 27½
Length	36 14½	40 15½	44 17½	49 19½
Sleeve seam	18 7	20 8	22 8½	24 9½

C4B, p2, [k1, p1] 7 times, p1, C4F, p1, k3(5:7:9), moss st 4.

2nd row Moss st 4, p3(5:7:9), k1, p4, k1, work 1st row of chart 1, k1, p4, k1, p8(10:12:14).

3rd row K8(10:12:14), p1, k4, p1, work 2nd row of chart 1, p1, k4, p1, k3(5:7:9), moss st 4.

4th row Moss st 4, p3(5:7:9), k1, p4, k1, work 3rd row of chart 1, k1, p4, k1, p8(10:12:14).

These 4 rows form cable patt and set position of patt from chart. Work a further 38(38:40:40) rows:

Shape Armhole

Cast off 4 sts at beg of next row. Work 1 row. Dec one st at armhole edge on next 3 rows. 35(39:43:47) sts. Patt 26(26:24:24) rows.

Keeping the 4 sts at front edge in moss st and remainder in st st, work 4(8:10:12) rows, dec 2 sts over each cable on first row. 31(35:39:43) sts.

Shape Neck

Cast off 7(8:9:10) sts at beg of next row and 4(4:4:6) sts at beg of foll alt row. Dec one st at neck edge on next 3(3:6:6) rows. 17(20:20:21) sts. Work 3(3:4:4) rows.

Shape Shoulder

Cast off 6(7:7:7) sts at beg of next row


and foll alt row. Work 1 row. Cast off rem 5(6:6:7) sts.

Mark front edge to indicate position of 5 buttons: first one 7(9:11:14)cm/2½(3½:4½:5½)in up from lower edge, last one 1cm/½in below neck shaping and rem 3 evenly spaced between.

RIGHT FRONT

With 3mm (No 10/US 3) needles and A, cast on 67(71:75:79) sts.
Work 6 rows in moss st as given for

Chart 1



Key

- = K on right side
P on wrong side
- ◻ = P on right side
K on wrong side

Left Front.

Next row (right side) Moss st 4, k to end.

Next row P to last 4 sts, moss st 4. Rep last 2 rows until Front measures 7(9;11;14)cm/2½(3¾;4½;5½)in from beg, ending with a wrong side row.

Buttonhole row K1, p1, yrn, p2 tog, patt to end.

Complete as given for Left Front, making buttonholes at markers, reversing shapings and working dec row and patt as follows:

Dec row P8(10;12;14), [p2 tog, p1] 3 times, [p2 tog] twice, * p3 tog, [p2 tog] twice; rep from * 3 times more, p2 tog, [p1, p2 tog] 3 times, p3(5;7;9), moss st 4, 42(46;50;54) sts.

1st row (right side) Moss st 4, k3(5;7;9), p1, C4B, p2, [k1, p1] 7 times, p1, C4F, p1, k8(10;12;14).

2nd row P8(10;12;14), k1, p4, k1, work 1st row of chart 1, k1, p4, k1, p3(5;7;9), moss st 4.

3rd row Moss st 4, k3(5;7;9), p1, k4, p1, work 2nd row of chart 1, p1, k4, p1, k8(10;12;14).

4th row P8(10;12;14), k1, p4, k1, work 3rd row of chart 1, k1, p4, k1, p3(5;7;9), moss st 4.

BACK

With 3¼mm (No 10/US 3) needles and A, cast on 113(121;125;129) sts. Work 6 rows in moss st as given for Left Front.

Beg with a k row, work in st st until Back matches Left Front to armhole shaping, ending with a p row.

Shape Armholes

Cast off 4 sts at beg of next 2 rows. Dec one st at each end of next 3 rows. 99(107;111;115) sts. Work 1 row.

Dec row K7(11;13;15), [k 2 tog] to last 8(12;14;16) sts, k to end. 57(65;69;73) sts.

1st row P7(11;13;15), k1, [p1, k1] 21 times, p to end.

2nd row K8(12;14;16), p1, [k1, p1] 20 times, k to end.

3rd row As 1st row.

4th row K7(11;13;15), work 1st row of chart 1 over next 43 sts, k to end.

5th row P7(11;13;15), work 2nd row of chart 1 over next 43 sts, p to end.

6th to 17th rows Rep 4th and 5th rows 6 times but working 3rd to 14th rows of chart.

18th row As 2nd row.

19th and 20th rows As 1st and 2nd rows.

Beg with a p row, cont in st st until Back matches Left Front to shoulder shaping, ending with a p row.

Shape Shoulders

Cast off 6(7;7;7) sts at beg of next 4 rows and 5(6;6;7) sts at beg of foll 2 rows. Cast off rem 23(25;29;31) sts.

SLEEVES

With 3¼mm (No 10/US 3) needles and A, cast on 37(41;43;47) sts.

Work 5 rows in moss st as given for Left Front.

Next row Moss st 1(3;4;3), work twice in next st, [moss st 2, work twice in next st] 11(11;11;13) times, moss st 2(4;5;4). 49(53;55;61) sts.

Beg with a k row, work in st st, inc one st at each end of 9th row and every foll 5th(4th;4th;6th) row until there are 67(73;79;81) sts. Cont straight until Sleeve measures 18(20;22;24)cm/7(8; 8¼;9½)in from beg, ending with a p row.

Shape Top

Cast off 4 sts at beg of next 2 rows. Dec one st at each end of next row and foll alt row. Work 1 row. Cast off rem 55(61;67;69) sts.

COLLAR

Join shoulder seams.

With 3¼mm (No 10/US 3) needles, right side facing, A and beg at centre of buttonhole band, k up 22(22; 25;27) sts up right front neck, 27(27; 29;29) sts across back neck and 22(22; 25;27) sts down left front neck to centre of button band. 71(71;79;83) sts.

Next row K1, [p1, k1] to end.

Rep this row 5 times more.

Change to 3¼mm (No 9/US 4) needles.

Next row Moss st 0(0;4;6) work 1st row of chart 1 over next 71 sts, moss st 0(0;4;6).

Work a further 13 rows as set.

Work 4 rows in moss st across all sts.

Cast off loosely in moss st.


TO MAKE UP

Swiss darn (see diagrams below) flower motif on first and every alternate stocking stitch diamond formed by chart pattern. Join side and sleeve seams. Sew in sleeves. Sew on buttons.

Swiss darning



Flower motif



Key

- = Green
- = Pale Pink
- ⊗ = Deep Pink





CHENILLE JACKET

Knitted in a velvety, chunky chenille, this jacket is shaped to give a flattering silhouette but has a small vent at the back for ease over the hips. There is garter stitch detailing in the borders and collar.

MATERIALS

8(8/9) 100g balls of Rowan Chenille Chunky Cotton,
Pair each of 4mm (No 8/US 6) and 4½mm (No 7/US 7) knitting needles,
4 buttons.

MEASUREMENTS

To fit bust	86	91	96 cm
	34	36	38 in
Actual bust measurement	100	105	110 cm
	39½	41½	43½ in
Length	60	61	62 cm
	23½	24	24½ in
Sleeve seam	46	46	46 cm
	18	18	18 in

TENSION

16 sts and 24 rows to 10cm/4in square over st st on 4½mm (No 7/US 7) needles.

ABBREVIATIONS

See page 7.

RIGHT BACK

With 4mm (No 8/US 6) needles cast on 46(48;50) sts.

K 7 rows.

Change to 4½mm (No 7/US 7) needles.

1st row (right side) K.

2nd row K4, p to end.

3rd to 6th rows Rep 1st and 2nd rows twice.

7th row K3, skpo, k23(24;25), k2 tog, k to end.

8th row As 2nd row.

9th to 14th rows Rep 1st and 2nd rows 3 times.

15th row K3, skpo, k21(22;23), k2 tog, k to end.

16th row As 2nd row.

17th to 22nd rows Rep 1st and 2nd rows 3 times.

23rd row K3, skpo, k19(20;21), k2 tog, k to end.

24th row As 2nd row. **

Next row K to last 4 sts, cast off these 4 sts. 36(38;40) sts.

Leave these sts on a spare needle.

LEFT BACK

With 4mm (No 8/US 6) needles cast on 46(48;50) sts.

K 7 rows.

Change to 4½mm (No 7/US 7) needles.

1st row (right side) K.

2nd row P to last 4 sts, k4.

3rd to 6th rows Rep 1st and 2nd rows twice.

7th row K16(17;18), skpo, k23(24;25), k2 tog, k3.

8th row As 2nd row.

9th to 14th rows Rep 1st and 2nd rows 3 times.

15th row K16(17;18), skpo, k21(22;23), k2 tog, k3.

16th row As 2nd row.

17th to 22nd rows Rep 1st and 2nd rows 3 times.

23rd row K16(17;18), skpo, k19(20;21), k2 tog, k3.

24th row As 2nd row. ***
K 1 row.

Back

Next row P to end then p across sts of right back. 76(80;84) sts.

Beg with a k row, work 4 rows in st st.

Dec row K3, skpo, k17(18;19), k2 tog, k28(30;32), skpo, k17(18;19), k2 tog, k3. Work 7 rows straight.

Dec row K3, skpo, k15(16;17), k2 tog, k28(30;32), skpo, k15(16;17), k2 tog, k3. 68(72;76) sts.

Work 9 rows straight.

Inc row K3, m1, k to last 3 sts, m1, k3. Work 5 rows straight. Rep last 6 rows 5 times more. 80(84;88) sts. Work 2 more rows. Back should measure 39cm/15½in from beg.

Shape Armholes

Cast off 4 sts at beg of next 2 rows.

1st row K1, skpo, k to last 3 sts, k2 tog, k1.

2nd row P.

Rep these 2 rows 3(4;5) times more. 64(66;68) sts. Cont straight until Back measures 60(61;62)cm/23½(24;24½)in from beg, ending with a p row.

Shape Shoulders

Cast off 9 sts at beg of next 4 rows.

Cast off rem 28(30;32) sts.

LEFT FRONT

Work as given for Right Back to **.

25th to 30th rows Rep 1st and 2nd rows 3 times.

31st row K3, skpo, k17(18;19), k2 tog, k to end.

32nd row As 2nd row.

33rd to 38th rows Rep 1st and 2nd rows 3 times.

39th row K3, skpo, k15(16;17), k2 tog, k to end. 36(38;40) sts.

Keeping the 4 sts at front edge in garter st and remainder in st st, work 9 rows straight.

Inc row K3, m1, k to end.

Work 5 rows straight. Rep last 6 rows 5 times more. 42(44;46) sts. Work 2 more rows.

Chenille Jacket (right) and Rosebud Crossover Cardigan (left; see page 71)

**Shape Armhole**

Cast off 4 sts at beg of next row. Work 1 row.

1st row K1, skpo, k to end.

2nd row K4, p to end.

Rep these 2 rows 3(4:5) times more. 34(35:36) sts.

Shape Neck

Next row K to last 4 sts, turn; leave the 4 sts on a safety pin.

Next row P.

Next row K to last 3 sts, k2 tog, k1. Rep last 2 rows until 18 sts rem. Cont straight until Front matches Back to shoulder shaping, ending at armhole edge.

Shape Shoulder

Cast off 9 sts at beg of next row. Work 1 row. Cast off rem 9 sts.

RIGHT FRONT

Work as given for Left Back to ***.

25th (buttonhole) row K2, yf, k2 tog, k to end.

26th row As 2nd row.

27th to 30th rows Rep 1st and 2nd rows twice.

31st row K16(17:18), skpo, k17(18:19), k2 tog, k3.

32nd row As 2nd row.

33rd to 38th rows Rep 1st and 2nd rows 3 times.

39th row K16(17:18), skpo, k15(16:17), k2 tog, k3. 36(38:40) sts. Keeping the 4 sts at front edge in garter st and remainder in st st, work 7 rows, then rep the buttonhole row again. Work 1 row.

Next row K to last 3 sts, m1, k3. Work 5 rows straight. Rep last 6 rows 5 times more, making buttonholes as before on 15th row. 42(44:46) sts. Work 3 more rows.

Shape Armhole

Cast off 4 sts at beg of next row.

1st row K to last 3 sts, k2 tog, k1.

2nd row P to last 4 sts, k4.

Rep last 2 rows 3(4:5) times more, making 1 more buttonhole on 1st row. 34(35:36) sts.

Shape Neck

Next row K4 and slip these 4 sts onto a safety pin, k to end.

Next row P.

Next row K1, skpo, k to end. Complete as Left Front.

SLEEVES

With 4mm (No 8/US 6) needles cast on 41(43:45) sts.

K 7 rows.

Change to 4½mm (No 7/US 7) needles.

Beg with a k row, work 2 rows in st st.

Next row K3, m1, k to last 3 sts, m1, k3.

Work 5 rows straight. Rep last 6 rows 14 times more. 71(73:75) sts. Cont straight until Sleeve measures 46cm/18in from beg, ending with a p row. Mark each end of last row. Work 6 rows straight.

Shape Top

1st row K1, skpo, k to last 3 sts, k2 tog, k1.

2nd row P.

Rep last 2 rows 3(4:5) times more. 63 sts. Cast off.

COLLAR

With 4mm (No 8/US 6) needles, rejoin yarn at inside edge to the 4 sts of left front band. Cont in garter st, inc one st at inside edge on every foll 3rd row until there are 21 sts, ending at outside edge.

Next 2 rows K11, sl1, turn, k to end. K 4 rows. Rep last 6 rows 4 times more. Cont straight until inside edge of collar fits along front neck to centre of back neck. Cast off.

Work right side of collar to match left side.

TO MAKE UP

Join shoulder seams and back seam of collar. Sew collar in position. Sew in sleeves, sewing rows above markers to cast off sts at armholes. Join side and sleeve seams. Sew on buttons. Place the 4 cast off sts of right back under the first 4 sts of left back and slip stitch in place.

ROSEBUD CROSSOVER CARDIGAN

This ballerina-style cardigan has an all-over delicate floral pattern, with garter stitch borders and ties. It is knitted in a four-ply cotton which has a slight sheen.

MATERIALS

4(5:6) 50g balls of Rowan Cotton
Glacé in Cream (A).
1 ball of same in each of Green, Light
Pink and Dark Pink.
Pair each of 3mm (No 11/US 2) and
3½mm (No 9/US 4) knitting needles.

TENSION

23 sts and 32 rows to 10cm/4in square
over st st on 3½mm (No 9/US 4)
needles.

ABBREVIATIONS

See page 7.

NOTES

Read chart from right to left on right
side (k) rows and from left to right on
wrong side (p) rows. When working in
pattern from chart, use lengths of
contrast colours for each coloured area
and twist yarns together on wrong side
at joins to avoid holes.

BACK

With 3mm (No 11/US 2) needles and
A, cast on 64(72:80) sts.

K 9 rows.

Change to 3½mm (No 9/US 4)
needles.

Beg with a k row, work in st st and patt
from chart until 70(80:98) rows of patt
have been worked.

Shape Shoulders

Cast off 8(9:10) sts at beg of next 4
rows. Leave rem 32(36:40) sts on a
holder.


LEFT FRONT

With 3mm (No 11/US 2) needles and
A, cast on 64(72:80) sts.

K 9 rows.

MEASUREMENTS

To fit age	6-12	12-18	24-36 months	
Actual chest measurement	56	62	70	cm
	22	24½	27½	in
Length	24	27	32	cm
	9½	10½	12½	in
Sleeve seam	18	22	24	cm
	7	8½	9½	in





Change to 3¼mm (No 9/US 4) needles.

1st row (right side) K 1st(19th:1st) row of chart to last 4 sts, k4A.

2nd row K4A, p 2nd(20th:2nd) row of chart to end.

Work a further 10(12:18) rows as set.

Shape Neck

Next row Patt to last 6 sts, k2 tog and turn; leave rem 4 sts on a safety pin.

Next row P2 tog, patt to end.

Next row Patt to last 2 sts, k2 tog. Rep last 2 rows until 16(18:20) sts rem. Work 14(16:22) rows straight.

Shape Shoulder

Cast off 8(9:10) sts at beg of next row. Work 1 row. Cast off rem 8(9:10) sts.

RIGHT FRONT

With 3mm (No 11/US 2) needles and A, cast on 64(72:80) sts.

K 9 rows.

Change to 3¼mm (No 9/US 4) needles.

1st row (right side) K4A, k 1st(19th:1st) row of chart to end.

2nd row P 2nd(20th:2nd) row of chart to last 4 sts, k4A.

Work a further 10(12:18) rows as set.

Shape Neck

Next row K4 and sl these 4 sts onto a safety pin, skpo, k to end.

Next row Patt to last 2 sts, p2 tog tbl.

Next row Skpo, patt to end.

Complete as Left Front, working 1 row more before shaping shoulder.

SLEEVES

With 3mm (No 11/US 2) needles and A, cast on 33(37:43) sts.

K 9 rows, inc 3(3:5) sts evenly across last row, 36(40:48) sts.

Change to 3¼mm (No 9/US 4) needles.

Beg with a k row, work in st st and patt from chart, inc one st at each end of 3rd row and every foll 4th row until there are 58(66:72) sts, working inc sts into patt. Cont straight until Sleeve measures 18(22:24)cm/7(8¾:9¾)in from

beg, ending with a wrong side row. Cast off.

NECKBAND

Join shoulder seams.

With 3mm (No 11/US 2) needles and right side facing, sl 4 sts from safety pin at right front on to needle, k up 58(66:78) sts up right front neck to shoulder; k back neck sts; k up 58(66:78) sts down left front neck, then k 4 sts from safety pin. 156(176:204) sts. K 5 rows. Cast off.

TIES (MAKE 2)

With 3mm (No 11/US 2) needles and A, cast on 5 sts. Work in garter st (every row k) until tie measures approximately 40(45:50)cm/16(18:20)in. Cast off.

TO MAKE UP

Sew on sleeves, placing centre of sleeves to shoulder seams. Sew one end of ties to row ends of neckband. Leaving an opening at right side seam for tie, join side and sleeve seams.





FLORAL JACKET

A gently shaped cotton jacket in a pattern of moss stitch and florals. It has a neat back vent and a moss stitch shawl collar.

MATERIALS

15 50g balls of Rowan Cotton Glace in Beige (A).
1 ball of same in each of Green, Light Pink and Dark Pink.
Pair each of 3mm (No. 11/US 2) and 3¼mm (No. 10/US 3) knitting needles.
5 buttons.

MEASUREMENTS

To fit bust	86-91cm	34-36in
Actual bust measurement	102cm	40in
Length	59cm	23¼in
Sleeve seam	45cm	17½in

TENSION

25 sts and 36 rows to 10cm/4in square over pattern on 3¼mm (No. 10/US 3) needles.

ABBREVIATIONS

See page 7.

NOTES

Read chart from right to left on right side rows and from left to right on wrong side rows. When working in pattern from chart, use separate lengths of contrast colours for each coloured area and twist yarns together on wrong side at joins to avoid holes.

RIGHT BACK

With 3mm (No. 11/US 2) needles and A, cast on 66 sts.

1st row (right side) [K1, p1] to end.

2nd row [P1, k1] to end.

These 2 rows form moss st. Moss st 6 rows more.

Change to 3¼mm (No. 10/US 3) needles.


1st row Work 15th row of chart to last 5 sts, with A, moss st 5.

2nd row With A, moss st 5, work 16th row of chart to end.

Work a further 24 rows as set.

Next row Patt to last 5 sts, cast off these 5 sts.

Leave rem 61 sts on a spare needle.



Key

- = With Green, K on right side, P on wrong side
- = With Beige, K on right side, P on wrong side
- = With Beige, P on right side, K on wrong side
- ⊗ = With Light Pink, K on right side, P on wrong side
- ⊗ = With Dark Pink, K on right side, P on wrong side



LEFT BACK

With 3mm (No 11/US 2) needles and A, cast on 66 sts.

1st row (right side) [P1, k1] to end.

2nd row [K1, p1] to end.

These 2 rows form moss st. Moss st 6 rows more.

Change to 3¼mm (No 10/US 3) needles.

1st row With A, moss st 5, work 15th row of chart to end.

2nd row Work 16th row of chart to last 5 sts, with A, moss st 5.

Work a further 25 rows as set.

Back

Next row Patt to end then patt across sts of Right Back. 127 sts.

Cont in patt across all sts, dec one st at each end of next row and 6 foll 6th rows. 113 sts. Work 4cm/1½in straight, ending with a wrong side row.

Inc one st at each end of next row and 6 foll 4th rows, working inc sts into patt. 127 sts. Cont straight until Back measures 37cm/14½in from beg, ending with a wrong side row.

Shape Armholes

Cast off 8 sts at beg of next 2 rows. Dec one st at each end of next 5 rows. 101 sts. Cont straight until Back measures 59cm/23¼in from beg, ending with a wrong side row.

Shape Shoulders

Cast off 10 sts at beg of next 4 rows and 9 sts at beg of foll 2 rows. Cast off rem 43 sts.

LEFT FRONT

With 3mm (No 11/US 2) needles and A, cast on 66 sts.

Work 8 rows in moss st as given for Right Back.

Change to 3¼mm (No 10/US 3) needles.

1st row Work 1st row of chart to last 5 sts, with A, moss st 5.

2nd row With A, moss st 5, work 2nd row of chart to end.

Work a further 26 rows as set.

Cont in patt, dec one st at side edge on next row and 6 foll 6th rows. 59 sts. Work 4cm/1½in straight, ending with a wrong side row.

Inc one st at side edge on next row and 6 foll 4th rows. 66 sts. Cont straight until Front matches Back to armhole shaping, ending at side edge.

Shape Armhole

Cast off 8 sts at beg of next row. Work 1 row. Dec one st at armhole edge on next 5 rows. 53 sts. Patt 1 row straight.

Shape Neck

Next row Patt to last 5 sts, turn; leave the 5 sts on a safety pin.

Dec one st at neck edge only on next row and every foll 3rd row until 29 sts rem. Cont straight until Front matches Back to shoulder shaping, ending at armhole edge.

Shape Shoulder

Cast off 10 sts at beg of next row and foll alt row. Work 1 row. Cast off.

Mark front band to indicate position of 5 buttons: first one 11cm/4¼in from lower edge, last one 2cm/¾in below neck shaping and rem 3 evenly spaced between.

RIGHT FRONT

With 3mm (No 11/US 2) needles and A, cast on 66 sts.

Work 8 rows in moss st as given for Left Back.

Change to 3¼mm (No 10/US 3) needles.

1st row With A, moss st 5, work 1st row of chart to end.

2nd row Work 2nd row of chart to last 5 sts, with A, moss st 5.

Complete as Left Front, making buttonholes to markers as follows:

Buttonhole row (right side) Moss st 1, k2 tog, yf, moss st 2, patt to end.

SLEEVES

With 3mm (No 11/US 2) needles and A, cast on 57 sts.

1st row P1, [k1, p1] to end.

This row forms moss st. Moss st 9 rows more.

Change to 3¼mm (No 10/US 3) needles. Work in patt from chart, inc one st at each end of 3rd row and every foll 6th row until there are 101 sts, working inc sts into patt. Cont straight until Sleeve measures 45cm/17½in from beg, ending with a wrong side row. Mark each end of last row.

Shape Top

Work a further 8 rows. Dec one st at each end of next row and 3 foll alt rows. 93 sts. Patt 1 row. Cast off.

COLLAR

With 3mm (No 11/US 2) needles, rejoin A yarn at inside edge to 5 sts on right front safety pin. Cont in moss st, inc one st at inside edge on 3rd row and every foll 4th row until there are 20 sts. Work straight until Collar, when slightly stretched, fits along shaped edge of front to centre of back neck. Leave these sts on a spare needle.

Work other half of collar to match. With right sides of collar pieces together, cast off together collar sts (see diagrams page 18).

TO MAKE UP

Join shoulder seams. Sew collar in place. Sew in sleeves, sewing rows above markers to cast off sts at armholes. Beginning above welt, join side seams, then sleeve seams. Sew on buttons. Place the 5 cast off sts of right back under the first 5 sts of left back and slip stitch in place.

BOBBLE AND CABLE TUNIC

This longline textured tunic has a cable and bobble stitch pattern, and is knitted in a four-ply cotton. It has a garter stitch shawl collar which is softened by a pretty picot edge.

MATERIALS

22 50g balls of Rowan Cotton Glace.
Pair each of 3¼mm (No 10/US 3) and 3mm (No 9/US 4) knitting needles.
One 3¼mm (No 10/US 3) circular needle.
Cable needle.

MEASUREMENTS

To fit bust	81-91 cm 32-36 in
Actual bust measurement	114 cm 45 in
Length	73 cm 28½ in
Sleeve seam	44 cm 17½ in

TENSION

28.5 sts and 35 rows to 10cm/4in square over pattern on 3¼mm (No 9/US 4) needles.

ABBREVIATIONS

C4B = sl next 2 sts onto cable needle and leave at back of work, k2, then k2 from cable needle;

C4F = sl next 2 sts onto cable needle and leave at front of work, k2, then k2 from cable needle;

Cr3L = sl next 2 sts onto cable needle and leave at front of work, p1, then k2 from cable needle;

Cr3R = sl next st onto cable needle and leave at back of work, k2, then p1 from cable needle;

mb = pick up loop lying between st just worked and next st, work into front, back, front, back and front of the loop, then pass 2nd, 3rd, 4th and 5th sts over 1st st.

Also see page 7.

BACK

With 3¼mm (No 10/US 3) needles, cast on 162 sts.

1st rib row (right side) [P2, k2] twice, *p1, k4, p1, [k2, p2] 3 times, k2; rep from * to last 14 sts, p1, k4, p1, [k2, p2] twice.

2nd rib row [K2, p2] twice, *k1, p4, k1, [p2, k2] 3 times, p2; rep from * to last 14 sts, k1, p4, k1, [p2, k2] twice.

3rd rib row [P2, k2] twice, *p1, C4B, p1, k2, p2, k2, p1, mb, p1, then pass bobble st over the p st, k2, p2, k2; rep from * to last 14 sts, p1, C4B, p1, [k2, p2] twice.

4th rib row As 2nd row.

These 4 rows form rib. Rib a further 14 rows.

Change to 3mm (No 9/US 4) needles.

1st row P9, [C4B, p8, mb, p1, then pass bobble st over the p st, p7] to last 13 sts, C4B, p9.

2nd row K9, [p4, k16] to last 13 sts, p4, k9.

3rd row P7, [C4B, C4F, p12] to last 15 sts, C4B, C4F, p7.

4th row K7, [p8, k12] to last 15 sts, p8, k7.

5th row P5, [C4B, k4, C4F, p4, mb, p1, then pass bobble st over the p st, p3] to last 17 sts, C4B, k4, C4F, p5.

6th row K5, [p2, k2, p4, k2, p2, k8] to last 17 sts, p2, k2, p4, k2, p2, k5.

7th row P3, *[C4B, k2] twice, C4F, p4; rep from * to last 19 sts, [C4B, k2] twice, C4F, p3.

8th row K3, [p2, k4, p4, k4, p2, k4] to last 19 sts, p2, k4, p4, k4, p2, k3.

9th row P1, [C4B, k12, C4F] to last st, p1.

10th row K1, [p2, k6, p4, k6, p2] to last st, k1.

11th row P1, [Cr3L, k5, C4B, k5, Cr3R] to last st, p1.

12th row K2, [p2, k5, p4, k5, p2, k2] to end.

13th row P2, [Cr3L, k12, Cr3R, p2] to end.

14th row As 8th row.

15th row P3, [Cr3L, k3, C4B, k3, Cr3R, p2, mb, p1, pass bobble st over the p st, p1] to last 19 sts, Cr3L, k3, C4B, k3, Cr3R, p3.

16th row K4, [p2, k3, p4, k3, p2, k6] to last 18 sts, p2, k3, p4, k3, p2, k4.

17th row P4, [Cr3L, k8, Cr3R, p6] to last 18 sts, Cr3L, k8, Cr3R, p4.

18th row As 6th row.





19th row P5, [Cr3L, k1, C4B, k1, Cr3R, p4, mb, p1, then pass bobble st over the p st, p3] to last 17 sts, Cr3L, k1, C4B, k1, Cr3R, p5.

20th row K6, [p2, k1, p4, k1, p2, k10] to last 16 sts, p2, k1, p4, k1, p2, k6.

21st row P6, [Cr3L, k4, Cr3R, p10] to last 16 sts, Cr3L, k4, Cr3R, p6.

22nd row As 4th row.

23rd row P7, [Cr3L, k2, Cr3R, p6, mb, p1, then pass bobble st over the p st, p5] to last 15 sts, Cr3L, k2, Cr3R, p7.

24th row K8, [p6, k14] to last 14 sts, p6, k8.

25th row P8, [Cr3L, Cr3R, p14] to last 14 sts, Cr3L, Cr3R, p8.

26th row As 2nd row.

These 26 rows form patt. Cont in patt until Back measures 73cm/28½in from beg, ending with a wrong side row.

Shape Shoulders

Cast off 19 sts at beg of next 4 rows and 20 sts at beg of foll 2 rows. Cast off rem 46 sts.

FRONT

Work as given for Back until Front measures 50cm/19½in from beg, ending with a right side row.

Shape Neck

Next row Patt 69, cast off next 24 sts, patt to end.

Cont on last set of sts only. Dec one st at neck edge on 5th row and every foll 6th row until 58 sts rem. Cont straight until Front matches Back to shoulder shaping, ending at side edge.

Shape Shoulder

Cast off 19 sts at beg of next row and foll alt row. Work 1 row. Cast off rem 20 sts.

With right side facing, rejoin yarn to rem sts and complete as first side.

SLEEVES

With 3¼mm (No 10/US 3) needles cast on 62 sts.

Work 18 rows in rib as given for Back. Change to 3¼mm (No 9/US 4) needles.

Work in patt as given for Back, inc one st at each end of every 3rd row until there are 92 sts then on every foll 4th row until there are 130 sts, working inc sts into patt. Cont straight until Sleeve measures 44cm/17½in from beg, ending with a wrong side row. Cast off.

COLLAR

Join shoulder seams.

With 3¼mm (No 10/US 3) circular needle and right side facing, k up 60 sts up right front neck, 36 sts across back neck and 60 sts down left front neck, 156 sts. Work backwards and forwards in rows. K 1 row.

Next 2 rows K to last 54 sts, turn.

Next 2 rows K to last 48 sts, turn.

Next 2 rows K to last 42 sts, turn.

Cont in this way, working 6 sts more at end of every row, work 12 rows. K 39 rows across all sts.

Dec row K6, [k2 tog, k11] to last 7 sts, k2 tog, k5, 144 sts.

Next row Cast off knitwise 2 sts, [sl st used in casting off back onto left hand needle, cast on 2 sts knitwise, cast off 4 sts knitwise] to end.

Fasten off.

TO MAKE UP

Sew on sleeves, placing centre of sleeves to shoulder seams. Join side and sleeve seams. Lap right side of collar over left side and catch down row ends of collar together to cast off sts at centre of front.