

Eagley

KNITTING BOOK NO. 102



PAGE 8



PRICE
1/6



AN EAGLEY MILLS
PRODUCTION

Caroline

FROCK AND BONNET FOR BABE OF 3-9 MONTHS

Materials.—4 ozs. of "Eagley" 3 ply Cambridge Baby Wool. 1 pair each Nos. 10 and 12 knitting needles. 4 buttons. Ribbon as required. A medium-sized crochet hook.

Abbreviations—See back page.

Measurements.—Age 3-9 months.

Note.—The fancy pattern used in this design requires a number of stitches divisible by 12 plus 1.

THE FROCK

THE FRONT—Using No. 12 needles, cast on 145 sts. and work 11 rows in garter st. (every row K.).

Change to No. 10 needles and work in the following patt.:—

1st row (wrong side facing).—K.1, * P.1, K.3, m.1, sl. 1, K.2 tog., p.s.s.o., m.1, K.3, P.1, K.1; rep. from * to end.

2nd row.—P.1, * K.1, P.9, K.1, P.1, rep. from * to end.

3rd row.—K.1, * P.1, K.1, K.2 tog., m.1, K.3, m.1, sl. 1, K.1, p.s.s.o., K.1, P.1, K.1, rep. from * to end.

4th row.—As the 2nd row.

5th row.—As the 1st row.

6th row.—As the 2nd row.

7th row.—K.2 tog., m.1, K.3, P.1, K.1, P.1, * K.3, m.1, sl. 1, K.2 tog., p.s.s.o., m.1, K.3, P.1, K.1, P.1, rep. from * until 5 sts. rem., K.3, m.1, K.2 tog.

8th row.—P.5, * K.1, P.1, K.1, P.9, rep. from * until 8 sts. rem., K.1, P.1, K.1, P.5.

9th row.—K.2, m.1, sl. 1, K.1, p.s.s.o., K.1, P.1, K.1, P.1, * K.1, K.2 tog., m.1, K.3, m.1, sl. 1, K.1, p.s.s.o., K.1, P.1, K.1, P.1; rep. from * until 5 sts. rem., K.1, K.2 tog., m.1, K.2.

10th row.—As the 8th row.

11th row.—As the 7th row.

12th row.—As the 8th row.

These 12 rows comprise the patt. Cont. to repeat them until 8 patts. have been worked, then work from the 1st to the 11th row of patt. inclusive (the work should measure approx. 10½ ins.).

Now dec. for the waist as follows: (change to No. 12 needles).—

Next row.—K.2 tog., P.3 tog., * K.1, P.1, K.1, P.3 tog., K.3 tog., P.3 tog.; rep. from * until 8 sts. rem., K.1, P.1, K.1, P.3 tog., K.2 tog. (73 sts.).

Next row.—P.1, * K.1, P.1, rep. from * to end.

Next row.—K.1, * P.1, K.1, rep. from * to end.

Work 1 more row in rib, then work the ribbonholes as follows:—

MAKE RIBBONHOLES—K.1, * m.1, K.2 tog., rep. from * to end.

Work 3 more rows in rib, then change to No. 10 needles and work 4 more rows in rib.

SHAPE ARMHOLES—Cont. in rib, cast off 2 sts. at the beg. of the next 2 rows, then dec. 1 st. at both ends of the following 3 rows (63 sts.).

Work in rib until the armholes measure 2½ ins. on the straight, ending with a wrong side row.

SHAPE NECK—Rib 25, cast off 13, rib 25. Cont. in rib on the last 25 sts. dec. 1 st. at the neck edge on every row until 21 sts. rem., then work without further shaping until the armhole measures 3½ ins. on the straight, cast off. Rejoin wool and work the other side of neck to correspond, reversing all shapings.

THE BACK—Work as for the front until the waist ribbing is completed.

Next row.—Change to No. 10 needles and divide for the back opening thus:—Rib 34, turn and cast on 5 sts. (for underlap). Work 3 more rows on these 39 sts (leaving the rem. 39 sts. for the left side on a spare needle until required).

SHAPE ARMHOLE—Cast off 2 sts. at the beg. of the next row, then dec. 1 st. at the arm edge on the following 3 rows (34 sts.). Work in rib until the armhole measures 3 ins. on the straight, ending with a right side row.

SHAPE NECK—Cast off 12 sts. at the beg. of the next row, then dec. 1 st. at this same edge on the following 3 rows. Work 1 row without shaping, then cast off. Rejoin wool at the waist and work the other side to correspond, reversing the shapings and making a buttonhole at the beg. of the 5th and every following 10th row (4 in all), thus: Rib 3 sts., cast off 2, work to end of row. On the following row cast on 2 sts. to replace those cast off.

Continued on page 14



Penelope

FROCK AND BONNET FOR BABE OF 3-6 MONTHS

Materials.—5 ozs. of "Eagley" Cambridge 3 ply Baby Wool. 1 pair each Nos. 10 and 12 knitting needles; a medium sized crochet hook; 4 buttons; ribbon for Frock and Bonnet.

Tension.—8 sts. and 10 rows to 1 inch.

THE FROCK

THE BACK—Using No. 10 needles, cast on 141 sts. and work 6 rows in garter st. (every row K.).

Now work in the following patt.:—

1st row.—K.1, * m.1 (by picking up the loop which lies between the st. just worked and the next one and knitting it. This method is used throughout), K.4, sl. 1, K.1, p.s.s.o., K.1, K.2 tog., K.4, m.1, K.1, rep. from * to end.

2nd and every alternate row.—K.1, P. to last st., K.1.

3rd row.—K.2, * m.1, K.3, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.3, m.1, K.3, rep. from * ending with K.2 instead of K.3.

5th row.—K.3, * m.1, K.2, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.2, m.1, K.5, rep. from * ending with K.3 instead of K.5.

7th row.—K.4, * m.1, K.1, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.1, m.1, K.7, rep. from * ending with K.4 instead of K.7.

9th row.—K.5, * m.1, sl.1, K.1, p.s.s.o., K.1, K.2 tog., m.1, K.9, rep. from * ending with K.5 instead of K.9.

11th row.—K.6, * m.1, sl.1, K.2 tog., p.s.s.o., m.1, K.11, rep. from * ending with K.6 instead of K.11.

12th row.—As the 2nd row.

Now work 4 rows in stocking stitch (right side K., wrong side P.).

Now work the 12 rows of the patt. again (28 rows in all from beg. of 1st patt. row).

Now repeat the 11th and 12th patt. rows until the work measures 11½ ins., ending with a wrong side row.

Change to No. 12 needles and dec. for waist as follows:—

Next row.—(K.2 tog.) 3 times, * m.1, sl.1, K.2 tog., p.s.s.o., m.1, (K.3 tog.) twice, K.2 tog., K.3 tog., rep. from * until 9 sts. rem. m.1, sl.1, K.2 tog., p.s.s.o., m.1, (K.2 tog.) 3 times (72 sts.).

Next row.—K.1, P. to last st., K.1.

Now work the yoke patt. as follows:—

Measurements.—**Frock:** Length from shoulder to lower edge 16 ins.; chest 19 ins.; sleeve seam 1½ ins. **Bonnet:** Around face 12 ins.

Note: The fancy pattern used at the hem of this frock requires a number of stitches divisible by 14 plus 1.

Abbreviations—See back page.

1st row.—K.3, * m.1, sl. 1, K.2 tog., p.s.s.o., m.1, K.4, rep. from * ending with K.3 instead of K.4.

2nd row.—K.1, P. to the last st., K.1.

Change to No. 10 needles and work 4 more rows in the yoke patt.

SHAPE ARMHOLES—Cont. in yoke patt., casting off 3 sts. at the beg. of the next two rows, then dec. 1 st. at both ends of the next 3 alternate rows (60 sts.).

Note: The patt. will now beg. and end with K.4 on right side rows.

Cont. in patt. until the armholes measure 3 ins. on the straight, ending with a wrong side row.

SHAPE NECK—Keeping the patt. correct, patt. 22, cast off 16, patt. 22. Cont. on the last 22 sts., dec. 1 st. at the neck edge on the following 4 rows, cast off.

Rejoin wool at the neck edge and work the other shoulder to correspond, reversing shapings.

THE FRONT—Work as for the back until the armholes measure 2½ ins. on the straight, ending with a wrong side row.

SHAPE NECK—Patt. 24, cast off 12, patt. 24. Cont. on the last 24 sts., dec. 1 st. at the neck edge on every row until 18 sts. rem., then work without further shaping until the armhole measures the same as for the back to shoulder. Cast off.

Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

SLEEVES (both alike).—Using No. 12 needles, cast on 42 sts. and work 5 rows in garter st.

Next row.—K.6, K. into the front and back of each of the next 30 sts., K.6 (72 sts.).

Change to No. 10 needles and work in the yoke patt. until the work measures 1½ ins. from commencement.

SHAPE TOP—Keeping the patt. correct, cast off 3 sts. at the beg. of every row until 18 sts. rem., cast off, working 2 tog., at both ends of the casting off row. [Continued on page 5]

BONNET—Using No. 12 needles, cast on 81 sts. and work 8 rows in garter st. Change to No. 10 needles and work 2 rows in stocking stitch, then work in patt. as follows:—

1st row.—K.6, * m.1, K.4, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.4, m.1, K.1, rep. from * until 5 sts. rem., K.5.

2nd and every alternate row.—K.3, P. until 3 sts. rem., K.3.

3rd row.—K.7, * m.1, K.3, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.3, m.1, K.3, rep. from * ending with K.7 instead of K.3.

5th row.—K.8, * m.1, K.2, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.2, m.1, K.5, rep. from * ending with K.8 instead of K.5.

7th row.—K.9, * m.1, K.1, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.1, m.1, K.7, rep. from * ending with K.9 instead of K.7.

9th row.—K.10, * m.1, sl.1, K.1, p.s.s.o., K.1, K.2 tog., m.1, K.9, rep. from * ending with K.10 instead of K.9.

11th row.—K.11, * m.1, sl.1, K.2 tog., p.s.s.o., m.1, K.11, rep. from * to end.

12th row.—K.3, P. until 3 sts. rem., K.3.

Continued on page 14



Pamela

BABY SET FOR BABE 6-12 MONTHS

Materials.—For the complete set: 6 ozs. of "Eagley" Cambridge 3 ply Baby Wool. Made separately: The Coat, 5 ozs.; The Bonnet, 1 oz.; The Bootees, 1 oz.; The Mittens, 1 oz. 1 pair each Nos. 10 and 12 knitting needles. 1 medium-sized crochet hook. 3 small buttons. Ribbon if required.

THE COAT—Worked in one piece to the commencement of armhole shapings.

Using No. 10 needles, cast on 231 sts. and work 12 rows in garter st. (every row K.). Now work in the following patt.:—

1st row.—K.6 (for border), P.3, * m.1, K.3 tog., m.1, P.3; rep. from * until 9 sts. rem., P.3, K.6 (for border).

2nd row.—K.6, K.3, * P.3, K.3; rep. from * until 6 sts. rem., K.6.

3rd row.—K.6, P.3, * K.1, m.1, K.1, m.1, K.1, P.3; rep. from * until 6 sts. rem. K.6.

4th row.—K.6, K.3, * P.5, K.3; rep. from * until 6 sts. rem., K.6.

5th row.—K.6, P.3, * K.2, m.1, K.1, m.1, K.2, P.3; rep. from * until 6 sts. rem., K.6.

6th row.—K.6, K.3, * P.7, K.3; rep. from * until 6 sts. rem., K.6.

7th row.—K.6, P.3, * K.2 tog.t.b.sts., K.1, m.1, K.1, m.1, K.1, K.2 tog., P.3; rep. from * until 6 sts. rem., K.6.

8th row.—K.6, K.3, * P.7, K.3; rep. from * until 6 sts. rem., K.6.

9th row.—K.6, P.3, * K.2 tog.t.b.sts., K.3, K.2 tog., P.3; rep. from * until 6 sts. rem., K.6.

10th row.—K.6, K.3, * P.5, K.3; rep. from * until 6 sts. rem., K.6.

11th row.—K.6, P.3, * K.2 tog.t.b.s., K.1, K.2 tog., P.3; rep. from * until 6 sts. rem., K.6.

12th row.—K.6, K.3, * P.3, K.3; rep. from * until 6 sts. rem., K.6.

These 12 rows comprise the patt. Rep. them 7 times more.

Change to No. 12 needles and work as follows:—

Next row.—K.6, P.3, * sl. 1, K.2 tog., p.s.s.o. P.3; rep. from * until 6 sts. rem., K.6 (159 sts.).

Next row.—K.6, K.3, * P.1, K.3; rep. from * until 6 sts. rem., K.6.

Measurements.—**The Coat:** Length from shoulder to lower edge $15\frac{1}{2}$ ins.; around underarm 21 ins.; sleeve seam $7\frac{1}{2}$ ins.

Tension.—8 sts. to 1 in.

Note: The fancy pattern used in this design requires a number of sts. divisible by 6 plus 3.

Abbreviations—See back page.

Now work the ribbonholes as follows: K.6, * P.2 tog., m.1, P.1, K.1, rep. from * until 9 sts. rem., P.2 tog., m.1, P.1, K.6.

Next row.—K.6, * K.3, P.1, rep. from * until 9 sts. rem., K.9.

Change to No. 10 needles and cont. in the P.3, K.1 rib as now set (still keeping the 6 sts. at both ends of the needle in garter st. for the borders) for 4 more rows.

COMMENCE THE ARMHOLE SHAPINGS—**Next row.**—K.6, work 33 sts. in rib as before, cast off 5, work 71 sts. in rib, cast off 5, work 33 sts. in rib, K.6. Cont. on the last 39 sts. for the left front, dec. 1 st. at the armhole edge on the next 3 alternate rows (36 sts.). Cont. in rib (with the 6 border sts. in garter st.) without further shaping until the armhole measures $3\frac{1}{4}$ ins. on the straight, ending with a right side row.

SHAPE NECK—Cast off 14 sts. at the beg. of the next row, then dec. 1 st. at the neck edge on the following 4 rows (18 sts.), work 2 rows without shaping, then cast off. Rejoin wool at the needle point and work 1 row across the back, leaving 39 sts. at the end of the needle for the right front. Work in rib, dec. 1 st. at both ends of every alternate row 3 times (65 sts.).

Cont. on these 65 sts. without further shaping until the armholes measure the same as for the front to shoulder, cast off. Rejoin wool and work the right front to correspond with the left, reversing all shaping and making a buttonhole in the 2nd row and then at intervals of $1\frac{1}{2}$ ins. (3 in all) thus:—

With the r.s.f., K.3, wind the wool twice around the needle; K.2 tog., work to end of row. On the following row, K.1 made st. and drop the other.

SLEEVES (both alike).—Using No. 12 needles, cast on 36 sts. and work 11 rows in garter st. Work the next row thus: K.1, * K.1, K. into the front and back of the next

[Continued on page 7]

st.; rep. from * until 1 st. rem., K.1 (53 sts.). Change to No. 10 needles and work in the following rib:—

1st row.—P.2, * K.1, P.3, rep. from * ending with P.2 instead of P.3.

2nd row.—K.2, * P.1, K.3, rep. from * ending with K.2 instead of K.3.

Rep. these 2 rows, inc. 1 st. at both ends of the 11th and every following 10th row until there are 61 sts. on the needle and the sleeve measures $7\frac{1}{2}$ ins. (or length required).

SHAPE TOP—Cast off 2 sts. at the beg. of every row until 21 sts. rem. Cast off, working 2 sts. tog. at both ends of the casting off row.

THE COLLAR—Using No. 10 needles, cast on 79 sts. and work 4 rows in garter st. Now work in rib as for beg. of sleeves, but keeping 3 sts. at both ends of the needle in garter st. as a border for $1\frac{1}{2}$ ins.

Next row.—* K.4, K.2 tog., rep. from * until 1 st. rem., K.1, cast off rem. sts.

[Continued on page 12]





Rosebud

A COMPLETE LAYETTE:—

Materials.—For the complete set: 6 ozs. of "Eagley" 2 ply Shetland Baby Wool. Made separately: **The Frock:** 2 ozs.; **The Coat,** 3 ozs.; **The Pilches,** 2 ozs.; **The Bonnet,** 1 oz.; **The Helmet,** 1 oz. **The Booties,** 1 oz. **The Mittens,** 1 oz.

Measurements.—To fit size 6 months.

THE FROCK

THE FRONT—Using No. 10 needles, cast on 128 sts. and work 8 rows in garter st., inc. into every 12th st. on the last row (138 sts.). Now work in the following patt.:—

1st row.—K.3, * m.1, K.2 tog., K.10, rep. from * until 3 sts. rem., m.1, K.2 tog., K.1.

2nd row.—K.3, m.1, K.2 tog., K.1, * P.6, K.3, m.1, K.2 tog., K.1, rep. from * to end. Rep. the first 2 rows once.

5th row.—K.3, m.1, K.2 tog., K.1, * pull the 4th, 5th and 6th sts. on the left hand needle over the first 3 sts on that needle and drop them off the needle, m.1, K.1, m.1, K.2, m.1, K.3, m.1, K.2 tog., K.1, rep. from * to end.

6th row.—As the 2nd row.

These 6 rows comprise the fancy patt.

1 pair each Nos. 10 and 12 knitting needles, 17 small buttons, a medium-sized crochet hook, ribbon as required.

Tension.— $7\frac{1}{2}$ sts. and 10 rows to 1 inch.

Note: The pattern used in this design requires a number of stitches divisible by 12 plus 6.

Abbreviations.—See back page.

Cont. to rep. them until 6 patts (30 rows) have been worked.

Now cont. the skirt as follows:—

1st row.—K.24, patt. 18, K.54, patt. 18, K.24.

2nd row.—P.24, patt. 18, P.54, patt. 18, P.24.

Cont. in this way, working the patt. up the skirt in 2 panels (with 54 sts. in the centre and 24 sts. at each side in st.st. throughout) until 19 patts. have been worked from beg. of skirt and the work ends on a 6th patt. row on the panels.

Change to No. 12 needles and dec. for the waist as follows: (K.3 tog.) 8 times, patt. 18,

[Continued on page 9]



(K.3 tog.) 18 times, patt. 18, (K.3 tog.) 8 times (70 sts.).

Now work three rows in garter st. (every row K.) across the former st.st. portions of the work, but keep the 2 panels of 18 sts. in patt. as before.

MAKE RIBBON HOLES—(K.2 tog., m.1) 4 times, patt. 18, (K.2 tog., m.1) 9 times, patt. 18, (m.1, K.2 tog.) 4 times.

Work three more rows in garter st. still keeping the patt. portions correct.

Change to No. 10 needles and work 4 rows in st.st. across the plain parts of work and keeping the 18 panel sts. correct. **Note:** The patt. panels are continued right up the yoke to the shoulders.

SHAPE ARMHOLES—Cast off 2 sts. at the beg. of the next 2 rows, then dec. 1 st. at both ends of the next 3 rows (60 sts.).

Work without further shaping until the armholes measure 2½ ins. on the straight, ending with a wrong side row.

SHAPE NECK—Work 24 sts., cast off 12, work 24. Cont. on the last 24 sts., dec. 1 st. at the neck edge on the following 5 rows, then work without shaping until the armhole measures 3½ ins. on the straight, cast off.

Rejoin wool at the neck edge and work the other side to correspond, reversing the shapings.

THE BACK—Work as for the front until the armholes measure 3 ins. on the straight, ending with a wrong side row.

SHAPE NECK—Work 22 sts., cast off 16, work 22. Cont. on the last 22 sts. and dec. 1 st. at the neck edge on the following 3 rows, cast off.

Rejoin wool and work the other side to correspond, reversing the shapings.

SLEEVES (both alike) — Using No. 12 needles, cast on 40 sts. and work 6 rows in garter st. Change to No. 10 needles and work the next row thus:—K.8, K. twice into each of the next 24 sts., K.8 (64 sts.).

Cont. in st.st. until the work measures 1¾ ins.

SHAPE TOP—Cast off 3 sts. at the beg. of every row until 16 sts. rem. Cast off, working 2 tog. at both ends of the casting off row.

THE PILCHES—Using No. 10 needles, cast on 25 sts. and work 4 rows in garter st.

Next row.—Work the buttonholes thus: K.4, m.1, K.2 tog., K.6, m.1, K.2 tog., K.6, m.1, K.2 tog., K.3.

Next row.—Knit.

[Continued on page 10]

Cont. in garter st., casting on 3 sts. at the beg. of every row until there are 85 sts. on the needles. Now work as follows:—

1st row.—K.11, work the next 18 sts. in patt. as for 1st patt. row, K.27, patt. 18, K.11.

2nd row.—P.11, work the next 18 sts. in patt. as for 2nd patt. row, P.27, patt. 18, P.11.

Cont. in this way, working a panel of 18 sts. at each side in patt. and the remaining sts. in st.st. until the side seam measures 7 ins., ending with a wrong side row.

Work 1 row in K.1, P.1 rib, beg. and ending with K.1.

SHAPE THE BACK—

1st and 2nd rows.—Rib until 8 sts. rem., turn and rib until 8 sts. rem., turn.

3rd and 4th rows.—Rib until 16 sts. rem., turn and rib until 16 sts. rem., turn.

5th and 6th rows.—Rib until 24 sts. rem., turn and rib until 24 sts. rem., turn.

7th, 8th and 9th rows.—Rib until 32 sts. rem., turn and rib until 32 sts. rem., turn and rib to end of row.

Work 6 more rows in rib.

MAKE RIBBON HOLES—K.1, * m.1, K.2 tog., P.1, K.1, rep. from * to end.

Work 5 more rows in rib, then cast off loosely in rib.

THE FRONT—Using No. 10 needles, cast on 31 sts. and work 4 rows in garter st.

Cont. in garter st., casting on 3 sts. at the beg. of every row until there are 85 sts. on the needles, then work in st.st. and the 2 panels in patt. as for the back until the front measures the same as for the back to commencement of waist ribbing, ending with a wrong side row.

Work 8 rows in rib, beg. and ending the first row with K.1. Work the ribbon holes and then 5 more rows in ribbing as for the back. Cast off loosely.

LEG BANDS—Join the side seams. Using No. 12 needles and with r.s.f., pick up and K.78 sts. evenly around the leg opening and work 6 rows in K.1, P.1 rib, making a buttonhole at the beg. of the 4th row (right leg) thus: Rib. 4, m.1, work 2 tog., rib to end. Cast off loosely in rib. For left leg, make the buttonhole at the END of the 4th row thus; Rib until 5 sts. rem. m.1, work 2 tog., rib 3.

THE BOOTEES (both alike).—Commence at the foot, using No. 10 needles, cast on 39 sts.

1st and alternate rows.—Knit.

2nd row.—K.1, inc. into next st. (by knitting twice into the st.), K.16, inc., K.1, inc., K.16, inc., K.1.

4th row.—K.1, inc., K.18, inc., K.1, inc., K.18, inc., K.1.

6th row.—K.1, inc., K.20, inc., K.1, inc., K.20, inc., K.1.

8th row.—K.1, inc., K.22, inc., K.1, inc., K.22, inc., K.1.

10th row.—K.1, inc., K.24, inc., K.1, inc., K.24, inc., K.1 (59 sts.).

11th row.—Knit.

Knit 8 rows without shaping.

COMMENCE INSTEP SHAPING.

1st row.—K.34, K.2 tog., turn.

2nd row.—Sl.1, P.9, P.2 tog., turn.

3rd row.—Sl.1, K.9, K.2 tog., turn.

4th row.—Sl.1, P.9, P.2 tog., turn.

Rep. these last 2 rows until the sts. are reduced to 39, then turn and K. to end of row.

Next row (wrong side facing).—Purl across all sts.

MAKING RIBBON HOLES—K.1, * m.1, K.2 tog., rep. from * to end.

Next row.—Purl, inc. into every 11th st. (42 sts.).

Now work in patt. as for beg. of frock for 4 patts. (24 rows).

Change to No. 12 needles and work 8 rows in garter st., cast off.

THE COAT—(Made in one piece to the commencement of armhole shapings). Using No. 10 needles, cast on 261 sts. and work 8 rows in garter st., inc. into every 12th st. on the last row (282 sts.).

Now work in the following patt.:—

1st row.—K.3, * m.1, K.2 tog., K.10, rep. from * until 3 sts. rem., m.1, K.2 tog., K.1.

2nd row.—K.3, m.1, K.2 tog., K.1, * P.6, K.3, m.1, K.2 tog., K.1, rep. from * to end. Rep. the first 2 rows once.

5th row.—K.3, m.1, K.2 tog., K.1, * pull the 4th, 5th and 6th sts. on the left hand needle over the first 3 sts. on that needle and drop them off the needle m.1, K.1, m.1, K.2, m.1, K.3, m.1, K.2 tog., K.1, rep. from * to end.

6th row.—As the 2nd row.

Rep. these 6 rows of patt. 5 times more (36 rows).

Now work in st.st. on the centre 246 sts. of the work and keep 18 sts. at both ends of the needle in patt. as before. Cont. thus until 19 patts. have been worked ending with a wrong side row.

Dec. for the waist as follows: Change to No. 12 needles, patt. 18, (K.2 tog.) 3 times, * K.3 tog., (K.2 tog.) 4 times, rep. from * until 27 sts. rem., K.3 tog., (K.2 tog.) 3 times; patt. 18 (148 sts.).

[Continued on page 11]

Work 7 rows in garter st. across the work, but keep the 18 patt. border sts. correct at each end of the work.

Change to No. 10 needles and work 4 rows in st.st. on the main sts.

COMMENCE ARMHOLE SHAPINGS (R.s.f.) Patt. 18, K.16, cast off 6, K.68, cast off 6, K.16, patt. 18.

Continue on the last 34 sts. for the left front, leaving the sts. for the back and right front on a spare needle until required. Dec. 1 st. at the armhole edge on the following 3 rows (31 sts.), then cont. without shaping until the armhole measures $2\frac{3}{4}$ ins. on the straight, ending with a right side row.

SHAPE NECK—K.21, cast off 20, K.21. Cont. on the last 21 sts., dec. 1 st. at the neck edge on the next 2 rows. Cast off. Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

Work right front to correspond with left front.

SLEEVES (both alike). — Using No. 12 needles, cast on 36 sts. and work 8 rows in garter st. Change to No. 10 needles and work in st.st., inc. into every 3rd st. on the 1st row (48 sts.).

Cont. in st.st. at both ends of every 6th row until there are 62 sts. on the needle and the sleeve measures 6 ins.

SHAPE TOP—Dec. 1 st. at both ends of every row until 20 sts. rem. Cast off, working 2 tog. at both ends of the casting-off row.

COLLAR—Using No. 10 needles, cast on 76 sts. and work 4 rows in garter st.

Next row.—K.3, sl.1, K.1, p.s.s.o., K. until 5 sts. rem., K.2 tog., K.3. Work 3 rows in st.st. keeping 3 sts at both ends of the needle in garter st. as border.

Next row.—K.3, sl.1, K.1, p.s.s.o., K. until 5 sts. rem., K.2 tog., K.3.

Cont. in this way, dec. at both ends of every 4th row inside the garter st. borders until 5 dec. rows have been worked (66 sts.).

Next row.—K.3, Purl until 3 sts. rem., K.3.

Next row.—K.5, * K.2 tog., K.4, rep. from * ending with K.5 instead of K.4 (56 sts.).

Cast off.

THE BONNET—Using No. 12 needles cast on 83 sts. and work 8 rows in garter st., inc. into every 11th st. on the last row (90 sts.). Change to No. 10 needles and work in patt. as for beg. of coat until the work measures $4\frac{1}{2}$ ins., ending with a wrong side row.

SHAPE TOP—

1st row.—* K.8, K.2 tog., rep. from * to end.

2nd and every alternate row.—Purl.

3rd row.—* K.7, K.2 tog., rep. from * to end.

5th row.—* K.6, K.2 tog., rep. from * to end.

Cont. in this way, working 1 st. less between the decreases on every alternate row until 2 sts. are being knitted tog. all along the row. Break off wool, thread through rem. sts. and fasten off securely.

THE HELMET—Using No. 10 needles, commence at the crown. Cast on 8 sts. K. one row and P. one row.

Now inc. as follows:—

1st row.—K. twice into every st.

2nd and every alternate row.—K.1, P. to last st., K.1.

3rd row.—* Inc. into 1st st., K.1, rep. from * to end.

5th row.—* Inc. into 1st st., K.2, rep. from * to end.

7th row.—* Inc. into 1st st., K.3, rep. from * to end.

Cont. in this way, working 1 st. more between the increases on every alternate row until there are 88 sts. on the needle. Purl back, inc. 1 st. at both ends of the row (90 sts.).

Now work in patt. as for beg. of coat for 30 rows (5 patts.).

Change to No. 12 needles and work 8 rows in garter st.

Next row.—Cast off 4, K.26, cast off 30, K.30.

Next row.—Cast off 4, then cont. on the rem. 26 sts. for the ear-flap in garter st., dec. 1 st. at the beg. of every row until 6 sts. rem., K.2 tog. 3 times, K.3 tog., and fasten off.

Rejoin wool and work across the sts. for the other ear flap, dec. 1 st. at the beg. of every row until 5 sts. rem. Continue in garter st. on these 5 sts. for $2\frac{1}{2}$ ins.

MAKE BUTTONHOLE—

Next row.—K.2, m.1, K.2 tog., K.1. Work 2 more rows, then cast off.

THE MITTENS (Both alike).—Using No. 12 needles, cast on 39 sts. and work 6 rows in garter st., inc. into every 11th st. on the last row (42 sts.).

Now work in patt. as for beg. of the coat for 3 patts. (18 rows).

Next row.—Knit, working tog. every 9th and 10th sts. (38 sts.).

Next row.—Purl.

MAKE RIBBON HOLES—K.2, * m.1, K.2 tog., rep. from * to end.

Next row.—Purl.

[Continued on page 12]

COMMENCE THUMB GUSSET

1st row.—K.18, inc. into each of the next 2 sts., K.18.

2nd and every alternate row.—Purl.

3rd row.—K.18, inc., K.2, inc., K.18.

5th row.—K.18, inc., K.4, inc., K.18.

Cont. in st.st. working 2 extra sts. between the increases on every alternate row until there are 10 extra sts. on the needle (48 sts.). Purl back.

THE THUMB

Next row.—K.29, turn, and P.10 back. Cont. in st.st. on these 10 sts. for 8 rows. Shape top by K.2 tog. all along row. Break wool, thread through rem. sts. and sew down seam of thumb.

Cont. across all sts. in st.st. for 14 rows.

SHAPE TOP

1st row.—K.1, K.2 tog.t.b.s., K.13, K.2 tog., K.2, K.2 tog.t.b.s., K.13, K.2 tog., K.1.

2nd and every alternate row.—Purl.

3rd row.—K.1, K.2 tog.t.b.s., K.11, K.2 tog., K.2, K.2 tog.t.b.s., K.11, K.2 tog., K.1.

5th row.—K.1, K.2 tog.t.b.s., K.9, K.2 tog., K.2, K.2 tog.t.b.s., K.9, K.2 tog., K.1.

7th row.—K.1, K.2 tog.t.b.s., K.7, K.2 tog., K.2, K.2 tog.t.b.s., K.7, K.2 tog., K.1.

8th row.—P.11, turn.

Fold and work in half (right sides inside) and cast off from both needles together.

TO MAKE UP—Press the work lightly with a warm iron over a damp cloth, omitting the ribbing.

Frock: Join shoulder seams for $\frac{1}{4}$ inch from the armhole edges. Join side and sleeve seams. Sew in sleeves, easing in the fullness around top of armholes. Work a round of d.c. around neck and shoulder openings, making 3 small chain loops on each front shoulder. Now work a picot edge around the neck as follows: * 1 d.c. into the first st., 3 chain, join by d.c. into the first of the 3 chain, 1 d.c., miss 1 st., rep. from * to end. Press seams. Sew on buttons. Thread ribbon through waist. **Pilches:** Press seams. Sew on buttons at crutch. Thread ribbon through holes at waist. **Bootees:** Join leg and foot seams. Press seams. Thread with ribbon.

Coat: Join shoulder and sleeve seams. Sew in sleeves. Join collar to neck edge. Work 6 small loops down one side of front yoke (right side for girl, left side for boy). Sew on buttons to correspond with loops. **Bonnet:** Join back seam. Sew on ribbons. **Helmet:** Join back seams. Work a row of d.c. around the edges. Press and sew on button. **Mittens:** Join seams. Press and thread with ribbon.

PAMELA (Continued from page 7)

THE BONNET—Using No. 10 needles, cast on 74 sts. and work 12 rows in garter st. Now work in patt. as for the skirt of coat for 36 rows (3 patts.) but keeping 3 sts. at each end of the needle in garter st. as a border instead of 6 sts. as on the coat.

Next row.—K.1, P.4, P. into the front and back of the next st., * sl. 1, K.2 tog., p.s.s.o., purl into the front and back of each of the next 3 sts., rep. from * until 9 sts. rem., sl. 1, K.2 tog., p.s.s.o., purl into the front and back of the next st., P.4, K.1 (85 sts.).

Next row.—P.1, * K.6, P.1, rep. from * to end.

SHAPE TOP

1st row.—K.1, * P.2, P.2 tog., P.2, K.1, rep. from * to end.

2nd row.—P.1, * K.5, P.1, rep. from * to end.

3rd row.—K.1, * P.5, K.1, rep. from * to end.

4th row.—P.1, * K.2, K.2 tog., K.1, P.1, rep. from * to end.

5th row.—K.1, * P.4, K.1, rep. from * to end.

6th row.—P.1, * K.4, P.1, rep. from * to end.

7th row.—K.1, * P.1, P.2 tog., P.1, K.1, rep. from * to end.

8th row.—P.1, * K.3, P.1, rep. from * to end.

9th row.—K.1, * P.3, K.1, rep. from * to end.

10th row.—P.1, * K.1, K.2 tog., P.1, rep. from * to end.

11th row.—K.1, * P.2, K.1, rep. from * to end.

12th row.—P.1, * K.2, P.1, rep. from * to end.

13th row.—K.1, * P.2 tog., K.1, rep. from * to end.

14th row.—P.1, * K.1, P.1, rep. from * to end.

15th row.—K.1, * P.1, K.1, rep. from * to end.

16th row.—P.1, * P.2 tog., rep. from * to end.

Break wool, thread through rem. sts. and fasten off securely.

THE BOOTEES—Using No. 10 needles, cast on 39 sts. and work 8 rows in garter st. Change to No. 12 needles and work the patt. twice (24 rows) omitting the 6 sts. in garter st. at both ends of the needle.

Change back to No. 10 needles and work the next row thus:—

K.1, and P.1 into the first st., P.2, * sl. 1, K.2 tog., p.s.s.o., purl into the front and back of the next st., P.1, purl into the front and back of the next st.; rep. from * until 6 sts. rem., sl.1, K.2 tog., p.s.s.o., P.2, P.1 and K.1 into the last st (39 sts.).

Next row.—K.4, * P.1, K.5, rep. from * ending with K.4 instead of K.5.

Now work the ribbonholes as follows:—K.1, P.1, * m.1, P.2 tog., K.1, m.1, P.2 tog., P.1, rep. from * until 1 st. rem., K.1.

Next row.—K.4, * P.1, K.5, rep. from * ending with K.4 instead of K.5.

Now shape for the instep as follows: K.13, work on the next 13 sts. for the instep thus: (leaving 13 sts. at both ends of the needle until required).

1st row.—P.3, K.1, P.5, K.1, P.3.

2nd row.—K.3, P.1, K.5, P.1, K.3.

Rep. these 2 rows 12 times, break wool. Return to the 13 sts. left at the beg. of instep and rejoin wool at the end of this needle, pick up and K.13 sts. along the side of instep, K.13, pick up and K.13 sts. along the other side of instep, K. to end (65 sts.).

Work 9 rows in garter st. on these 65 sts.

SHAPE THE FOOT

1st row.—K.1, K.2 tog., K.23, K.2 tog., K.9, K.2 tog., K.23, K.2 tog., K.1.

2nd and every alternate row.—Knit.

3rd row.—K.1, K.2 tog., K.22, K.2 tog., K.7, K.2 tog., K.22, K.2 tog., K.1.

5th row.—K.1, K.2 tog., K.21, K.2 tog., K.5, K.2 tog., K.21, K.2 tog., K.1.

Cast off rem. sts.

Make another bootee exactly the same.

THE MITTENS—Using No. 10 needles, cast on 39 sts. and work 8 rows in garter st. Change to No. 12 needles and work 12 rows in patt.

Still working on No. 12 needles, work the next row thus:—

K.1, and P.1 into the 1st st., P.2, * sl. 1, K.2 tog., p.s.s.o., P. into the front and back of the next st., P.1, P. into the front and back of the next st.; rep. from * until 6 sts. rem., sl.1, K.2 tog., p.s.s.o., P.2, P.1 and K.1 into the last st. (39 sts.).

Next row.—K.4, * P.1, K.5, rep. from * ending with K.4 instead of K.5.

Now work the ribbonholes as for the bootees.

Next row.—K.2 tog., K.2, * P.1, K.5, rep. from * ending with K.4 instead of K.5 (38 sts.).

Now shape for the thumb.

1st row.—K.18, inc. into each of the next 2 sts., K.18.

2nd and every alternate row.—K.1, P. to the last st., K.1.

3rd row.—K.18, inc. into the next st., K.2, inc. into the next st., K.18.

5th row.—K.18, inc. into the next st., K.4, inc. into the next st., K.18.

Cont. in this way, working 2 sts. more between the increases on every alternate row until there are 12 extra sts. on the needle.

Next row.—As the 2nd row.

THE THUMB—K.32, turn and P.14 back. Work in stocking stitch (right side K., wrong side P.) on these 14 sts. for 8 rows. Shape the top by knitting 2 tog. all along the next row. Break wool, thread through rem. sts., fasten off securely and sew down seam of thumb. Rejoin wool at the rem. sts., pick up and K.2 sts. from the base of thumb, K.18 (38 sts.).

Next row.—K.1, P. to the last st., K.1.

Next row.—Knit.

Cont. thus until 9 rows have been worked across all sts.

SHAPE THE TOP

1st row.—* K.5, K.2 tog., rep. from * until 3 sts. rem., K.3.

2nd row (and all alternate rows).—K.1, purl to the last st., K.1.

3rd row.—* K.4, K.2 tog., rep. from * until 3 sts. rem., K.3.

5th row.—* K.3, K.2 tog., rep. from * until 3 sts. rem., K.3.

7th row.—* K.2, K.2 tog., rep. from * until 3 sts. rem., K.3.

9th row.—* K.1, K.2 tog., rep. from * to end.

Work 1 row. Break wool, thread through rem. sts., fasten off securely and sew down seam of mitten.

Make another mitten exactly the same.

TO MAKE UP—Press the work very lightly with a warm iron over a damp cloth. **The Coat:** Join shoulder and sleeve seams. Sew sleeves into armholes. Sew collar to neckline, leaving $\frac{1}{2}$ inch free at each side of the neck for overlap. Press seams. Sew on buttons to correspond with buttonholes. Thread ribbon or crocheted chain through the holes at waist and tie in a bow. **The Bonnet:** Sew up back seam. Press seam. Sew on ribbons. **The Bootees:** Join leg and foot seams. Press seams. Thread ribbon through the holes at ankles. **The Mittens:** Press, and thread ribbon through holes at wrists.

CAROLINE (Continued from page 2)

SLEEVES (both alike). — Using No. 12 needles, cast on 40 sts. and work 6 rows in garter st.

7th row.—K.9, K. twice into each of the next 21 sts. K.10 (61 sts.).

Change to No. 10 needles and work in patt. as for the skirt of frock until the work measures 2 ins.

SHAPE TOP—Keeping the patt. correct, cast off 3 sts. at the beg. of every row until 13 sts. rem. Cast off.

THE BONNET—Using No. 12 needles, cast on 91 sts. and work 11 rows in garter st.

Change to No. 10 needles and work in patt. as for skirt of frock for 3 patts (36 rows), but keeping 3 sts. at both ends of the needle in garter st. as borders.

Next row.—Purl across.

SHAPE TOP—Change to No. 12 needles.

1st row.—* K.11, K.2 tog., rep. from * to end.

2nd and every alternate row.—K.1, P. to the last st., K.1.

3rd row.—* K.10, K.2 tog., rep. from * to end.

5th row.—* K.9, K.2 tog., rep. from * to end.

Cont. in this way, working 1 st. less between the decreases on every alternate row until 2 sts. are being knitted together all along the row. Break off wool, thread through rem. sts. fasten off securely.

TO MAKE UP—The Frock: Press the work VERY LIGHTLY with a warm iron over a damp cloth, omitting ribbing. Join shoulder side and sleeve seams. Sew in sleeves, easing in the fullness around the top of armholes. Work a row of d.c. around the neck edge, then work a picot edge as follows: * 1 d.c. in 1st st., 3 chain join by d.c. into the 1st of

the 3 chain, 1 d.c., miss 1 st., rep. from * to end. Press seams. Sew on buttons. Thread ribbon through waist. **The Bonnet:** Join the back seam. Sew on ribbons.

PENELOPE (Continued from page 5)

Rep. the last 2 rows until the work measures $4\frac{1}{2}$ ins. from commencement, ending with a wrong side row and dec. 1 st. at the end of the last row (80 sts.).

SHAPE CROWN

1st row.—* K.8, K.2 tog., rep. from * to end. **2nd and every alternate row.**—K.1, P. to the last st., K.1.

3rd row.—* K.7, K.2 tog., rep. from * to end.

5th row.—* K.6, K.2 tog., rep. from * to end.

Cont. in this way, working 1 st. less between the decreases on every alternate row until 2 sts. are being knitted together all along the row.

Break wool, thread through rem. sts. and fasten off securely.

TO MAKE UP—Press the work very lightly with a warm iron over a damp cloth. **The Frock:** Join shoulder seams for $\frac{1}{4}$ inch from the armhole edges. Sew in sleeves, easing in the fullness around the top of armholes. Join side and sleeve seams in one operation. Work 1 row d.c. around the neck and shoulder openings, making 2 small chain loops at each shoulder front. Now work a picot edge around the neck edge thus:—

* 1d.c. into the first st., 3 chain, join by d.c. into the first of the 3 chain, 1 d.c., miss 1 st., rep. from * to end. Press all seams. Sew on buttons to correspond with loops. Thread ribbon through the waist and tie in a bow at the front. **The Bonnet:** Join the back seam. Press seam. Sew on ribbons.

BOOKS IN THIS SERIES

The following books comprise the "Eagley" range for 1955. Look for the other books in this series.

Knitting Book No. 101.—This is a book featuring garments for Toddlers of from eighteen months to five years.

Knitting Book No. 102.—This book features garments for baby—garments made from top quality "Eagley" Shetland and "Cambridge" Baby Wool.

Knitting Book No. 103.—This book features seven distinctive garments for the well-groomed lady. Attractive garments made from "Eagley" knitting wools.

Knitting Book No. 104.—This book features garments for your "Man". There are seven distinctive garments made from "Eagley" Smartknit Crochet, Briar Sports, and Super 2, 3 and 4 ply.

Remember, to ensure the best results use only "Eagley" Knitting Wools. "Briar" Sports Wool, "Smartknit" Crochet, "Shetland" and "Cambridge" Baby Wools, and "Super" 2, 3 and 4 ply are the knitting wools to ask for—and use.

Sleeping Innocence . . .



WHAT could be lovelier than the sweet sleeping of your baby wrapped softly in the warm luxury of Eagley Baby Blankets? Eagley Cot Blankets are made of the finest lamb's wool, and are available in plain shades of blue, pink and cream—or in the same colours with embroidered designs, making delightful bunny rugs.

Eagley BABY BLANKETS

FPEM7

ABBREVIATIONS

Beg., Beginning; **Cont.**, Continue/d; **Dec.**, Decrease; **d.c.**, Double crochet; **Inc.**, Increase; **K.**, Knit; **P.**, Purl; **Patt.**, Pattern; **p.s.s.o.**, Pass slip stitch over; **p.w.**, Purl ways; **Rem.**, Remainder; **Rep.**, Repeat; **R.S.F.**, Right side facing; **sl.**, Slip; **St/s.**, stitch/es; **St.St.**, Stocking Stitch; **t.b.**, Through back; **Tog.**, Together.

Eagley

KNITTING BOOK NO. 102

PAGE 2



PAGE 6

PAGE 4



PRICE

1/6



AN EAGLEY MILLS
PRODUCTION