


8067



Emu
6^D

DOUBLE KNITTING

Chest 22-24 ins.



CARDIGAN and ROMPER SET

Emu



SCOTCH DOUBLE KNITTING

DOUBLE CREPE

BRI-NYLON DOUBLE KNITTING (Emulon)

To obtain a perfect result from this pattern it is essential to use Emu Wool or Emu Bri-Nylon and to purchase a sufficient quantity to complete the garment.

To fit Chest	22 ins.	23 ins.	24 ins.
Actual Measurement	23 ins.	24 ins.	25 ins.
Cardigan	6 ozs.	7 ozs.	7 ozs.
Rompers	5 ozs.	6 ozs.	6 ozs.
Cardigan Length	11 ins.	12 ins.	13 ins.
Sleeve Seam	8½ ins.	9½ ins.	10½ ins.

One pair each of Knitting Needles size 8 and 10.

10 Buttons.

Stitch Holder.

Crochet Hook.

TENSION:

We recommend that you test your tension before commencing the garment.

5½ stitches and 8 rows to 1 square inch measured over stocking stitch.

ABBREVIATIONS:

K., knit; p., purl; st(s), stitch(es); rep., repeat; tog., together; beg., beginning; inc., increase(ing); dec., decrease(ing); st.st., stocking stitch; —, means no sts. to be worked in that particular size; w.f., wool forward.

NOTE: These instructions are written in three sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces.

Owing to the number of sizes quoted in this pattern, we suggest that you underline all the figures for the size you require before commencing.

BACK

CARDIGAN

Using size 10 needles, cast on 60 (66) (72) sts. and work in k. 1, p. 1 rib for 1½ inches, inc. 1 st. at end of last row. 61 (67) (73) sts.

Change to size 8 needles and pattern.

1st row: P. 2 (k. 2, p. 3) (p. 2), * k. 3, p. 3, rep. from * to last 5 (2) (5) sts., k. 3, p. 2 (k. 2) (k. 3, p. 2).

2nd row: K. 2 (p. 2, k. 3) (k. 2), * p. 3, k. 3, rep. from * to last 5 (2) (5) sts., p. 3, k. 2 (p. 2) (p. 3, k. 2).

Rep. the last 2 rows once.

5th row: K. 2 (p. 2, k. 3) (k. 2), * p. 3, k. 3, rep. from * to last 5 (2) (5) sts., p. 3, k. 2 (p. 2) (p. 3, k. 2).

6th row: P. 2 (k. 2, p. 3) (p. 2), * k. 3, p. 3, rep. from * to last 5 (2) (5) sts., k. 3, p. 2 (k. 2) (k. 3, p. 2).

Rep. the last 2 rows once.

Rep. the last 8 rows once.

Change to st.st. (1 row k., 1 row p.) and continue until work measures 5½ (6½) (7) inches from the beg., ending with a p. row.

Shape Armholes

Cast off 3 (3) (4) sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next and following 3 (4) (4) alternate rows. 47 (51) (55) sts.

Continue without further shaping until work measures 4½ (5) (5½) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 4 (5) (5) sts. at the beg. of the next 4 rows and 5 (4) (5) sts. at the beg. of the following 2 rows. Leave the remaining 21 (23) (25) sts. on a spare needle.

LEFT FRONT

★ Using size 10 needles, cast on 32 (34) (34) sts. and work in k. 1, p. 1 rib for 1½ inches, inc. 1 st. at end of last row on **2nd and 3rd sizes only**. 32 (35) (35) sts.

Change to size 8 needles and pattern. ★

1st row: P. 2 (k. 2, p. 3) (p. 2), * k. 3, p. 3, rep. from * to last — (—) (3) sts., k. — (—) (3).

2nd row: P. — (—) (3), * k. 3, p. 3, rep. from * to last 2 (5) (2) sts., k. 2 (k. 3, p. 2) (k. 2).

Rep. the last 2 rows once.

5th row: K. 2 (p. 2, k. 3) (k. 2), * p. 3, k. 3, rep. from * to last — (—) (3) sts., p. — (—) (3).

6th row: K. — (—) (3), * p. 3, k. 3, rep. from * to last 2 (5) (2) sts., p. 2 (p. 3, k. 2) (p. 2).

Rep. the last 2 rows once.

Rep. the last 8 rows once.

Next row: K. 11 (14) (17), pattern to end.

Next row: Pattern to last 11 (14) (17) sts., p. 11 (14) (17). Rep. the last 2 rows once.

Next row: K. 14 (17) (20), pattern to end.

Next row: Pattern to last 14 (17) (20) sts., p. 14 (17) (20). Rep. the last 2 rows once.

Continue in this way until all pattern sts. have been worked off, then continue in st.st., **at the same time**, when work measures 5½ (6½) (7) inches from the beg., shape armhole by casting off 3 (3) (4) sts. at armhole edge, then dec. 1 st. on the following 4 (5) (5) alternate rows.

Continue without further shaping until work measures

Emu

$3\frac{1}{2}$ ($3\frac{3}{4}$) (4) inches from commencement of armhole shaping, ending at front edge.

Shape Neck

Next row: Cast off 7 (7) (6) sts., p. to end.

Keeping armhole edge straight, dec. 1 st. at neck edge on the next 5 (6) (5) rows.

Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 4 (5) (5) sts. at the beg. of the next and following alternate row. Work 1 row.

Cast off the remaining 5 (4) (5) sts.

RIGHT FRONT

Follow instructions for Left Front from ★ to ★.

1st row: K. — (—) (3), * p. 3, k. 3, rep. from * to last 2 (5) (2) sts., p. 2 (p. 3, k. 2) (p. 2).

2nd row: K. 2 (p. 2, k. 3) (k. 2), * p. 3, k. 3, rep. from * to last — (—) (3) sts., p. — (—) (3).

Rep. the last 2 rows once.

5th row: P. — (—) (3), * k. 3, p. 3, rep. from * to last 2 (5) (2) sts., k. 2 (k. 3, p. 2) (k. 2).

6th row: P. 2 (k. 2, p. 3) (p. 2), * k. 3, p. 3, rep. from * to last — (—) (3) sts., k. — (—) (3).

Rep. the last 2 rows once.

Rep. the last 8 rows once.

Next row: Pattern to last 11 (14) (17) sts., k. 11 (14) (17).

Next row: P. 11 (14) (17), pattern to end.

Rep. the last 2 rows once.

Next row: Pattern to last 14 (17) (20) sts., k. 14 (17) (20).

Next row: P. 14 (17) (20), pattern to end.

Rep. the last 2 rows once.

Complete to match Left Front, reversing all shapings.

SLEEVES

Using size 10 needles, cast on 34 (36) (38) sts. and work in k. 1, p. 1 rib for $1\frac{1}{2}$ inches. Change to size 8 needles and st.st. Inc. 1 st. at each end of the 7th and every

following 7th (8th) (8th) row until there are 48 (50) (54) sts. on the needle. Continue without further shaping until work measures $8\frac{1}{2}$ ($9\frac{1}{2}$) ($10\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Top

Cast off 3 (3) (4) sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 24 (26) (26) sts. remain, then 1 st. at each end of every row until 10 (12) (12) sts. remain. Cast off.

NECKBAND

Using a back stitch join shoulder seams. Using size 10 needles and with right side of work facing, pick up and k. 18 (18) (19) sts. up right side of neck, k. across the 21 (23) (25) sts. on back neck, pick up and k. 18 (18) (19) sts. down left side of neck. 57 (59) (63) sts.

Next row: * K. 1, p. 1, rep. from * to last st., k. 1.

Next row: * P. 1, k. 1, rep. from * to last st., p. 1.

Continue in rib for 1 inch. Cast off in rib.

BUTTONHOLE BAND

Using size 10 needles, cast on 8 sts. Work in k. 1, p. 1 rib for $\frac{1}{2}$ ($\frac{3}{4}$) ($\frac{3}{4}$) inch.

1st Buttonhole row: Rib 3, cast off 2, rib to end.

2nd Buttonhole row: Rib, casting on over cast off sts. in previous row.

Work 5 more buttonholes at intervals of $1\frac{1}{2}$ ($1\frac{1}{2}$) ($1\frac{1}{2}$) inches, measured from base of previous buttonhole. Work a further $\frac{1}{2}$ inch in rib. Cast off in rib.

BUTTON BAND


Work to match Buttonhole Band, omitting buttonholes.

BACK

ROMPERS


Using size 8 needles, cast on 16 (18) (20) sts. and work 2 rows in st.st. (1 row k., 1 row p.). Cast on 3 sts. at

CARDIGAN




BACK

FRONT



SLEEVE



ROMPER

the beg. of every row until there are 58 (60) (62) sts. on the needle. Now cast on 6 (6) (7) sts. at the beg. of the next 2 rows. 70 (72) (76) sts.

Continue on these sts. until work measures 9 (9½) (10) inches from the beg., ending with a p. row.

Next row: K. 45 (46) (48) sts. and turn, p. 20.

Next row: K. 25 sts. and turn, p. 30.

Next row: K. 35 sts. and turn, p. 40.

Next row: K. 45 sts. and turn, p. 50.

Next row: K. 55 sts. and turn, p. to end of row.

Next row: K. across all sts.

P. 1 row.

★ **Next row:** * K. 2 tog., k. 5, rep. from * to last 7 (9) (13) sts., k. 2 tog., k. 5 (7) (11). 60 (62) (66) sts.

Change to size 10 needles and work ½ inch in k. 1, p. 1 rib.

Next row: Rib 2 (3) (2), * w.f., k. 2 tog., rib 4, rep. from * to last 4 (5) (4) sts., w.f., k. 2 tog., rib 2 (3) (2).

Work a further ½ inch in k. 1, p. 1 rib, ending with a wrong side row. ★

Cast off in rib.

FRONT

Using size 8 needles, cast on 16 (18) (20) sts. and work 2 rows in st.st. Inc. 1 st. at each end of the next and following alternate row. P. 1 row. Now cast on 2 sts. at the beg. of the next 8 rows. Cast on 5 (5) (6) sts. at the beg. of the next 2 rows and 12 (12) (12) sts. at the beg. of the following 2 rows. 70 (72) (76) sts.

Continue on these sts. until work measures 9 (9½) (10) inches from the beg., ending with a p. row. Now follow instructions for Back from ★ to ★.

Shape Top

Next row: Cast off 12 (13) (12) sts., rib 18 (18) (21), including st. used in casting off, make 1 (by picking up the loop that lies between st. just worked and next st. on left-hand needle and knitting into the back of it), rib 18 (18) (21), cast off remaining 12 (13) (12) sts. With right side facing, rejoin wool to centre sts.

Change to size 8 needles.

1st row: K. 2, * k. 3, p. 3, rep. from * to last 5 sts., k. 5.
2nd row: K. 2, * p. 3, k. 3, rep. from * to last 5 sts., p. 3, k. 2.

Rep. the last 2 rows once.

5th row: K. 2, * p. 3, k. 3, rep. from * to last 5 sts., p. 3, k. 2.

6th row: K. 2, * k. 3, p. 3, rep. from * to last 5 sts., k. 5.
Rep. the last 2 rows once.

Rep. these 8 pattern rows twice more, then rows 1 to 3 inclusive.

K. 4 rows.

Next row: K. 2, p. 7 (7) (8), k. 2, turn, leaving remaining sts. on a spare needle.

Next row: K.

Next row: K. 2, p. 7 (7) (8), k. 2.

Rep. the last 2 rows until shoulder strap measures 7 (7½) (7½) inches (or desired length), ending with a wrong side row.

1st Buttonhole row: K. 2, cast off 2, k. 3 (3) (4), including st. used in casting off, cast off 2, k. 2, including st. used in casting off.

2nd Buttonhole row: Work to end, casting on over cast off sts. in previous row.

Work 2 rows. Cast off. Rejoin wool at neck edge, cast off 15 (15) (19) sts., then work second strap to match.

LEG BANDS

Using a back stitch, join side seams. With right side of work facing and using size 10 needles, pick up and k. 70 (76) (82) sts. evenly around leg opening. Work in k. 1, p. 1 rib for 1 inch.
Cast off in rib.

TO MAKE UP

Cardigan

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Bri-Nylon has been used, press with a dry cloth instead of a damp one. Using a back stitch, join side and sleeve seams. Set in Sleeves. Sew on Front Bands. Neaten buttonholes and sew on buttons.

Rompers

Using a back stitch, join crutch seam. Work a single chain crochet cord 26 inches long and thread through eyelet holes. Sew a small tassel to each end. To make a tassel, cut wool into 3 inch lengths, fold in half, then bind folded end securely. Sew buttons to back ribbing to correspond with buttonholes on straps. Neaten buttonholes.

WASH THIS GARMENT CAREFULLY
IN A MILD WASHING PRODUCT
EMU PARTICULARLY RECOMMEND

dreft



Copyright printed in England.

Do write if in need of advice on this pattern to
JANET MINTON, EMU WOOLS LTD.,
13/14 WOODSTOCK ST., LONDON, W.1.