


8171

Emu

DOUBLE
KNITTING

19 to 20 inch
chest sizes

BRYAN CORNISH
WOOLS AND HAND KNITWEAR
64 Torquay Road, Paignton



NINEPENCE

PRAM SET

IN

Emu



SCOTCH DOUBLE KNITTING
DOUBLE CREPE
ACRILAN DOUBLE KNITTING
BRI-NYLON DOUBLE KNITTING
COURTELLE DOUBLE KNITTING

To obtain a perfect result from this pattern it is essential to use one of the Emu qualities listed above and to purchase a sufficient quantity to complete the garment.

Actual Chest Measurement	ins.	19	20
Coat	balls	8	8
Romper Suit	balls	7	9
Bonnet	balls	2	2
Mitts	balls	1	1
Coat Length	ins.	12	12
Sleeve Seam	ins.	6 $\frac{3}{4}$	6 $\frac{3}{4}$

One pair each of Aero Knitting Needles size 7 and 8 for Matinee Coat and Romper Suit.

One pair of long size 8 Aero Knitting Needles for Yoke.

One pair of Aero Knitting Needles size 7 for Bonnet and Mitts.

Medium Crochet Hook for Romper Suit and Bonnet.

4 Buttons for Coat.

6 small Buttons for Romper Suit.

1 yard Ribbon for Bonnet.

$\frac{3}{4}$ yard Baby Ribbon for Mitts.

TENSION

We recommend that you test your tension before commencing the garment.

5 stitches and 7 rows to 1 square inch measured over stocking stitch.

7 stitches and 7 $\frac{1}{2}$ rows to 1 square inch measured over pattern.

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped st. over; t.b.l., through back of loop(s); w.f., wool forward; w.r.n., wool round needle.

NOTE—These instructions are written in 2 sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger size being bracketed in the following space.

COAT

BACK

Using size 7 needles, cast on 87 (97) sts.

Next row (Right side). * K.1, p.1, rep. from * to last st., k.1.

Next row. * P.1, k.1, rep. from * to last st., p.1. Rep. these 2 rows for 1 inch, ending with a wrong side row.

Commence pattern.

1st row. * P.2, k.3, rep. from * to last 2 sts., p.2.

2nd row. * K.2, p.3, rep. from * to last 2 sts., k.2. Rep. the last 2 rows twice more.

7th row. * P.2, sl.1, k.2, p.s.s.o. the 2 k. sts., rep. from * to last 2 sts., p.2.

8th row. * K.2, p.1, w.r.n., p.1, rep. from * to last 2 sts., k.2.

These 8 rows form the pattern.

Rep. these 8 pattern rows 5 times more.

Shape Armholes

Dec. 1 st. at each end of the next 10 rows. Leave the remaining 67 (77) sts. on a spare needle.

LEFT FRONT

Using size 7 needles, cast on 47 (51) sts.

Next row. * K.1, p.1, rep. from * to last st., k.1.

Next row. * P.1, k.1, rep. from * to last st., p.1. Rep. these 2 rows for 1 inch, ending with a wrong side row and inc. 1 st. at end of last row on *2nd size only*. 47 (52) sts.

Continue in pattern as given for Back until 6 complete patterns in all have been worked.

Shape Armhole

Dec. 1 st. at the beg. of the next row and at this same edge on the following 9 rows. Leave the remaining 37 (42) sts. on a spare needle.

RIGHT FRONT

Follow instructions for Left Front, reversing all shapings.

SLEEVES

Using size 8 needles, cast on 42 (42) sts. and work in k.1, p.1 rib for 1 $\frac{1}{2}$ inches, ending with a wrong side row. Change to size 7 needles and pattern. Inc. and work into pattern, 1 st. at each end of the 5th and every following 4th (3rd) row until there are 56 (60) sts. on the needle. Continue without further shaping until 5 complete patterns in all have been worked.

Shape Top

Dec. 1 st. at each end of the next 10 rows. Leave the remaining 36 (40) sts. on a spare needle.

BUTTONHOLE BAND

Using size 8 needles, cast on 8 sts. Work in k.1, p.1 rib for 5 $\frac{1}{4}$ inches.

1st Buttonhole row. Rib 3, cast off 2, rib to end.

2nd Buttonhole row. Rib, casting on over cast off sts. in previous row.

Continue in rib, making 2 more buttonholes at intervals of 1 $\frac{3}{4}$ inches, measured from base of previous buttonhole. Work a further 1 $\frac{1}{2}$ inches in rib. Leave these sts. on a safety pin.

BUTTON BAND

Using size 8 needles, cast on 8 sts. and work in p.1, k.1 rib to match Buttonhole Band, omitting buttonholes.

YOKE

Using the long size 8 needles, work across all sts. as follows:—

1st Size

With right side of work facing, [k.1, p.1] 5 times, [k.2 tog.] 8 times, k.1, [p.1, k.1] 5 times across Right Front, [p.1, k.1] 18 times across the 36 sts. of one Sleeve, [p.1, k.1] 8 times, p.1, [k.2 tog.] 16 times, [k.1, p.1] 9 times across Back, [k.1, p.1] 18 times across the 36 sts. of other Sleeve, [k.1, p.1] 5 times, k.1, [k.2 tog.] 8 times, [p.1, k.1] 5 times across Left Front. (181 sts.).

2nd Size

With right side of work facing, [k.1, p.1] 3 times, [k.2 tog.] 15 times, [p.1, k.1] 3 times across Right Front, [p.1, k.1] 20 times across the 40 sts. of one Sleeve, [p.1, k.1] 4 times, p.1, [k.2 tog.] 30 times, [k.1, p.1] 4 times across Back, [k.1, p.1] 20 times across the 40 sts. of other Sleeve, [k.1, p.1] 3 times, [k.2 tog.] 15 times, [p.1, k.1] 3 times across Left Front. (181 sts.).

Both Sizes

Next row. * P.1, k.1, rep. from * to last st., p.1.
Keeping continuity of rib, work 10 rows.

Dec. row. K.1, p.1, * k.3 tog., p.1, k.1, p.1, rep. from * to last 5 sts., k.3 tog., p.1, k.1. (121 sts.).
Keeping continuity of rib, work 9 rows.

Dec. row. K.1, p.1, * k.3 tog., p.1, rep. from * to last 3 sts., k.3 tog. (61 sts.).

Next row. Rib to end, rib across Buttonhole Band.

Next row. Rib to end, rib across Button Band. (77 sts.).

Next row. Rib to end.

Next row. (4th Buttonhole). Rib 3, cast off 2, rib to end.

Next row. Rib, casting on over cast off sts. in previous row.

Rib 2 more rows. Cast off loosely in rib.

RIGHT LEG

(Commence at Waist). Using size 7 needles, cast on 54 (56) sts. (Mark centre of row with a coloured thread). Work in k.1, p.1 rib for $\frac{1}{2}$ inch.

Make Eyelet Holes. Rib 2 (4), * w.f., k.2 tog., rib 2, rep. from * to end.
Work a further $\frac{1}{2}$ inch in rib.

Shape Back

1st row. K. 11 (12) sts. and turn.

2nd row. P. to end.

3rd row. K. 22 (23) sts. and turn.

4th row. P. to end.

5th row. K. 33 (34) sts. and turn.

6th row. P. to end.

7th row. K. 44 (45) sts. and turn.

8th row. P. to end.

Continue in st.st. (1 row k., 1 row p.) working across all sts. for 12 (16) rows. Inc. 1 st. at each end of the next and every following 6th row until there are 64 (66) sts. on the needle, then inc. 1 st. at each end of the next 4 rows. 72 (74) sts.

Commence Leg Shaping

Dec. 1 st. at each end of the next and 2 following alternate rows, then 1 st. at each end of every following 3rd row until 34 (34) sts. remain. Work 4 (4) rows straight.

Make Eyelet Holes

Next row. K.1, * k.1, w.f., k.2 tog., k.1, rep. from * to last st., k.1.

Next row. P. to end.

Shape Foot

Next row. K. 29 sts. and turn.

Next row. P. 8 sts. and turn.

Work on these sts. for $1\frac{1}{4}$ (2) inches, ending with a p. row.

Break off wool, rejoin to inside edge of the 21 sts.

Next row. Pick up and k. 14 (15) sts. from side of centre panel, k. 8 sts., pick up and k. 14 (15) sts. from other side of centre panel, k. the remaining 5 sts. 62 (64) sts.

Work $\frac{3}{4}$ inch on these sts., ending with a p. row.

1st row. K. 9 (9), [k.2 tog.] twice, k. 24 (26), [k.2 tog.] twice, k. 21 (21).

2nd and alternate rows. P.

3rd row. K. 8 (8), [k.2 tog.] twice, k. 22 (24), [k.2 tog.] twice, k. 20 (20).

5th row. K. 7 (7), [k.2 tog.] twice, k. 20 (22), [k.2 tog.] twice, k. 19 (19).

7th row. K. 6 (6), [k.2 tog.] twice, k. 18 (20), [k.2 tog.] twice, k. 18 (18). 46 (48) sts.
Cast off.

LEFT LEG

Follow instructions for Right Leg, reversing all shapings by reading p. for k. and k. for p.

BACK BODICE

Using a back stitch sew up back and front seams of leggings. ★★ Using size 7 needles and with right side of work facing, pick up and k. 52 (57) sts. evenly along top of waist ribbing, starting and ending at coloured threads.

Next row. * K.2, p.3, rep. from * to last 2 sts., k.2.

Continue in pattern as given for Back of Coat, commencing with the 3rd pattern row. Inc. and work into pattern, 1 st. at each end of the next and every following 3rd row until there are 66 (71) sts. on the needle. Continue without further shaping until work measures 3 inches from top of waist ribbing, ending with a wrong side row.

Next row. Work across the first 8 sts. and slip them onto a safety pin, pattern to end.

Rep. the last row once. Dec. 1 st. at each end of the next and every following alternate row until 42 (47) sts. remain.★★

Continue without further shaping until work measures $3\frac{1}{4}$ ($3\frac{1}{2}$) inches from commencement of armhole shaping, ending with a wrong side row.

★★★Shape Neck

Next row. Pattern 10 sts. and turn, leaving remaining sts. on a spare needle.

Continue on these sts. until work measures $4\frac{1}{4}$ ($4\frac{1}{2}$) inches from commencement of armhole shaping, ending with a wrong side row.

Shape Shoulder

Cast off 5 sts. at the beg. of the next row. Work 1 row. Cast off the remaining 5 sts. Join in wool to remaining sts., cast off 22 (27) sts. at centre, pattern to end. Complete to match first side.★★★

FRONT BODICE

Follow instructions for Back Bodice from ★★ to ★★. Continue without further shaping until work measures 2 (2½) inches from commencement of armhole shaping, ending with a wrong side row. Now follow instructions for Back Bodice from ★★★ to ★★★.

ARMHOLE BANDS

Using size 8 needles, slip the 8 sts. left on first safety pin onto needle and work in k.1, p.1 rib until band is long enough to fit up armhole to shoulder. Cast off in rib. Work other 3 bands in the same way.

BONNET

Using size 7 needles, cast on 73 (77) sts.

Next row. * K.1, p.1, rep. from * to last st., k.1.

Next row. * P.1, k.1, rep. from * to last st., p.1.

Rep. these 2 rows for 1½ inches, ending with a right side row and dec. 1 st. at end of last row on *1st size only*. 72 (77) sts.

Now continue in pattern as given for Back of Coat until work measures 5½ (5¾) inches from the beg., ending with a right side row.

1st Size

Next row. P. twice into first st., p. to last st., p. twice into last st. (74 sts.).

2nd Size

Next row. P. to last 2 sts., p.2 tog. (76 sts.).

Both Sizes

Shape Back

1st row. K.1 (2), * k.2 tog. t.b.l., k.14, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

2nd and alternate rows. P.

3rd row. K.1 (2), * k.2 tog. t.b.l., k.12, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

5th row. K.1 (2), * k.2 tog. t.b.l., k.10, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

7th row. K.1 (2), * k.2 tog. t.b.l., k.8, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

9th row. K.1 (2), * k.2 tog. t.b.l., k.6, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

11th row. K.1 (2), * k.2 tog. t.b.l., k.4, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

13th row. K.1 (2), * k.2 tog. t.b.l., k.2, k.2 tog., * rep. from * to * 3 times more, k.1 (2).

15th row. K.2 tog. all along the row.

Break off wool, thread through remaining sts., draw up and fasten off.

MITTS

Using size 7 needles, cast on 36 (38) sts. and work in k.1, p.1 rib for 1½ inches, ending with a wrong side row.

Make Eyelet Holes. K.3 (4), * w.f., k.2 tog., k.2, rep. from * to last 1 (2) sts., k.1 (2).

1st Size

Next row. * P.6, p.2 tog., rep. from * to last 4 sts., p.4. (32 sts.).

2nd Size

Next row. * P.4, p.2 tog., rep. from * to last 2 sts., p.2. (32 sts.).

Both Sizes

Now continue in pattern as given for Back of Coat until work measures 2 inches from eyelet holes, ending with a wrong side row.

Shape Top

1st row. * K.2, k.2 tog., rep. from * to end. (24 sts.).

2nd row. P.

3rd row. * K.1, k.2 tog., rep. from * to end. (16 sts.).

4th row. P.2 tog. all along the row.

Break off wool, thread through remaining sts., draw up and fasten off.

TO MAKE UP

Pin out each piece to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Acrilan, Bri-Nylon or Courtele has been used, press with a cool iron over a dry cloth instead of a damp one.

COAT

Using a back stitch, join side and sleeve seams. Join shaped part of sleeve to shaped part of armhole. Sew on Front Bands. Neaten buttonholes and sew on buttons.

ROMPER SUIT

Sew up leg and underfoot seams. Join bands to armholes, then join side seams of bodice. Work a row of double crochet along shoulders and neck edge on back and front. Crochet 3 button loops on each shoulder of front, then sew buttons on back shoulders to match. Using double wool, make 3 crochet chains, one 40 inches and the other two 15 inches long. Thread the 40 inch chain through eyelet holes at waist and the other two through holes at ankles. Sew a small tassel to each end of chains. To make a tassel, cut wool into 3 inch lengths, fold in half, then bind folded end securely.

BONNET

Join side edges together from commencement of back shaping to top, forming back seam. Work a row of double crochet along neck edge. Fold face ribbing back onto right side. Sew on ribbon to each side.

MITTS

Join side seam. Thread ribbon through eyelet holes.



8171

Copyright printed in England.

10
1603