

8193

DOLS /
Emu

DOUBLE
KNITTING

20 to 21 inch
chest sizes



NINEPENCE

BABY JACKETS

Emu

BRI-NYLON DOUBLE KNITTING
DOUBLE CREPE
SCOTCH DOUBLE KNITTING
COURTELLE DOUBLE KNITTING
ACRILAN DOUBLE KNITTING



To obtain a perfect result from this pattern it is essential to use one of the Emu qualities recommended and to purchase a sufficient quantity to complete the garment.

To fit Chest	ins.	20	21
Jacket with Patterned Border	balls	5	6
Jacket in Patterned Rib	balls	5	6
Jacket in Fabric Stitch	balls	5	6
Length	ins.	10½	11½
Sleeve Seam	ins.	6½	7½
Jacket with Patterned Border	One pair each of Aero Knitting Needles size 8 and 9. 5 Buttons.		
Jacket in Patterned Rib	One pair each of Aero Knitting Needles size 8 and 9. 2 Buttons.		
Jacket in Fabric Stitch	One pair each of Aero Knitting Needles size 8 and 10. 1 yard 1 inch wide Ribbon.		
TENSION	We recommend that you test your tension before commencing the garment.		
Jacket with Patterned Border	5½ stitches and 8 rows to 1 square inch over stocking stitch.		
Jacket in Patterned Rib	5½ stitches and 7 rows to 1 square inch over pattern.		
Jacket in Fabric Stitch	6 stitches and 6½ rows to 1 square inch over pattern.		

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); rep., repeat; beg., beginning; sl., slip; tog., together; p.s.s.o., pass slipped stitch over; w.r.n., wool round needle; inc., increase(ing); dec., decrease(ing); st.st., stocking stitch; w.f., wool forward.

NOTE: These instructions are written in two sizes, stitches and measurements for the smaller size being given in the ordinary way, the larger size being bracketed in the following space.

JACKET WITH PATTERNED BORDER

BACK

Using size 8 needles, cast on 58 (60) sts. and k. 8 rows. Change to st.st. (1 row k., 1 row p.) and continue until work measures 6 (6½) inches from the beg., ending with a p. row.

Shape Raglan Armholes

Cast off 2 (1) sts. at the beg. of the next 2 rows.

Next row: K. 2, p. 2 tog., k. to last 4 sts., p. 2 tog., k. 2.

Next row: P.

Rep. the last 2 rows until 20 (20) sts. remain, ending with a p. row. Leave these sts. on a spare needle.

LEFT FRONT

Using size 8 needles, cast on 32 (33) sts. and k. 8 rows. Now work pattern.

1st row: K. to last 13 sts., p. 1, k. into front and back of next st., p. 3, k. into front and back of next st., p. 1, k. 6.

2nd row: K. 7, p. 2, k. 3, p. 2, k. 1, p. to end.

3rd row: K. to last 15 sts., p. 1, k. 2 tog., p. 3, k. 2 tog., p. 1, k. 6.

4th row: K. 13, p. to end.

5th row: K. to last 13 sts., p. 3, k. into front and back of next st., p. 3, k. 6.

6th row: K. 9, p. 2, k. 3, p. to end.

7th row: K. to last 14 sts., p. 3, k. 2 tog., p. 3, k. to end.

8th row: K. 13, p. to end.

These 8 rows form the pattern. Continue in pattern until work measures 6 (6½) inches from the beg., ending at side edge.

Shape Raglan Armhole

Keeping front border pattern correct, cast off 2 (1) sts. at the beg. of the next row.

Next row: Pattern to end.

Next row: K. 2, p. 2 tog., pattern to end.

Rep. the last 2 rows until 18 (18) sts. remain, counting the patterned panel as 7 sts.

Shape Neck

Work across the first 7 (7) sts. and slip them onto a safety pin, pattern to end. Still dec. at armhole edge as before, dec. 1 st. at neck edge on the next 5 (5) rows. Keeping neck edge straight, continue to dec. at armhole edge until 1 st. remains, working decs. at outer armhole edge when they can no longer be worked inside a border of 2 sts. Fasten off.

RIGHT FRONT

Follow instructions for Left Front, reversing all shapings and front border pattern and making 4 buttonholes. The first buttonhole to be worked ¾ inch from base of garment, the others at intervals of 2¼ (2½) inches, measured from base of previous buttonhole.

1st Buttonhole row: K. 2, cast off 2, k. 2, including st. used in casting off, pattern to end.

2nd Buttonhole row: Pattern to last 4 sts., k. 2, cast on 2, k. 2.

The armhole shapings will be worked as follows:

Cast off 2 (1) sts. at side edge, pattern to end.

Next row: Work to last 4 sts., p. 2 tog., k. 2.

SLEEVES

Using size 9 needles, cast on 32 (34) sts. and k. 10 rows. Change to size 8 needles and st.st. Inc. 1 st. at each end of the 7th and every following 8th (10th) row until there are 40 (42) sts. on the needle. Continue without further shaping until work measures $6\frac{1}{2}$ ($7\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Top

Cast off 2 (1) sts. at the beg. of the next 2 rows.

Next row: K. 2, p. 2 tog., k. to last 4 sts., p. 2 tog., k. 2.

Next row: P.

Rep. the last 2 rows until 2 sts. remain, ending with a p. row and working decs. at outer armhole edge when they can no longer be worked inside a border of 2 sts. Cast off.

2nd row: P. 3 (k. 1, p. 4), * k. 2, p. 4, rep. from * to last 5 (1) sts., k. 2, p. 3 (k. 1).

3rd row: K. 1, k. 2 tog., w.r.n., p. 2 (p. 1), * leave w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.r.n., p. 2, rep. from * to last 3 (5) sts., w.f., sl. 1, k. 1, p.s.s.o., k. 1 (w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.r.n., p. 1).

4th row: As 2nd row.

These 4 rows form the pattern. Continue in pattern until work measures 6 ($6\frac{1}{2}$) inches from the beg., ending with a wrong side row.

Shape Raglan Armholes

Keeping continuity of pattern, cast off 3 (3) sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 20 (20) sts. remain, ending with a wrong side row. Leave these sts. on a spare needle.

NECKBAND


Using size 9 needles and with right side of work facing, slip the 7 (7) sts. left on Right Front onto needle, join in wool, pick up and k. 11 (11) sts. up right side of neck, 2 (2) sts. on top of Right Sleeve, k. across the 20 (20) sts. on back neck, inc. into last st., pick up and k. 2 (2) sts. on top of Left Sleeve, 11 (11) sts. down left side of neck and k. across the 7 (7) sts. left on Left Front. 61 (61) sts. K. 8 rows on these sts., working the 5th buttonhole when work measures $2\frac{1}{4}$ ($2\frac{1}{2}$) inches from base of previous buttonhole. Cast off.

JACKET IN PATTERNED RIB

BACK

Using size 8 needles, cast on 56 (60) sts. and k. 6 rows. Now work pattern.

1st row: K. 3 (p. 1, k. 4), * p. 2, k. 4, rep. from * to last 5 (1) sts., p. 2, k. 3 (p. 1).



LEFT FRONT

Using size 8 needles, cast on 33 (35) sts. and k. 6 rows. Now work pattern.

1st row: K. 3 (p. 1, k. 4), * p. 2, k. 4, rep. from * to last 6 sts., k. 6.

2nd row: K. 6, * p. 4, k. 2, rep. from * to last 3 (5) sts., p. 3 (p. 4, k. 1).

3rd row: K. 1, k. 2 tog., w.r.n., p. 2 (p. 1), * w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.r.n., p. 2, rep. from * to last 10 sts., w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.f., k. 6.

4th row: As 2nd row.

These 4 rows form the pattern. Continue in pattern until work measures 6 ($6\frac{1}{2}$) inches from the beg., ending at side edge.

Shape Raglan Armhole

Keeping continuity of pattern, cast off 3 (3) sts. at the beg. of the next row. Dec. 1 st. at armhole edge on every following alternate row until 21 (21) sts. remain, ending at front edge.

Shape Neck

Work across the first 9 (9) sts. and slip them onto a safety pin, pattern to end. Still dec. at armhole edge as before, dec. 1 st. at neck edge on the next 5 rows. Keeping neck edge straight, continue to dec. at armhole edge until 1 st. remains. Fasten off.

RIGHT FRONT

Follow instructions for Left Front, reversing all shapings and pattern and making 2 buttonholes, the first buttonhole to be worked $7\frac{1}{4}$ ($8\frac{1}{4}$) inches from base of garment.

1st Buttonhole row: K. 2, cast off 2, k. 2, including st. used in casting off, pattern to end.

2nd Buttonhole row: Pattern to last 4 sts., k. 2, cast on 2, k. 2.

The 4 pattern rows will be worked as follows:

1st row: K. 10, * p. 2, k. 4, rep. from * to last 5 (1) sts., p. 2, k. 3 (p. 1).

2nd row: P. 3 (k. 1, p. 4), * k. 2, p. 4, rep. from * to last 6 sts., k. 6.

3rd row: K. 6, * w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.r.n., p. 2, rep. from * to last 3 (5) sts., w.f., sl. 1, k. 1, p.s.s.o., k. 1 (w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.r.n., p. 1).

4th row: As 2nd row.

SLEEVES

Using size 9 needles, cast on 34 (34) sts. and k. 10 rows. Change to size 8 needles and pattern.

1st row: K. 1, p. 2, * k. 4, p. 2, rep. from * to last st., k. 1.

2nd row: P. 1, k. 2, * p. 4, k. 2, rep. from * to last st., p. 1.

3rd row: K. 1, p. 2, * w.f., sl. 1, k. 1, p.s.s.o., k. 2 tog., w.r.n., p. 2, rep. from * to last st., k. 1.

4th row: As 2nd row.

Inc. and work into pattern 1 st. at each end of the next and every following 10th (10th) row until there are 38 (42) sts. on the needle. Continue without further shaping until work measures $6\frac{1}{2}$ ($7\frac{1}{2}$) inches from the beg., ending with a wrong side row.

Shape Raglan Top

Cast off 3 (3) sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next and every following alternate row until 2 sts. remain, ending with a wrong side row. Cast off.

NECKBAND

Using size 9 needles and with right side of work facing, slip the 9 (9) sts. left on Right Front onto needle, join in wool, pick up and k. 10 (10) sts. up right side of neck, 2 (2) sts. on top of Right Sleeve, k. across the 20 (20) sts. on back neck, pick up and k. 2 (2) sts. on top of Left Sleeve, 10 (10) sts. down left side of neck and k. across the 9 (9) sts. left on Left Front. 62 (62) sts. K. 8 rows on these sts., working the 2nd Buttonhole when work measures $2\frac{1}{2}$ inches from base of previous buttonhole. Cast off.

JACKET IN FABRIC STITCH

BACK

Using size 8 needles, cast on 58 (62) sts. and k. 9 rows.

1st row: (Wrong side) P. 1, * w.r.n., p. 2, pass w.r.n. over the 2 p. sts., p. 2, rep. from * to last st., p. 1.

2nd row: K.

3rd row: P. 1, * p. 2, w.r.n., p. 2, pass w.r.n. over the 2 p. sts., rep. from * to last st., p. 1.

4th row: K.

These 4 rows form the pattern. Continue in pattern until work measures 6 ($6\frac{1}{2}$) inches from the beg., ending with a wrong side row.

Shape Raglan Armholes

Keeping continuity of pattern, cast off 4 (4) sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 22 (22) sts. remain, ending with a wrong side row. Leave these sts. on a spare needle.

LEFT FRONT

Using size 8 needles, cast on 32 (36) sts. and k. 9 rows. Now work pattern.

1st row: (Wrong side) K. 6, p. 1, * w.r.n., p. 2, pass w.r.n. over the 2 p. sts., p. 2, rep. from * to last st., p. 1.

2nd row: K.

3rd row: K. 6, p. 1, * p. 2, w.r.n., p. 2, pass w.r.n. over the 2 p. sts., rep. from * to last st., p. 1.

4th row: K.

These 4 rows form the pattern. Continue in pattern until work measures 6 ($6\frac{1}{2}$) inches from the beg., ending with a wrong side row.

Shape Raglan Armhole

Keeping continuity of pattern, cast off 4 (4) sts. at the beg. of the next row. Dec. 1 st. at armhole edge on every following alternate row until 18 (20) sts. remain, ending at front edge.

Shape Neck

Work across the first 8 (10) sts. and slip them onto a safety pin, pattern to end. Still dec. at armhole edge as before, dec. 1 st. at neck edge on the next 5 rows. Keeping neck edge straight, continue to dec. at armhole edge until 1 st. remains. Fasten off.

RIGHT FRONT

Follow instructions for Left Front, reversing all shapings and garter st. border.

SLEEVES

Using size 10 needles, cast on 34 (38) sts. and k. 9 rows. Change to size 8 needles and pattern as given on Back. Inc. and work into pattern 1 st. at each end of the 7th and every following 6th (7th) row until there are 42 (46) sts. on the needle. Continue without further shaping until work measures $6\frac{1}{2}$ ($7\frac{1}{2}$) inches from the beg., ending with a wrong side row.

Shape Raglan Top

Cast off 4 (4) sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 6 sts. remain, ending with a wrong side row. Leave these sts. on a safety pin.

NECKBAND

Using size 10 needles, and with right side of work facing, slip the 8 (10) sts. left on Right Front onto needle, join in wool, pick up and k. 9 (9) sts. up right side of neck, k. across the 6 (6) sts. on top of Right Sleeve, 22 (22) sts. on back neck, 6 (6) sts. on top of Left Sleeve, pick up and k. 9 (9) sts. down left side of neck and k. across the 8 (10) sts. left on Left Front. 68 (72) sts. K. 8 rows on these sts. Cast off.

TO MAKE UP

Pin out to correct measurements and press lightly on wrong side with a warm iron over a damp cloth. If Bri-Nylon, Acrilan or Courtelle has been used, press with a dry cloth instead of a damp one.

Jacket with Patterned Border

Using a back stitch, join raglan, side and sleeve seams. Neaten buttonholes and sew on buttons.

Jacket in Patterned Rib

Using a back stitch, join raglan, side and sleeve seams. Neaten buttonholes and sew on buttons.

Jacket in Fabric Stitch

Using a back stitch, join raglan, side and sleeve seams. Sew ribbon to each side of front edge and tie a bow.



Copyright printed in England.

Do write if in need of advice on this pattern to
JANET MINTON, EMU WOOLS LTD.,
15 WOODSTOCK ST., LONDON, W.1.