

8321

Emu

DOUBLE
KNITTING

4 PLY


QUICKERKNIT

19-22 inch
chest sizes

IT'S NEW!

**EMU
MACHINE
WASHABLE
BABY WOOL**

Knit to Quickerknit
instructions. Using
8 and 9 needles.
Buy one extra ball.



1/6 (7½p)

JACKETS

in



EMU SCOTCH 4 PLY
 EMU SUPER CREPE
 EMU BRI-NYLON 4 PLY
 EMU SUPERLITE BRI-NYLON 4 PLY
 EMU TRICEL with NYLON 4 PLY
 EMU SCOTCH DOUBLE KNITTING
 EMU DOUBLE CREPE
 EMU CARELLA COURTELLE DOUBLE CREPE
 EMU BRI-NYLON DOUBLE KNITTING
 EMU FLAMENCO BRI-NYLON DOUBLE KNITTING
 EMU SUPERLITE BRI-NYLON DOUBLE KNITTING
 EMU BABY QUICKERKNIT COURTELLE
 EMU BABY QUICKERKNIT BRI-NYLON
 EMU SUPERLITE BRI-NYLON BABY QUICKERKNIT

To obtain a perfect result from these instructions it is essential to use one of the Emu qualities recommended and to purchase a sufficient quantity to complete the garment.

The garments featured on the front cover were knitted in Emu Bri-Nylon Quickerknit.

To fit Chest	ins.	19	20	22
JACKET WITH HOOD 4 Ply	balls	5	6	6
Double Knitting	balls	6	7	3
Quickerknit	balls	4	5	6
JACKET WITH ROUND NECK 4 Ply	balls	4	5	5
Double Knitting	balls	5	6	7
Quickerknit	balls	3	4	5
Length	ins.	10	10½	11½
Sleeve Seam	ins.	5½	6	6½

4 Ply	One pair each of Aero Knitting Needles size 10 and 12. 3 Buttons for each Jacket.
Double Knitting	One pair each of Aero Knitting Needles size 8 and 10. 3 Buttons for each Jacket.
Quickerknit	One pair each of Aero Knitting Needles size 7 and 9. 3 Buttons for each Jacket.
TENSION	We recommend that you test your tension before commencing the garment. Before it is measured the sample should be pinned out and pressed according to the special instructions given under the heading TO MAKE UP.
4 Ply	7 stitches and 11½ rows to 1 square inch measured over pattern.
Double Knitting and Quickerknit	6 stitches and 9 rows to 1 square inch measured over pattern.

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over; y.f., yarn forward; m.l., make one by picking up the bar that lies between st. just worked and next st. on left hand needle and knitting into the back of it.

NOTE—These instructions are written in three sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces. Owing to the number of sizes quoted, we suggest that you underline all the figures for the size you require before commencing.

4 PLY JACKET WITH HOOD

BACK

Using size 10 needles, cast on 67 (75, 75) sts.

Commence pattern.

1st row: (Right side) * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: K.2, * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to last st., k.1.

10th row: P.

11th row: K.3, * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to end.

12th row: P.

13th row: K.4, * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 7 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.4.

14th row: P.

These 14 rows form the pattern.

Continue in pattern until work measures 5½ (6, 6½) inches from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread to facilitate easier working when joining raglan seams.

Shape Raglan Armholes

Keeping continuity of pattern, dec. 1 st. at each end of the next and every following 4th row until 55 (65, 61) sts. remain, then 1 st. at each end of every alternate row until 25 (27, 29) sts. remain, ending with a wrong side row. Leave these sts. on a spare needle.

LEFT FRONT

Using size 10 needles, cast on 39 (39, 47) sts.

1st row: (Right side) * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: K.1, * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to last 6 sts., [p.1, k.1] 3 times.

10th row: [K.1, p.1] 3 times, p. to end.

11th row: K.2, * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 13 sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.2, [p.1, k.1] 3 times.

12th row: As 10th row.

13th row: K.3, * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 12 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.3, [p.1, k.1] 3 times.

14th row: As 10th row.

Continue in pattern until work measures the same as Back to armhole shaping, ending with a wrong side row. Mark end of last row with a coloured thread.

Shape Raglan Armhole

Dec. 1 st. at the beg. of the next and every following 4th row until 33 (34, 40) sts. remain, then 1 st. at this same edge on every following alternate row until 26 (24, 33) sts. remain, ending at front edge.

Shape Neck

Next row: Work across the first 10 (11, 12) sts. and slip them onto a safety pin, work to end.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on every row until 5 (8, 4) sts. remain. Keeping neck edge straight, continue to dec. at armhole edge until 2 sts. remain. Work 1 row. K.2 tog. and fasten off.

RIGHT FRONT

Using size 10 needles, cast on 39 (39, 47) sts.

1st row: (Right side) * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: [K.1, p.1] 3 times, k.1, * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to end.

10th row: P. to last 6 sts., [p.1, k.1] 3 times.

11th row: [K.1, p.1] 3 times, k.2, * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 7 sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.2.

12th row: As 10th row.

13th row: [K.1, p.1] 3 times, k.3, * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 6 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.3.

14th row: As 10th row.

Complete to match Left Front, reversing all shapings, at the same time making 2 buttonholes, the first to be worked when there are 37 (36, 44) sts. on the needle and the second when there are 33 (31, 40) sts. on the needle.

Buttonhole row: (Right side facing) Work 2, work 2 tog., y.f., work to end.

SLEEVES

Using size 10 needles, cast on 43 (43, 45) sts.

1st row: * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: K.2 (2, 3), * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to last 1 (1, 2) sts., k.1 (1, 2).

10th row: P.

11th row: K.3 (3, 4), * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 8 (8, 9) sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3 (3, 4).

12th row: P.

13th row: K.4 (4, 5), * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 7 (7, 8) sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.4 (4, 5).

14th row: P.

Inc. and work into pattern, 1 st. at each end of the next and every following 10th (8th, 8th) row until there are 49 (53, 57) sts. on the needle. Continue without further shaping until work measures approximately 5½ (6, 6½) inches from the beg., ending with the same pattern row as on Back, and ending with a wrong side row. Mark each end of last row with a coloured thread.

Shape Raglan Top

Dec. 1 st. at each end of the next and every following 4th row until 37 (41, 47) sts. remain, then 1 st. at each end of every following alternate row until 7 sts. remain, ending with a wrong side row. Leave these sts. on a spare needle.

NECKBAND AND HOOD

★ Using a back stitch, join raglan seams. With right side of work facing and using size 12 needles, slip the 10 (11, 12) sts. on Right Front safety pin onto needle, join in yarn at inside edge, pick up and k.12 (12, 14) sts. up right side of neck, k. across the 7 sts. on top of Right Sleeve, 25 (27, 29) sts. on back neck, 7 sts. on top of Left Sleeve, pick up and k.12 (12, 14) sts. down left side of neck, then k. across the 10 (11, 12) sts. on Left Front. 83 (87, 95) sts.

Next row: * K.1, p.1, rep. from * to last st., k.1.

Rep. this row twice more.

Buttonhole row: Work 2, work 2 tog., y.f., work to end. Work 3 rows. ★

Commence Hood

Continuing to work in moss stitch, cast off 14 sts. at the beg. of the next 2 rows. 55 (59, 67) sts.

Next row: Work 8, * [work twice into next st.] twice, work 4 (3, 5), rep. from * to last 5 (6, 3) sts., work 5 (6, 3). 69 (77, 83) sts.

Mark last row with a coloured thread.

Change to size 10 needles.

Next row: Work to end.

Next row: Work 34 (38, 41), m.1 (see abbreviations), k.1, m.1, work 34 (38, 41).

Next row: Work 35 (39, 42), k.1, work 35 (39, 42).

Next row: Work 35 (39, 42), m.1, k.1, m.1, work 35 (39, 42).

Next row: Work 36 (40, 43), k.1, work 36 (40, 43).

Continue in this way, inc. 1 st. at each side of centre back stitch on the next and every following alternate row until there are 87 (95, 101) sts. on the needle. Continue without further shaping until work measures 5 (5½, 5½) inches from coloured thread (measured on the straight), ending with a wrong side row.

Shape Top

Cast off 7 sts. at the beg. of the next 10 rows. Cast off the remaining 17 (25, 31) sts.

JACKET WITH ROUND NECK BACK, FRONTS AND SLEEVES

Follow instructions for Jacket with Hood.

NECKBAND

Follow instructions for Jacket with Hood from ★ to ★. Cast off in pattern.

DOUBLE KNITTING JACKET WITH HOOD

BACK

Using size 8 needles, cast on 59 (61, 67) sts.

Commence pattern.

1st row: (Right side) * K.1, p.1, rep. from * to last st. k.1.

Rep. this row 7 times more.

9th row: K.2 (3, 2), * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to last 1 (2, 1) sts., k.1 (2, 1).

10th row: P.

11th row: K.3 (4, 3), * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 8 (9, 8) sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3 (4, 3).

12th row: P.

13th row: K.4 (5, 4), * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 7 (8, 7) sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.4 (5, 4).

14th row: P.

These 14 rows form the pattern.

Continue in pattern until work measures 5½ (6, 6½) inches from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread to facilitate easier working when joining raglan seams.

Shape Raglan Armholes

Keeping continuity of pattern, dec. 1 st. at each end of the next and following 4th row 1 (2, 2) times. Work 1 row. Dec. 1 st. at each end of the next and every following alternate row until 21 (23, 25) sts. remain, ending with a wrong side row. Leave these sts. on a spare needle.

LEFT FRONT

Using size 8 needles, cast on 31 (39, 39) sts.

1st row: (Right side) * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: K.1, * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to last 6 sts., [p.1, k.1] 3 times.

10th row: [K.1, p.1] 3 times, p. to end.

11th row: K.2, * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 13 sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.2, [p.1, k.1] 3 times.

12th row: As 10th row.

13th row: K.3, * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 12 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.3, [p.1, k.1] 3 times.

14th row: As 10th row.

Continue in pattern until work measures the same as Back to armhole shaping, ending with a wrong side row. Mark end of last row with a coloured thread.

Shape Raglan Armhole

Dec. 1 st. at the beg. of the next and following 4th row 1 (2, 2) times. Work 1 row. Dec. 1 st. at the beg. of the next and every following alternate row until 18 (26, 25) sts. remain, ending at front edge.

Shape Neck

Next row: Work across the first 7 (10, 10) sts. and slip them onto a safety pin, work to end.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on every row until 5 (2, 4) sts. remain.

1st and 3rd sizes only

Keeping neck edge straight, continue to dec. at armhole edge until 2 sts. remain.

All sizes

Work 1 row. K.2 tog. and fasten off.

RIGHT FRONT

Using size 8 needles, cast on 31 (39, 39) sts.

1st row: (Right side) * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: [K.1, p.1] 3 times, k.1, * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to end.

10th row: P. to last 6 sts., [p.1, k.1] 3 times.

11th row: [K.1, p.1] 3 times, k.2, * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 7 sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.2.

12th row: As 10th row.

13th row: [K.1, p.1] 3 times, k.3, * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 6 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.3.

14th row: As 10th row.

Complete to match Left Front, reversing all shapings, at the same time making 2 buttonholes, the first to be worked when there are 29 (37, 37) sts. on the needle and the second when there are 22 (31, 31) sts. on the needle.

Buttonhole row: (Right side facing) Work 2, work 2 tog., y.f., work to end.

SLEEVES

Using size 8 needles, cast on 35 (35, 37) sts.

1st row: * K.1, p.1, rep. from * to last st., k.1.

Rep. this row 7 times more.

9th row: K.2 (2, 3), * y.f., sl.1, k.1, p.s.s.o., k.3, k.2 tog., y.f., k.1, rep. from * to last 1 (1, 2) sts., k.1 (1, 2).

10th row: P.

11th row: K.3 (3, 4), * y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3, rep. from * to last 8 (8, 9) sts., y.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., y.f., k.3 (3, 4).

12th row: P.

13th row: K.4 (4, 5), * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.5, rep. from * to last 7 (7, 8) sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.4 (4, 5).

14th row: P.

Inc. and work into pattern, 1 st. at each end of the next and every following 8th (7th, 6th) row until there are 43 (45, 49) sts. on the needle. Continue without further shaping until work measures approximately 5½ (6, 6½) inches from the beg., ending with the same pattern row as on Back, and ending with a wrong side row. Mark each end of last row with a coloured thread.

Shape Raglan Top

Dec. 1 st. at each end of the next and every following 4th row until 37 (39, 43) sts. remain, then 1 st. at each end of every following alternate row until 7 sts. remain, ending with a wrong side row. Leave these sts. on a spare needle.

NECKBAND AND HOOD

★ Using a back stitch, join raglan seams. With right side of work facing and using size 10 needles, slip the 7 (10, 10) sts. on Right Front safety pin onto needle, join in yarn at inside edge, pick up and k.10 sts. up right side of neck, k. across the 7 sts. on top of Right Sleeve, 21 (23, 25) sts. on back neck, 7 sts. on top of Left Sleeve, pick up and k.10 sts. down left side of neck, then work across the 7 (10, 10) sts. on Left Front. 69 (77, 79) sts.

Next row: * K.1, p.1, rep. from * to last st., k.1.

Rep. this row twice more.

Buttonhole row: Work 2, work 2 tog., y.f., work to end. Work 3 rows. ★

Commence Hood

Continuing to work in moss stitch, cast off 12 sts. at the beg. of the next 2 rows. 45 (53, 55) sts.

Next row: Work 11 (11, 13), * [work twice into next st.] twice, work 5 (7, 7), rep. from * to last 6 sts., work 6. 53 (61, 63) sts.

Mark last row with a coloured thread. Change to size 8 needles.

Next row: Work to end.

Next row: Work 26 (30, 31), m.1, (see abbreviations), k.1, m.1, work 26 (30, 31).

Next row: Work 27 (31, 32), k.1, work 27 (31, 32).

Next row: Work 27 (31, 32), m.1, k.1, m.1, work 27 (31, 32).

Next row: Work 28 (32, 33), k.1, work 28 (32, 33).

Continue in this way, inc. 1 st. at each side of centre back stitch on the next and every following alternate row until there are 65 (71, 75) sts. on the needle. Continue without further shaping until work measures 5 5½ (5½) inches from coloured thread (measured on the straight), ending with a wrong side row.

Shape Top

Cast off 6 sts. at the beg. of the next 8 rows. Cast off the remaining 17 (23, 27) sts.

JACKET WITH ROUND NECK

BACK, FRONTS AND SLEEVES

Follow instructions for Jacket with Hood.

NECKBAND

Follow instructions for Jacket with Hood from ★ to ★. Cast off in pattern.

QUICKERKNIT

Follow instructions for Double Knitting, but using size 9 needles instead of 10 and size 7 needles instead of 8.

TO MAKE UP

SPECIAL PRESSING INSTRUCTIONS

CARELLA

BABY QUICKERKNIT COURTELLE—

DO NOT PRESS

BRI-NYLON, BABY QUICKERKNIT BRI-NYLON

Pin out to correct measurements and press with a cool iron over a dry cloth.

WOOL

Pin out to correct measurements and press with a warm iron over a damp cloth.

Jacket with Hood

Using a back stitch, join side and sleeve seams. Join top seam of Hood. Sew on buttons.

Jacket with Round Neck

Using a back stitch, join side and sleeve seams. Sew on buttons.