





EMU MACHINE WASHABLE DOUBLE
KNITTING WOOL (25 grm. Balls)
EMU SCOTCH DOUBLE KNITTING
(1 oz. Balls)
EMU DOUBLE CREPE (1 oz. Balls)
EMU TRICEL NYLON DOUBLE
KNITTING (20 grm. Balls)
EMU SUPERLITE BRI-NYLON DOUBLE
KNITTING ($\frac{3}{4}$ oz. Balls)
EMU DOUBLE KNITTING COURTELLE
BRI-NYLON (40 grm. Balls)
EMU CALYPSO DOUBLE CREPE
(25 grm. Balls)

To fit Chest	ins.	19	20	21	22
DRESS Double Knitting Qualities Main Colour	$\frac{3}{4}$ or 1 oz. balls	6	6	7	7
1st Contrast Colour	$\frac{3}{4}$ or 1 oz. balls	1	1	1	1
2nd Contrast Colour	$\frac{3}{4}$ or 1 oz. balls	1	1	1	1
Main Colour	40 grm. balls	3	3	4	4
1st Contrast Colour	40 grm. balls	1	1	1	1
2nd Contrast Colour	40 grm. balls	1	1	1	1
Main Colour	20 or 25 grm. balls	6	6	7	7
1st Contrast Colour	20 or 25 grm. balls	1	1	1	1
2nd Contrast Colour	20 or 25 grm. balls	1	1	1	1
JACKET Double Knitting Qualities Main Colour	$\frac{3}{4}$ or 1 oz. balls	4	5	5	6
1st Contrast Colour	$\frac{3}{4}$ or 1 oz. balls	1	1	1	1
2nd Contrast Colour	$\frac{3}{4}$ or 1 oz. balls	1	1	1	1
Main Colour	40 grm. balls	2	3	3	3
1st Contrast Colour	40 grm. balls	1	1	1	1
2nd Contrast Colour	40 grm. balls	1	1	1	1
Main Colour	20 or 25 grm. balls	4	5	5	6
1st Contrast Colour	20 or 25 grm. balls	1	1	1	1
2nd Contrast Colour	20 or 25 grm. balls	1	1	1	1
Dress Length	ins.	12	12 $\frac{1}{2}$	13	13 $\frac{1}{2}$
Dress Sleeve Seam	ins.	1 $\frac{1}{4}$	1 $\frac{3}{4}$	2	2
Jacket Length	ins.	9 $\frac{3}{4}$	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12
Jacket Sleeve Seam	ins.	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7

DRESS AND JACKET

One pair each of Aero Knitting Needles size 8 and 10.
6 Buttons for Dress. 4 Buttons for Jacket.

TENSION We recommend that you test your tension before commencing the garment. A tension square to measure 4" x 4" should be knitted and, before this sample is measured, it should be pinned out and pressed according to the special instructions given under the heading 'To Make Up'.
5 $\frac{1}{2}$ stitches and 8 rows to 1 square inch measured over stocking stitch.

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over; y.f., yarn forward; y.r.n., yarn round needle; A, main colour; B, 1st contrast colour; C, 2nd contrast colour.

The garments featured on the front cover were knitted in Emu Tricel Nylon Double Knitting, Shade No. 714, New White, Shade No. 124, Purple Aster and Shade No. 351, Foxglove.

NOTE—These instructions are written in four sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces. Owing to the large number of sizes quoted, we suggest that you underline all the figures for the size you require before commencing.

DRESS

BACK

★ Using size 8 needles and A, cast on 92 (96, 100, 104) sts.
Work 4 rows in st.st. (1 row k., 1 row p.)

Next row: (Picot Hemline) K.2, * y.f., k.2 tog., rep. from * to end.

Commencing with a p. row, work 17 (17, 21, 21) rows in st.st.

Dec. row: K.12 (12, 14, 14), sl.1, k.1, p.s.s.o., k.20 (22, 22, 24), sl.1, k.1, p.s.s.o., k.20, k.2 tog., k.20 (22, 22, 24), k.2 tog., k.12 (12, 14, 14). 88 (92, 96, 100) sts.

Commencing with a p. row, work 15 rows in st.st.

Dec. row: K.11 (11, 13, 13), sl.1, k.1, p.s.s.o., k.19 (21, 21, 23), sl.1, k.1, p.s.s.o., k.20, k.2 tog., k.19 (21, 21, 23), k.2 tog., k.11 (11, 13, 13). 84 (88, 92, 96) sts.

Commencing with a p. row, work 15 rows in st.st.

Dec. row: K.10 (10, 12, 12), sl.1, k.1, p.s.s.o., k.18 (20, 20, 22), sl.1, k.1, p.s.s.o., k.20, k.2 tog., k.18 (20, 20, 22), k.2 tog., k.10 (10, 12, 12). 80 (84, 88, 92) sts.

Commencing with a p. row, continue in st.st. until work measures 8 (8, 8 $\frac{1}{2}$, 8 $\frac{1}{2}$) inches from Picot Hemline, ending with a p. row.

Shape Armholes

Cast off 3 (3, 4, 4) sts. at the beg. of the next 2 rows.
Dec. 1 st. at each end of the next and 3 (3, 4, 4) following alternate rows. 66 (70, 70, 74) sts.

Dec. row: P.1 (2, 2, 3), p.2 tog., * p.1, p.2 tog., rep. from * to end. 44 (47, 47, 50) sts.

Commence Yoke Pattern.

TO OBTAIN A PERFECT RESULT YOU MUST USE ONE OF THE EMU QUALITIES RECOMMENDED ON THIS LEAFLET. EMU WOOLS WILL NOT ACCEPT ANY RESPONSIBILITY FOR THE FINISHED GARMENT UNLESS ONE OF THESE QUALITIES IS USED.

- 1st row:** Using B, k.
2nd row: Using B, p.1, * y.r.n., p.3, pass the 1st p. st. over the 2nd and 3rd p. sts., rep. from * to last st., p.1.
3rd row: Using C, k.
4th row: Using C, * p.3, pass the 1st p. st. over the 2nd and 3rd p. sts., y.r.n., rep. from * to last 2 sts., p.2.
5th row: Using A, k.
6th row: Using A, as 2nd row.
7th row: Using B, k.
8th row: Using B, as 4th row.
9th row: Using C, k.
10th row: Using C, as 2nd row.
11th row: Using A, k.
12th row: Using A, as 4th row.

These 12 rows form the pattern.★
 Continue in pattern until work measures 4 (4½, 4½, 4½) inches from commencement of armhole shaping, ending with a wrong side row. Continue in A only.

Shoulder and Back Neck Edging

Change to size 10 needles. K.6 rows.

Next row: Cast off 12 (13, 13, 14) sts. k.20 (21, 21, 22), including st. used in casting off, cast off the remaining 12 (13, 13, 14) sts. Break off yarn. With wrong side of work facing, join in yarn to remaining 20 (21, 21, 22) sts. and k.3 rows. Cast off.

FRONT

Follow instructions for Back from ★ to ★.
 Continue in pattern until work measures 2½ (2¾, 3, 3½) inches from commencement of armhole shaping, ending with a wrong side row.

Shape Neck

Next row: Pattern 18 (19, 19, 20) sts. and turn, leaving remaining sts. on a spare needle.

Dec. 1 st. at neck edge on the next 6 rows. Continue without further shaping until work measures 4 (4½, 4½, 4½) inches from commencement of armhole shaping, ending with a wrong side row. Continue in A only.

Shoulder Edging

Change to size 10 needles. K.4 rows.

Next row: (Buttonhole row) K.2 (3, 3, 4), [k.2 tog., y.f., k.3] twice.

K.3 rows. Cast off.

Slip the centre 8 (9, 9, 10) sts. onto a spare needle. Join in yarn to remaining sts., then using size 8 needles, work to end.

Dec. 1 st. at neck edge on the next 6 rows. Continue without further shaping until work measures 4 (4½, 4½, 4½) inches from commencement of armhole shaping, ending with a wrong side row.

Shoulder Edging

Change to size 10 needles. K.4 rows.

Next row: (Buttonhole row) [K.3, y.f., k.2 tog.] twice, k.2 (3, 3, 4).

K.3 rows. Cast off.

Front Neck Edging

With right side of work facing, using size 10 needles and A, commence at cast off edge of shoulder and pick up and k.12 sts. down left side of neck, k. across the 8 (9, 9, 10) sts. left on spare needle, pick up and k.12 sts. up right side of neck, ending at cast off edge of shoulder. 32 (33, 33, 34) sts.

K.4 rows.

Next row: (Buttonhole row) K.2, y.f., k.2 tog., k. to last 4 sts., k.2 tog., y.f., k.2.

K.3 rows. Cast off.

SLEEVES

Using size 10 needles and A, cast on 34 (34, 37, 37) sts. K.4 rows.

Next row: K.6, * k. twice into next st., rep. from * to last 6 sts., k.6. 56 (56, 62, 62) sts. Change to size 8 needles. Now work rows 1 to 4 inclusive of Yoke Pattern as given on Back. Continue in st.st. and A only until work measures 1½ (1½, 2, 2) inches from the beg., ending with a p. row.

Shape Top

Cast off 3 (3, 4, 4) sts. at the beg. of the next 2 rows, then 2 sts. at the beg. of the following 16 (16, 18, 18) rows. Now cast off 3 (2, 2, 1) sts. at the beg. of the next 2 rows. Cast off the remaining 12 (14, 14, 16) sts.

JACKET

BACK

Using size 10 needles and A, cast on 56 (58, 62, 64) sts. and work 8 rows in k.1, p.1 rib, inc. 1 st. at end of last row on **2nd and 4th sizes only**. 56 (59, 62, 65) sts. Change to size 8 needles and pattern.

1st row: Using B, k.

2nd row: Using B, p.1, * y.r.n., p.3, pass the 1st p. st. over the 2nd and 3rd p. sts., rep. from * to last st., p.1.

3rd row: Using C, k.

4th row: Using C, * p.3, pass the 1st p. st. over the 2nd and 3rd p. sts., y.r.n., rep. from * to last 2 sts., p.2.

Continue in st.st. (1 row k., 1 row p.) and A only until work measures 5 (5½, 6, 6½) inches from the beg., ending with a p. row. Mark each end of last row with a coloured thread to facilitate easier working when joining raglan seams.

Shape Raglan Armholes

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P. **Next row:** K. **Next row:** P.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Rep. the last 2 rows until 20 (21, 22, 23) sts. remain, ending with a p. row. Cast off.

LEFT FRONT

Using size 10 needles and A, cast on 26 (28, 28, 32) sts. and work 8 rows in k.1, p.1 rib, inc. 1 st. at end of last row on **2nd and 3rd sizes only**. 26 (29, 29, 32) sts.

Change to size 8 needles. Now work rows 1 to 4 inclusive of pattern as given on Back. Continue in A only.

1st and 3rd sizes only.

Next row: K. twice into first st., k. to last st., k. twice into last st. 28 (31) sts.

Next row: P.

All sizes

Continue in st.st. until work measures the same as Back to armhole, ending with a p. row. Mark side edge of last row with a coloured thread.

Shape Raglan Armhole and Neck

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P. Next row: K. Next row: P.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to end.

Next row: P.

★Rep. the last 4 rows until 6 (7, 6, 7) sts. remain. Keeping neck edge straight, continue to dec. at armhole edge as before until 2 sts. remain, working decreases at outer armhole edge when they can no longer be worked inside a border of 2 sts. Work 1 row. K.2 tog. and faster. off. ★

RIGHT FRONT

Using size 10 needles and A, cast on 26 (28, 28, 32) sts. and work 8 rows in k.1, p.1 rib, inc. 1 st. at beg. of last row on **2nd and 3rd sizes only**. 26 (29, 29, 32) sts.

Change to size 8 needles. Now work rows 1 to 4 inclusive of pattern as given on Back. Continue in A only.

1st and 3rd sizes only

Next row: K. twice into first st., k. to last st., k. twice into last st. 28 (31) sts.

Next row: P.

All sizes

Continue in st.st. until work measures the same as Back to armhole, ending with a p. row. Mark side edge of last row with a coloured thread.

Shape Raglan Armhole and Neck

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P. Next row: K. Next row: P.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Next row: K. to last 4 sts., k.2 tog., k.2.

Next row: P.

Complete to match Left Front, working from ★ to ★.

SLEEVES

Using size 10 needles and A, cast on 32 (32, 34, 34) sts. and work 8 rows in k.1, p.1 rib, inc. 1 st. at end of last row on **3rd and 4th sizes only**. 32 (32, 35, 35) sts.

Change to size 8 needles. Now work rows 1 to 4 inclusive of pattern as given on Back. Continue in A only.

1st and 2nd sizes only

Next row: K. to last st., k. twice into last st. 33 (33) sts.

Next row: P.

All sizes

Continue in st.st. Inc. 1 st. at each end of the next and every following 5th (5th, 6th, 6th) row until there are 43 (45, 47, 49) sts. on the needle. Continue without further shaping until work measures 5½ (6, 6½, 7) inches from the beg., ending with a p. row. Mark each end of last row with a coloured thread.

Shape Raglan Top

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P. Next row: K. Next row: P.

Rep. the last 4 rows 1 (1, 2, 2) times more.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Rep. the last 2 rows until 9 (9, 11, 11) sts. remain, ending with a p. row. Cast off.

FRONT BAND

Using size 10 needles and A, cast on 7 sts.

1st row: (Right side) K.1, * p.1, k.1, rep. * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.

Rep. these 2 rows for ½ (½, ½, ½) inch.

Buttonhole row: Rib 3, y.f., k.2 tog., rib to end.

Continue in rib, making 3 more buttonholes at intervals of 1¼ (1¼, 1½, 1½) inches, measured from base of previous buttonhole. Continue in rib until band is long enough, when slightly stretched, to fit up Right Front across sleeve tops, back neck and down Left Front. Cast off in rib.

TO MAKE UP

SPECIAL PRESSING INSTRUCTIONS

SUPERLITE BRI-NYLON

Pin out to correct measurements and press with a cool iron over a dry cloth, omitting ribbing.

WOOL

Pin out to correct measurements and press with a warm iron (wool setting) over a damp cloth, omitting ribbing.

MACHINE WASHABLE DOUBLE KNITTING WOOL AND TRICEL

Pin out and press as given for Wool. It is essential that the seams are joined with the same yarn as used for the making as other yarns could shrink and spoil the shape of the garment. Make sure that all seams are fastened off securely as the agitation of a washing machine could loosen these stitches. Sew all buttons on securely.

Dress

Using a back stitch, join side and sleeve seams. Overlap front shoulder edging over back and catch down, then set in Sleeves by running a thread round sleeve head and easing sleeve into armhole. Fold hem at Picot Hemline and slip stitch down onto wrong side. Sew on buttons.

Jacket

Using a flat stitch, join raglan seams. Join side and sleeve seams with a back stitch. Sew on Front Band and buttons.