

8525

Emu

DK

DOUBLE
KNITTING

QK

QUICKERKNIT

4

PLY

18 to 20 inch
THREE SIZES



9p



4

EMU SCOTCH SUPERWASH WOOL 4 PLY
(25 grm Balls)
EMU 4 PLY COURTELLE/BRI-NYLON
(20 grm Balls)
EMU SUPERLITE BRI-NYLON 4 PLY
(20 grm Balls)
EMU CALYPSO CREPE 4 PLY (25 grm Balls)
EMU TRICEL/NYLON 4 PLY (20 grm Balls)
EMU 4 PLY CREPE COURTELLE/
BRI-NYLON (20 grm Balls)

DK

EMU SCOTCH SUPERWASH WOOL
DOUBLE KNITTING (25 grm Balls)
EMU DOUBLE KNITTING COURTELLE/
BRI-NYLON (20 grm Balls)
EMU SUPERLITE BRI-NYLON
DOUBLE KNITTING (20 grm Balls)
EMU CALYPSO DOUBLE CREPE (25 grm Balls)
EMU TRICEL/NYLON DOUBLE KNITTING
(20 grm Balls)
EMU ELITE DOUBLE KNITTING (25 grm Balls)
EMU DOUBLE CREPE COURTELLE/
BRI-NYLON (20 grm Balls)

QK

EMU COURTELLE BABY QUICKERKNIT
EMU SUPERLITE BRI-NYLON BABY
QUICKERKNIT

To fit Chest	ins.	18	19	20
	cms.	46	48	51
Length	ins.	12	12½	13
4 PLY				
Dress				
Main Colour	balls	4	5	5
A	ball	1	1	1
Knickers	balls	2	2	2
DOUBLE KNITTING				
Dress				
Main Colour	balls	5	6	6
A	ball	1	1	1
Knickers	balls	2	2	3
QUICKERKNIT				
Dress				
Main Colour	balls	4	5	5
A	ball	1	1	1
Knickers	balls	2	2	2

4 Ply
One pair each of Aero Knitting Needles size 9, 10 and 12.
Crochet Hook.

3 Buttons and 1 yard narrow ribbon for Dress.
Elastic to fit waist of Knickers.

Double Knitting
One pair each of Aero Knitting Needles size 7, 8 and 10.
Crochet Hook.

3 Buttons and 1 yard narrow ribbon for Dress.
Elastic to fit waist of Knickers.

Quickerknit
One pair each of Aero Knitting Needles size 6, 7 and 9.
Crochet Hook.
3 Buttons and 1 yard narrow ribbon for Dress.
Elastic to fit waist of Knickers.

TENSION We recommend that you test your tension before commencing the garment. A tension square to measure 4" x 4" should be knitted and, before this sample is measured, it should be pinned out and pressed according to the special instructions given under the heading 'To Make Up'.

4 Ply
15 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.

Double Knitting and Quickerknit
11 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over; y.f., yarn forward; y.r.n., yarn round needle; M.C., main colour; A, contrast colour; d.c., double crochet.

DRESS AND KNICKERS

NOTE: These instructions are written in three sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces. Owing to the number of sizes quoted, we suggest that you underline all the figures for the size you require before commencing.

4 PLY DRESS

BACK

★ Using size 9 needles and A, cast on 133 (143) (153) sts. and k. 2 rows.
Change to M.C. and pattern.

1st row: K. 1, k. 2 tog., * k. 3, y.f., k. 1, y.f., k. 3, sl. 1, k. 2 tog., p.s.s.o., rep. from * to last 10 sts., k. 3, y.f., k. 1, y.f., k. 3, k. 2 tog., k. 1.

2nd row: P.

Rep. these 2 rows twice more.

Using A, k. 2 rows.

Rep. the last 8 rows once more.

Break off A and continue in M.C. only.

Work the 1st and 2nd pattern rows until work measures 7 (7½) (7½) inches from the beg., ending with a p. row.

Change to size 10 needles.

Next row: K. 4 (3) (2), [k. 2 tog.] 62 (68) (74) times, k. 5 (4) (3), 71 (75) (79) sts.

K. 1 row.

Make Eyelet Holes: K. 3, * y.f., k. 2 tog., k. 2, rep. from * to end.

K. 1 row.

Change to st.st. (1 row k., 1 row p.), work 4 rows.

Shape Armholes

Cast off 4 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 55 (59) (63) sts. remain. ★ Continue without further shaping until work measures 3¾ (4) (4½) inches from the commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 6 sts. at the beg. of the next 4 rows and 5 (6) (7) sts. at the beg. of the following 2 rows. Leave the remaining 21 (23) (25) sts. on a spare needle.

FRONT

Follow instructions for Back from ★ to ★. Continue without further shaping until work measures 2¼ (2½) (2¾) inches from the commencement of armhole shaping, ending with a p. row.

Shape Neck

Next row: K. 21 (22) (23) sts. and turn, leaving remaining sts. on a spare needle, p. to end.

Next row: K. to last 3 sts., k. 2 tog., k. 1.

Next row: P.

Rep. the last 2 rows until 17 (18) (19) sts. remain. Continue without further shaping until work measures the same as Back to shoulder shaping, ending at side edge.



TO OBTAIN A PERFECT RESULT YOU MUST USE ONE OF THE EMU QUALITIES RECOMMENDED ON THIS LEAFLET. EMU WOOLS WILL NOT ACCEPT ANY RESPONSIBILITY FOR THE FINISHED GARMENT UNLESS ONE OF THESE QUALITIES IS USED.

Shape Shoulder

Cast off 6 sts. at the beg. of the next and following alternate row. Work 1 row. Cast off the remaining 5 (6) (7) sts.

Slip the centre 13 (15) (17) sts. onto a spare needle. Join in yarn at neck edge to remaining sts., k. to end.

Next row: P.

Next row: K. 1, sl. 1, k. 1, p.s.s.o., k. to end.

Rep. the last 2 rows until 17 (18) (19) sts. remain. Complete to match first side of neck.

SLEEVES

Using size 9 needles and A, cast on 103 (113) (123) sts. and k. 2 rows. Change to M.C. and pattern.

1st row: K. 1, k. 2 tog., * k. 3, y.f., k. 1, y.f., k. 3, sl. 1, k. 2 tog., p.s.s.o., rep. from * to last 10 sts., k. 3, y.f., k. 1, y.f., k. 3, k. 2 tog., k. 1.

2nd row: P.

Rep. these 2 rows twice more.

Using A, k. 2 rows.

Break off A and continue in M.C. only.

Work 6 rows in pattern.

Next row: K. 1 (2) (3), [k. 2 tog., k. 1] 34 (37) (40) times. 69 (76) (83) sts.

Next row: P.

Cast off loosely.

NECKBAND

Using a back stitch, join right shoulder seam. With right side of work facing, using size 12 needles and M.C., pick up and k. 14 (15) (16) sts. down left side of neck, k. across the 13 (15) (17) sts. at centre, pick up and k. 14 (15) (16) sts. up right side of neck, k. across the 21 (23) (25) sts. on back neck. 62 (68) (74) sts.

Commencing with a p. row, work 3 rows in st.st.

Next row: (Picot Edge) K. 2, * y.f., k. 2 tog., rep. from * to end.

Commencing with a p. row, work 3 rows in st.st.

Cast off loosely.

KNICKERS

BACK AND FRONT ALIKE

Using size 10 needles and M.C., cast on 15 (17) (17) sts. Work 10 rows in st.st. (1 row k., 1 row p.).

Continue in st.st., inc. 1 st. at each end of every row until there are 63 (65) (65) sts. on the needle.

Cast on 5 (6) (8) sts. at the beg. of the next 2 rows. 73 (77) (81) sts. Continue on these sts. until work measures $7\frac{1}{2}$ (8) ($8\frac{1}{2}$) inches from base of crotch, ending with a p. row.

Change to size 12 needles.

1st row: K. 1, * p. 1, k. 1, rep. from * to end.

2nd row: P. 1, * k. 1, p. 1, rep. from * to end.

Rep. these 2 rows once.

Next row: (Eyelet Holes) K. 1, * k. 2 tog., y.r.n., p. 1, k. 1, rep. from * to end.

Work a further 3 rows in rib. Cast off in rib.

LEG EDGINGS

Using a flat stitch, join side seams. With right side of work facing, using size 12 needles and M.C., pick up and k. 62 (64) (66) sts. evenly around leg shaping, starting and ending at crotch edge.

Work 7 rows in k. 1, p. 1 rib. Cast off in rib.

DOUBLE KNITTING DRESS

BACK

★ Using size 7 needles and A, cast on 93 (103) (113) sts. and k. 2 rows. Change to M.C. and pattern.

1st row: K. 1, k. 2 tog., * k. 3, y.f., k. 1, y.f., k. 3, sl. 1, k. 2 tog., p.s.s.o., rep. from * to last 10 sts., k. 3, y.f., k. 1, y.f., k. 3, k. 2 tog., k. 1.

2nd row: P.

Rep. these 2 rows twice more.

Using A, k. 2 rows.

Rep. the last 8 rows once more.

Break off A and continue in M.C. only.

Work the 1st and 2nd pattern rows until work measures 7 ($7\frac{1}{2}$) ($7\frac{1}{2}$) inches from the beg., ending with a p. row.

Change to size 8 needles.

Next row: K. 6 (3) (2), [k. 2 tog.] 40 (48) (54) times, k. 7 (4) (3). 53 (55) (59) sts.

K. 1 row.

Make Eyelet Holes: K. 2 (3) (3), * y.f., k. 2 tog., k. 2, rep. from * to last 3 (4) (4) sts., y.f., k. 2 tog., k. 1 (2) (2).

K. 1 row.

Change to st.st. (1 row k., 1 row p.), work 2 rows.

Shape Armholes

Cast off 3 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 39 (41) (45) sts. remain. ★ Continue without further shaping until work measures $3\frac{3}{4}$ (4) ($4\frac{1}{4}$) inches from the commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 5 sts. at the beg. of the next 2 rows and 5 (5) (6) sts. at the beg. of the following 2 rows. Leave the remaining 19 (21) (23) sts. on a spare needle.

FRONT

Follow instructions for Back from ★ to ★. Continue without further shaping until work measures $2\frac{1}{4}$ ($2\frac{1}{2}$) ($2\frac{3}{4}$) inches from the commencement of armhole shaping, ending with a p. row.

Shape Neck

Next row: K. 13 (13) (14) sts. and turn, leaving remaining sts. on a spare needle, p. to end.

Next row: K. to last 3 sts., k. 2 tog., k. 1.

Next row: P.

Rep. the last 2 rows until 10 (10) (11) sts. remain. Continue without further shaping until work measures the same as Back to shoulder shaping, ending at side edge.



Shape Shoulder

Cast off 5 sts. at the beg. of the next row. Work 1 row. Cast off the remaining 5 (5) (6) sts. Slip the centre 13 (15) (17) sts. onto a spare needle. Join in yarn at neck edge to remaining sts., k. to end.

Next row: P.

Next row: K. 1, sl. 1, k. 1, p.s.s.o., k. to end.

Rep. the last 2 rows until 10 (10) (11) sts. remain. Complete to match first side of neck.

SLEEVES

Using size 7 needles and A, cast on 73 (83) (93) sts. and k. 2 rows.

Change to M.C. and pattern.

1st row: K. 1, k. 2 tog., * k. 3, y.f., k. 1, y.f., k. 3, sl. 1, k. 2 tog., p.s.s.o., rep. from * to last 10 sts., k. 3, y.f., k. 1, y.f., k. 3, k. 2 tog., k. 1.

2nd row: P.

Rep. these 2 rows twice more.

Using A, k. 2 rows.

Break off A and continue in M.C. only. Work 6 rows in pattern.

Next row: K. 4 (3) (2), [k. 2 tog., k. 1] 22 (26) (30) times, k. 3 (2) (1). 51 (57) (63) sts.

Next row: P.

Cast off loosely.

NECKBAND

Using a back stitch, join right shoulder seam. With right side of work facing, using size 10 needles and M.C., pick up and k. 11 (11) (12) sts. down left side of neck, k. across the 13 (15) (17) sts. at centre, pick up and k. 11 (11) (12) sts. up right side of neck, k. across the 19 (21) (23) sts. on back neck. 54 (58) (64) sts.

Commencing with a p. row, work 3 rows in st.st.

Next row: (Picot Edge) K. 2, * y.f., k. 2 tog., rep. from * to end.

Commencing with a p. row, work 3 rows in st.st.

Cast off loosely.

KNICKERS

BACK AND FRONT ALIKE

Using size 8 needles and M.C., cast on 11 (13) (13) sts. Work 8 rows in st.st. (1 row k., 1 row p.). Continue in st.st., inc. 1 st. at each end of every row until there are 47 (49) (49) sts. on the needle.

Cast on 4 (5) (7) sts. at the beg. of the next 2 rows. 55 (59) (63) sts. Continue on these sts. until work measures $7\frac{1}{2}$ (8) (8 $\frac{1}{2}$) inches from base of crotch, ending with a p. row. Change to size 10 needles.

1st row: K. 1, * p. 1, k. 1, rep. from * to end.

2nd row: P. 1, * k. 1, p. 1, rep. from * to end.

Rep. these 2 rows once.

Next row: (Eyelet Holes) Rib 2, * k. 2 tog., y.f., rib 2, rep. from * to last st., k. 1.

Work a further 3 rows in rib. Cast off in rib.

LEG EDGINGS

Using a flat stitch, join side seams. With right side of work facing, using size 10 needles and M.C., pick up and k. 52 (54) (56) sts. evenly around leg shaping, starting and ending at crotch edge. Work 5 rows in k. 1, p. 1 rib. Cast off in rib.

QUICKERKNIT

Follow instructions for Double Knitting but using size 6 needles instead of size 7 needles, size 7 needles instead of size 8 needles and size 9 needles instead of size 10.

SPECIAL INSTRUCTIONS

COURTELLE OR ACRYLICS — DO NOT PRESS.

**SUPERLITE BRI-NYLON OR COURTELLE/
BRI-NYLON**

Pin out to correct measurements and press with a cool iron over a dry cloth.

WOOL

Pin out to correct measurements and press with a warm iron (at wool setting) over a damp cloth. Hand wash unless specific machine washing instructions are given on the ball band.

SUPERWASH WOOL, TRICEL OR POLYESTER

Pin out and press as given for Wool.

MACHINE WASHABLE GARMENTS

It is essential that the seams are joined with the same yarn as used for the making as other yarns could shrink and spoil the shape of the garment. Make sure that all seams are fastened off securely as the agitation of a washing machine could loosen these stitches. Sew all buttons on securely.

TUMBLE DRY

Garments made with Superwash Wool, Tricel, Polyester, Courtele, Bri-Nylon or Acrylics can be tumble dried.

TO MAKE UP

Dress

Using a back stitch, join left shoulder seam for $\frac{1}{4}$ inch. Join side and sleeve seams. Set in Sleeves. Fold Picot Edge onto wrong side and slip stitch down. Thread ribbon through eyelet holes, bringing ends out to tie.

Buttonhole Edging

Using M.C., commencing at back picot edge, work a row of d.c. evenly around shoulder to front picot edge.

Next row: Work 3 buttonhole loops evenly along front shoulder, work d.c. to end.

Fasten off. Sew on buttons.

Knickers

Using a flat stitch, join crotch seam. Thread elastic through eyelet holes at waist.



Copyright printed in England

Do write if in need of advice on this leaflet to
JANET MINTON, EMU WOOLS LTD.,
15 WOODSTOCK ST., LONDON, W1R 2EJ