

8535

Emu

QK

QUICKERKNIT

4

PLY

3

PLY

19-21 inch

THREE SIZES



3

EMU TREASURE 3 PLY (20 grm balls)

4

EMU TREASURE 4 PLY (20 grm balls)

EMU SCOTCH SUPERWASH WOOL

4 PLY (25 grm balls)

EMU EASY-CARE 4 PLY (20 grm balls)

EMU EASY-CARE 4 PLY CREPE

(20 grm balls)

QK

EMU TREASURE QUICKERKNIT

(20 grm balls)

EMU TREASURE RIPPLE QUICKERKNIT

(20 grm balls)

To fit Chest	ins.	19	20	21
	cms.	48	51	53
Length	ins.	10	10 $\frac{3}{4}$	11 $\frac{1}{2}$
Sleeve Seam	ins.	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
3 Ply	balls	3	3	3
4 Ply	balls	4	4	5
Quickerknit	balls	4	4	5
3 Ply				
One pair each of Aero Knitting Needles size 11 and 13.				
4 Buttons.				
4 Ply				
One pair each of Aero Knitting Needles size 10 and 12.				
4 Buttons.				
Quickerknit				
One pair each of Aero Knitting Needles size 9 and 10.				
4 Buttons.				
TENSION We recommend that you test your tension before commencing the garment. A tension square to measure 4" x 4" should be knitted and, before this sample is measured, it should be pinned out and pressed according to the special instructions given under the heading 'To Make Up.'				
3 Ply				
17 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.				
4 Ply				
15 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.				
Quickerknit				
13 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.				
ABBREVIATIONS				
K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over; t.b.l., through back of loop(s); y.f., yarn forward; y.r.n., yarn round needle.				

NOTE—These instructions are written in three sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces. Owing to the number of sizes quoted, we suggest that you underline all the figures for the size you require before commencing.

CARDIGAN

3 PLY

BACK

Using size 13 needles, cast on 82 (86, 90) sts. and work 14 rows in k.1, p.1 rib.

Change to size 11 needles and st.st. (1 row k., 1 row p.) Continue until work measures 5 $\frac{1}{2}$ (6, 6 $\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Armholes

Cast off 3 sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next and every following alternate row until 28 (30, 32) sts. remain, ending with a p. row. Cast off.

LEFT FRONT

★ Using size 13 needles, cast on 40 (42, 44) sts. and work 14 rows in

k.1, p.1 rib, inc. 1 st. at end of last row. 41 (43, 45) sts. Change to size 11 needles and pattern.

1st row: (Right side) K. **2nd row:** P.

3rd row: K.10 (11, 12), * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.6, rep. from * twice more, k. to end. **4th row:** P.

These 4 rows form the pattern. Continue in pattern until work measures 5 $\frac{1}{2}$ (6, 6 $\frac{1}{2}$) inches from the beg., ending with a wrong side row.★

Shape Raglan Armhole and Neck

Next row: Cast off 3 sts., pattern to last 3 sts., k.2 tog., k.1. **Next row:** P.

Next row: K.2 tog., pattern to last 2 sts., k.2.

Next row: P.1, p.2 tog., p. to end.

Next row: K.2 tog., pattern to last 2 sts., k.2. **Next row:** P.

Next row: K.2 tog., pattern to last 3 sts., k.2 tog., k.1.

Continue to dec. in this way, dec. 1 st. at neck edge on every 3rd row, at the same time dec. 1 st. at armhole edge on every alternate row until 7 (7, 6) sts. remain. Keeping neck edge straight, dec. at armhole edge as before until 2 sts. remain. Work 1 row. K.2 tog. and fasten off.

RIGHT FRONT

Follow instructions for Left Front from ★ to ★.

Shape Raglan Armhole and Neck

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to end.

Next row: Cast off 3 sts., p. to end.

Next row: K.2, pattern to last 2 sts., k.2 tog.

Next row: P. to last 3 sts., p.2 tog. t.b.l., p.1.

Next row: K.2, pattern to last 2 sts., k.2 tog. **Next row:** P.

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to last 2 sts., k.2 tog. Complete to match Left Front.

SLEEVES

Using size 13 needles, cast on 46 (48, 50) sts. and work 14 rows in k.1, p.1 rib.

Change to size 11 needles and st.st. Inc. 1 st. at each end of every following 5th row until there are 60 (64, 68) sts. on the needle. Continue without further shaping until work measures 5 $\frac{1}{2}$ (6, 6 $\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Top

Cast off 3 sts. at the beg. of the next 2 rows.

1st and 2nd sizes only

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog., k. to last 7 sts., k.2 tog. t.b.l., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2.

Next row: P.

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k. to last 5 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2. **Next row:** P.



TO OBTAIN A PERFECT RESULT YOU MUST USE ONE OF THE EMU QUALITIES RECOMMENDED ON THIS LEAFLET. EMU WOOLS WILL NOT ACCEPT ANY RESPONSIBILITY FOR THE FINISHED GARMENT UNLESS ONE OF THESE QUALITIES IS USED.

All sizes

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog., k. to last 7 sts., k.2 tog. t.b.l., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2.

Next row: P.

Rep. the last 2 rows until 12 sts. remain, ending with a p. row.

Next row: K.2 tog., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog. **Next row:** P. (10 sts.)

1st size only

Next row: K.1, sl.1, k.2 tog., p.s.s.o., y.f., k.2, y.f., sl.1, k.2 tog., p.s.s.o., k.1. **Next row:** P. (8 sts.)

All sizes

Cast off.

FRONT BAND

Using size 13 needles, cast on 9 sts.

1st row: K.1, * p.1, k.1, rep. from * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.

Rep. these 2 rows for $\frac{1}{2}$ ($\frac{1}{2}$, $\frac{3}{4}$) inch.

Buttonhole row: Rib 4, y.r.n., p.2 tog., rib to end. Continue in rib, making 3 more buttonholes at intervals of $1\frac{1}{2}$ ($1\frac{1}{2}$, $1\frac{1}{2}$) inches, measured from base of previous buttonhole. Continue in rib until Band is long enough to fit up Right Front across sleeve tops, back neck and down Left Front. Cast off in rib.

4 PLY

BACK

Using size 12 needles, cast on 72 (76, 80) sts. and work 12 rows in k.1, p.1 rib.

Change to size 10 needles and st.st. (1 row k., 1 row p.) Continue until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Armholes

Cast off 3 sts. at the beg. of the next 2 rows.

3rd size only

Next row: K.2 tog., k. to last 2 sts., k.2 tog. Work 3 rows.

All sizes

Dec. 1 st. at each end of the next and every following alternate row until 26 (28, 30) sts. remain, ending with a p. row. Cast off.

LEFT FRONT

★ Using size 12 needles, cast on 36 (38, 40) sts. and work 12 rows in

k.1, p.1 rib, inc. 1 st. at end of last row. 37 (39, 41) sts. Change to size 10 needles and pattern.

1st row: (Right side) K. **2nd row:** P.

3rd row: K.8 (9, 10), * y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.6, rep. from * twice more, k. to end. **4th row:** P.

These 4 rows form the pattern. Continue in pattern until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a wrong side row. ★

Shape Raglan Armhole and Neck

Next row: Cast off 3 sts., pattern to last 3 sts., k.2 tog., k.1.

Next row: P.

1st and 2nd sizes only

Next row: K.2 tog., pattern to last 2 sts., k.2.

Next row: P.1, p.2 tog., p. to end.

Next row: K.2 tog., pattern to last 2 sts., k.2. **Next row:** P.

Next row: K.2 tog., pattern to last 3 sts., k.2 tog., k.1.

3rd size only

Next row: K.2 tog., pattern to last 2 sts., k.2.

Next row: P.1, p.2 tog., p. to end.

Next row: Pattern to last 2 sts., k.2. **Next row:** P.

Next row: K.2 tog., pattern to last 3 sts., k.2 tog., k.1.

All sizes

Continue to dec. in this way, dec. 1 st. at neck edge on every 3rd row, at the same time dec. 1 st. at armhole edge on every alternate row until 3 sts. remain. Keeping neck edge straight, dec. at armhole edge as before until 2 sts. remain. Work 1 row. K.2 tog. and fasten off.

RIGHT FRONT

Follow instructions for Left Front from ★ to ★.

Shape Raglan Armhole and Neck

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to end.

Next row: Cast off 3 sts., p. to end.

1st and 2nd sizes only

Next row: K.2, pattern to last 2 sts., k.2 tog.

Next row: P. to last 3 sts., p.2 tog. t.b.l., p.1.

Next row: K.2, pattern to last 2 sts., k.2 tog. **Next row:** P.

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to last 2 sts., k.2 tog.

3rd size only

Next row: K.2, pattern to last 2 sts., k.2 tog.

Next row: P. to last 3 sts., p.2 tog. t.b.l., p.1.

Next row: K.2, pattern to end. **Next row:** P.

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to last 2 sts., k.2 tog.

All sizes

Complete to match Left Front.

SLEEVES

Using size 12 needles, cast on 38 (40, 42) sts. and work 12 rows in k.1, p.1 rib.

Change to size 10 needles and st.st. Inc. 1 st. at each end of every following 4th row until there are 52 (56, 60) sts. on the needle. Continue without further shaping until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Top

Cast off 3 sts. at the beg. of the next 2 rows.

1st size only

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog., k. to last 7 sts., k.2 tog. t.b.l., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2.

Next row: P.

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k. to last 5 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2. **Next row:** P.

All sizes

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog., k. to last 7 sts., k.2 tog. t.b.l., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2.

Next row: P.

Rep. these 2 rows until 12 sts. remain, ending with a p. row.

Next row: K.2 tog., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog. **Next row:** P. (10 sts.)

Next row: K.1, sl.1, k.2 tog., p.s.s.o., y.f., k.2, y.f., sl.1, k.2 tog., p.s.s.o., k.1.

Next row: P. (8 sts.) Cast off.

FRONT BAND


Using size 12 needles, cast on 9 sts.

1st row: K.1, * p.1, k.1, rep. from * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.

Rep. these 2 rows for $\frac{1}{2}$ ($\frac{1}{2}$, $\frac{3}{4}$) inch.

Buttonhole row: Rib 4, y.r.n., p.2 tog., rib to end. Continue in rib, making 3 more buttonholes at intervals of $1\frac{1}{2}$ ($1\frac{1}{2}$, $1\frac{1}{2}$) inches measured from base of previous buttonhole. Continue in rib until Band is long enough to fit up Right Front, across sleeve tops, back neck and down Left Front. Cast off in rib.



QUICKERKNIT

BACK Using size 10 needles, cast on 62 (66, 70) sts. and work 10 rows in k.1, p.1 rib. Change to size 9 needles and st.st. (1 row k., 1 row p.) Continue until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Armholes

Cast off 2 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 22 (24, 26) sts. remain, ending with a p. row. Cast off.

LEFT FRONT ★ Using size 10 needles, cast on 30 (32, 34) sts. and work 10 rows in k.1, p.1 rib, inc. 1 st. at end of last row. 31 (33, 35) sts. Change to size 9 needles and pattern.

1st row: (Right side) K. 2nd row: P.

3rd row: K.7 (8, 9), ★ y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.4, rep. from ★ twice more, k. to end.

4th row: P.

These 4 rows form the pattern. Continue in pattern until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a wrong side row.★

Shape Raglan Armhole and Neck

Next row: Cast off 2 sts., pattern to last 3 sts., k.2 tog., k.1.

Next row: P.

Next row: K.2 tog., pattern to last 3 sts., k.2 tog., k.1.

Next row: P.

Rep. the last 2 rows twice more.

Next row: K.2 tog., pattern to last 3 sts., k.2 tog., k.1.

Next row: P.

Next row: K.2 tog., pattern to last 2 sts., k.2. Next row: P.

Next row: K.2 tog., pattern to last 3 sts., k.2 tog., k.1.

Next row: P.

Rep. the last 4 rows until 5 (4, 3) sts. remain.

Keeping neck edge straight, continue to dec. at armhole edge as before until 2 sts. remain. Work 1 row. K.2 tog. and fasten off.

RIGHT FRONT Follow instructions for Left Front from ★ to ★.

Shape Raglan Armhole and Neck

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to end.

Next row: Cast off 2 sts., p. to end.

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to last 2 sts., k.2 tog.

Next row: P.

Rep. the last 2 rows twice more.

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to last 2 sts., k.2 tog.

Next row: P.

Next row: K.2, pattern to last 2 sts., k.2 tog. Next row: P.

Next row: K.1, sl.1, k.1, p.s.s.o., pattern to last 2 sts., k.2 tog.

Next row: P.

Complete to match Left Front.

SLEEVES Using size 10 needles, cast on 34 (36, 38) sts. and work 10 rows in k.1, p.1 rib.

Change to size 9 needles and st.st. Inc. 1 st. at each end of every following 4th (4th, 5th) row until there are 46 (50, 52) sts. on the needle. Continue without further shaping until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a p. row.

Shape Raglan Top

Cast off 2 sts. at the beg. of the next 2 rows.

1st size only

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog., k. to last 7 sts., k.2 tog. t.b.l., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2.

Next row: P.

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k. to last 5 sts., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2. Next row: P.

All sizes

Next row: K.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog., k. to last 7 sts., k.2 tog. t.b.l., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2.

Next row: P.

Rep. these 2 rows until 12 sts. remain, ending with a p. row.

Next row: K.2 tog., y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2, y.f., sl.1, k.2 tog., p.s.s.o., y.f., k.2 tog. Next row: P. (10 sts.)

Next row: K.1, sl.1, k.2 tog., p.s.s.o., y.f., k.2, y.f., sl.1, k.2 tog., p.s.s.o., k.1.

Next row: P. (8 sts.) Cast off.

FRONT BAND Using size 10 needles, cast on 9 sts.

1st row: K.1, ★ p.1, k.1, rep. from ★ to end.

2nd row: P.1, ★ k.1, p.1, rep. from ★ to end.

Rep. these 2 rows for $\frac{1}{2}$ ($\frac{1}{2}$, $\frac{3}{4}$) inch.

Buttonhole row: Rib 4, y.r.n., p.2 tog., rib to end. Continue in rib, making 3 more buttonholes at intervals of $1\frac{1}{2}$ ($1\frac{1}{2}$, $1\frac{1}{2}$) inches measured from base of previous buttonhole. Continue in rib until Band is long enough to fit up Right Front, across sleeve tops, back neck and down Left Front. Cast off in rib.

SPECIAL INSTRUCTIONS

COURTELLE/BRI-NYLON

Pin out to correct measurements and press with a cool iron over a dry cloth.

WOOL

Pin out to correct measurements and press with a warm iron (at wool setting) over a damp cloth. Hand wash unless specific machine washing instructions are given on the ball band.

SUPERWASH WOOL, TRICEL OR POLYESTER

Pin out and press as given for Wool.

MACHINE WASHABLE GARMENTS

It is essential that the seams are joined with the same yarn as used for the making as other yarns could shrink and spoil the shape of the garment. Make sure that all seams are fastened off securely as the agitation of a washing machine could loosen these stitches. Sew all buttons on securely.

TUMBLE DRY

Garments made with Superwash Wool, Tricel, Polyester, Courtelles, Bri-Nylon or Acrylics can be tumble dried.

TO MAKE UP Using a flat stitch, join raglan seams. Join side and sleeve seams with a back stitch. Sew on Front Band and buttons.



Copyright printed in England

Do write if in need of advice on this leaflet to
JANET MINTON, EMU WOOLS LTD.,
15 WOODSTOCK STREET,
LONDON, W1R, 2EJ.