





EMU TREASURE DOUBLE KNITTING
(20 grm balls)
EMU SCOTCH SUPERWASH WOOL
DOUBLE KNITTING (25 grm balls)
EMU EASY-CARE DOUBLE KNITTING
(20 grm balls)
EMU EASY-CARE DOUBLE KNITTING
CREPE (20 grm balls)
EMU EASY-CARE COLOURGLO
DOUBLE KNITTING (20 grm balls)

JUMPER, CARDIGAN and KNICKERS



NOTE—These instructions are written in three sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces. Owing to the number of sizes quoted, we suggest that you underline all the figures for the size you require before commencing.

JUMPER

BACK

★ Using size 10 needles, cast on 55 (59, 61) sts.

1st row: (Right side) K.1. ★ p.1, k.1, rep. from ★ to end.

2nd row: P.1, ★ k.1, p.1, rep. from ★ to end.

Rep. these 2 rows 5 times more.★

Change to size 8 needles and st.st. (1 row k., 1 row p.) Continue until work measures 6 (6, 6½) inches from the beg., ending with a p. row. Mark each end of last row with a coloured thread to facilitate easier working when joining raglan seams.

Shape Raglan Armholes

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Next row: K.

Next row: P.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Rep. the last 2 rows until 21 (23, 23) sts. remain, ending with a p. row. Leave these sts. on a spare needle.

FRONT

Follow instructions for Back from ★ to ★.

Change to size 8 needles and pattern.

1st row: K.18 (20, 21), p.3, [k.5, p.3] twice, k.18 (20, 21).

2nd row: P.18 (20, 21), k.3, [p.5, k.3] twice, p.18 (20, 21).

3rd row: K.18 (20, 21), p.3, [cross 2 (see abbreviations), k.1, y.f., k.1, y.f., k.1, p.3] twice, k.18 (20, 21).

4th row: As 2nd row.

Rep. 1st and 2nd rows once.

These 6 rows form the pattern. Continue in pattern until work measures 6 (6, 6½) inches from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread.

Shape Raglan Armholes

Next row: K.2, sl.1, k.1, p.s.s.o., pattern to last 4 sts., k.2 tog., k.2.

Work 3 rows straight.

Next row: K.2, sl.1, k.1, p.s.s.o., pattern to last 4 sts., k.2 tog., k.2.

Next row: Pattern to end.

Rep. the last 2 rows until 35 (37, 37) sts. remain, ending with a wrong side row.

Shape Neck

Next row: K.2, sl.1, k.1, p.s.s.o., pattern 9 sts. and turn, leaving remaining sts. on a spare needle.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on every following alternate row until 4 sts. remain, working decreases at outer armhole edge.

To fit Chest	ins.	19	20	21
	cms.	48	51	53
Actual Measurement	ins.	20	21	22
	cms.	51	53	56
Jumper and Cardigan Length	ins.	10½	11	11½
	cms.	27	28	30
Sleeve Seam	ins.	6	6½	7
	cms.	15	16	18
Jumper	balls	5	5	5
Cardigan	balls	5	6	6
Knickers	balls	3	3	3

One pair each of Aero Knitting Needles size 8 and 10.

4 inch Lightning Zip Fastener for Jumper.

5 Buttons for Cardigan

Elastic for waist of Knickers.

TENSION We recommend that you test your tension before commencing the garment. A tension square to measure 4" x 4" should be knitted and, before this sample is measured, it should be pinned out and pressed according to the special instructions given under the heading 'To Make Up.'

11 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over; y.f., yarn forward; y.o.n., yarn over needle; cross 2, pass the 4th and 5th sts. on left-hand needle over the 1st, 2nd and 3rd sts.



TO OBTAIN A PERFECT RESULT YOU MUST USE ONE OF THE EMU QUALITIES RECOMMENDED ON THIS LEAFLET. EMU WOOLS WILL NOT ACCEPT ANY RESPONSIBILITY FOR THE FINISHED GARMENT UNLESS ONE OF THESE QUALITIES IS USED.

when they can no longer be worked inside a border of 2 sts. Keeping neck edge straight, work 2 more decreases at armhole edge. Work 1 row. K.2 tog. and fasten off. Slip the centre 9 (11, 11) sts. onto a spare needle. Join in yarn at neck edge to remaining sts., pattern to last 4 sts., k.2 tog., k.2. Complete to match first side of neck.

SLEEVES

Using size 10 needles, cast on 34 (34, 36) sts. and work 12 rows in k.1, p.1 rib. Change to size 8 needles and st.st. Inc. 1 st. at each end of the 7th and every following 8th (7th, 8th) row until there are 40 (42, 44) sts. on the needle. Continue without further shaping until work measures 6 (6½, 7) inches from the beg., ending with a p. row. Mark each end of last row with a coloured thread.

Shape Raglan Top

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Next row: K.

Next row: P.

Next row: K.2, sl.1, k.1, p.s.s.o., k. to last 4 sts., k.2 tog., k.2.

Next row: P.

Rep. the last 2 rows until 6 (6, 6) sts. remain, ending with a p. row. Leave these sts. on a spare needle.

NECKBAND

Using a flat stitch, join raglan seams, leaving left back raglan seam open. With right side of work facing and using size 10 needles, k. across the 6 (6, 6) sts. on top of left sleeve, pick up and k.10 sts. down left side of neck, k. across the 9 (11, 11) sts. at centre, pick up and k.10 sts. up right side of neck, k. across the 6 (6, 6) sts. on top of right sleeve and the 21 (23, 23) sts. on back neck. 62 (66, 66) sts. Work 5 rows in k.1, p.1 rib. Cast off in rib.

CARDIGAN

BACK

Follow instructions for Jumper.

LEFT FRONT

★ Using size 10 needles, cast on 27 (29, 31) sts.

1st row: (Right side) K.1, * p.1, k.1, rep. from * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.

Rep. these 2 rows 5 times more.

Change to size 8 needles and pattern.

1st row: K.4 (5, 6), p.3, [k.5, p.3] twice, k.4 (5, 6).

2nd row: P.4 (5, 6), k.3, [p.5, k.3] twice, p.4 (5, 6).

3rd row: K.4 (5, 6), p.3, [cross 2 (see abbreviations), k.1, y.f., k.1, y.f., k.1, p.3] twice, k.4 (5, 6).

4th row: As 2nd row.

Rep. 1st and 2nd rows once.

These 6 rows form the pattern. Continue in pattern until work measures 6 (6, 6½) inches from the beg.,

ending with a wrong side row. Mark side edge of last row with a coloured thread. ★

Shape Raglan Armhole

Next row: K.2, sl.1, k.1, p.s.s.o., pattern to end.

Work 3 rows straight.

Next row: K.2, sl.1, k.1, p.s.s.o., pattern to end.

Next row: Pattern to end.

Rep. the last 2 rows until 16 (17, 18) sts. remain, ending at front edge.

Shape Neck

Next row: Work across the first 4 (5, 6) sts. and slip them onto a safety pin, pattern to end.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on the next and every following alternate row until 4 sts. remain, working decreases at outer armhole edge, when they can no longer be worked inside a border of 2 sts. Keeping neck edge straight, work 2 more decreases at armhole edge. Work 1 row. K.2 and fasten off.

RIGHT FRONT

Follow instructions for Left Front from ★ to ★.

Shape Raglan Armhole

Next row: Pattern to last 4 sts., k.2 tog., k.2.

Work 3 rows straight.

Next row: Pattern to last 4 sts., k.2 tog., k.2.

Next row: Pattern to end.

Rep. the last 2 rows until 17 (18, 19) sts. remain, ending at front edge.

Shape Neck

Next row: Work across the first 4 (5, 6) sts. and slip them onto a safety pin, pattern to last 4 sts., k.2 tog., k.2.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on every following alternate row until 4 sts. remain, working decreases at outer edge, when they can no longer be worked inside a border of 2 sts. Keeping neck edge straight, work 2 more decreases at armhole edge. Work 1 row. K.2 tog. and fasten off.

SLEEVES

Follow instructions for Jumper.

NECKBAND

Using a flat stitch, join raglan seams. With right side of work facing and using size 10 needles, slip the 4 (5, 6) sts. left at neck on Right Front onto needle, join in yarn at inside edge, pick up and k.10 sts. up right side of neck, k. across the 6 (6, 6) sts. on top of right sleeve, 21 (23, 23) sts. on back neck, 6 (6, 6) sts. on top of left sleeve, pick up and k.10 sts. down left side of neck, then k. across the 4 (5, 6) sts. left at neck on Left Front. 61 (65, 67) sts.

1st row: (Wrong side) K.1, * p.1, k.1, rep. from * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.

Rep. these 2 rows once, then the 1st row once. Cast off in rib.

BUTTONHOLE BAND

Using size 10 needles, cast on 7 sts.

1st row: (Right side) K.1, * p.1, k.1, rep. from * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.


Rep. these 2 rows for ½ (¾, ¾) inch.

Buttonhole row: Rib 3, y.o.n., k.2 tog., rib to end.

Continue in rib, making 4 more buttonholes at intervals of 2 (2, 2½) inches measured from base of previous buttonhole. Work a further ½ inch in rib. Cast off in rib.

BUTTON BAND

Work to match Buttonhole Band, omitting buttonholes.



Emu

KNICKERS

BACK

★ Using size 8 needles, cast on 19 sts.

1st row: K.

2nd row: Cast on 6 sts., p. across these 6 sts., p. to end.

3rd row: Cast on 6 sts., k. across these 6 sts., sl.1, k.1, p.s.s.o., k.15, k.2 tog., k.6.

4th row: Cast on 6 sts., p. across these 6 sts., p. to end.

5th row: Cast on 6 sts., k. across these 6 sts., k.6, sl.1, p.s.s.o., k.13, k.2 tog., k.12.

6th row: Cast on 8 sts., p. across these 8 sts., p. to end.

7th row: Cast on 8 sts., k. across these 8 sts., k.12, sl.1, k.1, p.s.s.o., k.11, k.2 tog., k.20.

8th row: Cast on 8 sts., p. across these 8 sts., p. to end.

9th row: Cast on 8 sts., k. across these 8 sts., k.20, sl.1, k.1, p.s.s.o., k.9, k.2 tog., k.28.

10th row: Cast on 4 (5, 6) sts., p. across these 4 (5, 6) sts., p. to end.

11th row: Cast on 4 (5, 6) sts., k. across these 4 (5, 6) sts., k.28, sl.1, k.1, p.s.s.o., k.7, k.2 tog., k.32 (33, 34).

12th row: P.

13th row: K.32 (33, 34), sl.1, k.1, p.s.s.o., k.5, k.2 tog., k.32 (33, 34).

14th row: P.

15th row: K.32 (33, 34), sl.1, k.1, p.s.s.o., k.3, k.2 tog., k.32 (33, 34).

16th row: P.

17th row: K.32 (33, 34), sl.1, k.1, p.s.s.o., k.1, k.2 tog., k.32 (33, 34).

18th row: P.

19th row: K.32 (33, 34), sl.1, k.2 tog., p.s.s.o., k.32 (33, 34).

20th row: P.65 (67, 69) sts.

Continue in st.st. (1 row k., 1 row p.) without further shaping until work measures 5 (5½, 5½) inches from top of leg shaping, ending with a p. row.★

Shape Top

1st row: K.56 (58, 60) sts. and turn.

2nd row: P.47 (49, 51) sts. and turn.

3rd row: K.37 (39, 41) sts. and turn.

4th row: P.27 (29, 31) sts. and turn.

5th row: K.17 (19, 21) sts. and turn.

6th row: P.7 (9, 11) sts. and turn, k. to end.

Change to size 10 needles. Work across all sts.

★★1st row: K.1, * p.1, k.1, rep. from * to end.

2nd row: P.1, * k.1, p.1, rep. from * to end.

Rep. these 2 rows once more, then the 1st row once.

Next row: (Eyelet Holes) Rib 2 (4, 4), * y.f., work 2 tog., rib 3, rep. from * to last 3 (3, 5) sts., y.f., work 2 tog., rib 1 (1, 3).

Work 3 more rows in rib. Cast off in rib.★★

FRONT

Follow instructions for Back from ★ to ★. K.1 row. Change to size 10 needles. Complete to match Back, working from ★★ to ★★.

LEG BANDS

Using a back stitch, join crotch. With right side of work facing and using size 10 needles, pick up and k.64 (66, 68) sts. evenly around leg shaping from side seam to side seam. Work 5 rows in k.1, p.1 rib. Cast off in rib.

SPECIAL INSTRUCTIONS

COURTELLE OR ACRYLICS

DO NOT PRESS.

COURTELLE/BRI-NYLON

Pin out to correct measurements and press with a cool iron over a dry cloth.

WOOL

Pin out to correct measurements and press with a warm iron (at wool setting) over a damp cloth. Hand wash unless specific machine washing instructions are given on the ball band.

SUPERWASH WOOL OR POLYESTER

Pin out and press as given for Wool.

MACHINE WASHABLE GARMENTS

It is essential that the seams are joined with the same yarn as used for the making as other yarns could shrink and spoil the shape of the garment. Make sure that all seams are fastened off securely as the agitation of a washing machine could loosen these stitches. Sew all buttons on securely.

TUMBLE DRY

Garments made with Superwash Wool, Polyester, Courtele Bri-Nylon or Acrylics can be tumble dried.

TO MAKE UP

Jumper

Sew in Zip to left back raglan seam, then join remainder of seam. Using a back stitch, join side and sleeve seams.

Cardigan

Using a back stitch, join side and sleeve seams. Sew on Front Bands and buttons.

Knickers

Using a back stitch, join side seams. Thread elastic through eyelet holes at waist.