



Emu



TREASURE

8597

range of baby leaflets

M. J. Morgan

3 PLY . 4 PLY . QUICKERKNIT . 17-19 inch . 43-48 cms . THREE SIZES



3
4

EMU TREASURE 3 PLY (20 grm balls)

EMU TREASURE 4 PLY (20 grm balls)

EMU SCOTCH SUPERWASH WOOL

4 PLY (25 grm balls)

EMU EASY-CARE 4 PLY (20 grm balls)

EMU EASY-CARE 4 PLY CREPE

(20 grm balls)

EMU TREASURE QUICKERKNIT

(20 grm balls)

EMU TREASURE RIPPLE QUICKERKNIT

(20 grm balls)



The garment featured on the front cover was knitted in Emu Treasure 3 ply, Shade No. 324, Pink.

To fit Chest	ins.	17	18	19
	cms.	43	46	48
Length to Back Neck	ins.	9½	10	10½
	cms.	23	25	27
Sleeve Seam	ins.	5½	6	6½
	cms.	14	15	17
3 Ply	balls	4	4	5
4 Ply	balls	4	5	5
Quickerknit	balls	5	5	6

Aero Knitting Needles size 11 (3 mm) and 12 (2½ mm) for 3 Ply; size 10 (3½ mm) and 11 (3 mm) for 4 Ply; size 9 (3½ mm) and 10 (3½ mm) for Quickerknit.

3 Buttons for each Version.

TENSION We recommend that you test your tension before commencing the garment. A tension square to measure 4" x 4" should be knitted and, before this sample is measured, it should be pinned out and pressed according to the special instructions given under the heading 'To Make Up.'

3 Ply
19 stitches to 2 inches (5 cms. approx.) measured over pattern.
16 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.

4 Ply
17 stitches to 2 inches (5 cms. approx.) measured over pattern.
14 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.

Quickerknit
15 stitches to 2 inches (5 cms. approx.) measured over pattern.
13 stitches to 2 inches (5 cms. approx.) measured over stocking stitch.

ABBREVIATIONS

K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together.

COAT



NOTE—These instructions are written in three sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces. Owing to the large number of sizes quoted, we suggest that you underline all the figures for the size you require before commencing.

3 PLY

BACK

Using size 11 needles, cast on 114 (118, 126) sts. and k.7 rows. ★ Commence pattern.

1st row: (Right side) P.

2nd row: K.1, * k.1, p.1, k.1 all into next st., p.3 tog., rep. from * to last st., k.1.

3rd row: P.

4th row: K.1, * p.3 tog., k.1, p.1, k.1 all into next st., rep. from * to last st., k.1.

These 4 rows form the pattern. Continue in pattern until work measures 5 (5½, 5½) inches from the beg., ending with a wrong side row. ★

Dec. row: K.2 (4, 2), * k.2 tog., k.1, rep. from * to last 1 (3, 1) sts., k.1 (3, 1). 77 (81, 85) sts.

Next row: P.

Continue in st.st. (1 row k., 1 row p.)

Shape Armholes

Cast off 9 (10, 10) sts. at the beg. of the next 2 rows. 59 (61, 65) sts. Continue without further shaping until work measures 3½ (4, 4) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 6 (6, 7) sts. at the beg. of the next 4 rows and 6 (6, 6) sts. at the beg. of the following 2 rows. Leave the remaining 23 (25, 25) sts. on a spare needle.

RIGHT FRONT

Using size 11 needles, cast on 63 (67, 71) sts. and k.7 rows. ★★ Commence pattern.

1st row: (Right side) K.6, p. to end.

2nd row: K.1, * k.1, p.1, k.1 all into next st., p.3 tog., rep. from * to last 6 sts., p.1, k.5.

3rd row: K.6, p. to end.

4th row: K.1, * p.3 tog., k.1, p.1, k.1 all into next st., rep. from * to last 6 sts., p.1, k.5.

These 4 rows form the pattern. Continue in pattern until work measures 5 (5½, 5½) inches from the beg., ending with a wrong side row. ★★

Dec. row: K.5 (6, 6), * k.2 tog., k.1, rep. from * to last 1 (1, 2) sts., k.1 (1, 2). 44 (47, 50) sts.

Next row: P. to last 5 sts., k.5.

Buttonhole row: K.2, y.f., k.2 tog., k. to end.

Shape Armhole

Next row: Cast off 9 (10, 10) sts., p. to last 5 sts., k.5.

Next row: K.

Next row: P. to last 5 sts., k.5.

Rep. the last 2 rows 7 (9, 9) times more, at the same time make a second buttonhole on the 12th (14th, 14th) row from previous buttonhole.

Shape Neck

Next row: Work across the first 11 (12, 13) sts. and slip

TO OBTAIN A PERFECT RESULT YOU MUST USE ONE OF THE EMU QUALITIES RECOMMENDED ON THIS LEAFLET. EMU WOOLS WILL NOT ACCEPT ANY RESPONSIBILITY FOR THE FINISHED GARMENT UNLESS ONE OF THESE QUALITIES IS USED.

them onto a safety pin, k. to end.

Dec. 1 st. at neck edge on every right side row until 18 (18, 20) sts. remain. Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 6 (6, 7) sts. at the beg. of the next and following alternate row. Work 1 row. Cast off the remaining 6 (6, 6) sts.

LEFT FRONT

Using size 11 needles, cast on 63 (67, 71) sts. and k.7 rows. ★★ Commence pattern.

1st row: (Right side) P. to last 6 sts., k.6.

2nd row: K.5, p.1, * k.1, p.1, k.1 all into next st., p.3 tog., rep. from * to last st., k.1.

3rd row: P. to last 6 sts., k.6.

4th row: K.5, p.1, * p.3 tog., k.1, p.1, k.1 all into next st., rep. from * to last st., k.1.

These 4 rows form the pattern. Continue in pattern until work measures 5 (5½, 5¾) inches from the beg., ending with a wrong side row. ★★

Dec. row: K.1 (1, 2), * k.2 tog., k.1, rep. from * to last 5 (6, 6) sts., k.5 (6, 6). 44 (47, 50) sts.

Next row: K.5, p. to end.

Shape Armhole

Next row: Cast off 9 (10, 10) sts., k. to end.

Next row: K.5, p. to end.

Next row: K.

Rep. the last 2 rows 8 (10, 10) times more.

Shape Neck

Next row: Work across the first 11 (12, 13) sts. and slip them onto a safety pin, p. to end.

Complete to match Right Front.

SLEEVES

Using size 12 needles, cast on 58 (58, 58) sts. and k.7 rows. Change to size 11 needles and pattern as given for Back. Inc. and work into pattern, 1 st. at each end of the 9th and every following 12th (7th, 8th) row until there are 66 (70, 70) sts. on the needle. Continue without further shaping until work measures 5½ (6, 6½) inches from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread. Work a further 1 (1½, 1½) inch, ending with a wrong side row. Cast off fairly loosely.

NECKBAND

Using a back stitch, join shoulder seams. With right side of work facing and using size 12 needles, slip the 11 (12, 13) sts. on safety pin on Right Front onto needle, join in yarn at inner edge, pick up and k.12 sts. up right side of neck, k. across the 23 (25, 25) sts. on back neck, pick up and k.12 sts. down left side of neck, then k. across the 11 (12, 13) sts. on safety pin on Left Front. 69 (73, 75) sts. K.7 rows, making a third buttonhole on the 4th row. Cast off.

4 PLY

BACK

Using size 10 needles, cast on 102 (106, 110) sts. and k.7 rows. Now follow instructions for Back of 3 Ply Coat from ★ to ★.

Dec. row: K.4 (2, 5), * k.2 tog., k.1, rep. from * to last 2 (2, 3) sts., k.2 (2, 3). 70 (72, 76) sts.

Next row: P.

Continue in st.st. (1 row k., 1 row p.)

Shape Armholes

Cast off 8 (8, 8) sts. at the beg. of the next 2 rows. 54 (56, 60) sts. Continue without further shaping until work measures 3½ (4, 4) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 6 (6, 6) sts. at the beg. of the next 4 rows and 5 (5, 6) sts. at the beg. of the following 2 rows. Leave the remaining 20 (22, 24) sts. on a spare needle.

RIGHT FRONT

Using size 10 needles, cast on 55 (59, 59) sts. and k.7 rows. Now follow instructions for Right Front of 3 Ply Coat from ★★ to ★★.

Dec. row: K.7 (5, 5), * k.2 tog., k.1, rep. from * to end. 39 (41, 41) sts.

Next row: P. to last 5 sts., k.5.

Buttonhole row: K.2, y.f., k.2 tog., k. to end.

Shape Armhole

Next row: Cast off 8 (8, 8) sts., p. to last 5 sts., k.5.

Next row: K.

Next row: P. to last 5 sts., k.5.

Rep. the last 2 rows 6 (8, 8) times more, at the same time make a second buttonhole on the 12th (14th, 14th) row from previous buttonhole.

Shape Neck

Next row: Work across the first 8 (10, 10) sts. and slip them onto a safety pin, k. to end.

Dec. 1 st. at neck edge on every right side row until 17 (17, 18) sts. remain. Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 6 (6, 6) sts. at the beg. of the next and following alternate row. Work 1 row. Cast off the remaining 5 (5, 6) sts.

LEFT FRONT

Using size 10 needles, cast on 55 (59, 59) sts. and k.7 rows. Now follow instructions for Left Front of 3 Ply Coat from ★★ to ★★.

Dec. row: * K.1, k.2 tog., rep. from * to last 7 (5, 5) sts., k.7 (5, 5). 39 (41, 41) sts.

Next row: K.5, p. to end.

Shape Armhole

Next row: Cast off 8 (8, 8) sts., k. to end.

Next row: K.5, p. to end.

Next row: K.

Rep. the last 2 rows 7 (9, 9) times more.


Shape Neck

Next row: Work across the first 8 (10, 10) sts. and slip them onto a safety pin, p. to end.

Complete to match Right Front.

SLEEVES

Using size 11 needles, cast on 54 (54, 54) sts. and k.7 rows. Change to size 10 needles and pattern as given for Back of 3 Ply Coat. Inc. and work into pattern, 1 st. at each end of the 9th and every following 10th (7th, 7th) row until there are 60 (64, 64) sts. on the needle. Con-



tinue without further shaping until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread. Work a further 1 ($1\frac{1}{4}$, $1\frac{1}{4}$) inch, ending with a wrong side row. Cast off fairly loosely.

NECKBAND

Using a back stitch, join shoulder seams. With right side of work facing and using size 11 needles, slip the 8 (10, 10) sts. on safety pin on Right Front onto needle, join in yarn at inner edge, pick up and k.12 sts. up right side of neck, k. across the 20 (22, 24) sts. on back neck, pick up and k.12 sts. down left side of neck, then k. across the 8 (10, 10) sts. on safety pin on Left Front. 60 (66, 68) sts. K.7 rows, making a third buttonhole on the 4th row. Cast off.

QUICKERKNIT

BACK

Using size 9 needles, cast on 90 (94, 98) sts. and k.7 rows. Now follow instructions for Back of 3 Ply Coat from ★ to ★.

Dec. row: K.3 (2, 4), ★ k.2 tog., k.1, rep. from ★ to last 3 (2, 4) sts., k.3 (2, 4). 62 (64, 68) sts.

Next row: P.

Continue in st.st. (1 row k., 1 row p.)

Shape Armholes

Cast off 7 (7, 8) sts. at the beg. of the next 2 rows. 48 (50, 52) sts. Continue without further shaping until work measures $3\frac{1}{2}$ (4, 4) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 5 (5, 5) sts. at the beg. of the next 6 rows. Leave the remaining 18 (20, 22) sts. on a spare needle.

RIGHT FRONT

Using size 9 needles, cast on 51 (55, 55) sts. and k.7 rows. Now follow instructions for Right Front of 3 Ply Coat from ★★ to ★★.

Dec. row: K.6 (6, 6), ★ k.2 tog., k.1, rep. from ★ to last 3 (1, 1) sts., k.3 (1, 1). 37 (39, 39) sts.

Next row: P. to last 5 sts., k.5.

Buttonhole row: K.2, y.f., k.2 tog., k. to end.

Shape Armhole

Next row: Cast off 7 (7, 8) sts., p. to last 5 sts., k.5.

Next row: K.

Next row: P. to last 5 sts., k.5.

Rep. the last 2 rows 5 (7, 7) times more, *at the same time* make a second buttonhole on the 10th (12th, 12th) row from previous buttonhole.

Shape Neck

Next row: Work across the first 10 (12, 12) sts. and slip them onto a safety pin, k. to end.

Dec. 1 st. at neck edge on every right side row until 15 (15, 15) sts. remain. Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 5 sts. at the beg. of the next and 2 following alternate rows.

LEFT FRONT

Using size 9 needles, cast on 51 (55, 55) sts. and k.7 rows. Now follow instructions for Left Front of 3 Ply Coat from ★★ to ★★.

Dec. row: K.3 (1, 1), ★ k.2 tog., k.1, rep. from ★ to last 6 (6, 6) sts., k.6 (6, 6). 37 (39, 39) sts.

Next row: K.5, p. to end.

Shape Armhole

Next row: Cast off 7 (7, 8), k. to end.

Next row: K.5, p. to end.

Next row: K.

Rep. the last 2 rows 6 (8, 8) times more.

Shape Neck

Next row: Work across the first 10 (12, 12) sts. and slip them onto a safety pin, p. to end.

Complete to match Right Front.

SLEEVES

Using size 10 needles, cast on 46 (46, 46) sts. and k.7 rows. Change to size 9 needles and pattern as given for Back. Inc. and work into pattern, 1 st. at each end of the 9th and every following 8th (5th, 5th) row until there are 52 (56, 56) sts. on the needle. Continue without further shaping until work measures $5\frac{1}{2}$ (6, $6\frac{1}{2}$) inches from the beg., ending with a wrong side row. Mark each end of last row with a coloured thread. Work a further 1 ($1\frac{1}{4}$, $1\frac{1}{4}$) inch, ending with a wrong side row. Cast off fairly loosely.

NECKBAND

Using a back stitch, join shoulder seams. With right side of work facing and using size 10 needles, slip the 10 (12, 12) sts. on safety pin on Right Front onto needle, join in yarn at inner edge, pick up and k.10 sts. up right side of neck, k. across the 18 (20, 22) sts. on back neck, pick up and k.10 sts. down left side of neck, then k. across the 10 (12, 12) sts. on safety pin on Left Front. 58 (64, 66) sts. K.7 rows, making a third buttonhole on the 4th row. Cast off.

SPECIAL INSTRUCTIONS

WOOL

Pin out to correct measurements and press with a warm iron (at wool setting) over a damp cloth. Hand wash unless specific machine washing instructions are given on the ball band.

ALL OTHER YARNS

Pin out to correct measurements and press with a cool iron over a dry cloth.

TO MAKE UP

Using a back stitch, join side seams. Join sleeve seams as far as coloured thread. Set sleeves into armholes, placing the open sections of sleeve seam to cast off section of armhole. Sew on buttons.

R.4

We recommend
washing in
Woolite[®]
For the clothes you
care about



8 5 9 7

SS

Copyright printed in England

Do write if in need of advice on this leaflet to
JANET MINTON, EMU WOOLS LTD.,
MILFORD HOUSE, KIRBY STREET,
LONDON EC1N 8TS.