


Y. CARR

Emu BABY BOOK

- over 20 designs



Contents

ABBREVIATIONSpage 6

CARDIGAN

with rib pattern 3 ply....page 17

CARDIGAN

with V Neck 3 ply.....page 12

CROSS-OVER COAT

4 plypage 21

JACKET

in cable stitch 4 ply.....page 5

JACKET, DRESS and

BONNET 3 ply.....page 13

JACKET

with ribbons 4 ply.....page 11

MATINEE JACKET

3 plypage 18

PRAM SET 4 ply

Coat, leggings, cap and
mittspage 15

PRAMSET Double Knitting

Coat, leggings, hat and
mittspage 2

PRAM RUG

Magnumpage 22

RIBBED VEST 3 ply....page 4

ROMPER SET

Double Knitting
Cardigan, romperspage 7

SLEEPING BAG

Double Knitting.....page 20

TROUSSEAU for baby 3 ply

Coat, dress, cape, bonnet,
mitts, booties and shawl..page 9

PRAM SET

(as shown on
front cover)



DOUBLE KNITTING

MATERIALS

16 (19) ozs. of Bri-Nylon Double Knitting (Emulon),
Scotch Double Knitting or Double Crepe.

One pair each of Emu Knitting Needles size 8 and 10.
Medium Crochet Hook.

7 Buttons.

Elastic to fit waist, plus 8 inches for insteps.

MEASUREMENTS

To fit Chest	21½ ins.	22½ ins.
Length Coat	12¼ ins.	12¾ ins.
Sleeve Length	7 ins.	8 ins.

TENSION

5½ stitches and 8 rows to 1 square inch measured over
stocking stitch.

We recommend that you test your tension before commen-
cing the garments.

COAT

BACK

With size 8 needles, cast on 100 (104) sts.

1st row: * K.2, p.2, rep. from * to end of row.

2nd row: * K.2, p.2, rep. from * to end of row.

3rd row: * P.2, k.2, rep. from * to end of row.

4th row: * P.2, k.2, rep. from * to end of row.

Rep. these 4 rows until Back measures 7 inches from
the beg., ending with a wrong side row.

Next row: K.4 (6), * k.1 [k.2 tog.] 3 times, * rep.
from * to * 12 times more, k.5 (7). 61 (65) sts.

Change to st.st., starting with a p. row. Work 3 rows.

Shape Raglan Armholes

Dec. 1 st. at both ends of next and every following
alternate row until 21 (21) sts. remain. Work 1 row.
Cast off.

LEFT FRONT

With size 8 needles, cast on 60 (64) sts., and work in
pattern as given for Back until work measures 7 inches
from beg., ending with a wrong side row.

1st size

Next row: K.6, * k.1, [k.2 tog.] 3 times, * rep.
from * to * 5 times more, pattern 12. (42 sts.)

2nd size

Next row: K.6, * k.1, [k.2 tog.] 3 times, * rep.
from * to * 5 times more, [k.2 tog.] twice, pattern 12.
(44 sts.)

Both sizes

Next row: Pattern 12, p. to end of row.

Next row: K. to last 12 sts., pattern 12.

Next row: Pattern 12, p. to end of row.

Shape Raglan Armhole

Working in st.st. and keeping border of 12 sts. in pattern, dec. 1 st. at the beg. of the next and every following alternate row until 27 (27) sts. remain.

Shape Neck

Cast off 16 (16) sts. at the beg. of the next row. Dec. 1 st. at both ends of next and every following alternate row until 3 sts. remain. Work 1 row. K.3 tog. Fasten off.

RIGHT FRONT

With size 8 needles, cast on 60 (64) sts. Work in pattern as given for Back until work measures 7 inches from the beg., ending with a wrong side row.

1st size

Next row: Pattern 12 * k.1, [k.2 tog.] 3 times, * rep. from * to * 5 times more, k.6. (42 sts.)

2nd size

Next row: Pattern 12, [k.2 tog.] twice, * k.1, [k.2 tog.] 3 times, * rep. from * to * 5 times more, k.6. (44 sts.)

Both sizes

Next row: P. to last 12 sts., pattern 12.

1st Buttonhole row: Pattern 2, cast off 2, pattern 4 including st. used in casting off, cast off 2, pattern 2, k. to end.

2nd Buttonhole row: P. to last 12 sts., pattern 12, casting on sts. over those cast off in previous row.

Next row: Pattern 12, k. to end.

Shape Raglan Armhole

Follow instructions for Left Front, but make 2 more sets of Buttonholes with 10 rows between each.

SLEEVES

With size 8 needles, cast on 32 (36) sts. Work in pattern as given for the Back for 12 rows. Change to st.st. and inc. 1 st. at both ends of the next and every following 6th row until there are 44 (48) sts. on the needle. Work without further shaping until Sleeve measures 7 (8) inches from beg., ending with a p. row.

Shape Raglan Top

Dec. 1 st. at both ends of next and every following alternate row until 4 sts. remain. Work 1 row. Cast off.

COLLAR

With size 8 needles, cast on 60 (64) sts. Work in pattern as given for the Back for 2 inches. Cast off.

LEGGINGS

RIGHT LEG

* Using size 10 needles, cast on 58 (60) sts. and work in k.1, p.1 rib for $\frac{1}{2}$ inch. Make eyelet holes for elastic.

Next row: Rib 2 (3), m.1, work 2 tog., * rib 2, m.1, work 2 tog., repeat from * to last 2 (3) sts., rib 2 (3). Continue in rib for another $\frac{1}{2}$ inch. Change to size 8 needles and st.st., shaping the back as follows:-*

1st row: K.11 (10), turn.

2nd and all wrong side rows: P.

3rd row: K.20 (18), turn.

Continue in this manner working 9 (8) extra sts. in every k. row until 11 (10) sts. remain to be knitted, at the same time inc. 1 st. at end (back edge) of 10th row for 1st size and 8th row for 2nd size.

Next row: K. across all sts.

For 2nd size only inc. 1 st. at end (back edge) of next row.

Both sizes

Work 3 (5) rows without shaping. Inc. 1 st. at back edge on next and every following 5th (6th) row until there are 63 (65) sts. on the needle. Work 1 (5) rows without shaping.

1st size

Next row: Inc. 1 st. at front edge.

2nd size

Inc. 1 st. at each end of row.

Both sizes

Continue to inc. 1 st. at back edge on every 5th (6th) row and inc. 1 st. at front edge on every following 3rd row until there are 82 (76) sts. on the needle.

2nd size only

Continue to inc. at front edge on every 3rd row, but inc. at back edge on every 5th row until there are 84 sts. on the needle.

Both sizes

Inc. 1 st. at each end of next 2 rows. 86 (88) sts. Work 1 row without shaping.

Shape Leg

Dec. 1 st. at each end of every row until 72 (74) sts. remain then at each end of every alternate row until 56 (66) sts. remain, then at each end of every 3rd row until 30 (32) sts. remain. Continue without shaping until work measures 10 (11) inches from beg. of leg shaping, ending with a p. row.

Shape Instep

Next row: K.23 (24), turn.

Next row: P.10, turn and work on these 10 sts. for $1\frac{1}{4}$ (2) inches, ending with a p. row.

Break off wool and join it to the 13 (14) sts. already knitted, pick up and k.13 (14) sts. along side of instep, k. across the 10 toe sts., pick up and k.13 (14) sts. along second side of instep, k. remaining 7 (8) sts. Work 4 rows in garter st. (every row k.) on these 56 (60) sts. Cast off.

LEFT LEG

Work as for Right Leg from * to * then follow instructions for Right Leg, commencing with a p. row, instead of a k. row and reversing k. and p. rows throughout until the instep is reached.

Shape Instep

With right side facing, k.17 (18) sts. turn.

Next row: P.10, turn and work on these 10 sts. for $1\frac{1}{4}$ (2) inches, ending with a p. row. Break off wool and join it to the 7 (8) sts. already knitted, pick up and k.13 (14) sts. along side of instep, k. across the 10 toe sts., pick up and k.13 (14) sts. along second side of instep, k. remaining 13 (14) sts. Work 4 rows in garter st. on these 56 (60) sts. Cast off.

HAT

With size 8 needles, cast on 72 (76) sts. and work 6 rows in k.1, p.1 rib. Change to pattern and work until hat measures $4\frac{1}{4}$ (5) inches from the beg., ending with a wrong side row.

1st size only: Inc. 1 st. at both ends of the last row. (74 sts.)

Shape Back

1st row: K.1 (2), * k.2 tog. t.b.l., k.14, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 66 (68) sts.

2nd row and every alternate row: P.

3rd row: K.1 (2), * k.2 tog. t.b.l., k.12, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 58 (60) sts.

(Continued on page 4.)

RIBBED VEST 3 PLY

MATERIALS

2 (3) (3) ozs. of Emu Baby Wool 3 Ply, Softknit 3 Ply or Bri-Nylon 3 Ply (Emulon).
One pair of Emu Knitting Needles size 10.
One medium crochet hook.
 $\frac{3}{4}$ yard of $\frac{1}{2}$ inch wide Ribbon.

MEASUREMENTS

Chest	19 ins.	20 ins.	21 ins.
Length	12 ins.	14 ins.	16 ins.

TENSION

9 stitches to 1 inch.

Using size 10 needles, cast on 88 (92, 96) sts. and work in k.2, p.2 rib for 10 ($12\frac{1}{2}$, $14\frac{1}{2}$) inches.
Next row: Rib 20 (22, 24) sts., turn and work on these sts. for $3\frac{1}{2}$ inches ending at neck edge. Break off wool and leave sts. on a spare needle. Join in wool and cast off centre 48 (48, 48) sts. Work in rib on remaining 20 (22, 24) sts. for $3\frac{1}{2}$ inches ending at neck edge, then cast on 48 (48, 48) sts. and work across the 20 (22, 24) sts. left on spare needle. Now work across all sts. for 10 ($12\frac{1}{2}$, $14\frac{1}{2}$) inches. Cast off.

PRAM SET (Continued from page 3).

5th row: K.1 (2), * k.2 tog. t.b.l., k.10, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 50 (52) sts.
7th row: K.1 (2), * k.2 tog. t.b.l., k.8, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 42 (44) sts.
9th row: K.1 (2), * k.2 tog. t.b.l., k.6, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 34 (36) sts.
11th row: K.1 (2), * k.2 tog. t.b.l., k.4, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 26 (28) sts.
13th row: K.1 (2), * k.2 tog. t.b.l., k.2, k.2 tog., * rep. from * to * 3 times more, k.1 (2). 18 (20) sts.
15th row: K.2 tog., to the end of row.
Break off wool, slip through sts., draw up and fasten off.

Band

With size 8 needles cast on 9 sts.

1st row: * K.1, p.1, rep. from * to last st., k.1.

2nd row: * P.1, k.1, rep. from * to last st., p.1.
Rep. these 2 rows until band measures 12 ($12\frac{1}{2}$) inches.

Next row: Rib 4, m.1, k.2 tog., rib to end.
Now k.2 sts. tog. at both ends of every row until 3 sts. remain. Work 1 row. K.3 tog. Fasten off.

MITTS

Using size 10 needles, cast on 24 (26) sts. and work in garter st. (every row k.) for $1\frac{1}{2}$ inches.

Next row: (Make eyelet holes) K.— (2) * k.1, w.f., k.2 tog., rep. from * to end.

Next row: K.2 (3), k. twice into next st., [k.5, k. twice into next st.] 3 times, k.3 (4). 28 (30) sts.

Change to size 8 needles and st.st. until work measures 4 ($4\frac{1}{4}$) inches from the beg., finishing with a p. row.

Shape Top

1st row: K.1 (2), k.2 tog., [k.2, k.2 tog.], 6 times, k.1 (2). 21 (23) sts.

2nd row: P.



TO MAKE UP

Sew up side seams, leaving $3\frac{1}{2}$ ($3\frac{1}{2}$, $3\frac{1}{2}$) inches open at top for armholes. With a medium size crochet hook, work a row of d.c. evenly around neck.

Next row: * 1 d.c. on 2 d.c., 2 chain, miss 2 d.c. * rep. from * to * all round neck, ending 1 d.c. Thread ribbon through holes.

3rd row: 1st size: [K.2 tog., k.1] 7 times. (14 sts.)

2nd size: [K.1, k.2 tog.] 7 times, k.2. (16 sts.)

Both sizes: **4th row:** P.

5th row: [K.2 tog.] 7 (8) times.

Break off wool, draw through remaining sts., and fasten off.

Thumb

Using size 8 needles, cast on 2 (2) sts., and working in st.st., inc. 1 st. at each end of the 2nd and every following 3rd row until there are 10 (12) sts. on the needle. Work 8 (12) rows on these sts.

Next row: K.2 tog. all along the row, break off wool and draw through remaining sts.

TO MAKE UP

Pin out each piece of garment to correct measurements and press with a warm iron over a damp cloth. If Bri-Nylon is used, press with a dry cloth instead of a damp one.

Coat

Using a back stitch, join side, sleeve and raglan seams. Sew on Collar, placing the ends halfway across pattern border of Fronts. Sew on Buttons.

Leggings

Using a back stitch, join back and front seams first, then the leg seams. Cut elastic to fit waist and thread through eyelet holes at waist. Cut remainder of elastic into two 4 inch lengths, and sew on to each side of the instep.

Hat

Join the two shaped edges to form back seam. Join the Band to lower edge leaving 2 inches of the buttonhole end free at right front. Sew on button.

Mitts

Sew up thumb and side seams leaving an opening for thumb above wrist band. Sew in thumb. Crochet a chain for each Mitt and thread through eyelet holes at wrist.

CABLE JACKET.....4 PLY

MATERIALS

5 (5) ozs. of Emu Bri-Nylon 4 Ply (Emulon) or Baby Wool 4 Ply.

One pair each of Emu Knitting Needles size 10 and 11.

One Cable Needle.

4 Buttons.

MEASUREMENTS

Actual Chest Measurement	21 ins.	22 ins.
Length	10½ ins.	11½ ins.
Sleeve Seam	6 ins.	7 ins.

TENSION

7½ stitches and 9½ rows to 1 square inch over stocking stitch.

BACK

Using size 10 needles, cast on 84 (88) sts. and work in moss st. as follows:-

1st row: * K.1, p.1, rep. from * to end.

2nd row: * P.1, k.1, rep. from * to end.

Rep. these 2 rows 4 times more. Now work in pattern.

1st row: K.10 (12), * p.1, k.1 t.b.l., p.1, k.6, p.1, k.1

t.b.l., p.1, * k.40, rep. from * to * once, k.10 (12).

2nd row: P.10 (12), * k.1, p.1 t.b.l., k.1, p.6, k.1, p.1

t.b.l., k.1, * p.40, rep. from * to * once, p.10 (12).

3rd row: K.10 (12), p.1, k.1 t.b.l., p.1, slip next 3 sts.

on left hand needle onto a cable needle and leave at

front of work, k. next 3 sts. on left hand needle, k.3 sts.

from cable needle, p.1, k.1 t.b.l., p.1, k.40, p.1, k.1 t.b.l.,

p.1, slip next 3 sts. on left hand needle onto cable needle

and leave at back of work, k. next 3 sts. on left hand

needle, k.3 sts. from cable needle, p.1, k.1 t.b.l., p.1,

k.10 (12).

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

7th row: As 1st row.

8th row: As 2nd row.

These 8 rows form the pattern. Continue in pattern

until work measures 6 (6½) inches from the beg., ending

with a wrong side row.

Shape Raglan Armholes

Keeping continuity of pattern, cast off 7 (7) sts. at

the beg. of the next 2 rows. Dec. 1 st. at each end

of the next and every following alternate row until

30 (32) sts. remain, ending with a wrong side row.

Leave these sts. on a spare needle.

LEFT FRONT

Using size 10 needles, cast on 48 (50) sts. and work in moss st. as follows:-

1st row: * K.1, p.1, rep. from * to end.

2nd row: * P.1, k.1, rep. from * to end.

Rep. these 2 rows 3 times more, then the 1st row once.

10th row: [P.1, k.1] 3 times and slip these 6 sts. onto a

safety pin, work to end. Now work in pattern:-

1st row: K.10 (12), p.1, k.1 t.b.l., p.1, k.6, p.1, k.1 t.b.l.,

p.1, k.20.



2nd row: P.20, k.1, p.1 t.b.l., k.1, p.6, k.1, p.1 t.b.l., k.1, p.10 (12).

3rd row: K.10 (12), p.1, k.1 t.b.l., p.1, slip next 3 sts.

on left hand needle onto a cable needle and leave at

front of work, k. next 3 sts. on left hand needle, k. 3 sts.

from cable needle, p.1, k.1 t.b.l., p.1, k.20.

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

7th row: As 1st row.

8th row: As 2nd row.

Continue in pattern until work measures 6 (6½) inches

from the beg., ending with a wrong side row.

Shape Raglan Armhole

Keeping continuity of pattern, cast off 7 (7) sts. at the

beg. of the next row. Dec. 1 st. at armhole edge on every

following right side row until 21 (22) sts. remain.

Shape Neck

Still dec. at armhole edge as before, cast off 7 (7) sts

at the beg. of the next row, then dec. 1 st. at neck edge

on the next 7 (8) rows. Keeping neck edge straight,

continue to dec. at armhole edge until 1 st. remains.

Fasten off.

RIGHT FRONT

Using size 10 needles, cast on 48 (50) sts. and work in moss st. as follows:-

1st row: * K.1, p.1 rep. from * to end.

2nd row: * P.1, k.1, rep. from * to end.
Rep. these 2 rows 3 times more, then the 1st row once.
10th row: * P.1, k.1, rep. from * to last 6 sts., slip these 6 sts. onto a safety pin. Now work in pattern:

1st row: K.20, p.1, k.1 t.b.l., p.1, k.6, p.1, k.1 t.b.l., p.1, k.10 (12).

2nd row: P.10 (12), k.1, p.1 t.b.l. k.1, p.6, k.1, p.1 t.b.l., k.1, p.20.

3rd row: K.20, p.1, k.1 t.b.l., p.1, slip next 3 sts. on left hand needle onto a cable needle and leave at back of work, k. next 3 sts. on left hand needle, k. 3 sts. from cable needle, p.1, k.1 t.b.l., p.1, k.10 (12).

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

7th row: As 1st row.

8th row: As 2nd row.

Continue in pattern until work measures 6 (6½) inches from the beg., ending with a right side row.

Shape Raglan Armhole

Keeping continuity of pattern, cast off 7 (7) sts. at the beg. of the next row. Dec. 1 st. at armhole edge on every following right side row until 21 (22) sts. remain. Work 1 row.

Shape Neck

Still dec. at armhole edge as before, cast off 7 (7) sts. at the beg. of the next row, then dec. 1 st. at neck edge on the next 7 (8) rows. Keeping neck edge straight, continue to dec. at armhole edge until 1 st. remains. Fasten off.

SLEEVES

Using size 11 needles, cast on 42 (44) sts. and work in moss st. as follows:-

1st row: * K.1, p.1, rep. from * to end.

2nd row: * P.1, k.1, rep. from * to end.

Rep. these 2 rows 4 times more. Change to size 10 needles and pattern:-

1st row: K.1 (2), * p.1, k.1 t.b.l., p.1, k.6, p.1, k.1 t.b.l., p.1, * k.16, rep. from * to * once, k.1 (2).

2nd row: P.1 (2), * k.1, p.1 t.b.l., k.1, p.6, k.1, p.1 t.b.l., k.1, * p.16, rep. from * to * once, p.1 (2).

The pattern is now set. Continue in pattern, inc. and working into st.st. (1 row k., 1 row p.) 1 st. at each end

of the next and every following 4th row until there are 60 (64) sts. on the needle. Continue without further shaping until work measures 6 (7) inches from the beg., ending with a wrong side row.

Shape Raglan Top

Keeping continuity of pattern, cast off 7 (7) sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 6 (8) sts. remain, ending with a wrong side row. Leave these sts. on a safety pin.

BUTTONHOLE BAND

Join in wool to 6 sts. left on safety pin on Right Front. Using size 11 needles, continue in moss st. until work measures 3 (3½) inches from beg.

1st Buttonhole row: Moss st. 2, cast off 2, moss st. to end.

2nd Buttonhole row: Work in moss st., casting on over cast off sts. in previous row.

Work 2 more buttonholes at intervals of 2 inches, measured from base of previous buttonhole. Work a further 1½ inches. Leave these sts. on a safety pin.

BUTTON BAND

Work to match Buttonhole Band, omitting buttonholes.

NECK BAND

Using size 11 needles and with right side of work facing, moss st. across the 6 sts. on Buttonhole Band, pick up and k. 14 (16) sts. up right-side of neck, k. across 6 (8) sts. at top of one Sleeve, 30 (32) sts. on back neck, 6 (8) sts. at top of other Sleeve, pick up and k.14 (16) sts. down left side of neck and moss st. across the 6 sts. on Button Band. 82 (92) sts. Work 1 inch in moss st., making another buttonhole 2 inches from base of previous buttonhole. Cast off.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Bri-Nylon 4 Ply has been used, press with a dry cloth instead of a damp one. Using a back stitch join raglan, side and sleeve seams. Sew on Front Bands. Neaten buttonholes and sew on buttons.

Abbreviations

The following abbreviations are used in all knitting instructions in this book.

K., knit;

p., purl;

st(s), stitch(es);

rep., repeat;

st.st., stocking stitch;

beg., beginning;

w.f., wool forward;

sl.1. p.w., slip 1 purlwise;

p.s.s.o., pass slipped stitch over;

dec., decrease(ing);

inc., increase(ing);

tog., together;

sl., slip;

m.1., make one by bringing

wool forward before a k

st. and wool round needle

before a p. st.,

t.b.l., through back of

loop(s);

d.c., double crochet;

m.c., main colour;

c.c., contrast colour;

—, means no stitches, to be worked in that particular size.

ROMPER SET

DOUBLE KNITTING

MATERIALS

9 (10) (11) ozs. of Emu Bri-Nylon Double Knitting (Emulon), Scotch Double Knitting or Double Crepe.
1 pair each of Emu Knitting Needles size 8 and 10.
1 medium Crochet Hook.
4 Buttons for Cardigan.
10 Buttons for Rompers.

MEASUREMENTS

To fit Chest	19 ins.	20 ins.	21 ins.
Cardigan Length	10 ins.	10½ ins.	11 ins.
Sleeve Seam	6 ins.	7 ins.	8 ins.

TENSION

5½ stitches and 8 rows to 1 square inch over stocking stitch.

CARDIGAN

BACK

Using size 10 needles, cast on 56 (60, 64) sts. and work in k.1, p.1 rib for 1½ inches. Change to size 8 needles and st.st. (1 row k., 1 row p.) Continue until work measures 5¼ (6, 6¼) inches from the beg., ending with a wrong side row.

Shape Armholes

Dec. 1 st. at both ends of the next 6 rows. Continue without further shaping until work measures 9½ (10, 10½) inches from the beg., ending with a wrong side row.

Shape Shoulders

Cast off 6 (7, 7) sts. at the beg. of next 2 rows and 7 (7, 8) sts. at the beg. of following 2 rows. Cast off remaining 18 (20, 22) sts.

LEFT FRONT

Using size 10 needles, cast on 28 (30, 32) sts. and work in k.1, p.1 rib for 1½ inches. Change to size 8 needles and st.st. Continue until work measures 5¼ (6, 6¼) inches from the beg., ending with a wrong side row.

Shape Armhole and Neck

Dec. 1 st. at armhole edge on the next 6 rows. Keeping armhole edge straight, dec. 1 st. at neck edge on next and every following alternate row until 13 (14, 15) sts. remain. Continue without further shaping until work measures 9½ (10, 10½) inches from the beg., ending with a wrong side row.

Shape Shoulder

Cast off 6 (7, 7) sts. at beg. of next row. Work 1 row. Cast off remaining 7 (7, 8) sts.

RIGHT FRONT

Follow instructions for Left Front, reversing all shapings.



SLEEVES

Using size 10 needles, cast on 30 (32, 34) sts. and work in k.1, p.1 rib for 1½ inches. Change to size 8 needles and st.st., inc. 1 st. at both ends of the next and every following 7th (9th, 10th) row until there are 40 (42, 44) sts. on the needle. Work without further shaping until Sleeve measures 6 (7, 8) inches from the beg., ending with a p. row.

Shape Top

Cast off 3 (3, 3) sts. at beg. of next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 24 (26, 26) sts. remain. Now dec. 1 st. at each end of every row until 14 (14, 14) sts. remain. Cast off.

BUTTONHOLE BAND

Using size 10 needles, cast on 7 sts.

1st row: K.1 * p.1, k.1 rep. from * to end.

2nd row: P.1 * k.1, p.1, rep. from * to end.

Rep. these 2 rows for ½ (¾, ¾) inch.

1st Buttonhole row: Rib 3, cast off 1 st., rib to end.

2nd Buttonhole row: Rib, casting on over cast off st. in previous row. Work 3 more buttonholes at intervals of 1½ inches, measured from base of previous buttonhole. Continue in rib until Band is long enough, when slightly stretched, to fit up Right Front, across back neck and down Left Front. Cast off in rib.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Bri-Nylon Double Knitting has been used, press with a dry cloth instead of a damp one. Using a back stitch, join shoulder, side and sleeve seams. Set in Sleeves. Sew on Button Band. Sew on buttons.

ROMPERS

BACK

Using size 8 needles, cast on 13 (13, 15) sts. and work 2 rows in st.st. (1 row k., 1 row p.) Cast on 3 sts. at the beg. of every row until there are 55 (55, 57) sts. on the needle. Now cast on 3 (5, 6) sts. at the beg. of the next 2 rows. 61 (65, 69) sts. Continue on these sts. until work measures 8 (8½, 9) inches from the beg., ending with a p. row.

Next row: K.37 (41, 45) sts., turn.

Next row: P.13 (17, 21) sts., turn.

Next row: K.19 (23, 27) sts., turn.

Continue in this manner working 6 extra sts. on each row until all sts. are again being worked, ending with a p. row.

**** Next row:** K.2 (4, 2), * k.2 tog., k.5 (5, 6), rep. from * to last 3 (5, 3) sts., k.2 tog., k.1 (3, 1). 52 (56, 60) sts.

Change to size 10 needles and work $\frac{1}{2}$ inch in k.1, p.1 rib.

Next row: Rib 4 (3, 2), * m.1, work 2 tog., rib 4, rep. from * to last 6 (5, 4) sts., m.1, work 2 tog., rib 4 (3, 2). Work in k.1, p.1 rib for another $\frac{1}{2}$ inch, ending with a wrong side row. Change to size 8 needles and work in st.st. for 1 inch, ending with a p. row.

Shape Armholes

Dec. 1 st. at both ends of the next 6 rows. ** Continue without further shaping until work measures $4\frac{1}{4}$ (4 $\frac{1}{2}$, 4 $\frac{3}{4}$) inches from top of ribbing ending with a p. row.

Shape Shoulders

Cast off 6 (6, 7) sts. at the beg. of the next 2 rows and 6 (7, 7) sts. at beg. of the following 2 rows. 16 (18, 20) sts. Change to size 10 needles and work in k.1, p.1 rib for $\frac{1}{2}$ inch. Cast off loosely in rib.

FRONT

Using size 8 needles, cast on 13 (13, 15) sts. and work 6 rows in st.st. Cast on 2 sts. at the beg. of the next 10 rows, 6 (7, 8) sts. at beg. of the next 2 rows and 8 (9, 9) sts. at the beg. of the next 2 rows. Continue on these 61 (65, 69) sts. until work measures 8 (8 $\frac{1}{2}$, 9) inches from the beg., ending with a p. row. Work as for Back from ** to **. Continue without further shaping until work measures $3\frac{1}{2}$ (3 $\frac{1}{2}$, 3 $\frac{3}{4}$) inches from top of waist ribbing, ending with a p. row.

Shape Neck

K.16 (18, 20) sts., turn and work on these sts. for left side of neck, leaving remaining sts. on a spare needle. Dec. 1 st. at neck edge on every row until 12 (13, 14) sts. remain. Work straight until Front measures same as Back to shoulder shaping, ending at armhole edge.

Shape Shoulder

Cast off 6 (6, 7) sts. at beg. of the next row. Work 1 row. Cast off remaining 6 (7, 7) sts. Return to sts. left on spare needle, slip the first 8 (8, 8) sts. on to a safety pin. Join in wool to remaining sts. and work to match left side of neck.

NECKBAND

Using size 10 needles and with right side of work facing, pick up and k.12 (13, 14) sts. down left side of neck, k. across 8 (8, 8) sts. on safety pin at centre front, pick up and k.12 (13, 14) sts. up right side of neck. Work in k.1, p.1 rib on these 32 (34, 36) sts. for $\frac{1}{2}$ inch. Cast off loosely in rib.

SLEEVES

Using size 10 needles, cast on 36 (38, 40) sts. and work in k.1, p.1 rib for $\frac{1}{2}$ inch.

Next row: Rib 2 (3, 4), * inc. in next st., rib 1, rep. from * to last 2 (3, 4) sts., rib 2 (3, 4). 52 (54, 56) sts. Change to size 8 needles and work in st.st. for 1 inch.

Shape Top

Cast off 4 (4, 4) sts. at beg. of next 2 rows. Dec. 1 st. at each end of every row until 16 (16, 16) sts. remain. Cast off.

LEG BANDS

Using a back stitch, join side seams up to armholes. With size 10 needles, pick up and k.56 (58, 60) sts. round leg and work in k.1, p.1 rib for 1 inch. Cast off in rib. Work the other leg to match.

TO MAKE UP

Pin out each piece of garment to correct measurements and press with a warm iron over a damp cloth. If Bri-Nylon Double Knitting has been used, press with a dry cloth instead of a damp one. Join shoulders at armhole edge for $\frac{1}{2}$ inch. Work 2 rows of double crochet along back edge of shoulder opening and 1 row along front edge. Work 3 buttonhole loops along each front edge. Sew up sleeve seams. Run a thread round top of sleeves. Gather up and sew into armholes. Work 2 rows of crochet along bottom back edge of rompers and 1 row along front edge. Work 4 buttonhole loops along front edge. Sew on buttons. Make a crochet cord 26 inches long with double wool and thread through eyelet holes. Sew a small tassel at each end.



1. Use warm, not hot water.
2. Use the best quality detergent or soap flakes.
3. Wash only one woollen garment at a time.
4. Squeeze the suds gently through and through the wool. Use no action except squeezing. Never rub.
5. Avoid lifting a woollie up and down with a weight of water in it.
6. To get the dirty suds out of a woollie again use only a squeezing action of the hands. Never twist—wring.
7. Rinse thoroughly.
8. Squeeze the clear water out by hand, and then put the garment, folded flat (not in a bunch) through a wringer with rubber rollers, or roll it in a towel pressing the towel on to the woollie—NEVER twisting.
9. Draw the woollie into shape.

DRYING

10. Place over two or more slats of an airer—or dry flat if you have space. Do not hang. Sunshine is NOT good for wet woollies. It tends to make white wool yellow, and may cause slight hardening of the wool.

BABY TROUSSEAU

3 PLY

COAT.....DRESS.....CAPE.....BONNET
MITTS.....BOOTEES.....SHAWL

MATERIALS

Emu Baby Wool 3 Ply, Softknit 3 Ply or Bri-Nylon 3 Ply (Emulon).

THE SET 15 (16) ozs.

SHAWL 19 ozs.

One pair each of Emu Knitting Needles size 11 and 12 for first size.

One pair each of Emu Knitting Needles size 10 and 11 for second size.

One pair of Long Emu Knitting Needles size 10 for Shawl.

2 yards Baby Ribbon for Mittens, Bootees and Dress.

2 yards 1 inch wide Ribbon for Bonnet and Cape.

3 small Buttons for Coat.

8 small Buttons for Dress.

Medium Crochet Hook for Dress.

MEASUREMENTS

MATINEE COAT

Chest	20 ins.	21 ins.
Length	10 ins.	11 ins.
Sleeve Seam	5 ins.	6 ins.

DRESS

Chest	20 ins.	21 ins.
Length	15½ ins.	16 ins.
Sleeve Seam	1½ ins.	1½ ins.

CAPE

Neck to lower edge	21 ins.	22 ins.
--------------------	---------	---------

TENSION

8 stitches and 11½ rows to 1 square inch measured over pattern on size 11 needles.

9 stitches and 11½ rows to 1 square inch measured over stocking stitch on size 11 needles.

7½ stitches and 10½ rows to 1 square inch measured over pattern on size 10 needles.

8½ stitches and 11 rows to 1 square inch measured over stocking stitch on size 10 needles.

MATINEE COAT

BACK

Using size 11 needles for the first size, or size 10 for the second size, cast on 140 sts. and K. 10 rows. Work in pattern as follows:-

1st row: * K.2, k.2 tog., m.1 (see abbreviations) k.3, rep. from * to end.

2nd row: P.

3rd row: * K.1, k.2 tog., m.1, k.1, m.1, k.2 tog., k.1, rep. from * to end.

4th row: P.

5th row: * K.2 tog., m.1, k.3, m.1, k.2 tog., rep. from * to end.

6th row: P.

These 6 rows form the pattern. Continue until work measures 5½ inches from the beg., ending with a wrong side row.

Shape Armholes

Keeping pattern correct, dec. 1 st. at each end of the next 8 rows. Leave remaining 124 sts. on a spare needle.

LEFT FRONT

Using size 11 needles for the first size or size 10 for the second size, cast on 76 sts. and K. 10 rows.

1st row: * K.2, k.2 tog., m.1, k.3, rep. from * to last 6 sts., k.6.

2nd row: K.6, p. to end.



Now continue in pattern, keeping a border of 6 garter sts. (every row k.), at front edge until work measures 5½ inches from the beg., ending with a wrong side row.

Shape Armhole

Keeping pattern correct, dec. 1 st. at the beg. of the next row and at this same edge 8 times in all. Leave these 68 sts. on a spare needle.

RIGHT FRONT

Work as for Left Front, but work garter st. border and armhole shaping at opposite end of row.

Pattern will commence as follows:-

1st row: K.6 * k.2, k.2 tog., m.1, k.3, rep. from * to end of row.

2nd row: P. to last 6 sts., k.6.

SLEEVES

Using size 11 needles for the first size or size 10 for the second size, cast on 38 sts. and K. 10 rows. Now work in st.st. (1 row k., 1 row p.), inc. 1 st. at each end of the 5th and every following 4th row until there are 54 sts. on the needle. Continue without further shaping until work measures 5 (6) inches from the beg., ending with a p. row.

Shape Top

Dec. 1 st. at each end of the next 8 rows. Leave these 38 sts. on a spare needle.

YOKE

Using size 11 needles for the first size or size 10 for the second size, work on all sts. from spare needles as follows: Commencing at Right Front and with right side facing, k.6, [k.2 tog.] 31 times, k. across the 38 sts. of first Sleeve, k.2 [k.2 tog.] 60 times, k.2, across Back, k. across the 38 sts. of second Sleeve, [k.2 tog.] 31 times across Left Front to last 6 sts., k.6. (214 sts.)

Next row: K.

Next row: (Buttonhole row) K.2, cast off 2, k. to end.

Next row: K., casting on over cast off sts. in previous row. Commence shaping:-

1st row: K.5, * k.9, k.2 tog. t.b.l., k.2, k.2 tog., rep. from * to last 14 sts., k.14. (188 sts.)

2nd row: K.6, p. to last 6 sts., k.6.

3rd row: K.

4th row: K.6, p. to last 6 sts., k.6.

Rep. the last 2 rows 3 times more.

11th row: K.6, * k.7, k.2 tog. t.b.l., k.2, k.2 tog., rep. from * to last 13 sts., k.13. (162 sts.)

12th row: K.6, p. to last 6 sts., k.6.

13th row: K.

14th row: K.6, p. to last 6 sts., k.6.

Rep. the last 2 rows 3 times more.

21st row: K.2, cast off 2, k.3, including st. used in casting off, * k.5, k.2 tog. t.b.l., k.2, k.2 tog., rep. from * to last 12 sts., k.12. (134 sts.)

22nd row: K.6, p. to last 4 sts., k.2, cast on 2 sts., k.2. (136 sts.)

23rd row: K.

24th row: K.6, p. to last 6 sts., k.6.

Rep. the last 2 rows twice more.

29th row: K.7, * k.5, k.2 tog. t.b.l., k.2 tog., rep. from * to last 12 sts., k.12. (110 sts.)

30th row: K.6, p. to last 6 sts., k.6.

31st row: K.

32nd row: K.6, p. to last 6 sts., k.6.

Rep. the last 2 rows twice more.

37th row: K.7, * k.5, k.2 tog. t.b.l., rep. from * to last 12 sts., k.12. (97 sts.)

38th row: K.6, p. to last 6 sts., k.6.

39th row: K.8, * k.3, sl.1, k.2 tog., p.s.s.o., rep. from * to last 11 sts., k.11. (71 sts.)

40th row: K.

41st row: K.2, cast off 2, k. to end.

42nd row: K., casting on over cast off sts. in previous row. K. 2 rows. Cast off.

DRESS

BACK

* Using size 11 needles for the first size or size 10 for the second size, cast on 147 sts.

K. 12 rows.

Now work in pattern as given for Matinee Coat until work measures 10 (10½) inches from the beg., ending with a wrong side row.

Next row: K.16, [k.2 tog.] 57 times, k.17. (90 sts.)

Work 3 rows in k.1, p.1 rib.

Next row: Rib 2, * take 2 tog., m.1, rib 2, rep. from * to end. Work 3 rows in k.1, p.1 rib. Change to st.st. (1 row k., 1 row p.) and continue until work measures 1 (1½) inches from top of ribbing, ending with a p. row.

Shape Armholes

Cast off 4 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next 5 rows. * Continue without further shaping on remaining 72 sts. until armhole measures 3½ (3¾) inches, ending with a p. row.

Shape Shoulders

Cast off 7 sts. at the beg. of the next 4 rows and 9 sts.

at the beg. of the following 2 rows. K. 6 rows on the remaining 26 sts. Cast off.

FRONT

Follow instructions for Back from * to *. Continue without further shaping on remaining 72 sts. until armhole measures 2½ (2¾) inches ending with a p. row.

Shape Neck

Next row: K.30 sts. and turn, leaving remaining sts. on a spare needle.

Keeping armhole edge straight, dec. 1 st. at neck edge on the next 7 rows. Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 7 sts. at the beg. of the next and following alternate row. Work 1 row. Cast off the remaining 9 sts. Return to sts. on spare needle at centre. Slip the first 12 sts. onto a safety pin. Join in wool to remaining sts., k. to end. Complete to match first side of neck.

SLEEVES

Using size 11 needles for the first size or size 10 for the second size, cast on 46 sts. K. 6 rows.

Next row: K.4 * work twice into next st., k.2, rep. from * to end. (60 sts.)

Change to st.st., commencing with a p. row and continue until work measures 1½ inches from the beg., ending with a p. row.

Shape Top

Cast off 4 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next 5 rows. Now dec. 1 st. at each end of every alternate row until 26 sts. remain, ending with a p. row. Cast off.

NECK EDGING

With right side of work facing and using size 11 needles for the first size, or size 10 for the second size, pick up and k.18 sts. down left side of front neck, k. across the 12 sts. on safety pin, pick up and k.18 sts. up right side of neck. K. 5 rows on these 48 sts. Cast off.

CAPE

Using size 11 needles for the first size, or size 10 for the second size, cast on 418 sts. and k. 10 rows. Now work 5 complete patterns as given for Matinee Coat, (30 rows), but keeping a border of 6 garter sts., (every row k.), at each edge.

Next row: K.6, pattern 14, k. to last 20 sts., pattern 14, k.6.

Next row: K.6, p. to last 6 sts., k.6.

Next row: K.6, pattern 14, k. to last 20 sts., pattern 14, k.6.

Next row: K.6, p.137, p.2 tog. t.b.l., p.2 tog., p.124, p.2 tog. t.b.l., p.2 tog., p.137, k.6. (414 sts.)

1st Dec. row: K.6, pattern 14, k.90, k.2 tog. t.b.l., k.2 tog., [k.91, k.2 tog. t.b.l., k.2 tog.] twice, k.90, pattern 14, k.6. (408 sts.)

Work 7 rows.

2nd Dec. row: K.6, pattern 14, k.89, k.2 tog. t.b.l., k.2 tog., [k.89, k.2 tog. t.b.l., k.2 tog.] twice, k.89, pattern 14, k.6. (402 sts.)

Work 7 rows.

3rd Dec. row: K.6, pattern 14, k.88, k.2 tog. t.b.l., k.2 tog., [k.87, k.2 tog. t.b.l., k.2 tog.] twice, k.88, pattern 14, k.6. (396 sts.)

Work 7 rows.

4th Dec. row: K.6, pattern 14, k.87, k.2 tog. t.b.l., k.2 tog., [k.85, k.2 tog. t.b.l., k.2 tog.] twice, k.87, pattern 14, k.6. (390 sts.)

(Continued on page 22.)

JACKET with ribbons

4 PLY

MATERIALS

2 ozs. of Bri-Nylon 4 Ply (Emulon), Easyknit or Baby Wool 4 Ply.

1 pair each of Emu Knitting Needles size 9 and 11.

1 yard of Baby Ribbon.

MEASUREMENTS

1st and 2nd size.

TENSION

7 sts. to 1 inch over stocking stitch on size 9 needles.

BACK

Using size 11 needles, cast on 74 (78) sts. Work 4 rows in garter st. (every row k.) Make eyelet holes.

Next row: K.2 (—) * k.2 tog., w.f., k.3, rep. from * to last 2 (3) sts., k.2, (k.2 tog., w.f., k.1).

K. 3 rows. Change to size 9 needles.

Next row: K.

Next row: K.13, p.48 (52) sts., k.13.

Rep. the last 2 rows twice. Inc. and work into garter st.

1 st. at both ends of next and every following alternate row until there are 88 (92) sts. on the needle. Keeping the 20 sts. at each side in garter st., continue until work measures 7 (7½) inches from the beg. ending with a right side row.

Next row: K.20, p.12 (13), k.24 (26), p.12 (13), k.20.

Next row: K.

Next row: K.20, p.12 (13), k.24 (26), p.12 (13), k.20.

Divide for Fronts

Next row: K.38 (39), cast off 12 (14), k.38 (39) sts.

Work on this set of sts., leaving remaining sts. on a spare needle.

Next row: K.20, p. to last 6 sts., k.6.

Next row: K.

Rep. last 2 rows until front half of sleeve measures the same as back half of sleeve ending at side edge. Dec. 1 st. at beg. of the next and every following alternate row until 31 (32) sts. remain. Work 6 rows. Change to size 11 needles and k. 3 rows.



Make eyelet holes: * K.3, w.f., k.2 tog., rep. from * to last 1 (2) sts., k.1 (2) sts.

K. 4 rows. Cast off. Rejoin wool at inside edge to remaining sts. and work to match Left side.

TO MAKE UP

Press lightly with a warm iron over a damp cloth. If Bri-Nylon 4 Ply has been used, press with a dry cloth instead of a damp one. Join underarm seams. Thread ribbon through holes at hem to fasten.

JACKET, DRESS & BONNET

(Continued from page 14.)

Dress.

Join shoulder seams for ½ inch. Work a row of double crochet along back and front shoulder edges, making 3 buttonhole loops at each side on front edges. Using a back stitch, join side and sleeve seams. Set in Sleeves. Sew on buttons to match loops. Using 3 strands of wool, work a single chain crochet cord for waist, leaving ends to tie at centre front. Thread through eyelet holes at waist. Sew a small tassel to each end.

Bonnet

Sew up back seam for 3 inches. Work 2 rows of double crochet round neck edge of bonnet. Sew on ribbon to each side.



CARDIGAN with V-neck

3 PLY

MATERIALS

3 (3) (3) (3) ozs. of Emu Baby Wool 3 Ply, Softknit or Bri-Nylon 3 Ply (Emulon).
One pair each of Emu Knitting Needles size 10 and 12.
 $\frac{3}{4}$ yard Rose Bud Trimming.
4 Buttons.

MEASUREMENTS

Actual Chest				
Measurements	19 ins.	20 ins.	21 ins.	22 ins.
Length	9 $\frac{1}{4}$ ins.	9 $\frac{3}{4}$ ins.	10 $\frac{1}{4}$ ins.	10 $\frac{3}{4}$ ins.
Sleeve Seam	5 $\frac{1}{2}$ ins.	6 ins.	6 $\frac{1}{2}$ ins.	7 ins.

TENSION

8 $\frac{1}{2}$ stitches and 11 rows to 1 square inch over stocking stitch on size 10 needles.
We recommend that you test your tension before commencing the garment.

BACK

Using size 12 needles, cast on 82 (86, 90, 94) sts. and work in k.1, p.1 rib for 1 $\frac{1}{2}$ inches. Change to size 10 needles and st.st. (1 row k., 1 row p.) and continue until work measures 5 $\frac{1}{4}$ (5 $\frac{1}{2}$, 5 $\frac{3}{4}$, 6) inches from the beg., ending with a p. row.

Shape Raglan Armholes

Cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 28 (30, 30, 32) sts. remain. Work 1 row. Cast off.

LEFT FRONT

Using size 12 needles, cast on 40 (42, 44, 46) sts. and work in k.1, p.1 rib for 1 $\frac{1}{2}$ inches, inc. 1 st. at end of last row. 41 (43, 45, 47) sts. Change to size 10 needles and st.st. Continue until work measures 5 $\frac{1}{4}$ (5 $\frac{1}{2}$, 5 $\frac{3}{4}$, 6) inches from the beg., ending with a p. row.

Shape Raglan Armhole

Cast off 6 sts. at beg. of next row. Work 1 row. Dec. 1 st. at armhole edge on next and every following right side row, *at the same time*, dec. 1 st. at front edge on next and every following 3rd row until 3 (3, 5, 4) sts. remain.

Keeping neck edge straight, continue to dec. at armhole edge as before until 1 st. remains. Fasten off.

RIGHT FRONT

Work to match Left Front, reversing all shapings.

SLEEVES

Using size 12 needles, cast on 44 (44, 46, 46) sts. and work in k.1, p.1 rib for 1 $\frac{1}{2}$ inches. Change to size 10 needles and st.st. Inc. 1 st. at each end of the next and every following 4th row until there are 66 (68, 72, 74) sts. on the needle. Continue without further shaping until sleeve measures 5 $\frac{1}{4}$ (6, 6 $\frac{1}{2}$, 7) inches from the beg., ending with a p. row.

Shape Raglan Top

Cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. at each



end of the next and every following alternate row until 12 sts. remain. Work 1 row. Cast off.

BUTTONHOLE BAND

Using size 12 needles, cast on 12 sts. and work in k.1, p.1 rib for $\frac{1}{2}$ ($\frac{3}{4}$, $\frac{3}{4}$, $\frac{1}{2}$) inch.

1st Buttonhole row: Rib 5, cast off 2, rib to end.

2nd Buttonhole row: Rib, casting on over cast off sts. in previous row. Work 3 more buttonholes with 1 $\frac{1}{2}$ (1 $\frac{1}{2}$, 1 $\frac{1}{2}$, 1 $\frac{1}{2}$) inches between each, measured from base of previous buttonhole. Continue in rib until Band is long enough, when slightly stretched, to fit up Right Front, across Sleeve tops, across back neck and down Left Front. Cast off in rib.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Bri-Nylon 3 Ply has been used press with a dry cloth instead of a damp one. Using a back stitch, join raglan, side and sleeve seams. Sew on Buttonhole Band. Neaten buttonholes and sew on Buttons.

Sew Rose Bud Trimming around neck and down each Front inside the rib border.

JACKET, DRESS and BONNET.....3 PLY

MATERIALS

JACKET

2 (3) ozs. of Emu Baby Wool 3 Ply, Softknit or Bri-Nylon 3 Ply (Emulon).

DRESS

4 (4) ozs. of Emu Baby Wool 3 Ply, Softknit or Bri-Nylon 3 Ply (Emulon).

BONNET

1 (1) oz. of Emu Baby Wool 3 Ply, Softknit or Bri-Nylon 3 Ply (Emulon).

One pair each of Emu Knitting Needles size 11 for first size, and one pair of Emu Knitting Needles size 10 for second size.

Medium size Crochet Hook for Jacket and Dress.

6 Small Buttons for Jacket. 6 small Buttons for Dress. 1½ yards 1 inch wide Ribbon for Bonnet.

MEASUREMENTS

JACKET

Chest	20 ins.	21 ins.
Length	9½ ins.	10½ ins.
Sleeve Seam	5 ins.	6 ins.

DRESS

Chest	20 ins.	21 ins.
Length	16 ins.	17 ins.
Sleeve Seam	1½ ins.	1½ ins.

TENSION

9 stitches and 11½ rows to 1 square inch over stocking stitch on size 11 needles.

8½ stitches and 11 rows to 1 square inch over stocking stitch on size 10 needles.

We recommend that you test your tension before commencing the garment.

JACKET

BACK

Using size 11 needles for the first size, or size 10 for the second size, cast on 93 sts. and K. 6 rows. * Now work pattern:

1st row: K.2, * w.f., sl.1 p.w., k.2, p.s.s.o. the 2 k. sts., rep. from * to last st., k.1.

2nd row: P.

3rd row: K.1, * sl.1 p.w., k.2, p.s.s.o. the 2 k. sts., w.f. rep. from * to last 2 sts., k.2.

4th row: P.

Rep. the last 4 rows 4 times more, then rows 1—3 inclusive once. K. 5 rows. * Change to st.st. (1 row k., 1 row p.) and continue until work measures 5½ (6) inches from the beg. ending with a p. row.

Shape Armholes

Cast off 5 sts. at the beg. of the next 2 rows, then dec. 1 st. at each end of the next and following 4 alternate rows. Continue without further shaping until armhole measures 3½ (4) inches, ending with a p. row.

Shape Shoulders

Cast off 7 sts. at the beg. of the next 4 rows and 9 sts. at the beg. of the following 2 rows. Leave the remaining 27 sts. on a spare needle.



LEFT FRONT

Using size 11 needles for the first size, or size 10 for the second size, cast on 48 sts. and K. 6 rows. Now work pattern:-

1st row: K.2, * w.f., sl.1 p.w., k.2, p.s.s.o. the 2 k. sts. rep. from * to last 7 sts., k.7.

2nd row: K.6, p. to end.

3rd row: K.1, * sl.1 p.w., k.2, p.s.s.o. the 2 k. sts., w.f., rep. from * to last 8 sts., k.8.

4th row: K.6, p. to end.

Rep. the last 4 rows 4 times more, then rows 1—3 inclusive. once. K. 5 rows.

Next row: K.

Next row: K.6, p. to end.

Rep. the last 2 rows until work measures the same as Back to armhole, ending at side edge.

Shape Armhole

Cast off 5 sts. at the beg. of the next row, then dec. 1 st. at armhole edge on the following 5 alternate rows. Continue without further shaping until armhole measures 2½ (3) inches, ending at front edge.

Shape Neck

Work across the 8 sts. at the beg. of next row and slip them onto a safety pin, work to end. Keeping armhole edge straight, dec. 1 st. at neck edge on the next 7 rows. Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 7 sts. at the beg. of the next and following

alternate row. Work 1 row. Cast off the remaining 9 sts.

RIGHT FRONT

Following instructions for Left Front, reversing shapings and front border and making 6 Buttonholes, the first when work measures $\frac{3}{4}$ ($\frac{1}{2}$) inch from the beg. and the others with $1\frac{1}{4}$ ($1\frac{1}{2}$) inches between, measured from base of previous buttonhole.

1st Buttonhole row: (Right side facing) K.2, cast off 2, k.2, including st. used in casting off, pattern to end.

2nd Buttonhole row: Pattern to end, casting on over cast off sts. in previous row.

SLEEVES

Using size 11 needles for the first size, or 10 for the second size, cast on 40 sts. and K. 6 rows. Change to st.st. Inc. 1 st. at each end of the 5th and every following 4th (5th) row until there are 60 sts. on the needle. Continue without further shaping until work measures 5 (6) inches from the beg., ending with a p. row.

Shape Top

Cast off 5 sts. at the beg. of the next 2 rows then dec. 1 st. at each end of the next and every following alternate row until 32 sts. remain. Now dec. 1 st. at each end of every row until 18 sts. remain. Cast off.

NECKBAND

Using a back stitch, join shoulder seams. Using size 11 needles for the first size, or size 10 for the second size, and with right side of work facing, k. across 8 sts. from safety pin on Right Front, pick up and k. 16 sts. up right side of neck, k. across 27 sts. on back neck, pick up and k. 16 sts. down left side of neck and k. across 8 sts. on second safety pin. (75 sts.) K. 3 rows.

Next row: (Make eyelet holes) K.7, * w.f., k.2 tog. k.2, rep. from * to last 8 sts., w.f., k.2 tog., k.6. K. 4 rows. Cast off.

DRESS

BACK

** Using size 11 needles for the first size, or size 10 for the second size, cast on 150 sts. and K. 6 rows. Now work from * to * on Back of Jacket. Change to st.st. (1 row k., 1 row p.) and continue until work measures 10 ($10\frac{1}{2}$) inches from the beg., ending with a p. row.

Next row: K.15, (k.2 tog.) 60 times, k. to end. (90 sts.) Work in k.1, p.1 rib for $\frac{1}{2}$ inch.

Next row: (Make eyelet holes) Rib 6, * m.1, work 2 tog., rib 5, rep. from * to end.

Work a further $\frac{1}{2}$ inch in rib. Change to st.st. and continue until work measures 1 ($1\frac{1}{4}$) inches from top of ribbing, ending with a p. row.

Shape Armholes

Cast off 4 sts. at the beg. of the next 2 rows, then dec. 1 st. at each end of the next and following 4 alternate rows. ** Continue without further shaping until armhole measures $3\frac{1}{2}$ ($3\frac{3}{4}$) inches ending with a p. row.

Shape Shoulders

Cast off 7 sts. at the beg. of the next 4 rows and 9 sts. at the beg. of the following 2 rows. K. 6 rows on the remaining 26 sts. Cast off.

FRONT

Follow instructions for Back from ** to **. Continue without further shaping until armhole measures $2\frac{1}{2}$ ($2\frac{3}{4}$) inches ending with a p. row.

Shape Neck

K. 30 sts. turn, leaving remaining sts. on a spare needle. Keeping armhole edge straight, dec. 1 st. at neck edge on the next 7 rows. Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 7 sts. at the beg. of the next and following alternate row. Work 1 row. Cast off remaining 9 sts. Return to sts. on spare needle at centre. Slip the first 12 sts. onto a safety pin. Join in wool to remaining sts., k. to end. Complete to match first side of neck.

SLEEVES

Using size 11 needles for the first size, or size 10 for the second size, cast on 46 sts. and k. 6 rows.

Next row: K.4, * work twice into next st., k.2, rep. from * to end. (60 sts.)

Change to st.st. and commencing with a p. row, continue until work measures $1\frac{1}{2}$ inches from the beg. ending with a p. row.

Shape Top

Cast off 5 sts. at the beg. of the next 2 rows, then dec. 1 st. at each end of the next and every following alternate row until 34 sts. remain. Now dec. 1 st. at each end of every row until 16 sts. remain. Cast off.

NECK EDGING

Using size 11 needles for the first size and size 10 for the second size and with right side of work facing, pick up and k. 18 sts. down left side of neck, k. across the 12 sts. on safety pin, pick up and k. 18 sts. up right side of neck. K. 5 rows on these 48 sts. Cast off.

BONNET

Using size 11 needles for the first size or size 10 for the second size, cast on 114 sts. and K. 6 rows. Now work from * to * on Back of Jacket. Change to st.st. (1 row k., 1 row p.) and continue until work measures $4\frac{3}{4}$ (5) inches from the beg., ending with a k. row.

Next row: P.2 tog., p. to last 2 sts., p.2 tog. (112 sts.)

Shape Back

1st row: * K.9, k.2 tog., rep. from * to last 2 sts., k.2. (102 sts.)

2nd and alternate rows: P

3rd row: * K.8, k.2 tog., rep. from * to last 2 sts., k.2. (92 sts.)

Continue dec. 10 sts. on every alternate row until 22 sts. remain, then p.2 tog. all along the next row. (11 sts.) Break off wool, thread through sts. draw up and fasten off.

TO MAKE UP

Pin out each piece to correct measurements and press lightly with a warm iron over a damp cloth. If Bri-Nylon 3 ply has been used, press with a dry cloth instead of a damp one.

Jacket.

Using a back stitch, join side and sleeve seams. Set in Sleeves. Neaten buttonholes and sew on buttons. Using 3 strands of wool, work a single chain crochet cord for neckband, leaving ends to tie. Thread through eyelet holes. Sew a small tassel to each end. To make tassel, cut wool into 3 inch lengths, fold in half and bind folded end.

(Continued on page 11.)

PRAM SET.....4 PLY

MATERIALS

10 (11) ozs. of Emu Bri-Nylon 4 Ply (Emulon) or Easyknit.
(Main Colour).

1 (1) oz. Contrast Colour.

One pair each of Emu Knitting Needles size 10 and 11.
 $\frac{3}{4}$ yard Elastic.

7 Buttons.

MEASUREMENTS

To fit Chest	20 ins.	21 ins.
Length of Coat	11½ ins.	12½ ins.
Sleeve Seam	7 ins.	8 ins.
Length of Leggings	17½ ins.	18 ins.

TENSION

7½ stitches and 9½ rows to 1 square inch over stocking stitch.

We recommend that you test your tension before commencing the garment.

COAT

BACK

Using size 11 needles and m.c., cast on 76 (80) sts. and work in st.st. (1 row k., 1 row p.) for 1 inch, ending with a k. row.

Next row: K. to mark hemline.

Change to size 10 needles and continue in st.st. (commencing with a k. row) until work measures 7½ (8) inches from the hemline, ending with a wrong side row.

Shape Armholes

Cast off 2 sts., at the beg. of the next 2 rows. Dec. 1 st. at each end of next and following 3 alternate rows. 64 (68) sts. Continue without further shaping until Back measures 11 (12) inches from hemline, ending with a p. row.

Shape Shoulders

Cast off 6 (6) sts. at beg. of next 4 rows and 7 (8) sts. at beg. of following 2 rows. Leave remaining 26 (28) sts. on a spare needle.

RIGHT FRONT

Using size 11 needles and m.c., cast on 51 (55) sts. and work in st.st. for 1 inch, ending with a k. row.

Next row: K. to mark hemline.

Change to size 10 needles.

Next row: K.25 (27) sts., p.1, k. to end.

Next row: P.25 (27) sts., k.1, p. to end.

Rep. these 2 rows until work measures 4 (4½) inches from hemline, ending with a wrong side row.

1st Buttonhole row: K.2 sts., cast off 2 sts., k.17 (19), including st. used in casting off, cast off 2 sts., k.2, p.1, k. to end.

2nd Buttonhole row: P.25 (27), k.1, p. to end, casting on over sts. cast off in previous row. Work until Front measures 7½ (8) inches from hemline, ending with a right side row, at the same time, make another set of buttonholes 2½ inches above first set.

Shape Armhole

Cast off 2 (2) sts. work to end. Work 1 row. Now dec. 1 st. at beg. of next and following 3 alt. rnat rows. 45 (49) sts. Make another set of buttonholes. Work a further 1½ inches, ending with a wrong side row.



Shape Neck

K.6, cast off 14 (16) sts., work to end.

Next row: Pattern to end, leaving the set of 6 sts. at neck edge on a safety pin.

Now cast off 2 sts. at beg. of next and following 2 alternate rows commencing shoulder shaping when Front measures same as Back from beg. ending with a right side row.

Shape Shoulder

Keeping neck edge straight, cast off 6 (6) sts. at beg. of next and following alternate row. Cast off remaining 7 (9) sts. With wrong side of work facing, rejoin wool to 6 sts. left on a safety pin at neck edge and work 2 rows. Cast off 2 sts. at beg. of next and following 2 alternate rows.

LEFT FRONT

Work to match Right Front, omitting buttonholes and reversing all shapings.

SLEEVES

Using size 11 needles and m.c., cast on 40 (44) sts. and work 1½ inches in k.1, p.1 rib. Change to size 10 needles and st.st., inc. 1 st. at each end of next and every following 5th (6th) row until there are 54 (60) sts. on the needle. Continue without further shaping until Sleeve measures 7 (8) inches from the beg.

Shape Top

Cast off 2 sts. at beg. of the next 12 rows. Cast off remaining 30 (36) sts.

RIGHT FRONT BAND

Using size 10 needles, with right side of Right Front facing and using c.c. pick up and k.88 (96) sts. up the front edge of Coat. Work in k.1, p.1 rib for $\frac{3}{4}$ inch. Cast off loosely in rib. Now pick up and k.88 (96) sts. from the p. st. rib, working from neck to hem. Work to match edge band.

LEFT FRONT BAND

Using size 10 needles, with right side of Left Front facing and using c.c., pick up and k.88 (96) sts. down front edge of Coat. Work in k.1, p.1 rib for $\frac{3}{4}$ inch. Cast off loosely in rib.

COLLAR

Join shoulder seams. Using size 11 needles and c.c. with right side facing pick up and k.35 (37) sts. from centre of front neck up to right side shoulder, 26 (28) sts. across back neck and k.35 (37) sts. down left side to centre of neck. 96 (102) sts. Work in k.1, p.1 rib for $\frac{3}{4}$ inch.

Change to size 10 needles. Continue in k.1, p.1 rib for 2 inches. Cast off loosely in rib.

LEGGINGS

RIGHT LEG

Using size 11 needles and m.c., cast on 86 (90) sts. Work 6 rows in k.1, p.1 rib.

Next row: Rib 2, * w.f., k.2 tog., rib 2. rep. from * to end. Continue in rib until work measures 1 $\frac{1}{2}$ inches from beg.

Change to size 10 needles and st.st. and shape back:-

Next row: K.12, turn, p. to end.

Next row: K.24, turn, p. to end.

Next row: K.36, turn, p. to end.

Next row: K.48, turn, p. to end.

Next row: K.60, turn, p. to end. (Back edge).

Next row: K. twice into first st. k. across all sts.

Continue in st.st., inc. 1 st. at back edge on every following 6th row until there are 98 (102) sts. on the needle. Continue without further shaping until front edge measures 9 $\frac{1}{2}$ inches from beg. ending with a p. row.

Shape Leg

Dec. 1 st. at each end of next and every following alternate row until 40 (44) sts. remain. Continue without further shaping until work measures 8 (8 $\frac{1}{2}$) inches from commencement of leg shaping, ending with a k. row.

Foot

Next row: P.28 (30) sts., turn, k.16. Work on these 16 sts. for 1 $\frac{1}{2}$ (1 $\frac{3}{4}$) inches, ending with a p. row.

Now dec. 1 st. at each end of every row until 8 sts. remain. Break off wool. Leave sts. on a safety pin. With right side of work facing, rejoin wool and k.12 (14) sts. at heel, pick up and k.16 (18) sts. along side of instep, 8 sts. round toe from safety pin, 16 (18) sts. down second side of instep and k.12 (14) remaining sts. 64 (72) sts. Work 6 rows in k.1, p.1 rib. Cast off loosely in rib.

LEFT LEG

Work to match Right Leg reading k. for p. and p. for k., ending with a k. row.


Foot

Follow instructions for Right Leg.

CAP

BACK AND FRONT ALIKE

With size 11 needles and m.c., cast on 46 (50) sts. Work in k.1, p.1 rib for 3 (3 $\frac{1}{4}$) inches. ** Now dec.



1 st. at both ends of every row until 4 sts. remain. Cast off. Make another piece to match. **

Side Panels

With size 11 needles and c.c. cast on 10 (12) sts. and k.4 rows.

Next row: K.2, k. twice into next st., * k.1, p.1, rep. from * to last 3 sts., k. twice into next st., k.2.

Next row: K.2, k. twice into next st. rib to last 3 sts., k. twice into next st., k.2.

Rep. the last row until there are 34 (36) sts. on the needle. Continue in k.1, p.1 rib until panel measures 3 (3 $\frac{1}{4}$) inches from last row of increasings. Now work from ** to ** on back panel.

MITTS

RIGHT HAND

Using size 10 needles cast on 38 sts. and work 10 rows in k.1, p.1 rib. Change to st.st. and continue until work measures 1 $\frac{1}{2}$ inches from the beg., ending with a p. row.

Make eyelet holes

* K.2 tog., w.f., k.1, rep. from * to last 2 sts., k.2 tog. (37) sts. P.1 row. Continue in st.st. until work measures 4 (4 $\frac{1}{4}$) inches from the beg., ending with a p. row.

Shape Top

K.1, * k.2 tog., k.1 rep. from * to end. (25 sts.)

Next row: P.1, * p.2 tog., rep. from * to end.

Break off wool, slip through remaining 13 sts., draw up and fasten off.

LEFT HAND

Work as for Right Hand.

TO MAKE UP

Press lightly with a warm iron over a damp cloth. If Bri-Nylon has been used, press with a dry cloth instead of a damp one.

Coat

Using a back stitch sew up side and sleeve seams. Set in Sleeves. Turn up hems on Back and Fronts and slip stitch down. Make a small button loop at top of Right Front neck. Sew on buttons to correspond with buttonholes and buttonloop.

Leggings

Sew up front, back and leg seams. Thread elastic through eyelet holes at waist. Sew elastic to instep.

Cap

Sew side, front and back panels together with c.c. Make a chain stitch cord with 4 strands of wool and sew to side panels to tie under chin. Finish ends with tassels.

Mitts

Sew up seams. Make cords as for Cap and thread through eyelet holes. Finish with tassels.

CARDIGAN

with ribbed pattern

3 PLY

MATERIALS

3 (3) ozs. of Emu Baby Wool 3 Ply, Softknit or Bri-Nylon 3 Ply (Emulon).

One pair each of Emu Knitting Needles size 10 and 12.
5 Buttons.

MEASUREMENTS

Actual Chest Measurements	21 ins.	22 ins.
Length	10½ ins.	11¼ ins.
Sleeve Seam	6 ins.	7 ins.

TENSION

8½ stitches and 11 rows to 1 square inch over stocking stitch.

BACK

Using size 12 needles cast on 90 (94) sts. and work in k.1, p.1 rib for 1½ inches. Change to size 10 needles and st.st. (1 row k., 1 row p.) and continue until work measures 6 (6½) inches from the beg. ending with a p. row.

Shape Raglan Armholes

Cast off 4 (4) sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next row. Work 1 row. Now work in pattern.

* 1st row: P.2 tog., p. to last 2 sts., p.2 tog.

2nd row: * K.1, p.1 rep. from * to end.

3rd row: K.2 tog., * k.1, p.1 rep. from * to last 2 sts., k.2 tog.

4th row: * P.1, k.1, rep. from * to end.

5th row: P.2 tog., p. to last 2 sts., p.2 tog.

6th row: P. to end.

7th row: K.2 tog., k. to last 2 sts., k.2 tog.

Rep. the last 2 rows once.

10th row: P. to end. *

Rep. from * to * twice more.

Continue in st.st., dec. at armhole edge on right side rows as before, until 34 (36) sts. remain, ending with a p. row. Leave these sts. on a spare needle.

LEFT FRONT

Using size 12 needles, cast on 42 (44) sts. and work in k.1, p.1 rib for 1½ inches, inc. 1 st. at end of last row. 43 (45) sts.

Change to size 10 needles and st.st. and continue until work measures 6 (6½) inches from the beg., ending with a wrong side row.

Shape Raglan Armhole

Cast off 4 (4) sts. at the beg. of the next row.

Next row: P.

Next row: K.2 tog., k. to end.

Next row: P.

Now work in pattern:-

* * 1st row: P.2 tog., p. to end.

2nd row: Work in k.1, p.1 rib to end.

3rd row: K.2 tog., rib to end.

4th row: Rib to end.

5th row: P.2 tog., p. to end.

6th row: P. to end.

7th row: K.2 tog., k. to end.

Rep. the last 2 rows once.

10th row: P. to end. * *



Rep. from * * to * * twice more. Continue in st.st., dec. at armhole edge on the following 1 (2) right side rows. Still dec. at armhole edge as before, continue as follows:

Shape Neck

Cast off 6 (6) sts. at the beg. of the next row, then dec. 1 st. at neck edge on the next 8 (9) rows. Keeping neck edge straight, continue to dec. at armhole edge until 1 st. remains. Fasten off.

RIGHT FRONT

Using size 12 needles, cast on 42 (44) sts. and work in k.1, p.1 rib for 1½ inches, inc. 1 st. at end of last row. 43 (45) sts.

Change to size 10 needles and st.st. and continue until work measures 6 (6½) inches from the beg., ending with a right side row.

Shape Raglan Armhole

Cast off 4 (4) sts. at the beg. of the next row.

Next row: K. to last 2 sts., k.2 tog.

Next row: P.

Now work pattern:-

* * * 1st row: P. to last 2 sts., p.2 tog.

2nd row: Work in k.1, p.1 rib to end.

3rd row: Rib to last 2 sts., k.2 tog.

4th row: Rib to end.

5th row: P. to last 2 sts., p.2 tog.

6th row: P. to end.

7th row: K. to last 2 sts., k.2 tog.

Rep. the last 2 rows once.

10th row: P. to end. ***

Rep. from *** to *** twice more.

Continue in st.st., dec. 1 st. at armhole edge on the following 1 (2) right side rows. Work 1 row.

Shape Neck

Still dec. at armhole edge as before, cast off 6 (6) sts. at the beg. of the next row, then dec. 1 st. at neck edge on the next 8 (9) rows. Keeping neck edge straight, continue dec. at armhole edge until 1 st. remains. Fasten off.

SLEEVES

Using size 12 needles, cast on 44 (46) sts. and work in k.1, p.1 rib for $1\frac{1}{4}$ inches. Change to size 10 needles and st.st. Inc. 1 st. at each end of the next and every following 5th row until there are 64 (68) sts. on the needle. Continue without further shaping until work measures 6 (7) inches from the beg., ending with a p. row.

Shape Raglan Top

Cast off 4 (4) sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next row. Work 1 row. Now work pattern from * to * on Back. Rep. from * to * twice more. Continue in st.st. dec. 1 st. at each end of right side rows as before until 8 (10) sts. remain ending with a p. row. Leave these sts. on a safety pin.

BUTTONHOLE BAND

Using size 12 needles, cast on 8 sts. and work in k.1, p.1 rib for $\frac{3}{4}$ ($\frac{1}{2}$) inch.

1st Buttonhole row: Rib 3, cast off 2, rib to end.

2nd Buttonhole row: Rib, casting on over cast off sts. in previous row. Work 3 more buttonholes at intervals of 2 ($2\frac{1}{4}$) inches, measured from base of previous buttonhole. Work a further $1\frac{1}{2}$ ($1\frac{1}{4}$) inches. Leave these sts. on a safety pin.

BUTTON BAND

Work to match Buttonhole Band, omitting buttonholes.

NECKBAND

Using size 12 needles and with right side of work facing rib across the 8 sts. of Buttonhole Band, pick up and k.11 (12) sts. up right side of neck, k. across 8 (10) sts. at top of one Sleeve, 34 (36) sts. on back neck, 8 (10) sts. at top of other Sleeve, pick up and k.11 (12) sts. down left side of neck and rib across the 8 sts. on Button Band. 88 (96) sts. Work 1 inch in rib making another buttonhole 2 ($2\frac{1}{4}$) inches from base of previous buttonhole. Cast off.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Bri-Nylon has been used, press with a dry cloth instead of a damp one. Using a back stitch join raglan, side and sleeve seams. Sew on Front Bands. Neaten buttonholes and sew on buttons.



MATINEE JACKET...3 PLY

MATERIALS

3 (4) ozs. of Emu 3 Ply Baby Wool, Softknit or Bri-Nylon 3 Ply (Emulon).

One pair of Emu Knitting Needles size 11.

3 Buttons.

MEASUREMENTS

To Fit Baby 1—6 months 6—12 months

TENSION

9 stitches and $11\frac{1}{2}$ rows to 1 square inch over stocking stitch.

We recommend that you test your tension before commencing the garment.

BACK

Cast on 136 (140) sts. and K. 10 rows. Change to st.st. (1 row k., 1 row p.) and continue until work measures 5 (6) inches from the beg., ending with a p. row.

Shape Armholes

Dec. 1 st. at each end of the next 7 rows. Work 1 row without shaping. Leave remaining 122 (126) sts. on a spare needle.

LEFT FRONT

Cast on 70 (74) sts. and K. 10 rows.

Next row: K.

Next row: K.6, p. to end.

Rep. these 2 rows until work measures 5 (6) inches

from the beg., ending with a wrong side row.

Shape Armhole

Dec. 1 st. at the beg. of the next row and at this same edge on the next 6 rows. Work 1 row without shaping. Leave these 63 (67) sts. on a spare needle.

RIGHT FRONT

Follow instructions for Left Front, but work garter st. border and armhole shaping at opposite end of row.

SLEEVES

Cast on 38 (38) sts. and K. 10 rows. Change to st.st. and inc. 1 st. at each end of the 4th and every following 5th row until there are 52 (52) sts. on the needle. Continue without shaping until work measures 5 (6) inches from the beg., ending with a p. row.

Shape Top

Dec. 1 st. at each end of the next 7 rows. Work 1 row without shaping. Leave the remaining 38 (38) sts. on a spare needle.

YOKE

Now work all sts. from spare needles. With right side of work facing, k. across Right Front, first Sleeve, Back, second Sleeve and Left Front sts. 324 (336) sts.

1st size. Next row: K.6, p.1, [p.2 tog.] 28 times, p.35 [p.2 tog.] 64 times, p.35, [p.2 tog.] 28 times, p.1, k.6. (204 sts.)

2nd size. Next row: K.6, p.1, [p.2 tog.] 32 times, p.29, [p.2 tog.] 68 times, p.29, [p.2 tog.] 32 times, p.1, k.6. (204 sts.)

Next row: **Buttonhole row:** K.2 cast off 2, k.2, including st. used in casting off, p. to last 6 sts., k.6.

Next row: K., casting on over cast off sts. in previous row.

Commence pattern and shaping:-

1st row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.12 rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6.

2nd row: K.6, * p.5, k.12, rep. from * to last 11 sts., p.5, k.6.

3rd row: K.7, * w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.14, rep. from * to last 10 sts., w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.7.

4th row: K.6, * p.5, k.12, rep. from * to last 11 sts., p.5, k.6.

Rep. rows 1—4 inclusive twice more.

13th row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.4, [k.2 tog.] twice, k.4, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6. (182 sts.)

14th row: K.6, * p.5, k.10, rep. from * to last 11 sts., p.5, k.6.

15th row: K.7, * w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.12 rep. from * to last 10 sts., w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.7.

16th row: K.6, * p.5, k.10, rep. from * to last 11 sts., p.5, k.6.

17th row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.10, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6.

Rep. rows 14—16 inclusive once.

21st row: (Buttonhole row) K.2, cast off 2, k.2, including st. used in casting off * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.3 [k.2 tog.] twice, k.3, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6. (158 sts.)

22nd row: K.6, * p.5, k.8, rep. from * to last 9 sts., p.5, k.2, cast on 2, k.2. (160 sts.)

23rd row: K.7, * w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.10, rep. from * to last 10 sts., w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.7.

24th row: K.6, * p.5, k.8, rep. from * to last 11 sts., p.5, k.6.

25th row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.8, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6.

26th row: K.6, * p.5, k.8, rep. from * to last 11 sts., p.5, k.6.

Rep. the 23rd and 24th rows once.

29th row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.2, [k.2 tog.] twice, k.2, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6. (138 sts.)

30th row: K.6, * p.5, k.6, rep. from * to last 11 sts., p.5, k.6.

31st row: K.7, * w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.8, rep. from * to last 10 sts., w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.7.

32nd row: K.6, * p.5, k.6, rep. from * to last 11 sts., p.5, k.6.

33rd row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.1, [k.2 tog.] twice, k.1, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6. (116 sts.)

34th row: K.6, * p.5, k.4, rep. from * to last 11 sts., p.5, k.6.

35th row: K.7, * w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.6, rep. from * to last 10 sts., w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.7.

36th row: K.6, * p.5, k.4, rep. from * to last 11 sts., p.5, k.6.

37th row: K.6, * w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., [k.2 tog.] twice, rep. from * to last 11 sts., w.f., sl.1, k.1, p.s.s.o., k.1, k.2 tog., w.f., k.6. (94 sts.)

38th row: K.6, * p.5, k.2, rep. from * to last 11 sts., p.5, k.6.

39th row: K.7, * w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.4, rep. from * to last 10 sts., w.f., sl.1, k.2 tog., p.s.s.o., w.f., k.7.

40th row: K.6, * p.5, k.2, rep. from * to last 11 sts., p.5, k.6.

41st row: K.6, * k.5, k.2 tog., rep. from * to last 11 sts., k.11. (83 sts.)

K. 3 rows.

45th row: (Buttonhole row) K.2, cast off 2, k. to end.

46th row: K., casting on over cast off sts. in previous row. K. 3 rows. Cast off.

TO MAKE UP

Pin out each piece to correct measurements and press lightly with a warm iron over a damp cloth. If Bri-Nylon 3 Ply has been used, press with a dry cloth instead of a damp one.

Using a back stitch, join side and sleeve seams. Join shaped part of sleeve to shaped part of armhole. Neaten buttonholes and sew on buttons.



SLEEPING BAG

DOUBLE KNITTING

MATERIALS

16 ozs. of Emu Scotch Double Knitting, Double Crepe or Bri-Nylon Double Knitting (Emulon).
One pair of Emu Knitting Needles size 9.
One set of 4 size 9 and 10 Knitting Needles pointed at both ends.

MEASUREMENTS

To fit Chest	20—22 ins.
Length from base to neck	25 ins.
Width at Lower Edge	19 ins.

TENSION

6 stitches and $8\frac{1}{2}$ rows to 1 square inch over stocking stitch on size 9 needles.

BACK AND FRONT ALIKE

Using size 9 needles, cast on 114 sts. Work 1 inch in k.1, p.1, rib, inc. 1 st. at end of last row. (115 sts.) Change to st.st. (1 row k., 1 row p.) and continue until work measures $14\frac{1}{2}$ inches from the beg., ending with a p. row.

Next row: K.56, p.1, k.1, p.1, k.56.

Next row: P.56, k.1, p.1, k.1, p.56.

Next row: K.54, [p.1, k.1] 3 times, p.1, k.54.

Next row: P.54 [k.1, p.1] 3 times, k.1, p.54.

Next row: K.52 [p.1, k.1] 5 times, p.1, k.52.

Next row: P.52 [k.1, p.1] 5 times, k.1, p.52.

Continue in this way working 2 extra sts. into rib on each side of centre rib sts. on every alternate row until all sts. are worked in rib. Work straight in rib for $\frac{1}{2}$ inch,

ending with a wrong side row. Keeping continuity of rib, cast off 2 sts. at the beg. of the next 8 rows, 3 sts. at the beg. of the next 8 rows, 4 sts. at the beg. of the next 8 rows and 5 sts. at the beg. of the next 2 rows. Leave remaining 33 sts. on a spare needle.

HOOD

Using the set of 4 size 10 needles and with right side of work facing, slip the first 16 sts. of Front onto needle, join in wool (centre front) and with second needle rib across the next 15 sts., p.2 tog. Using the third needle, rib across back neck sts. to last 2 sts., p.2 tog., rib across the 16 sts. slipped onto the first needle. (64 sts.)

Work in rounds of k.1, p.1 rib for $1\frac{1}{2}$ inches. Change to set of 4 size 9 needles, working backwards and forwards over the three needles to facilitate easier working.

Next row: Cast off 10 sts., k. to end.

Next row: Cast off 10 sts., p. to end.

Work 1 inch in st.st.

Next row: (Right side facing) K.2 tog., k.19, m.1, (make 1, by picking up the loop that lies between the st. just worked and the next st. on left hand needle and knitting into the back of it), k.2, m.1, k.19, k.2 tog.

Next row: P.

Rep. the last 2 rows 4 times more. Continue without further shaping until work measures $6\frac{1}{2}$ inches from the top of ribbing ending with a p. row.

Next row: K.22 sts. and turn, leaving remaining 22 sts. on a spare needle. Cast off 4 sts. at back edge 4 times in all. Cast off remaining sts. Join in wool to remaining sts. and complete to match first side.

HOOD EDGING

Using a back stitch, join top seam of Hood. Using the set of 4 size 10 needles and with right side of work facing, pick up and k.10 sts. across the 10 cast off sts. at right front neck, 90 sts. evenly around front edge and 10 sts. across the 10 cast off sts. at left front neck. (110 sts.) Work in rounds of k.1, p.1 rib for 1 inch. Cast off in rib.

TO MAKE UP

Pin out and press lightly on the wrong side with a damp cloth. If Bri-Nylon has been used press with a dry cloth instead of a damp one. Using a back stitch, join side seams.

CROSS-OVER COAT

4 PLY

MATERIALS

3 (3) ozs. of Emu Bri-Nylon 4 Ply (Emulon), Easyknit or Baby Wool 4 Ply.

1 pair each of Emu Knitting Needles size 11 and 9.
2 Buttons.

MEASUREMENTS

Chest	20 ins.	21 ins.
Length	7 ins.	7½ ins.

TENSION

7 sts. and 9 rows to 1 square inch.

BACK

Using size 11 needles, cast on 62 (66) sts. and work in k.1, p.1, rib for 12 rows. Change to size 9 needles and st.st. (1 row k., 1 row p.) Inc. 1 st. at both ends of the next and every following alternate row until there are 92 (98) sts. on the needle. Work without shaping for 2½ (3) inches, ending with a p. row. Cast off.

RIGHT FRONT

Using size 11 needles, cast on 46 (48) sts. and work in k.1, p.1 rib for 6 rows.

1st Buttonhole row: Rib 2, cast off 3, rib 18 (including st. used in casting off), cast off 3, rib to end.

2nd Buttonhole row: Rib, casting on sts. over those cast off in the previous row. Work 4 more rows in rib. Change to size 9 needles.

1st row: K.2 tog., k. to last st., inc. in last st.

2nd row: P.

Rep. these 2 rows 14 (15) times more.

Next row: K.2 tog., k. to end.

Next row: P.

Rep. these 2 rows until 34 (35) sts. remain. Cast off.

LEFT FRONT

Work as for Right Front reversing shapings and omitting buttonholes.

CUFFS

Using a back stitch join shoulder seams. Using size 11 needles and with right side of work facing, pick up and k.46 (50) sts. along straight edge. Work 12 rows in k.1, p.1, rib. Cast off in rib.

FRONT BAND

Using size 11 needles cast on 7 sts.

1st row: * K.1, p.1, rep. from * to last st., k.1.

2nd row: * P.1, k.1, rep. from * to last st., p.1.

Rep. these 2 rows until band is long enough to fit up both Fronts and across back neck when slightly stretched.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth. If Bri-Nylon has been used press with a dry cloth instead of a damp one. Join side seams. Sew on Front Band and buttons.



PRAM RUG (reversible)

MAGNUM

(for illustration see page 22.)

18 ozs. of Emu Magnum or Apollo Chunkyknit Crepe.
One pair of Emu Knitting Needles size 4.
Crochet Hook for Fringe.

MEASUREMENTS

21 x 34 inches.

TENSION

3½ stitches and 5 rows to 1 square inch.

Cast on 75 sts.

1st row: (Right Side) P.1, * k.1, p.1 rep. from * to end.

2nd row: P.1, k.1 * p. into st. below next st. on left hand needle, leave this st. on needle and p. into st. above, then pass first st. over second st., k.1, rep. from * to last st., p.1.

3rd row: K.1, * p.1, k.1, rep. from * to end.

4th row: K.1, * p. into st. below next st. on left hand needle, leave this st. on needle and p. into st. above, then pass first st. over second st., k.1, rep. from * to end. These 4 rows form the pattern. Continue in pattern until work measures 34 inches. Cast off.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth. Make a fringe at each short end.

Make Fringe as follows:-

Cut wool into 6 inch lengths. Fold each length in half, pull the folded ends through work with the crochet hook, then pull ends through loop.

**REVERSIBLE
PRAM RUG in
EMU MAGNUM**

(for instructions
see page 21.)



BABY TROUSSEAU (continued from page 10).

Work 7 rows.

5th Dec. row: K.6, pattern 14, k.86, k.2 tog. t.b.l., k.2 tog., [k.83, k.2 tog. t.b.l., k.2 tog.] twice, k.86, pattern 14, k.6. (384 sts.)

Continue to dec. 6 sts. on every following 8th row in the same way until 300 sts. remain. Continue without shaping until work measures $20\frac{1}{2}$ ($21\frac{1}{2}$) inches from the beg., ending with a wrong side row.

Next row: K.2 tog. all along the row. (150 sts.)

P. 1 row.

Change to size 12 needles for the first size or size 11 for the second size. Work 6 rows in k.1, p.1 rib.

Next row: Rib 5, * take 2 tog., m.1, rib 4, rep. from * to last 7 sts., take 2 tog., m.1, rib 5.

Work 5 rows in rib.

Next row: Cast off 24 sts. in rib, work to end. Rep. the last row once. (102 sts.)

Hood

Next row: K.6, pattern 14, k. to last 20 sts., pattern 14, k.6.

Next row: K.6, p. to last 6 sts., k.6.

Rep. these 2 rows until work measures $6\frac{1}{2}$ (7) inches, from top of ribbing, ending with a right side row.

Next row: K.6, p.45, and slip these sts. onto a spare needle. Place both sets of sts. right side to right side and cast off purlwise on wrong side of fabric.

BONNET

Using size 11 needles for the first size or size 10 for the second size, cast on 112 sts. K. 10 rows. Now work 7 complete patterns as given for Matinee Coat. (42 rows.)

Next row: K.2 tog., k. to last 2 sts., k.2 tog. (110 sts.)

Next row: K.

Now work Back Shaping.

1st row: * K.9, k.2 tog., rep. from * to end of row. (100 sts.)

2nd and alternate rows: K.

3rd row: * K.8, k.2 tog., rep. from * to end of row. (90 sts.)

5th row: K.7, k.2 tog., rep. from * to end of row. (80 sts.)

Continue dec. 10 sts. on every alternate row until 20 sts. remain then k.2 tog. all along the next row. (10 sts.)

Next row: K.

Break off wool, thread through remaining sts., draw up and fasten off securely.

MITTENS

Using size 11 needles for the first size or size 10 for the second size, cast on 48 sts. K. 6 rows, inc. 1 st. at end of last row. (49 sts.) Now work 2 complete patterns as given for Matinee Coat. (12 rows). Make eyelet holes:-

Next row: K.2, * m.1, k.2 tog., rep. from * to last st., k.1.

Next row: P.

Next row: K.6 * k.2 tog., k.7, rep. from * to last 7 sts., k.2 tog., k.5. (44 sts.)

Next row: P.

Work in st.st. (1 row k., 1 row p.), on these sts. for $2\frac{1}{2}$ ($2\frac{3}{4}$) inches from the eyelet holes, ending with a p. row.

Shape Top

1st row: * K.2, k.2 tog., rep. from * to end. (33 sts.)

2nd row: P.

TROUSSEAU (continued).

3rd row: * K.1, k.2 tog., rep. from * to end. (22 sts.)

4th row: P.

5th row: * K.2 tog., rep. from * to end. (11 sts.)

Break off wool, thread through remaining sts., draw up and fasten off securely.

THUMB

Cast on 2 sts., K. 1 row. Working in st.st., inc. 1 st. at each end of the next and every following alternate row until there are 10 sts. on the needle. Work straight for $\frac{1}{2}$ (3) inch.

Next row: K.2 tog. all along the row. Break off wool, thread through sts., draw up and fasten off. Sew up seam as far as last increase.

BOOTEES

Using size 11 needles for the first size or size 10 for the second size, cast on 42 sts. K. 6 rows. Now work 2 complete patterns as given for Matinee Coat. (12 rows.)

Next row: (Make eyelet holes):- K.1, * m.1, k.2 tog., rep. from * to last st., k.1. P. 1 row.

Divide sts. for instep:-

K.27 sts., turn, p.12 turn. Work 20 rows in st.st. (1 row k., 1 row p.) on these 12 sts. Break off wool. With right side of work facing, commence where the 15 sts. were left on needle, pick up and k.13 sts. along side of instep, k.12 sts. across instep, pick up and k.13 sts. along other side of instep then work across the 15 sts. on other needle. (68 sts.)

Work 9 rows in st.st., commencing with a p. row.

Dec. for toe:-

1st row: K.1, k.2 tog., k.29 [k.2 tog.] twice, k.29, k.2 tog., k.1. (64 sts.)

2nd row: P.30, [p.2 tog.] twice, p.30. (62 sts.)

3rd row: K.1, k.2 tog., k.26, [k.2 tog.] twice, k.26, k.2 tog., k.1. (58 sts.)

4th row: P.27, [p.2 tog.] twice, p.27. (56 sts.)

5th row: K.26, [k.2 tog.] twice, k.26. (54 sts.)

Cast off.

SHAWL

Using size 10 needles, cast on 350 sts. Work in pattern as given for Matinee Coat until work measures 47 inches approximately, finishing after a 6th pattern row. Cast off loosely.

BORDER

Note:-To make a st. at the beg. of row leave thread in front of the needle when working the first st.

Using size 10 needles, cast on 23 sts.

1st row: K.

2nd row: K.2, [m.1, k.2 tog.] 3 times, k.4, k.2 tog., m.1, k.2, k.2 tog., m.1, k.1, m.1, k.3 tog., k.1.

3rd row: M.1, k.2 tog., m.1, k.3, m.1, k.2 tog., k.2, m.1, k.2 tog., k.11.

4th row: K.10, k.2 tog., m.1, k.2, k.2 tog., m.1, k.5, m.1, k.2.

5th row: M.1, k.2 tog., m.1, k.7, m.1, k.2 tog., k.2, m.1, k.2 tog., k.9.

6th row: K.2, [m.1, k.2 tog.] 3 times, k.2 tog., m.1, k.2, k.2 tog., m.1, k.9, m.1, k.2.

7th row: M.1, k.3 tog., m.1, k.2 tog., k.5, k.2 tog., m.1, k.2, k.2 tog., m.1, k.10.



BABY TROUSSEAU (see page 9).

8th row: K.11, m.1, k.2 tog., k.2, m.1, k.2 tog., k.3, k.2 tog., m.1, k.2 tog., k.1.

9th row: M.1, k.3 tog., m.1, k.2 tog., k.1, k.2 tog., m.1, k.2, k.2 tog., m.1, k.12.

10th row: K.2, [m.1, k.2 tog.] 3 times, k.5, m.1, k.2 tog., k.2, m.1, k.3 tog., m.1, k.2 tog., k.1.

11th row: M.1, k.3 tog., m.1, k.1, m.1, k.2, k.2 tog., m.1, k.14.

12th row: K.12, k.2 tog., m.1, k.2, k.2 tog., m.1, k.1, m.1, k.3 tog., k.1.

Rep. from the 3rd row to 12th row until border is long enough to fit round edge of shawl, allowing an extra 8 inches to gather round corners. Cast off loosely.

TO MAKE UP

Pin out all pieces to correct measurements and press lightly on wrong side with a warm iron over a damp cloth. If Bri-Nylon 3 Ply has been used, press with a dry cloth, instead of a damp one.

Matinee Coat

Using a back stitch, join side and sleeve seams. Join shaped part of Sleeve to shaped part of armhole. Neaten buttonholes and sew on buttons.

Dress

Join shoulder seams for $\frac{1}{2}$ inch. Work a row of double crochet along back and front shoulder edges, making 4 buttonhole loops at each side on front edges. Using a back stitch, join side and sleeve seams. Sew in Sleeves. Sew on buttons to match loops. Thread ribbon through eyelet holes at waist, bringing ends out at centre front to tie.

Cape

Thread ribbon through eyelet holes at neck.

Bonnet

Sew up back seam for 3 inches. Sew on ribbon to each side.

Mittens

Sew up side seams leaving an opening for Thumb just above eyelet holes. Sew in Thumb. Thread ribbon through eyelet holes.

Bootees

Join seam. Thread ribbon through eyelet holes.

Shawl

Sew border to shawl, gathering evenly at corners and give a final press.

