



1p

10
SUPER CRIMP



Knit into
fashion—with

Hayfield

BABYKIN DK
BABYKIN 3-PLY
BABYKIN 4-PLY

MACHINE
WASHABLE

18 to 26 inch chest
(46 to 66 cm)

*You're better off
knitting with Hayfield*

The D.K. Sweater

To fit chest	in cm	18 46	20 51	22 56	24 61	26 66
Babykin DK or Babykin Brushed DK	20g balls	10	10	11	12	13
Length from shoulder	in cm	11½ 29	12 30	13 33	14 36	16 41
Sleeve seam	in cm	8 20	8 20	9½ 24	11 28	13 33

1 pair each of No. 3½mm (9) and No. 4½mm (7) Knitting Needles or the size required to give the correct tension. 3 small buttons.

TENSION

11 sts. and 16 rows to 2in (5cm) over st.-st. on No. 4½mm (7) needles or the size required to give the correct tension.

The 3-ply Sweater

To fit chest	in cm	18 46	20 51	22 56	24 61	26 66
Babykin 3-ply	20g balls	6	6	8	8	10

Measurements as for Double Knitting Sweater.

1 pair each of No. 3mm (11) and No. 2½mm (12) Knitting Needles or the size required to give the correct tension. 3 small buttons.

TENSION

16 sts. and 20 rows to 2in (5cm) over st.-st. on No. 3mm (11) needles or the size required to give the correct tension.

The 4-ply Sweater

To fit chest	in cm	18 46	20 51	22 56	24 61	26 66
Babykin 4-ply, Babykin Q.K. or Babykin Spangle 4-ply	20g balls	9	9	10	10	10

Measurements as for Double Knitting Sweater.

1 pair each of No. 2½mm (12) and No. 3½mm (10) knitting needles or the size required to give the correct tension. 3 small buttons.

TENSION

14 sts. and 18 rows to 2in (5cm) over st.-st. on No. 3½mm (10) needles or the size required to give the correct tension.

ABBREVIATIONS

Alt.=alternate; beg.=begin(ning); cont.=continue; dec.=decrease; g.-st.=garter stitch; inc.=increase; in=inch(es); K.=knit; m.-st.=moss stitch; patt.=pattern; P.=purl; p.s.s.o.=pass slip stitch over; rep.=repeat; rem.=remain(ing); st(s)=stitch(es); st.-st.=stocking stitch; Sl.=slip; tog.=together; t.b.l.=through backs of loops; y.r.n.=yarn round needle; y.fwd.=yarn forward; y.bk.=yarn back; cm=centimetres; mm=millimetres; DK=Double Knitting.

SWEATER WITH LACE FRONT PANEL

IN

Hayfield

BABYKIN DK 3-PLY AND 4-PLY

INSTRUCTIONS are given for an 18in chest (46cm). Changes for a 20, 22, 24 and 26in chest (51, 56, 61 and 66cm) are given in brackets [].

DOUBLE KNITTING SWEATER

THE BACK

Using the pair of No. 3½mm needles cast on 54 [60 : 66 : 72 : 78] sts. and work in K.1, P.1 rib for 1½in or 4cm. Change to No. 4½mm needles and cont. in st.-st. until work measures 7 [7 : 7½ : 8 : 8½] in or 18 [18 : 19 : 20 : 21] cm, ending with a P. row.

Shape Raglan Armholes

Cast off 2 sts. at beg. of next 2 rows.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Work 3 rows straight then dec. as before at each end of next and every foll. alt. row until 32 [36 : 38 : 40 : 42] sts. rem. Work 1 row.

Divide for Back Opening

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K.15 [17 : 18 : 19 : 20] sts., turn, leave rem. sts. on a holder.

Next Row.—K.4, P. to end.

Still dec. at armhole edge as before work 2 more rows, keeping 4 sts. in g.-st. at edge of opening.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 4 sts., K.2 tog., y.fwd., K.2.

Keeping continuity of armhole decreases work 7 more rows, then make a 2nd buttonhole in line with other buttonhole on next row.

Work 3 more rows. Break yarn and leave sts. on a holder. Rejoin yarn at inner edge to sts. left on holder, cast on 4 sts. for underwrap.

Work as for other side, omitting buttonholes. Leave sts. on a holder.

THE FRONT

Using the pair of No. 3½mm needles cast on 54 [60 : 66 : 72 : 78] sts. and work 1½in or 4cm in K.1, P.1 rib, inc. 1 st. at both ends of last row.

Change to No. 4½mm needles and work as follows:

1st patt. row.—K.13 [16 : 19 : 22 : 25] sts., P.2, ★ (P.2 tog.) twice, (K.1, y.fwd.) 4 times, K.1, (P.2 tog.) twice, rep. from ★ once more, P.2, K. to end.

2nd Row.—P.13 [16 : 19 : 22 : 25] sts., K.2, P.26, K.2, P. to end.

VERY IMPORTANT

Check your tension. The size of your garment is governed by the tension.

Work a tension square.

Double Knitting: Using No. 4½mm (7) needles cast on 11 sts. and work 16 rows in stocking stitch. This piece of knitting should measure 2in (5cm) square. If it is larger use a thinner needle, if it is smaller use a thicker needle.

3-ply: Using No. 3mm (11) needles cast on 16 sts. and work 20 rows in stocking stitch to make the 2in (5cm) square.

4-ply: Using No. 3½mm (10) needles cast on 14 sts. and work 18 rows in stocking stitch to make the 2in (5cm) square.

CASTING ON

Casting on using cable method. Using two needles make a loop and slip it on to left-hand needle [1 stitch made], insert needle through front of stitch, draw loop through and place on left-hand needle [2 stitches]. * Insert needle through space between 2 stitches, yarn round, pull loop through and place on needle [3 stitches]. Repeat from *.

3rd Row.—K.13 [16 : 19 : 22 : 25] sts., P.2, K.26, P.2, K. to end.

4th Row.—As 2nd row.

These 4 rows form patt. panel. Rep. them until front measures same as back to armholes, ending with a wrong side row.

Shape Raglan Armhole

Cast off 2 sts. at beg. of next 2 rows, then keeping lace patt. correct dec. at armhole as for back until 30 (32 : 34 : 36 : 38) sts. rem.

Work 1 row.

Shape Neck

Next Row.—K.1, Sl.1, K.1, p.s.s.o., work in patt. on 9 sts., turn, leave rem. sts. on a holder.

Next Row.—P. to end.

Still dec. at armhole edge as before dec. 1 st. on every row at neck edge until 2 sts. rem., K.2 tog. and fasten off.

Sl. the first 6 [8 : 10 : 12 : 14] sts. from holder on to a safety pin and leave for neck.

Rejoin yarn at inner edge and work to match first side.

THE SLEEVES (Two alike)

Using the pair of No. 3½mm needles cast on 30 [32 : 34 : 36 : 38] sts. and work 14 rows in K.1, P.1 rib.

Change to No. 4½mm needles and cont. in st.-st., inc. 1 st. at both ends of 7th and every foll. 6th row until there are 42 [46 : 50 : 54 : 58] sts.

Work straight until sleeve measures 8 [8 : 9½ : 11 : 13] in or 20 [20 : 24 : 28 : 33] cm, ending with a P. row.

Shape Raglan Top

Cast off 2 sts. at beg. of next 2 rows, then dec. as follows:

1st Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

2nd Row.—P. to end.

3rd Row.—K. to end.

4th Row.—P. to end.

Now rep. the first and 2nd rows until 6 sts. rem. Work 1 row. Break yarn and leave sts. on holder.

Neck Border

Join raglan seams.

Using the pair of No. 3½mm needles K. across sts. of left back neck and sleeve, pick up and K.10 sts. on side of neck, K. across sts. of front neck, pick up and K.10 sts. on other side of neck, then K. across sts. of other sleeve and right side of back neck.

Work 6 rows in K.1, P.1 rib, making a 3rd buttonhole in the 4th row in line with other buttonholes. Cast off in rib.

TO MAKE UP

Press with a warm iron over a dry cloth.

Join side and sleeve seams.

Stitch cast-on edge of underwrap into position on wrong side. Sew on buttons. Press all seams.

3-PLY SWEATER

THE BACK

Using the pair of No. 2½mm needles cast on 80 [88 : 96 : 104 : 112] sts. and work in K.1, P.1 rib for 1½ in or 4 cm.

Change to No. 3mm needles and cont. in st.-st. until work measures 7 [7 : 7½ : 8 : 9½] in or 18 [18 : 19 : 20 : 21] cm from beg., ending with a wrong side row.

Shape Raglan Armholes

Cast off 4 [5 : 5 : 5 : 6] sts. at beg. of next 2 rows.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Next Row.—P. to end.

Rep. last 2 rows until there are 48 [50 : 54 : 56 : 58] sts.

Work 1 row without shaping.

Divide for Back Opening

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K.23 [24 : 26 : 27 : 28] sts., turn, leave rem. sts. on a spare needle.

Next Row.—K.4, P. to end.

Still dec. at armhole edge as before work 2 more rows, keeping 4 sts. in g.-st. at edge of opening.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 4 sts., K.2 tog., y.fwd., K.2.

Keeping continuity of armhole decreases work 9 more rows, then make another buttonhole in line with other buttonhole on next row, work 5 more rows. Break yarn, leave sts. on a holder.

Rejoin yarn at inner edge of sts. left on holder, cast on 4 sts. for underwrap. Work as for other side, omitting buttonholes. Leave sts. on a holder.

THE FRONT

Using the pair of No. 2½mm needles cast on 80 [88 : 96 : 104 : 112] sts. and work 1½ in or 4 cm in K.1, P.1 rib, inc. 1 st. at end of last row — 81 [89 : 97 : 105 : 113] sts.

Change to No. 3mm needles and work as follows:

1st Patt. Row.—K.19 [23 : 27 : 31 : 35] sts., P.2, ★ (P.2 tog.) twice, (K.1, y.fwd.) 4 times, K.1, (P.2 tog.) twice, rep. from ★ twice more, P.2, K. to end.

2nd Row.—P.19 [23 : 27 : 31 : 35] sts., K.2, P.39, K.2, P. to end.

3rd Row.—K.19 [23 : 27 : 31 : 35] sts., P.2, K.39, P.2, K. to end.

4th Row.—As 2nd row.

These 4 rows form the patt. panel. Rep. them until front measures same as back to armholes, ending with a wrong side row.

Shape Raglan Armholes

Cast off 4 [5 : 5 : 5 : 6] sts. at beg. of next 2 rows, then keeping lace patt. correct shape armhole as on back until 41 [43 : 47 : 49 : 51] sts. rem.

Work 1 row.

Shape Neck

Next Row.—K.1, Sl.1, K.1, p.s.s.o., patt. 11 sts., turn, leave rem. sts. on a holder.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on the foll. 6 rows, then dec. at armhole edge only as before until 2 sts. rem. Work 2 tog. Fasten off.

With right side of work facing Sl. the first 13 [15 : 19 : 21 : 23] sts. on to a safety pin and leave for neck. Rejoin yarn at inner edge to rem. sts. and work to match other side.


THE SLEEVES (Two alike)

Using the pair of No. 2½mm needles cast on 48 [50 : 52 : 54 : 56] sts. and work 1½ in or 4 cm in K.1, P.1 rib.

Change to No. 3mm needles and cont. in st.-st., inc. 1 st. at each end of 7th [7th : 5th : 5th : 5th] row, then inc. 1 st. at each end of every foll. 8th [6th : 6th : 8th : 8th] row until there are 60 [66 : 70 : 76 : 84] sts.

Work straight until sleeve measures 8 [8 : 9½ : 11 : 13] in or 20 [20 : 24 : 28 : 33] cm, ending with a P. row.

(Continued over)



Shape Raglan Top

Cast off 4 [5 : 5 : 5 : 6] sts. at beg. of next 2 rows.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Next Row.—P.1, P.2 tog., P. to last 3 sts., P.2 tog. t.b.l., P.1.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Next Row.—P. to end.

Rep. last 2 rows until 6 [6 : 6 : 6 : 8] sts. rem. Work 1 row. Break yarn and leave sts. on holder.

THE NECK BORDER

Join raglan seams.

Using the pair of No. 2½mm needles and with right side of work facing K. across sts. of back neck and sleeve, pick up and K.12 sts. down side of neck, K. across sts. of front neck, pick up and K.12 sts. up side of neck, K. across sts. of sleeve and back neck.

Work 8 rows in K.1, P.1 rib, making a 3rd buttonhole in the 5th row in line with other buttonholes. Cast off in rib.

TO MAKE UP

Press, using a warm iron over a dry cloth.

Join side and sleeve seams.

Stitch cast-on edge of underwrap into position on wrong side. Sew on buttons. Press all seams.

4-PLY SWEATER

THE BACK

Using No. 2½mm needles cast on 70 [78 : 84 : 92 : 98] sts. and work in K.1, P.1 rib for 1½in or 4cm.

Change to No. 3½mm needles and cont. in st.-st. until work measures 7 [7 : 7½ : 8 : 9½] in or 18 [18 : 19 : 20 : 21] cm from beg., ending with a wrong side row.

Shape Raglan Armholes

Cast off 2 [3 : 3 : 4 : 4] sts. at beg. of next 2 rows.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Next Row.—P. to end.

Rep. last 2 rows until there are 44 [46 : 48 : 50 : 52] sts.

Work 1 row without shaping.

Divide for Back Opening

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K.21 [22 : 23 : 24 : 25] sts., turn, leave rem. sts. on a spare needle.

Next Row.—K.4, P. to end.

Still dec. at armhole edge as before work 2 more rows, keeping 4 sts. in g.-st. at end of opening.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 4 sts., K.2 tog., y.fwd., K.2.

Work 7 more rows, then make another buttonhole in line with other buttonhole, work 5 more rows. Break yarn, leave sts. on a holder.

Rejoin yarn at inner edge of sts. left on holder, cast on 4 sts. for underwrap.

Work as for other side omitting buttonholes. Leave sts. on a holder.

THE FRONT

Using No. 2½mm. needles cast on 70 [78 : 84 : 92 : 98] sts. and work in K.1, P.1 rib for 1½in or 4cm.

Change to No. 3½mm needles and work as follows:

1st Patt. Row.—K.20 [24 : 27 : 31 : 34] sts., P.2, ★ (P.2 tog.) twice, (K.1, y.fwd.) 4 times, K.1, (P.2 tog.) twice, rep. from ★ once more, P.2, K. to end.

2nd Row.—P.20 [24 : 27 : 31 : 34] sts., K.2, P.26, K.2, P. to end.

3rd Row.—K.20 [24 : 27 : 31 : 34] sts., P.2, K.26, P.2, K. to end.

4th Row.—As 2nd row.

These 4 rows form the patt. panel. Rep. them until front measures same as back to armholes, ending with a wrong side row.

Shape Raglan Armholes

Cast off 2 [3 : 3 : 4 : 4] sts. at beg. of next 2 rows, then keeping lace patt. correct shape armhole as on back until 38 [40 : 42 : 44 : 46] sts. rem.

Work 1 row.

Shape Neck

Next Row.—K.1, Sl.1, K.1, p.s.s.o., patt. 11 sts., turn, leave rem. sts. on a holder.

Still dec. at armhole edge as before, dec. 1 st. at neck edge on the foll. 6 rows, then dec. at armhole edge only as before until 2 sts. rem. Work 2 tog. Fasten off.

With right side of work facing Sl. the first 10 [12 : 14 : 16 : 18] sts. on to a safety pin and leave for neck.

Rejoin yarn at inner edge to rem. sts. and work to match other side.

THE SLEEVES (Two alike)

Using No. 2½mm needles cast on 42 [44 : 46 : 48 : 50] sts. and work in K.1, P.1 rib for 1½in or 4cm.

Change to No. 3½mm needles and cont. in st.-st., inc. 1 st. at each end of 7th and every foll. 8th row until there are 52 [58 : 62 : 66 : 72] sts.

Work straight until sleeve measures 8 [8 : 9½ : 11 : 13] in or 20 [20 : 24 : 28 : 32] cm, ending with a P. row.

Shape Raglan Top

Cast off 2 [3 : 3 : 4 : 4] sts. at beg. of next 2 rows.

Next Row.—K.1, Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Next Row.—P. to end.

Rep. last 2 rows until 8 [8 : 8 : 6 : 8] sts. rem.

Break yarn and leave sts. on holder.

THE NECK BORDER

Join raglan seams.

Using No. 2½mm needles and with right side of work facing K. across sts. of back neck and sleeve, pick up and K.12 sts. down side of neck, K. across sts. of front neck, pick up and K.12 sts. up side of neck, K. across sts. of sleeve and back neck.

Work 7 rows in K.1, P.1 rib, making a 3rd buttonhole in the 3rd row in line with other buttonhole. Cast off in rib.

TO MAKE UP

Press, using a warm iron over a dry cloth.

Join side and sleeve seams. Stitch cast-on edge of underwrap into position on wrong side. Sew on buttons. Press all seams.

Copyright by

Hayfield

Knitting Wools

Glusburn, Keighley, BD20 8QP

WITHOUT WARRANTY

D&S F5561

Printed in Great Britain



	MACHINE WASH Babykin Minimum wash Spin
	HAND WASH Warm water about 40°C
	Warm iron with dry cloth