




Hayfield babykin

1248

4ply/QK/DK
18-26"



CARDIGAN

IN

Hayfield

CASTING ON

Cast on using cable method. Using two needles make a loop and slip it on to left-hand needle [1 stitch made], insert needle through front of stitch, draw loops through and place on left-hand needle [2 stitches]. * Insert needle through space between 2 stitches, yarn round, pull loop through and place on needle [3 stitches]. Repeat from *.

INSTRUCTIONS are given for a 18 inch chest (46cm). Changes for a 20, 22, 24 and 26 inch chest (51, 56, 61 and 66cm) are given in brackets [].

As the shapings (may) differ for the various sizes follow the headings for the size required.

DK CARDIGAN

THE BACK

Using No. 3½mm needles cast on 53 [57: 63: 69: 75] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 4 times.

Change to No. 4mm needles and proceed in st-st until work measures 4½ [6: 7½: 9: 10½] in or 11 [15: 19: 23: 27] cm, ending on wrong side.

Shape Armholes

Cast off 4 [4: 4: 4: 5] sts at beg of next 2 rows.

Work 32 [36: 40: 44: 46] rows dec once at each end of next and every alt row. 13 [13: 15: 17: 19] sts.

Cast off.

THE LEFT FRONT

Using No. 3½mm needles cast on 23 [25: 29: 31: 35] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 3 times then 1st row once.

10th Row.—S1, inc once in next st purlways, (k1, p1) 8 times, k1, inc once in next st purlways, (k1, p1) 1 [2: 4: 5: 7] times, k1. 25 [27: 31: 33: 37] sts.

Change to No. 4mm needles and proceed as follows:—

1st Row.—S1, k6 [8: 12: 14: 18], p2, k1, k2 tog, yfwd, k3, yfwd, s1, k1, pssso, k1, p2, k5.

2nd and Every Alt Row.—S1, p4, k2, p9, k2, p6 [8: 12: 14: 18], k1.

3rd Row.—S1, k6 [8: 12: 14: 18], p2, k2 tog, yfwd, k5, yfwd, s1, k1, pssso, p2, k5.

5th Row.—S1, k6 [8: 12: 14: 18], p2, k2, yfwd, s1, k1, pssso, k1, k2 tog, yfwd, k2, p2, k5.

7th Row.—S1, k6 [8: 12: 14: 18], p2, k3, yfwd, s1, k2 tog, pssso, yfwd, k3, p2, k5.

8th Row.—S1, p4, k2, p9, k2, p6 [8: 12: 14: 18], k1. These 8 rows form patt.

Keeping continuity of patt (throughout) cont until work measures same as The Back to armhole, ending on wrong side.

To fit chest	in cm	18 46	20 51	22 56	24 61	26 66
Length	in cm	9 23	11 28	13 33	15 38	17 43
Sleeve seam (adjustable)	in cm	6 15	7 18	8 20	10½ 27	12½ 32
Babykin DK	20g balls	4	5	6	7	8
Pretty Whites Lustre DK	40g balls	2	3	3	4	4
Pretty Whites DK	40g balls	2	3	3	3	4

For DK: 1 Pair No. 4mm (8) and No. 3¼mm (10) Knitting Needles or the size required to give the correct tension.

4 [5: 5: 5: 6] Buttons.

For 4 - ply: 1 Pair No. 3¼mm (10) and No. 2¾mm (12) Knitting Needles or the size required to give the correct tension.

4 [5: 5: 6: 6] Buttons.

TENSION

For DK: 11 sts to 2in (5cm) on No. 4mm (8) needles or the size required to give the correct tension.

For 4 - ply: 14 sts to 2in (5cm) on No. 3¼mm (10) needles or the size required to give the correct tension.

VERY IMPORTANT

Check your tension. The size of your garment is governed by the tension. Work a 2in (5cm) tension square.

If it is larger use thinner needles, if it is smaller use thicker needles.

ABBREVIATIONS

K knit, **p** purl, **st(s)** stitch(es), **s1** slip one stitch knitways, **rep** repeat, **st-st** stocking stitch (1 row knit, 1 row purl), **beg** beginning, **alt** alternate, **tog** together, **yfwd** yarn forward, **pssso** pass slipped stitch over, **patt** pattern, **cont** continue, **fol** following, **inc** increase(ing), **dec** decreasing, **in** inch(es), **cm** centimetres, **mm** millimetres, **DK** Double Knitting, **QK** Quick Knit.

Shape Armhole

1st Row.—Cast off 4 [4: 4: 4: 5] sts in patt, patt to last st, k1.

2nd Row.—S1, patt to last st, k1.

Work 22 [26: 34: 34: 38] rows dec once at armhole edge in next and every alt row at same time dec once at front edge in next and every foll 10th [12th: 8th: 8th: 6th] row. 7 [7: 5: 7: 6] sts.

Work 8 [8: 4: 8: 6] rows dec once at armhole edge only in next and every alt row. (3 sts).

Next Row.—K2 tog, k1.

Next Row.—K2 tog. Fasten off.

THE RIGHT FRONT

Work exactly as given for The Left Front reversing position of patt panel and all shapings.

THE SLEEVES (Both alike)

Using No. 3½mm needles cast on 27 [29: 31: 35: 35] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 times inc once at end of last row. 28 [30: 32: 36: 36] sts.

Change to No. 4mm needles and proceed in st-st inc once at each end of 3rd and every foll 6th [6th: 6th: 8th: 8th] row to 34 [36: 40: 44: 48] sts.

Inc once at each end of every foll 4th [4th: 4th: 6th: 6th] row to 38 [44: 46: 50: 52] sts.

Cont without shaping until work measures 6 [7: 8: 10½: 12½] in or 15 [18: 20: 27: 32] cm, or length required, ending on wrong side.

Shape Top

Cast off 4 [4: 4: 4: 5] sts at beg of next 2 rows.

Work 20 [16: 20: 20: 24] rows dec once at each end of next and every foll 4th row. 20 [28: 28: 32: 30] sts.

Work 12 [20: 20: 24: 22] rows dec once at each end of next and every alt row. (8 sts).

Cast off.

TO MAKE UP

Read Pressing Instructions. Sew up side and sleeve seams. Sew in sleeves.

THE BUTTONHOLE BORDER

Using No. 3½mm needles cast on 7 sts.

1st Row.—S1, (k1, p1) twice, k2.

2nd Row.—S1, (p1, k1) 3 times.

**** 3rd Row.**—S1, k1, p1, yfwd, k2 tog, k2.

4th Row.—S1, (p1, k1) 3 times.

Rep 1st and 2nd rows 4 [4: 5: 6: 6] times. **

Rep from ** to ** 2 [3: 3: 3: 4] times, 3rd and 4th rows once then 1st and 2nd rows until border is of sufficient length to go up front, across sleeve top and halfway across back of neck, ending on wrong side. Cast off in rib.

THE BUTTON BORDER

Work exactly as given for The Buttonhole Border omitting buttonholes.

TO COMPLETE

Sew cast off ends of borders together, placing seam to centre back of neck and top buttonhole level with first front decreasing, sew Front Borders in position. Sew on buttons.

4-PLY CARDIGAN

THE BACK

Using No. 2½mm needles cast on 67 [73: 81: 87: 95] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 5 times.

Change to No. 3½mm needles and proceed in st-st until work measures 4½ [6: 7½: 9: 10½] in or 11 [15: 19: 23: 27] cm, ending on wrong side.

Shape Armholes

Cast off 6 sts at beg of next 2 rows.

Work 40 [46: 48: 50: 52] rows dec once at each end of next and every alt row. 15 [15: 21: 25: 31] sts.

22, 24, 26in or 56, 61, 66cm only

Work [2: 2: 4] rows dec once at each end of every row. [17: 21: 23] sts.

For all 5 sizes

Cast off.

THE LEFT FRONT

Using No. 2½mm needles cast on 29 [33: 37: 39: 43] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 4 times then 1st row once.

12th Row.—S1, (inc once in next st purlways, k1) twice, * p1, k1, rep from * to end. 31 [35: 39: 41: 45] sts.

Hayfield

Change to No. 3½mm needles and proceed as follows:

1st Row.—S1, k9 [13: 17: 19: 23], p2, k1, k2 tog, yfwd, k3, yfwd, s1, k1, pssso, k1 p2, k8.

2nd and Every Alt Row.—S1, p7, k2, p9, k2, p9 [13: 17: 19: 23], k1.

3rd Row.—S1, k9 [13: 17: 19: 23], p2, k2 tog, yfwd, k5, yfwd, s1, k1, pssso, p2, k8.

5th Row.—S1, k9 [13: 17: 19: 23], p2, k2, yfwd, s1, k1, pssso, k1, k2 tog, yfwd, k2, p2, k8.

7th Row.—S1, k9 [13: 17: 19: 23], p2, k3, yfwd, s1, k2 tog, pssso, yfwd, k3, p2, k8.

8th Row.—S1, p7 k2, p9, k2, p9 [13: 17: 19: 23], k1.

These 8 rows form patt.

Keeping continuity of patt (throughout) cont until work measures same as The Back to armhole, ending on wrong side.

Shape Armhole

1st Row.—Cast off 6 sts in patt, patt to last st, k1.

2nd Row.—S1, patt to last st, k1.

Work 26 [32: 42: 38: 44] rows dec once at armhole edge in next and every alt row at same time dec once at front edge in next and every foll 12th [10th: 8th: 6th: 6th] row. 9 [9: 6: 9: 9] sts.

Work 12 [12: 6: 12: 8] rows dec once at armhole edge only in next and every alt row. 3 [3: 3: 3: 5] sts.

26in or 66cm only

Work 2 rows dec once at armhole edge only in every row. [3] sts.

For all 5 sizes

Next Row.—K2 tog, k1.

Next Row.—K2 tog. Fasten off.

THE RIGHT FRONT

Work exactly as given for The Left Front reversing position of patt panel and all shapings.

THE SLEEVES (Both alike)

Using No. 2½mm needles cast on 35 [37: 41: 45: 45] sts.

1st Row.—S1, k1, * p1, k1, rep from * to last st, k1.

2nd Row.—S1, * p1, k1, rep from * to end.

Rep 1st and 2nd rows 6 times.

Change to No. 3½mm needles and proceed in st-st inc once at each end of 3rd and every foll 4th [4th: 4th: 6th: 6th] row to 49 [55: 59: 63: 67] sts.

Cont without shaping until work measures 6 [7: 8: 10½: 12½]in or 15 [18: 20: 27: 32]cm, or length required, ending on wrong side.

Shape Top

Cast off 6 sts at beg of next 2 rows.

Work 24 rows dec once at each end of next and every foll 4th row. 25 [31: 35: 39: 43] sts.

Work 16 [22: 26: 28: 32] rows dec once at each end of next and every alt row. 9 [9: 9: 11: 11] sts.

Cast off.

TO MAKE UP

Read Pressing Instructions. Sew up side and sleeve seams. Sew in sleeves.

THE BUTTONHOLE BORDER

Using No. 2½mm needles cast on 9 sts.

1st Row.—S1, (k1, p1) 3 times, k2.

2nd Row.—S1, (p1, k1) 4 times.

**

3rd Row.—S1, k1, p1, k1, yfwd, k2 tog, p1, k2.

4th Row.—S1, (p1, k1) 4 times.

Rep 1st and 2nd rows 5 [6: 7: 7: 8] times. **

Rep from ** to ** 2 [3: 3: 4: 4] times, 3rd and 4th rows once then 1st and 2nd rows until border is of sufficient length to go up front, across sleeve top and halfway across back of neck, ending on wrong side. Cast off in rib.

THE BUTTON BORDER

Work exactly as given for The Buttonhole Border omitting buttonholes.

TO COMPLETE

Sew cast off ends of borders together, placing seam to centre back of neck and top buttonhole level with first front decreasing, sew Front Borders in position. Sew on buttons.

Rendezvous		Under dry cloth Warm iron	Warm	
Vanity Fair, Aspen, Encore, Grousemoor Baroque - short spin, dry flat		Do not press	Hand Wash	
Brig qualities, Gaucho		Under damp cloth Hot iron	Warm	
Babykin, Beaulon, Grampian, Hawaii, Brushed qualities, Pretty Whites, Top Nop		Under dry cloth Warm iron	Machine Wash	
Thermal — do not dry clean		Do not press		

© Reproduction of this leaflet in any form (including photostat) is protected by copyright. Any infringement will lead to prosecution.

HAYFIELD TEXTILES LTD. GLUSBURN, KEIGHLEY. BD20 8QP