



Hayfield

JACKET & TROUSERS

MEASUREMENTS

JACKET To Fit Chest	36 14	41 16	46 18	51 20	56 22	cm in
Actual Measurement	41 16	46 18	51 20	56 22	61 24	cm in
Full Length	19 7½	21 8¼	24 9½	29 11½	34 13½	cm in
Sleeve Length	15 6	16 6¼	19 7½	21 8¼	25 9¾	cm in
TROUSERS Waist To Crotch	15 6	16 6¼	19 7½	20 8	20 8	cm in
Leg Length	16 6¼	18 7	20 8	22 8¾	24 9½	cm in
Quality						Balls
JACKET 061 SWEETHEART DK 061001	4	5	6	7	8	25 gm
TROUSERS 061 SWEETHEART DK 061001	2	3	4	5	6	25 gm
Also suitable for all other Sweetheart DK qualities.						

IMPORTANT

The quantities stated are based on average requirements and are therefore approximate.

1 Pair of 3¼mm (UK10 - USA3) Knitting Needles.

1 Pair of 4mm (UK8 - USA6) Knitting Needles.

Cable Needle.

4 [4:5:5:5] Buttons for Jacket.
Elastic as required for Trousers.

THIS LEAFLET IS SUITABLE FOR HAYFIELD YARNS. NO RESPONSIBILITY WILL BE TAKEN FOR THE RESULT OF USING ANY OTHER YARN.

Figures in brackets refer to larger sizes.

Where only one figure is given this applies to all sizes.

Where the figure 0 appears, no sts, times or rows are worked for this size.

TENSION

28 sts and 28 rows to 10 cm (4 in) measured over pattern on 4mm needles.

22 sts and 28 rows to 10 cm (4 in) measured over stocking stitch on 4mm needles.

VERY IMPORTANT

Check your tension to ensure success. If less sts are made use smaller needles, if more sts use larger needles.

Because of the restrictions in printing, the colour of the garments photographed are matched as close as possible.

ABBREVIATIONS

beg beginning P purl
cm centimetres patt pattern
cont continue rep repeat
dec decrease(ing) rs right side
foll following st(s) stitch(es)
in inch(es) st st stocking stitch
inc increase(ing) tog together
K knit ws wrong side
mm millimetres yfwd yarn forward
M1 Make a stitch by picking up horizontal loop lying before next stitch and working into the back of it.
C4F Cable 4 front by slipping next 2 sts to front on cable needle, K2 then K2 from cable needle.

PATT PANEL

(Worked over 20 sts)

1st Row. (Right side) P2, (K4, P2) 3 times.

2nd, 4th and 6th Rows. K2, (P4, K2) 3 times.

3rd Row. P2, K4, P2, C4F, P2, K4, P2.

5th Row. As 1st row.

7th Row. P8, K2, P10.

8th Row. K10, P2, K8.

9th Row. As 1st row.

10th Row. As 2nd row.

These 10 rows form the patt panel and are repeated.

JACKET
BACK

Using 3¼mm needles, cast on 46 [50:54:62:66] sts.

1st Row. (Right side) K2, * P2, K2; rep from * to end.

2nd Row. P2, * K2, P2; rep from * to end.

Rep these 2 rows for 4 cm, ending with a 1st rib row.

Inc Row. Rib 1 [5:1:1:4], M1, (rib 4 [3:3:4:3], M1) 11 [13:17:15:19] times, rib to end. 58 [64:72:78:86] sts.

Change to 4mm needles and patt.

1st Row. (Right side) (K1, P2)

1 [0:0:0:0] times, K2 [2:0:3:1], * K2, P2, K2; rep from * to last 5 [2:0:3:1] sts, K2 [2:0:3:1], (P2, K1) 1 [0:0:0:0] times.

2nd Row. (P1, K2) 1 [0:0:0:0] times, P2 [2:0:3:1], * P2, K2, P2; rep from * to last 5 [2:0:3:1] sts, P2 [2:0:3:1], (K2, P1) 1 [0:0:0:0] times.

3rd Row. (K1, P2) 1 [0:0:0:0] times, K2 [2:0:3:1], * K2, P2, C4F, P2, K2; rep from * to last 5 [2:0:3:1] sts, K2 [2:0:3:1], (P2, K1) 1 [0:0:0:0] times.

4th Row. As 2nd row.

5th Row. As 1st row.

6th Row. As 2nd row.

7th Row. P5 [2:0:3:1], * P4, K2, P6; rep from * to last 5 [2:0:3:1] sts, P5 [2:0:3:1].

8th Row. K5 [2:0:3:1], * K6, P2, K4; rep from * to last 5 [2:0:3:1] sts, K5 [2:0:3:1].

9th Row. As 1st row.

10th Row. As 2nd row.

These 10 rows form the patt and are repeated.

Cont in patt until back measures 19 [21:24:29:34] cm from beg, ending with a ws row.

Cast off.

LEFT FRONT

Using 3¼mm needles, cast on 22 [22:26:30:30] sts and work 4 cm in rib as given for Back, ending with a 1st rib row.

Inc Row. Rib 3 [4:2:3:5], M1, (rib 4 [2:3:4:2], M1) 4 [7:7:6:10] times, rib to end. 27 [30:34:37:41] sts.

Change to 4mm needles and patt. **

1st Row. K1 [0:2:1:3], P2 [0:2:0:2], * K4, P2; rep from * to end.

2nd Row. * K2, P4; rep from * to last 3 [0:4:1:5] sts, K2 [0:2:0:2], P1 [0:2:1:3].

3rd Row. K1 [0:2:1:3], P2 [0:2:0:2], (C4F, P2) 0 [0:1:0:1] times, * K4, P2, C4F, P2; rep

from * to last 0 [6:0:0:6] sts, (K4, P2) 0 [1:0:0:1] times.

4th Row. As 2nd row.

5th Row. As 1st row.

6th Row. As 2nd row.

7th Row. P9 [6:4:7:5], * K2, P10; rep from * to last 6 [0:6:6:0] sts, (K2, P4) 1 [0:1:1:0] times.

8th Row. (K4, P2) 1 [0:1:1:0] times, * K10, P2; rep from * to last 9 [6:4:7:5] sts, K9 [6:4:7:5].

9th Row. As 1st row.

10th Row. As 2nd row.

These 10 rows form the patt and are repeated.

Cont in patt until left front measures 15 [17:20:25:30] cm from beg, ending with a rs row. (Work 1 row more here for Right Front).

Shape Neck

Keeping patt correct.

Next Row. Cast off 4 [5:6:6:7] sts, patt to end.

Dec 1 st at neck edge on next 6 rows. 17 [19:22:25:28] sts.

Cont without shaping until left front measures same as Back, ending at side edge.

Cast off.

RIGHT FRONT

Work as given for Left Front to **.

1st Row. (Right side) * P2, K4; rep from * to last 3 [0:4:1:5] sts, P2 [0:2:0:2], K1 [0:2:1:3].

2nd Row. P1 [0:2:1:3], K2 [0:2:0:2], * P4, K2; rep from * to end.

3rd Row. (P2, C4F) 1 [0:1:1:1] times, * P2, K4, P2, C4F; rep from * to last 9 [6:4:7:5] sts, P2, K4 [4:2:5:3], (P2, K1) 1 [0:0:0:0] times.

4th Row. As 2nd row.

5th Row. As 1st row.

6th Row. As 2nd row.

7th Row. P2 [8:2:2:8], * K2, P10; rep from * to last 1 [10:8:

11:9] sts, K0 [2:2:2:2], P1 [8:6:9:7].

8th Row. K1 [8:6:9:7], P0 [2:2:2:2], * K10, P2; rep from * to last 2 [8:2:2:8] sts, K2 [8:2:2:8].

9th Row. As 1st row.

10th Row. As 2nd row.

These 10 rows form the patt and are repeated.

Complete as given for Left Front, reversing neck shaping.

SLEEVES (Both alike)

Using 3¼mm needles, cast on 26 [30:30:34:34] sts and work 4 cm in rib as given for Back, ending with a 1st rib row.

Inc Row. Rib 2 [6:6:4:4], M1, (rib 1, M1) 21 [17:17:25:25] times, rib to end.

48 [48:48:60:60] sts.

Change to 4mm needles.

Work in patt as given for 3rd size of Back and bringing extra sts into patt, inc 1 st at each end of 3rd and every foll 3rd [3rd:3rd:4th:4th] row to 62 [66:72:78:84] sts.

Cont without shaping until sleeve measures 15 [16:19:21:25] cm from beg, ending with a ws row. Cast off loosely in patt.

BUTTONHOLE BORDER

Join shoulder seams.

With rs of work facing and using 3¼mm needles, pick up and K 42 [46:54:70:82] sts evenly up right front edge for Girls Jacket or down left front edge for Boys Jacket. Work 3 rows in rib as given for Back, starting with a 2nd rib row.

Buttonhole Row. Rib 4, yfwd, K2tog, (rib 9 [10:9:13:16], yfwd, K2tog) 3 [3:4:4:4] times, rib to end.

Work 3 rows in rib.

Cast off in rib.

BUTTON BORDER

Work to match Buttonhole Border, omitting buttonholes.

HOOD

Using 4mm needles, cast on 60 [72:84:84:96] sts and work in patt as given for 3rd size of Back until hood measures 17 [19:21:22:23] cm from beg, ending with a ws row.

Next Row. * K2tog; rep from * to end. 30 [36:42:42:48] sts. Cast off.

Fold hood in half and join top seam.

Hood Border

With rs of work facing and using 3¼mm needles, pick up and K 94 [106:118:122:126] sts evenly around row ends of hood.

Work 7 rows in rib as given for Back, starting with a 2nd rib row. Cast off in rib.

MAKE UP

Place markers 11 [12:13:14:

15] cm down from shoulder seams. Place centre of sleeve top at shoulder seam. Sew sleeve evenly in position along back and front edges between markers. Join side and sleeve seams. Sew hood in position evenly around neck edge, starting and finishing at centre of front borders. Sew on buttons.

See inside of ball band for washing and pressing details.

TROUSERS

LEGS (Both alike)

Using 3¼mm needles, cast on 38 [38:42:42:46] sts and work 4 cm in rib as given for Back of Jacket, ending with a 1st rib row.

Inc Row. Rib 5 [3:4:1:2], M1, (rib 1, M1) 27 [31:33:39:41] times, rib to end. 66 [70:76:82:88] sts.

Change to 4mm needles and patt.

1st Row. (Right side) K23 [25:28:31:34], work 1st row of patt panel, K to end.

2nd Row. P23 [25:28:31:34], work 2nd row of patt panel, P to end.

These 2 rows form st st and set the patt panel.

Cont in patt, commencing with 3rd row of patt panel until leg measures 28 [31:36:39:41] cm from beg, ending with a ws row.

Dec Row. K9 [5:5:11:11], K2tog, (K1, K2tog) 15 [19:21:19:21] times, K to end. 50 [50:54:62:66] sts.

Change to 3¼mm needles and work 3 cm in rib as given for Back of Jacket, starting with a 2nd rib row.


Cast off in rib.

MAKE UP

Join leg seam for 16 [18:20:22:24] cm. Join crotch seams. Join elastic into a ring and place inside waistband. Work herringbone casing stitch into every alternate stitch of ribbing thus enclosing elastic.

See inside of ball band for washing and pressing details.

HERRINGBONE STITCH



Our design department will be pleased to answer any queries on Hayfield leaflets if a ball band of the yarn specified and a stamped addressed envelope are enclosed with the letter.

© Reproduction of this leaflet in any form (including photostat) is protected by copyright and is strictly forbidden.

HAYFIELD TEXTILES LTD

Glusburn, Keighley, West Yorkshire BD20 8QP. Telephone 0535 633333 Fax 0535 632966 Telex 51645

Printed in Great Britain