

knit into fashion—with

Hayfield

SUPER CRIMP



975

8p

COURTIER

DOUBLE KNITTING

MACHINE WASHABLE

18 inch chest
(46 cm)



BABY LAYETTE

IN

Hayfield

COURTIER DOUBLE KNITTING

[MACHINE WASHABLE]

MATERIALS

COURTIER DOUBLE KNITTING

For the set: 20g balls : 25.

For the Coat: 20g balls : 5.

For the Bonnet: 20g balls : 1.

For the Mitts: 20g balls : 1.

For the Bootees: 20g balls : 1.

For the Shawl: 20g balls : 18.

1 pair each of No. 5, No. 7 and No. 8 knitting

needles [new sizes 5½ mm, 4½ mm and 4 mm]

or the size required to give the correct tension.

A size 3.50 mm crochet hook. 2 buttons.

3½ yards narrow ribbon.

MEASUREMENTS

Coat: To fit chest: 18 ins. [46 cm]

Length: 8½ ins. [22 cm]

Sleeve seam: 5 ins. [13 cm]

Bonnet: All round face: 11 ins. [28 cm]

Mitts: From cuff to tip: 4½ ins. [11 cm]

Bootees: Length of leg: 3½ ins. [9 cm]

Length of foot: 4 ins. [10 cm]

Shawl: About 36 ins. [91 cm] square

TENSION

11 sts. to 2 ins. [5 cm] on No. 7 needles or the size required to give the correct tension.

For the Shawl: 9 sts. to 2 ins. [5 cm] on No. 5 needles or the size required to give the correct tension.

VERY IMPORTANT

Check your tension. The size of your garment is governed by the tension.

Work a tension square.

For the Set: Using No. 7 needles and Courtier D.K. cast on 11 sts. and work in garter stitch for 2 ins. [5 cm].

For the Shawl: Using No. 5 needles and Courtier D.K. cast on 9 sts. and work in garter stitch for 2 ins. [5 cm].

These pieces of knitting should measure 2 ins. [5 cm] square. If they are larger use a thinner needle, if they are smaller use a thicker needle.

ABBREVIATIONS

Alt.=alternate; cont.=continue; g.-st.=garter stitch; in(s).=inch(es); K.=knit; patt.=pattern; P.=purl; p.s.s.o.=pass slip stitch over; rem.=remain(ing); st(s).=stitch(es); Sl.=slip; y.fwd.=yarn forward.

CASTING ON

Cast on using cable method. Using two needles make a loop and slip it on to left-hand needle [1 stitch made], insert needle through front of stitch, draw loop through and place on left-hand needle [2 stitches]. * Insert needle through space between 2 stitches, yarn round, pull loop through and place on needle [3 stitches]. Repeat from *.

COAT

The coat is worked in one piece to armholes.

Using No. 7 needles cast on 107 sts. and work 8 rows in g.-st.

Now work in patt. with g.-st. borders at front edges.

1st row.—K.5, * K.1, y.fwd., K.2, Sl.1, K.2 tog., p.s.s.o., K.2, y.fwd., rep. from * to last 6 sts., K.6.

2nd and every alt. row.—K.5, P. to last 5 sts., K.5.

3rd row.—K.5, * K.2, y.fwd., K.1, Sl.1, K.2 tog., p.s.s.o., K.1, y.fwd., K.1, rep. from * to last 6 sts., K.6.

5th row.—K.5, * K.3, y.fwd., Sl.1, K.2 tog., p.s.s.o., y.fwd., K.2, rep. from * to last 6 sts., K.6.

7th row.—K.5, K.2 tog., K.2, y.fwd., * K.1, y.fwd., K.2, Sl.1, K.2 tog., p.s.s.o., K.2, y.fwd., rep. from * to last 10 sts., K.1, y.fwd., K.2, Sl.1, K.1, p.s.s.o., K.5.

9th row.—K.5, K.2 tog., K.1, y.fwd., K.1, * K.2, y.fwd., K.1, Sl.1, K.2 tog., p.s.s.o., K.1, y.fwd., K.1, rep. from * to last 10 sts., K.2, y.fwd., K.1, Sl.1, K.1, p.s.s.o., K.5.

11th row.—K.5, K.2 tog., y.fwd., K.2, * K.3, y.fwd., Sl.1, K.2 tog., p.s.s.o., y.fwd., K.2, rep. from * to last 10 sts., K.3, y.fwd., Sl.1, K.1, p.s.s.o., K.5.

12th row.—K.5, P. to last 5 sts., K.5.

These 12 rows form the patt. and complete the border at lower edge.

Now cont. as follows:

1st row.—K.5, * K.1, y.fwd., K.2, Sl.1, K.2 tog., p.s.s.o., K.2, y.fwd., K.1, * K. to last 14 sts., work from * to * once, K.5.

2nd and alt. rows.—K.5, P.9, K. to last 14 sts., P.9, K.5.

3rd row.—K.5, * K.2, y.fwd., K.1, Sl.1, K.2 tog., p.s.s.o., K.1, y.fwd., K.2, * K. to last 14 sts., work from * to * once, K.5.

5th row.—K.5, * K.3, y.fwd., Sl.1, K.2 tog., p.s.s.o., y.fwd., K.3, * K. to last 14 sts., rep. from * to *, K.5.

7th row.—K.5, * K.2 tog., K.2, y.fwd., K.1, y.fwd., K.2, Sl.1, K.1, p.s.s.o., * K. to last 14 sts., rep. from * to *, K.5.

9th row.—K.5, * K.2 tog., K.1, y.fwd., K.3, y.fwd., K.1, Sl.1, K.1, p.s.s.o., * K. to last 14 sts., rep. from * to *, K.5.

11th row.—K.5, * K.2 tog., y.fwd., K.5, y.fwd., Sl.1, K.1, p.s.s.o., * K. to last 14 sts., rep. from * to *, K.5.

Cont. in patt. until work measures 5 ins. or 13 cm, ending on a wrong side row.

Divide for Raglan Armholes

Next row.—K.3, y.fwd., K.2 tog. [for buttonhole], patt. 9 sts., K.14, cast off next 2 sts., K.47, including st. left on needle after casting-off, cast off 2 sts., K.14, patt. 9 sts., K.5.

Work on the last 28 sts. from left front.

Next row.—K.5, P.9, K.14.

Next row.—K.2 tog., K.12, patt. 9 sts., K.5.

Work 3 rows on these sts.

Now dec. 1 st. at raglan edge on next and every alt. row until 18 sts. rem., ending on a wrong side row.

Shape Neck

Next row.—K.2 tog., work to end.

Next row.—Cast off 8 sts., work to end.

Next row.—K.2 tog., work to last 2 sts., K.2 tog.

Next row.—P.2 tog., work to end.

Rep. last 2 rows once more.

Next row.—K.2 tog., K.1.

Next row.—P.2.

Next row.—K.2 tog. Break yarn and fasten off.

Rejoin yarn at inner edge to the 47 sts. of back.

K. 1 row.

Next row.—K.2 tog., K. to last 2 sts., K.2 tog.

Work 3 rows.

Now dec. 1 st. at both ends of next and every alt. row until 19 sts. rem. Cast off.

Rejoin yarn to sts. of right front and work to match left side, making a second buttonhole on the 14th row after the first buttonhole.

THE SLEEVES

[Alike]

Using No. 7 needles cast on 27 sts. and work 4 rows in g.-st.

Next row.—K.1, * y.fwd., K.2 tog., rep. from * to end.

Cont. in g.-st., inc. 1 st. at both ends of 6th and every following 6th row until there are 37 sts. on needle.

Work straight until sleeve measures 5 ins. or 13 cm, ending on a wrong side row.

Shape Raglan *

Cast of 1 st. at beg. of next 2 rows, then dec. 1 st. at both ends of next and every alt. row until 5 sts. rem. Cast off.

THE NECK BORDER

Join raglan seams, sewing cast-off sts. at beg. of raglan shaping to the 2 sts. cast off when dividing for armholes.

Using No. 8 needles and with right side facing, join yarn at top of right front and K. up 53 sts. evenly all round neck. K. 1 row.

Next row.—K.1, * y.fwd., K.2 tog., rep. from * to end. K. 2 more rows. Cast off.

TO MAKE UP

Press all work very lightly on wrong side, using a cool iron over a dry cloth for Bri-Nylon.

Join sleeve seams.

Work crochet edge all round outer edges as follows:

Using a size 3-50 crochet hook, and with right side facing, join yarn to top of right front, 1 double crochet into edge, * 4 chain, 1 double crochet into each of the next 2 sts. of edge, rep. from * all round neck, left front, lower edges, right front edge. Break yarn and fasten off.

Work round sleeve edges in the same way.

Press seams and edges.

Sew on buttons. Thread ribbon through holes at neck.

BONNET

Using No. 7 needles cast on 57 sts. and work 4 rows in g.-st.

Now work the 12 rows of patt. as for lower edge of coat, omitting the 5 sts. of front border at each edge.

The first row will be: K.1, * y.fwd., K.2, Sl.1, K.2 tog., p.s.s.o., K.2, y.fwd., K.1, rep. from * to end.

Cont. in g.-st. for 24 more rows, dec. 1 st. at beg. of last row.

Shape Back

1st row.—* K.2 tog., K.6, rep. from * to end.

2nd and every alt. row.—Knit.

3rd row.—* K.2 tog., K.5, rep. from * to end.

5th row.—* K.2 tog., K.4, rep. from * to end.

7th row.—* K.2 tog., K.3, rep. from * to end.

9th row.—* K.2 tog., K.2, rep. from * to end.

11th row.—* K.2 tog., K.1, rep. from * to end.

13th row.—* K.2 tog., rep. from * to end.

14th row.—Knit.

Break yarn, thread end in a wool needle and draw through rem. sts., pull up tightly and fasten off. Join the shaped seam of back.

THE NECK BORDER

Using No. 8 needles and with right side facing, join yarn at front edge and K. up 43 sts. evenly all round lower edge of bonnet.

K. 1 row.

Next row.—K.1, * y.fwd., K.2 tog., rep. from * to end. K. 2 more rows. Cast off.

TO MAKE UP

Press all work very lightly on wrong side, using a cool iron over a dry cloth for Bri-Nylon.

Work crochet edge on front edge.

Thread ribbon through holes at neck edge.

MITTS

Using No. 8 needles cast on 31 sts. and work 10 rows in g.-st.

Next row.—K.1, * y.fwd., K.2 tog., rep. from * to end.

Work 31 more rows in g.-st., dec. 1 st. at beg. of last row.

(Continued over)

**THE BEST RESULTS COME FROM
USING THE YARN SPECIFIED IN
THE INSTRUCTIONS**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 cms

inches 1 2 3 4 5 6 7

Shape Top

1st row.—* K.2 tog., K.3, rep. from * to end.

2nd and every alt. row.—Knit.

3rd row.—* K.2 tog., K.2, rep. from * to end.

5th row.—* K.2 tog., K.1, rep. from * to end.

7th row.—* K.2 tog., rep. from * to end.

8th row.—Knit.

Break yarn, thread end in a wool needle and draw through rem. sts., pull up tightly and fasten off.

Make a second mitt in same way.

TO MAKE UP

Press all work lightly on wrong side, using a cool iron over a dry cloth for Bri-Nylon.

Join seams. Work edge as for bonnet all round top edges.

Thread ribbon through holes at wrists.

BOOTEES

Using No. 8 needles cast on 33 sts. and work 4 rows in g.-st.

Now work 12 rows of patt. as for bonnet.

Work 4 more rows in g.-st.

Next row.—K.1, * y.fwd., K.2 tog., rep. from * to end.

Next row.—Knit.

Divide for Instep

Next row.—K.13, y.fwd. K.2, Sl.1, K.2 tog., p.s.s.o., K.2, y.fwd., K.1, turn.

Next row.—P.9, turn.

Cont. in patt. on these 9 sts. for 16 more rows. Break yarn.

Rejoin yarn at beg. of instep and K. up 9 sts. on side of instep, K. the 9 sts. of instep, K. up 9 sts. on second side, then K. rem 12 sts.

Work 9 rows in g.-st.

Shape Foot

1st row.—K.2, K.2 tog., K.16, K.2 tog., K.7, K.2 tog., K.16, K.2 tog., K.2.

2nd row.—Knit.

3rd row.—K.1, K.2 tog., K.16, K.2 tog., K.5, K.2 tog., K.16, K.2 tog., K.1.

4th row.—Knit. Cast off.

Make a second bootie in same way.

TO MAKE UP

Press all work lightly on wrong side, using a cool iron over a dry cloth for Bri-Nylon.

Join leg and foot seam.

Work crochet edge on top edges.

Thread ribbon through holes at ankles.

SHAWL

Using No. 5 needles cast on 163 sts. and work 8 rows in g.-st.

Now cont. in patt. with 5 sts. in g.-st. at each side for border, as given for lower edge of coat.

Work 36 rows.

Now cont. as follows:

1st row.—K.5, patt. 25 sts., K. to last 30 sts., patt. 25 sts., K.5.

2nd and every alt. row.—K.5, P.25, K.103, P.25, K.5.

Cont. in this way, repeating the 12 rows of patt. on 25 sts. at each side of shawl, keeping 5 border sts. in g.-st. until work measures 30 ins. or 76 cm, ending on last row of patt.

Now work 36 rows in patt., keeping the 5 sts. of border in g.-st.

Work 8 rows in g.-st. Cast off.

TO MAKE UP

Press all work very lightly on wrong side, using a cool iron over a dry cloth for Bri-Nylon.

Work crochet edge all round outer edges of shawl.

MACHINE WASH

Courtier

40°C medium wash
Spin or machine wring



HAND WASH

Warm water about 40°C



Cool iron with dry cloth