

knit into fashion—with

Hayfield

SUPER CRIMP



976

BABYKIN DK
BABYKIN 3-PLY
BABYKIN 4-PLY
BABYKIN QK
MACHINE WASHABLE
18 to 19 inch chest
(46 to 48cm)



SIMPLE MATINEE COAT

IN

Hayfield

BABYKIN 3-PLY, 4-PLY,
QUICK-KNIT
OR DOUBLE KNITTING
[Machine Washable]

MATERIALS

3-ply: Three 20g balls.

1 Pair No. 3mm(11) Knitting Needles or the size required to give the correct tension. 3 small buttons.

4-ply or Quick Knit: Four 20g balls.

1 Pair No. 3½mm(10) Knitting Needles or the size required to give the correct tension. 3 small buttons.

DK: Five 20g balls Babykin Brushed DK.

Six 20g balls Babykin DK.

1 Pair each No. 3½mm(10) and No. 4mm(8) Knitting Needles or the size required to give the correct tension. 3 small buttons.

MEASUREMENTS

Chest 18 to 19in (46 to 48cm).

Length 10in (25cm).

Sleeve 6in (15cm).

TENSION

3-ply: 16 sts and 20 rows to 2in (5cm) on No. 3mm(11) needles or the size required to give the correct tension.

4-ply or Quick Knit: 14 sts and 18 rows to 2in (5cm) on No. 3½mm(10) needles or the size required to give the correct tension.

DK: 11 sts and 14 rows to 2in (5cm) on No. 4mm(8) needles or the size required to give the correct tension.

VERY IMPORTANT

Check your tension. The size of your garment is governed by the tension.

Work a tension square.

3-ply: Using No. 3mm(11) needles cast on 16 sts and work 20 rows in stocking stitch.

4-ply or Quick Knit: Using No. 3½mm(10) needles cast on 14 sts and work 18 rows in stocking stitch.

DK: Using No. 4mm(8) needles cast on 11 sts and work 14 rows in stocking stitch.

The above pieces of knitting should each measure 2in (5cm) square. If they are smaller use a thicker needle, if they are larger use a thinner needle.

ABBREVIATIONS

Alt alternate, beg begin(ning), cont continue, dec decrease, inc increase, in inch(es), k knit, patt pattern, p purl, psso pass slip stitch over, rep repeat, rem remain(ing), st(s) stitch(es), st-st stocking stitch, tog together, tbl through backs of loops, yfwd yarn forward, cm centimetres, mm millimetres, DK Double Knitting.

CASTING ON

Cast on using cable method. Using two needles make a loop and slip it on to left-hand needle [1 stitch made], insert needle through front of stitch, draw loop through and place on left-hand needle [2 stitches]. * Insert needle through space between 2 stitches, yarn round, pull loop through and place on needle [3 stitches]. Repeat from *.

3-PLY COAT

THE BACK

Cast on 80 sts.

**

1st Row.—Knit.

2nd Row.—Purl.

Rep these 2 rows once more.

5th Row.—K1, * k2tog, yfwd, rep from * to last st, k1.

6th Row.—Purl.

7th to 10th Rows.—As first to 4th.

11th Row.—Make hem by picking up and knitting 1 st from cast-on edge together with 1 st from needle across the row.

12th Row.—Purl.

13th Row.—* K1, yfwd, k2tog tbl, rep from * to last 2 sts, k2.

14th Row.—Purl. **

Beg with a k row cont in st-st until work measures 5½in or 14cm from beg, ending with a wrong side row.

Shape Armholes

Cast off 5 sts at beg of next 2 rows.

Next Row.—K1, k2tog tbl, k to last 3 sts, k2tog, k1.

Next Row.—Purl.

Rep these 2 rows until 28 sts rem. Cast off.

THE RIGHT FRONT

Cast on 40 sts and work from ** to ** as on back. 13th row will end k1.

Beg with a k row work 6 rows in st-st.

7th Row.—* K1, yfwd, k2tog tbl, rep from * to last st, k1.

8th Row.—Purl.

These 8 rows form the patt.

Cont in patt until work measures same as back to armhole, ending with a right side row.

Shape Armhole

Cast off 5 sts at beg of next row.

Next Row.—K to last 3 sts, k2tog, k1.

Work in st-st only dec 1 st at raglan edge on every alt row until 21 sts rem, ending with a wrong side row.

Shape Neck

Cast off 6 sts at beg of next row.

Still dec at armhole edge as before, dec 1 st at neck edge on the next 6 rows.

Dec at armhole edge only until 2 sts rem. Cast off.

THE LEFT FRONT

Work as for right front, reversing all shapings.

THE SLEEVES (Both alike)

Cast on 40 sts and work 14 rows as on front.
 Beg with a k row, cont in st-st, inc 1 st each end of 5th and every following 5th row until there are 60 sts on needle.
 Cont without shaping until sleeve measures 6in or 15cm, ending with a wrong side row.

Shape Top

Cast off 5 sts at beg of next 2 rows.
Next Row.—K1, k2tog tbl, k to last 3 sts, k2tog, k1.
Next Row.—Purl.
 Rep the last 2 rows until 8 sts rem. Cast off.

THE RIGHT FRONT EDGE

With right side facing pick up and k60 sts from lower to neck edge and work 2nd to 10th rows as for back making buttonholes in 2nd and 8th rows thus: with right side facing k44, yfwd, k2tog, k6, yfwd, k2tog, k to end. Cast off.
 Work left front edge to correspond, omitting buttonholes.

THE NECK EDGE

Join raglan seams.
 With right side facing pick up 74 sts round neck edge and work as for front edges, making buttonholes in 2nd and 8th rows thus: with right side facing k2, yfwd, k2tog, k to end. Cast off.

TO MAKE UP

Press gently with a warm iron over a dry cloth. Join side and sleeve seams. Fold picot edge in half to inside and slip stitch neatly. Sew on buttons to correspond with buttonholes.

4-PLY AND QUICK KNIT COAT

THE BACK

Cast on 70 sts.

1st Row.—Knit.
2nd Row.—Purl.
 Rep these 2 rows once more.
5th Row.—K1, * k2tog, yfwd, rep from * to last st, k1.
6th Row.—Purl.
7th to 10th Rows.—As first to 4th.
11th Row.—Make hem by picking up 1 st from cast-on edge and knitting it together with 1 st from needle across the row.
12th Row.—Purl.
13th Row.—* K1, yfwd, k2tog tbl, rep from * to last st, k1.
14th Row.—Purl. ******
 Beg with a k row, cont in st-st until work measures 5½in or 14cm, ending with a wrong side row.

Shape Armholes

Cast off 3 sts at beg of next 2 rows.
Next Row.—K1, k2tog tbl, k to last 3 sts, k2tog, k1.
Next Row.—Purl.
 Rep these 2 rows until 20 sts rem. Cast off.

THE RIGHT FRONT

Cast on 36 sts and work from ****** to ****** as on back. 13th row will read rep from * to end.
 Beg with a k row work 6 rows in st-st.
7th Row.—* K1, yfwd, k2tog tbl, rep from * to end.
8th Row.—Purl.
 These 8 rows form the patt.
 Cont in patt until work measures same as back to armhole, ending with a right side row.

Shape Armhole

Cast off 3 sts at beg of next row.
Next Row.—K to last 3 sts, k2tog, k1.
 Work in st-st only, dec 1 st at raglan edge on alt rows until 18 sts rem, ending with a wrong side row.

Shape Neck

Cast off 4 sts at beg of next row.
 Still dec at armhole edge as before, dec 1 st at neck edge on the next 5 rows.
 Dec at armhole edge only until 2 sts rem. Cast off.

THE LEFT FRONT

Work as for right front, reversing all shapings.

THE SLEEVES (Both alike)

Cast on 36 sts and work 14 rows as on front.
 Beg with a k row, cont in st-st, inc 1 st each end of next and every following 4th row until there are 56 sts on needle.
 Cont without shaping until sleeve measures 6in or 15cm, ending with a wrong side row.

Shape Top

Cast off 3 sts at beg of next 2 rows.
Next Row.—K1, k2tog tbl, k to last 3 sts, k2tog, k1.
Next Row.—Purl.
 Rep the last 2 rows until 6 sts rem. Cast off.

THE RIGHT FRONT EDGE

With right side facing pick up 54 sts from lower to neck edge.
 Work 2nd to 10th rows inclusive as for back, making buttonholes in 2nd and 8th rows thus: with right side facing k38 sts, yfwd, k2tog, k6, yfwd, k2tog, k to end. Cast off.
 Work left front edge to correspond, omitting buttonholes.

(Continued over)

THE BEST RESULTS COME FROM
 USING THE YARN SPECIFIED IN
 THE INSTRUCTIONS

Hayfield

THE NECK EDGE

Join raglan seams. With right side facing pick up and k66 sts round neck edge and work 2nd to 10th rows as for front edge, making buttonhole in 2nd and 8th rows thus: with right side facing k2, yfwd, k2tog, k to end. Cast off.

TO MAKE UP

Press gently with a warm iron over a dry cloth. Join side and sleeve seams. Fold picot edge in half to inside and slip stitch neatly. Sew on buttons to correspond with buttonholes.

DOUBLE KNITTING COAT

THE BACK

Using No. 4mm needles cast on 56 sts.

- 1st Row.**—Knit.
2nd Row.—Purl.
Rep these 2 rows **once more**.
5th Row.—K1, * k2tog, yfwd, rep from * to last st, k1.
6th Row.—Purl.
7th to 10th Rows.—As first to 4th.
11th Row.—Make hem by picking up and knitting 1 st from cast-on edge together with 1 st from needle, across the row.
12th Row.—Purl.
13th Row.—* K1, yfwd, k2tog tbl, rep from * to last 2 sts, k2.
14th Row.—Purl. **
Beg with a k row cont in st-st until work measures 5½ in or 14cm from beg, ending with a wrong side row.

Shape Raglan Armhole

Cast off 3 sts at beg of next 2 rows.
Next Row.—K1, k2tog tbl, k to last 3 sts, k2tog, k1.
Next Row.—Purl.
Rep these 2 rows until 18 sts rem. Cast off.

THE RIGHT FRONT

Using No. 4mm needles cast on 30 sts and work from ** to ** as on back, 13th row will read rep from * to end.
Beg with a k row work 6 rows in st-st.
7th Row.—* K1, yfwd, k2tog tbl, rep from * to end.
8th Row.—Purl.
These 8 rows form the patt.
Cont in patt until work measures same as back to armhole, ending with a right side row.

Shape Armhole

Cast off 3 sts at beg of next row.
Next Row.—K to last 3 sts, k2tog, k1.
Work in st-st only dec 1 st at raglan edge on every alt row until 17 sts rem, ending with a wrong side row.

Shape Neck

Cast off 4 sts at beg of next row.
Still dec at armhole edge as before, dec 1 st at neck edge on the next 5 rows, then dec at armhole edge only until 2 sts rem. Cast off.

THE LEFT FRONT

Work as for right front, reversing all shapings.

THE SLEEVES (Both alike)

Using No. 4mm needles cast on 30 sts and work 14 rows as on front.
Beg with a k row, cont in st-st, inc 1 st each end of 3rd and every following 6th row until there are 42 sts on needle.
Cont without shaping until sleeve measures 6in or 15cm, ending with a wrong side row.

Shape Top

Cast off 3 sts at beg of next 2 rows.
Next Row.—K1, k2tog tbl, k to last 3 sts, k2tog, k1.
Next Row.—Purl.
Rep these last 2 rows until 4 sts rem. Cast off.

THE RIGHT FRONT EDGE

With right side facing, using No. 3¼mm needles pick up 50 sts from lower to neck edge and work 2nd to 10th rows inclusive as for back, making buttonholes in 2nd and 8th rows thus: with right side facing k37, yfwd, k2tog, k5, yfwd, k2tog, k to end. Cast off.
Work left front edge to correspond, omitting buttonholes.

THE NECK EDGE

Join raglan seams. With right side facing using No. 3¼mm needles pick up 56 sts round neck edge and work 2nd to 10th rows as for front edges, making buttonhole in 2nd and 8th rows thus: with right side facing k1, yfwd, k2tog, k to end. Cast off.

TO MAKE UP

Press gently with a warm iron over a dry cloth. Join side and sleeve seams. Fold picot edge in half to inside and slip stitch neatly. Sew on buttons to correspond with buttonholes.

Copyright by

Hayfield

Textiles Limited

Glusburn, Keighley BD20 8QP

WITHOUT WARRANTY

(WY) 976 Printed in Great Britain



	MACHINE WASH Babykin Minimum wash Spin
	HAND WASH Warm water about 40°C
	Warm iron with dry cloth Brush if necessary