

HEIRLOOM



3 ply Heirloom Baby Wool/3 ply Heirloom Soft Luxury

CARDIGAN, SWEATER, TROUSERS, MITTS AND BOOTEES

MEASUREMENTS:

To fit chest size	in	16	18	20	22
	cm	41	46	51	56
Actual measurement	in	18	20	22	24
	cm	46	51	56	61

Cardigan and Sweater

Length to shoulder	in	8.5	9.5	10.5	11.5
	cm	22	24	27	29
Sleeve Length	in	4.5	5	5.5	6
	cm	11	13	14	15

Trousers

Length of front seam	in	6.5	7	7.5	8
	cm	17	18	19	20
Inside leg - adjustable	in	8	8.5	9	9.5
	cm	20	22	23	24

MATERIALS:

3 ply Heirloom Baby Wool or 3 ply Heirloom Soft Luxury Cardigan or Sweater	25g balls				
Trousers	2	3	4	4	
Mitts and Bootees	2	2	2	2	

Yarn quantities are based on average requirements and are therefore approximate.

One pair each of knitting needles size 2.75 mm (12) and 3 mm (11). Stitch holders for Cardigan or Sweater.

4 buttons for Cardigan; 3 buttons for Sweater; Waist length of narrow elastic for Trousers; 75 cm (0.75 yard) ribbon for Mitts or Bootees.

TENSION

32 sts and 40 rows to 10 cm (4 in) measured over stocking stitch and 40 sts and 48 rows to 12 cm (4.75 in) measured over pattern both on 3 mm needles.

It is important to check your tension before commencing the garment, therefore work a tension square. If there are less sts and rows than quoted, change to finer needles; if there are more sts and rows than quoted, change to larger needles.

ABBREVIATIONS:

k	knit
p	purl
st(s)	stitch(es)
rep	repeat
inc	increase(ing)
dec	decrease(ing)
beg	begin(ning)
cont	continue
fol	following
alt	alternate
rem	remain(ing)
patt	pattern
stst	stocking stitch
yf	yarn forward
tog	together
sl	slip
yrn	yarn round needle
tbl	through back of loops

NOTES:

Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no sts or rows are worked for this size.

CARDIGAN

BACK

Using 2.75 mm needles, cast on 61 (69,77,85) sts.

→ **1st row:** (Right side) K1, *p1, k1, rep from * to end.

2nd row: P1, *k1, p1, rep from * to end.

Work a further 9 (9,11,13) rows in rib as set.

Inc row: Rib 6 (4,2,0), inc in next st, *rib 3 (4,5,6), inc in next st, rep from * to last 6 (4,2,0) sts, rib 6 (4,2,0). (74 (82,90,98) sts). Change to 3 mm needles and pattern.

→ **1st row:** K1, *k3, P1, rep from * to last st, k1.

2nd row: K1, *(k1, yf, k1) all into next st, P3 tog, rep from * to last st, k1.

3rd row: K1, *k1, p3, rep from * to last st, k1.

4th row: K1, *k3, p1, rep from * to last st, k1.

5th row: K1, *p1, k3, rep from * to last st, k1.

6th row: K1, *p3 tog, (k1, yf, k1) all into next st, rep from * to last st, k1.

7th row: K1, *p3, k1, rep from * to last st, k1.

8th row: K1, *p1, k3, rep from * to last st, k1.

These 8 rows form pattern and are repeated.

Cont in patt as set until Back measures 22 (24,27,29) cm from

(9x pattern)

beg, ending with a wrong side row.

Shape Shoulders

Next row: Cast off first 24 (27:30:33) sts, patt 26 (28:30:32) including st used in casting off then cast off rem 24 (27:30:33) sts.

Leave rem 26 (28:30:32) sts on a stitch holder.

LEFT FRONT

Using 2.75 mm needles, cast on 29 (33:37:41) sts and work 11 (11:13:15) rows in rib as given for Back.

Inc row: Rib 0 (2:4:6), inc in next st, *rib 6, inc in next st, rep from * to last 0 (2:4:6) sts, rib 0 (2:4:6). (34 [38:42:46] sts).

Change to 3 mm needles and cont in patt as given for Back until Front measures 9 (10:11:12) cm from beg, ending with a wrong side row and marking front edge of last row with a coloured thread.

Shape Front Edge

Keeping patt correct, dec 1st st at front edge on next and every foll 4th row until 24 (27:30:33) sts rem. Work straight until Front matches Back to shoulder, ending with a wrong side row. Cast off.

RIGHT FRONT

Work to match Left Front, reversing shaping.

SLEEVES

Using 2.75 mm needles, cast on 35 (37:39:43) sts and work 11 (11:13:15) rows in rib as given for Back.

Inc row: Rib 3 (0:5:0), inc in next st, *rib 1 (2:1:2), inc in next st, rep from * to last 3 (0:5:0) sts, rib 3 (0:5:0). (50 [50:54:58] sts). Change to 3 mm needles. Cont in patt as given for Back, inc and working into patt 1 st at each end of 5th and every foll 18th (6th: 6th:5th) row until there are 54 (60:66:74) sts on the needle. Keeping patt correct, work straight until Sleeve measures 11 (13:14:15) cm from beg, ending with a wrong side row. (Adjust length at this point if required). Cast off loosely.

FRONT BAND

Join shoulder seams. With right side of work facing and using 2.75 mm needles, pick up and k 36 (39:42:45) sts evenly up Right Front from cast on edge to marker thread and 47 (50:55:58) sts from marker to shoulder, k across 26 (28:30:32) sts of back neck then pick up and k 48 (51: 56:59) sts evenly down Left Front from shoulder to marker thread and 36 (39:42:45) sts from marker to cast on edge. (193 [207:225:239] sts).

1st row: K1, * p1, k1, rep from * to end.

2nd row: K2, *p1, k1, rep from * to last st, k1.

Girl's Version:

1st Buttonhole row: Rib 157 (168:183:194), cast off next 2 sts, (rib 8 [9:10:11] including st used in casting off, cast off next 2 sts) 3 times, rib to end.

Boy's Version:

1st Buttonhole row: Rib 4, cast off next 2 sts, (rib 8 [9:10:11] including st used in casting off, cast off next 2 sts) 3 times, rib to end.

Both Versions:

2nd Buttonhole row: Rib, casting on over sts cast off in previous row. Work a further 2 rows in rib as set then cast off neatly in rib.

SWEATER

BACK

Follow instructions for Back of Cardigan until work measures 15 (18:20:23) cm from beg, ending with a wrong side row.

Divide for Back Opening

Next row: Patt 37 (41:45:49) sts and turn, leaving rem sts on a spare needle.

Keeping patt correct, work on these sts for 6 cm, ending with a wrong side row.

Shape Shoulder

Next row: Cast off first 24 (27: 30:33) sts, patt to end.

Leave rem 13 (14:15:16) sts on a stitch holder.

With right side of work facing, rejoin yarn to rem 37 (41:45:49) sts on spare needle and patt to end. Keeping patt correct, work 6 cm, ending with a wrong side row.

Shape Shoulder

Next row: Patt (13 (14:15:16) then cast off rem 24 (27:30:33) sts.

Leave rem 13 (14:15:16) sts on a stitch holder.

FRONT

Follow instructions for Back until work measures 4 (4:5:5) cm less than Back to shoulder, ending with a wrong side row.

Shape Neck

Next row: Patt 30 (33:36:39) sts and turn, leaving rem sts on a spare needle.

Keeping patt correct, dec 1 st at neck edge on next 4 rows then 1 st at this same edge on foll 2 alt rows. (24 [27:30:33] sts).

Work straight until Front matches Back to shoulder, ending with a wrong side row.

Cast off.

Slip centre 14 (16:18:20) sts onto a stitch holder, rejoin yarn to rem 30 (33:36:39) sts and patt to end. Complete to match first side of neck.

SLEEVES

Work as for Sleeves of Cardigan.

NECKBAND

Join shoulder seams.

With right side of work facing and using 2.75 needles, k across 13 (14:15:16) sts of Left Back, pick up and k 16 (16:18:18) sts

evenly down left side of neck, k across 14 (16:18:20) sts at centre front, pick up and k 17 (17:19: 19) sts evenly up right side of neck then k across 13 (14:15:16) sts of Right Back (73 [77:85:89] sts).

Work 7 rows in rib as given for Back then cast off neatly in rib.

BUTTONHOLE BAND

With right side of work facing and using 2.75 mm needles, pick up and k 31 sts evenly up right side of back opening.

Buttonhole row: K4, (yf, k2 tog, k7) 3 times.

Knit one row then cast off firmly knitwise.

BUTTON BAND

With right side of work facing and using 2.75 mm needles, pick up and k 31 sts evenly down left side of back opening.

Knit 2 rows then cast off firmly knitwise.

TROUSERS

LEFT LEG

**** Using 2.75 mm needles, cast on 43 (47:53:59) sts and work 5 cm in rib as given for Back of Cardigan, ending with a right side row.**

Inc row: Rib 3 (1:2:3), * inc in next st, rib 1, rep from * to last 2 (0:1:2) st(s), rib 2 (0:1:2), (62 [70:78:86] sts).

Change to 3 mm needles and work 15 (15:19:19) rows in pattern as given for Back of Cardigan.

Next row: P10, p2 tog, * p18 (10:12:14) p2 tog, rep from * to last 10 sts, p to end. (59 [65:73: 81] sts).

Cont in st st (1 row k, 1 row p), beg with a k row and work 12 (16:16:20) rows straight. (Adjust length at this point if required).

*** Inc 1 st at each end of next and every foll 4th row until there are 81 (89:97:105) sts on the needle, working 3 rows after last increase and marking both ends of last row with a coloured thread.**

Shape Crotch

Dec 1 st at each end of next and foll 3 alt rows. (73 [81:89:97] sts).

Cont straight until work measures 15 (17:18:19) cm from start of crotch shaping, ** ending with a p row. (Adjust length at this point if required).

Shape Back

***** 1st row:** K44 (48:52:56) sts and turn.
2nd and every alt row: Sl 1, p to end.
3rd row: K38 (40:42:46) sts and turn.
5th row: K31 (32:33:36) sts and turn.
7th row: K24 (24:24:26) sts and turn.
9th row: K17 (16:15:16) sts and turn.
10th row: Sl1, p to end. ***
Change to 2.75 mm needles and work 4 rows in rib as given for Back of Cardigan.
Next row: (Make eyelets) K1, * p1, yrn, p2 tog, k1, rep from * to end. Work a further 4 rows in rib as set then using a 3 mm needle, cast off in rib.

RIGHT LEG

Work as for Left Leg from ** to *** ending with a k row.

Shape Back

Work as for Left Leg from *** to *** reading p for k and k for p.
Next row: Purl.
Complete to match Left Leg.

Mitts

****** Using 2.75 mm needles, cast on 42 (46:50:54) sts and knit 3 rows. Change to 3 mm needles and work 8 rows in pattern as given for Back of Cardigan then work 3 rows in st st (1 row k, 1 row p), starting with a k row.
Next row: P2 (4:4:5), p2 tog, * p10 (10:6:4), p2 tog, rep from * to last 2 (4:4:5) sts, p to end. (38 [42:44:46] sts).

Next row: (Make eyelets) K1 (0:1:2), * k2 tog, yf, k1, rep from * to last 1 (0:1:2) st(s), k1 (0:1:2).

Beg with a p row, cont in st st until work measures 6 (7:7:8) cm from eyelets, ending with a p row.

Shape Top

1st row: K1, (k2 tog tbl, k14 [16:17:18], k2 tog) twice, k1.
2nd and every alt row: Purl.
3rd row: K1, (k2 tog tbl, k12 [14:15:16], k2 tog) twice, k1.
5th row: K1, (k2 tog tbl, k10 [12:13:14], k2 tog) twice, k1.

Cont dec 4 sts in this way on every alt row until 22 (22:24:26) sts rem, ending with a decrease row.

Cast off.

BOOTEES

Follow instructions for Mitts from ** to **.

Work 3 rows in st st, beg with a p row.

Shape Foot

Next row: K25 (28:30:31) sts and turn, leaving rem sts on a spare needle.

Next row: P12 (14:16:16) sts and turn, leaving rem sts on a spare needle.

Beg with a k row, work 14 (16:18:20) rows in st st on these sts for Instep.

Break yarn.

With right side of work facing and using 3 mm needles, rejoin yarn to inner edge of first 13 (14:14:15) sts, pick up and k 13 (15:17:19) sts evenly down first side of Instep, k across 12 (14:16:16) sts of toe, pick up and k13 (15:17:19) sts evenly up second side of Instep then k across rem 13 (14:14:15) sts from spare needle. (64 [72:78:84] sts).

Next row: Knit.

Shape Toe

1st row: K37 (41:44:47) sts and turn.

2nd row: Sl1, k9 sts and turn.

3rd row: Sl1, k10 sts and turn.

4th row: Sl1, k11 sts and turn.

5th row: Sl1, k12 sts and turn.

6th row: Sl1, k13 sts and turn.

7th row: Sl1, k to end.

Work a further 5 (7:9:11) rows in garter stitch (every row k) across all sts, dec 1 st at each end of last 2 rows. (60 [68:74:80] sts).

Shape Sole

Next row: K36 (40:43:46) sts and turn.

Next row: Sl1, k11 sts and turn.

Next row: Sl1, k10 sts k2 tog and turn.

Rep last row until 34 sts rem on needles (11 sts unworked at either side of sole).

Next row: Sl1, k10, k3 tog and turn.

Rep last row 3 times more.

Next row: Sl1, k to end.

Cast off.

MAKE UP

Press pieces lightly on the wrong side, following instructions on ball band and omitting ribbing.

Cardigan and Sweater:

Place marker threads 8 (9:10:11) cm either side of shoulder seams. Set in sleeves between markers then join side and sleeve seams.

Cardigan:

Sew on buttons.

Sweater:

Lapping Buttonhole Band over Button Band, sew lower ends of bands neatly in place at base of opening. Sew on buttons.

Trousers:

Join centre front, centre back and leg seams. Fold rib at ankle in half to wrong side and slip stitch loosely in place. Thread elastic through eyelets and join to fit waist.

Mitts:

Join side and top seams. Cut ribbon in half, thread through eyelets and tie to fit wrist.

Bootees: Join centre back seam then placing seam to centre of cast off sts, join heel seam. Cut ribbon in half, thread through eyelets and tie.