

Hughes

KNITTING BOOK 226

FEATURING
B A B Y ' S
D E S I G N S
BIRTH — 6 MTHS.



TWINPRUFE BABY WOOL

PRICE: 1/9



-DESIGN No. 934-

(Illustrated Opposite)

HUGHES TWINPRUFE BABY WOOL

MATERIALS REQUIRED: 4 Balls;
2 pairs needles Nos. 10 and 12; 2 small
buttons; 2 yds. narrow ribbon; 1 yd.
ribbon $\frac{3}{4}$ " wide.

MEASUREMENTS (COAT): Length from top
of shoulder 15". Chest 20". Length of
sleeve seam $5\frac{1}{2}$ ".

(BONNET): Width around face 11".

(BOOTEES): Length of leg $4\frac{1}{2}$ ". Length of
foot $3\frac{1}{2}$ ".

TENSION: 7 sts. 1". 9 rows 1".

COAT

BACK: Using No. 10 needles cast on 135 sts.
(Do not knit into back of sts.) K 2 rows.
Work in following pattern:—

1st Row: K1, K2 tog., * K4, wl. fwd., K1,
wl. fwd., K4, K3 tog., repeat from * ending
last repeat with K2 tog., K1, instead of K3
tog.

2nd Row: K1, P2 tog., * (P3, w.r.n.) twice,
P3, P3 tog., repeat from * ending last repeat
with P2 tog., K1.

3rd Row: K1, K2 tog., * K2, wl. fwd., K5, wl.
fwd., K2, K3 tog., repeat from * ending last
repeat with K2 tog., K1.

4th Row: K1, P2 tog., * P1, w.r.n., P7, w.r.n.,
P1, P3 tog., repeat from * ending last repeat
with P2 tog., K1.

5th Row: K1, K2 tog., * wl. fwd., K9, wl.
fwd., K3 tog., repeat from * ending last
repeat with K2 tog., K1.

6th Row: K1, P1, * w.r.n., P4, P3 tog., P4,
w.r.n., P1, repeat from * to last st., K1.

7th Row: K3, * wl. fwd., K3, K3 tog., K3, wl.
fwd., K3, repeat from * to end of row.

8th Row: K1, P3, * w.r.n., P2, P3, tog., P2,
w.r.n., P5, repeat from * ending last repeat
with P3, K1.

9th Row: K5, * wl. fwd., K1, K3 tog., K1,
wl. fwd., K7, repeat from * ending last
repeat with K5.

10th Row: K1, P5, * w.r.n., P3 tog., w.r.n.,
P9, repeat from * ending last repeat with
P5, K1.

Repeat the last 10 rows. When work measures
11", change to No. 12 needles and decrease
for waist as follows:—K1, * K2 tog., repeat
from * to end of row. (68 sts.)

K 5 rows. Work ribbonholes as follows:—
K1, * w.r.n. twice, K2 tog., repeat from *
to last st., K1.

K 5 rows, working the w.r.n. as 1 st.

Change to No. 10 needles and shape arm-
holes by casting off 4 sts. at the beginning
of the next row, K to end of row.

Next Row: Cast off 4 sts., P to end of row.
Work in following pattern:—

1st Row: K2 tog., * K the next st. double by
inserting right-hand needle through loop
immediately below the next st. on left-hand
needle, K through this loop dropping st. off
left-hand needle, K1, repeat from * to last
2 sts., K2 tog.

2nd Row: P2 tog., P to last 2 sts., P2 tog.

3rd Row: K2 tog., * K1, K next st. double,
repeat from * to last 2 sts., K2 tog.

4th Row: P2 tog., P to last 2 sts., P2 tog.

5th Row: K2, * K next st. double, K1, repeat
from * to end of row.

Continued on Page 4.

WARNING

The knitting instructions in this book
have been worked out by experts
using Hughes Knitting Wool. Do not
accept substitution. Only by using
the wool specified and following the
instructions and tension given can you
assure the success of your garment.

ABBREVIATIONS

K. Knit.
P. Purl.
St. Stitch.
Tog. Together.
Sl. Slip.
Wl. Fwd. Wool forward.
Wl. Bk. Wool back.
P.S.S.O. Pass sl. st. over.
W.R.N. Wool round needle.
T.B.S. Through back of sts.
D.C. Double crochet.
St.St. Stocking stitch. (K 1 row, P 1 row alter-
nately.)
Garter St. K every row.
Moss St. With an even number of sts., work
as follows:—
1st Row: * K1, P1, repeat from * to
end.
2nd Row: * P1, K1, repeat from * to
end.
Repeat these 2 rows.
With an uneven number of sts., work as
follows:—
K1, * P1, K1, repeat from * to end.
Repeat this row throughout.

DESIGN No. 934 Continued.

6th Row: P.

7th Row: * K1, K next st. double, repeat from * to last 2 sts., K2.

8th Row: P.

Repeat from 5th to 8th rows inclusive and when armholes measure 3", cast off.

LEFT FRONT: Using No. 10 needles cast on 80 sts. (Do not work into back of sts.) K 2 rows. Work in pattern as for back, but instead of finishing with K1 on right side of work, finish with K6, and on wrong side of work commence with K6 instead of K1.

Continue in pattern working 6 border sts. in garter st., and when work measures 11", change to No. 12 needles and decrease for waist as follows:—(K2 tog.) 11 times, (K3 tog.) 10 times, (K2 tog.) 11 times, K6. (38 sts.)

K 5 rows.

Next Row: Work ribbonholes as follows:—K1, * w.r.n. twice, K2 tog., repeat from * to last st., K1.

K 5 rows, working w.r.n. twice as 1 st.

Change to No. 10 needles and shape armhole by casting off 4 sts. at armhole edge of the next row, K to end of row.

Next Row: K5, P to end of row.

Work in pattern as follows:—

1st Row: K2 tog., * K1, K next st. double, repeat from * to last 6 sts., K6.

2nd Row: K5, P to last 2 sts., P2 tog.

3rd Row: K2 tog., * K next st. double, K1, repeat from * to last 6 sts., K1 double, K5.

4th Row: K5, P to last 2 sts., P2 tog.

5th Row: * K1, K next st. double, repeat from * to last 6 sts., K6.

6th Row: K5, P to end.

7th Row: K2, * K next st. double, K1, repeat from * to last 6 sts., K1 double, K5.

8th Row: K5, P to end.

Repeat from 5th to 8th rows inclusive, and when armhole measures 2", shape neck by casting off 10 sts. at neck edge on the next row. Decrease 1 st. at neck edge on next 3 rows. When armhole measures 3", cast off.

RIGHT FRONT: Work to correspond with left front, working border and shapings at opposite ends and working 1st buttonhole on 9th row of yoke pattern as follows:—

9th Row: K2, w.l. fwd., K2 tog., * K1, K next st. double, repeat from * to last 2 sts., K2.

Continue in yoke pattern and work another buttonhole 1" above first one. When 2nd buttonhole has been worked, work 1 row on wrong side (yoke should measure 2"), then shape neck by casting off 10 sts. at neck edge on the next row. Decrease 1 st. at neck edge on next 3 rows. When armhole measures 3", cast off.

SLEEVES: Using No. 12 needles cast on 40 sts. Work 17 rows rib of K1, P1. Change to No. 10 needles and increase to 63 sts. as follows:—

Next Row: P twice into each of the next 3 sts., * P1, P twice into next st., repeat from * to last 3 sts., P twice into each st.

Work in pattern as for back and when sleeve measures 5½", shape top by casting off 3 sts. at the beginning of every row until decreased to 21 sts. Cast off.

COLLAR: Join shoulder seams. Using No. 10 needles and with wrong side of work facing you, commence inside border edge of neck, pick up and K about 64 sts. around neck edge. Work 3 rows rib of K1, P1.

Next Row: Increase as follows:—* K5, K twice into next st., repeat from * to last 4 sts., K4. (74 sts.)

Next Row: K5, P to last 5 sts., K5.

Next Row: K.

Next Row: K5, P to last 5 sts., K5.

Work in pattern as follows:—

1st Row: K5, * K next st. double, K1, repeat from * to last 5 sts., K5.

2nd Row: K5, P to last 5 sts., K5.

3rd Row: K6, * K next st. double, K1, repeat from * to last 6 sts., K1 double, K5.

4th Row: K5, P to last 5 sts., K5.

Repeat the last 4 rows, then K 6 rows. Cast off.

TO MAKE UP: Using a warm iron and damp cloth, press lightly on wrong side of work. Sew in sleeves. Sew up side and sleeve seams. Sew on buttons. Thread ribbon at waist. Work rosebuds.

BONNET

Using No. 10 needles cast on 87 sts. (Do not K into back of sts.)

K 2 rows. Work in pattern as for back for 4½". K 6 rows. Shape back as follows:—

1st Row: * K8, K2 tog., repeat from * to last 7 sts., K7.

2nd and alternate Rows: K.

3rd Row: * K7, K2 tog., repeat from * to last 7 sts., K7.

DESIGN No. 934 Continued.

5th Row: * K6, K2 tog., repeat from * to last 7 sts., K7.

7th Row: * K5, K2 tog., repeat from * to end of row.

9th Row: * K4, K2 tog., repeat from * to end of row.

11th Row: * K3, K2 tog., repeat from * to end of row.

13th Row: * K2, K2 tog., repeat from * to end of row.

15th Row: * K1, K2 tog., repeat from * to end of row.

17th Row: * K2 tog., repeat from * to end of row.

Break off wool, thread end through darning needle and draw needle through all sts. into a circle and fasten off. Sew up back seam.

TO MAKE UP: Using a warm iron and damp cloth, press lightly on wrong side of work. Sew on ribbon for ties. Work rosebuds.

BOOTEES

Commence at top of leg.

Using No. 10 needles cast on 51 sts. (Do not K into back of sts.)

K 2 rows. Work in pattern as for back of coat for 3½".

K 2 rows.

Next Row: Work ribbonholes as follows:— K1, * wl. fwd., K2 tog., repeat from * to end.

K 3 rows. Change to No. 12 needles.

Next Row: Shape for instep as follows:— K32, turn, K13, turn.

K 17 rows on centre 13 sts.

Pick up and K 11 sts. down side of flap, K19.

Next Row: K43, pick up and K 11 sts. down other side of flap, K19. (73 sts.)

K 8 rows. Shape as follows:—

1st Row: K1, K2 tog., K31, K2 tog., K1, K2 tog., K31, K2 tog., K1.

2nd and alternate Rows: K.

3rd Row: K1, K2 tog., K29, K2 tog., K1, K2 tog., K29, K2 tog., K1.

5th Row: K1, K2 tog., K27, K2 tog., K1, K2 tog., K27, K2 tog., K1.

7th Row: K1, K2 tog., K25, K2 tog., K1, K2 tog., K25, K2 tog., K1.

9th Row: K1, K2 tog., K23, K2 tog., K1, K2 tog., K23, K2 tog., K1.


10th Row: K. Cast off.

TO MAKE UP: Using a warm iron and damp cloth, press lightly on wrong side of work. Sew up leg and foot seams. Thread ribbon through ribbonholes. Work rosebuds.


How to wash woollies the safe way



1. First trace the outline of the garment on plain paper before washing.



2. Next squeeze the garment gently through rich, lukewarm Lux suds. Rinse 3 times at the same temperature.



3. Then roll the woolly flat in a towel to absorb moisture — but do not wring. Unroll immediately.



4. Finally ease back to original shape over pencilled outline and dry flat, away from heat.

**Lux is so safe . . .
you'll want to
use it always**





—DESIGN No. 826—

(Also illustrated on Front Cover)

HUGHES TWINPRUFE BABY WOOL

MATERIALS REQUIRED: 8 Balls;

2 pairs needles Nos. 10 and 12; 1 crochet hook; 1 yd. ribbon 1" wide; 6 yds. narrow ribbon; silk for rosebuds; 4 small buttons.

MEASUREMENTS: Coat: Length from top of shoulder 12½". Chest 20". Length of sleeve seam 5". **Frock:** Length from top of shoulder 15". Chest 20". Length of sleeve seam 2½". **Bonnet:** Width around face 10". **Pilchers:** Length of side seam 7". **Singlet:** Length 11". **Bootees:** Length of leg 4½". Length of foot 3½". **Mittens:** Length 3½".

TENSION: 7 sts. 1". 9 rows 1".

COAT

BACK: Using No. 10 needles cast on 120 sts. K 3 rows. P 1 row. Work in following pattern:—

1st Row: P1, * K1, wl. fwd., K3, wl. fwd., K2 tog., T.B.S., K1, K2 tog., wl. fwd., K3, wl. fwd., K1, P2, repeat from * ending with P1 instead of P2.

2nd Row: K1, * P15, K2, repeat from * ending with K1.

3rd Row: P1, * K1, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., sl. 1, K2 tog., p.s.s.o., wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K1, P2, repeat from * ending with P1 instead of P2

4th Row: K1, * P13, K2, repeat from * ending with K1.

5th Row: P1, * K1, (wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K1) twice, P2, repeat from * ending with P1 instead of P2.

6th Row: Repeat 4th row.

7th Row: P1, * (K1, wl. fwd.) twice, sl. 1, K2 tog., p.s.s.o., K3, sl. 1, K2 tog., p.s.s.o., (wl. fwd., K1) twice, ~~sl. 1, K2 tog., p.s.s.o.,~~ K3, ~~sl. 1, K2 tog., p.s.s.o.,~~ (wl. fwd., K1) twice, P2, repeat from * ending with P1 instead of P2.

8th Row: Repeat 4th row.

Repeat the last 8 rows and when work measures 9", change to No. 12 needles and decrease for waist as follows:—* K2 tog., repeat from * to end of row. (60 sts.). K 3 rows.

Next Row: Work ribbonholes as follows:—K1, * w.r.n. twice, K2 tog., repeat from * to last st., K1.

Next Row: P working w.r.n. twice as 1 st. K 4 rows.

DESIGN No. 826 Continued.

Change to No. 10 needles and work in st.st., shaping armholes by casting off 3 sts. at beginning of next 2 rows. Decrease 1 st. each end of the next 2 rows. When armholes measure 3", cast off.

RIGHT FRONT: Using No. 10 needles cast on 67 sts. K 3 rows.

Next Row: P to last 6 sts., K6.

Work in pattern as follows:—

1st Row: K6, P2, * K1, wl. fwd., K3, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K3, wl. fwd., K1, P2, repeat from * ending with P1 instead of P2.

2nd Row: K1, * P15, K2, repeat from * to last 6 sts., K6.

Continue in pattern, working the 6 border sts. in garter st. When work measures 9", change to No. 12 needles and decrease for waist as follows:—

K9, * K2 tog., repeat from * to end. (38 sts.)

K 3 rows.

Next Row: Work ribbonholes:—K1,* w.r.n. twice, K2 tog., repeat from * to last st., K1.

Next Row: P to last 6 sts., K6 (working w.r.n. twice as 1 st.).

K 4 rows. Change to No. 10 needles and work in pattern, keeping the 6 border sts. in garter st. as follows:—

1st Row: K6, P2, K1, wl. fwd., K3, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K3, wl. fwd., K1, P2, K15.

Next Row: Shape armhole by casting off 3 sts. at beginning of row, P12, K2, P15, K8.

Next Row: K6, P2, K1, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., sl. 1, K2 tog., p.s.s.o., wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K1, P2, K10, K2 tog.

Next Row: P2 tog., P9, K2, P13, K8.

Next Row: K6, P2, K1, (wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K1) twice, P2, K10.

Next Row: P10, K2, P13, K8.

Next Row: K6, P2, (K1, wl. fwd.) twice, sl. 1, K2 tog., p.s.s.o., K3, sl. 1, K2 tog., p.s.s.o., (wl. fwd., K1) twice, P2, K10.

Next Row: P10, K2, P13, K8.

Continue in pattern, keeping the 6 border sts. in garter st. and 10 sts. in st.st. at armhole edge of yoke. When armhole measures 2", shape neck by casting off 12 sts. at neck edge of the next row. Decrease 1 st. at neck edge of the next 4 rows, then every 2nd row until decreased to 16 sts. Cast off.

LEFT FRONT: Work to correspond with right front, but end all rows on right side of work with P2, K6, and commence all rows on wrong side with K8.

SLEEVES: Using No. 12 needles cast on 44 sts. Work in rib of K1, P1 for 12 rows. Change to No. 10 needles, increase 1 st. Work in pattern and when sleeve seam measures 5", cast off 3 sts. at the beginning of the next 8 rows. Cast off remaining sts.

TO MAKE UP: Press lightly on wrong side of work. Join shoulder seams. Stitch sleeves around armholes. Sew up side and sleeve seams.

Using No. 12 needles, with right side of work towards you, pick up and K about 70 sts. around neck. P 1 row.

Next Row: Work ribbonholes:—K1, * w.r.n. twice, K2 tog., repeat from * to last st., K1.

Next Row: P, working w.r.n. twice as 1 st. Cast off.

Thread ribbon at waist and neck. Work rosebuds.

FROCK

BACK: Using No. 10 needles cast on 135 sts. K 3 rows, P 1 row.

Work in pattern as for back of coat. When work measures 11½", change to No. 12 needles and decrease for waist as follows:—(K2 tog.) 22 times, (K3 tog.) 15 times, (K2 tog.) 23 times. (60 sts.)

K 3 rows.

Next Row: Work ribbonholes:—K1,* w.r.n. twice., K2 tog., repeat from * to last st., K1.

Next Row: P, working w.r.n. twice as 1 st. K 4 rows. Change to No. 10 needles, cast off 3 sts., K to end.

Next Row: Cast off 3 sts., P to end.

Continue in st.st. and decrease 1 st. each end of the next 2 rows. When armholes measure 3", cast off.

FRONT: Work as for back until ribbonholes have been worked. K 4 rows. Change to No. 10 needles and shape armholes by casting off 3 sts. at the beginning of the next 2 rows. Work as follows:—

Next Row: K2 tog., K1, P2, * K1, wl. fwd., K3, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K3, wl. fwd., K1, P2, repeat from * twice, K2, K2 tog.

Next Row: P2 tog., P1, (K2, P15) 3 times, K2, P2.

Continued on Page 8.

**** Next Row:** K2, * P2, K1, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., sl. 1, K2 tog., p.s.s.o., wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K1, repeat from * twice, P2, K2.

Next Row: P2, (K2, P13) 3 times, K2, P2.

Next Row: K2, * P2, K1 (wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K1) twice, repeat from * twice, P2, K2.

Next Row: P2, (K2, P13) 3 times, K2, P2.

Next Row: K2, * P2, (K1, wl. fwd.) twice, sl. 1, K2 tog., p.s.s.o., K3, sl. 1, K2 tog., p.s.s.o. (wl. fwd., K1) twice, repeat from * twice, P2, K2.

Next Row: P2, (K2, P13) 3 times, K2, P2.

Next Row: K2, P2, * K1, wl. fwd., K3, wl. fwd., K2 tog. T.B.S., K1, K2 tog., wl. fwd., K3, wl. fwd., K1, P2, repeat from * twice, K2.

Next Row: P2, (K2, P15) 3 times, K2, P2.

Repeat from ** and when armholes measure 2", shape neck as follows:—Work 21 sts. in pattern (leave to be worked later), cast off 15 sts. Work on last 21 sts. in pattern and decrease 1 st. at neck edge on the next 4 rows. When armhole measures 3", cast off. Join wool and work other side to correspond.

SLEEVES: Using No. 10 needles, cast on 45 sts. K 2 rows.

Next Row: Work ribbonholes:—K1, * wl. fwd., K2 tog., repeat from * to end.

Next Row: P.

K 4 rows.

Work in pattern and when sleeve seam measures $2\frac{1}{2}$ ", cast off 3 sts. at the beginning of the next 8 rows. Cast off remaining sts.

TO MAKE UP: Press lightly on wrong side of work with a warm iron and damp cloth. Join shoulder for $\frac{1}{2}$ " at sleeve edge. Work 1 row of D.C. around front of neck and small edging, and 1 row of D.C. along front of shoulder openings. Work 1 row of D.C. across back of neck and shoulder opening. Work a small edging at back of neck and work 2 small loops in chain on each shoulder opening to form buttonholes. Sew in sleeves. Sew up side and sleeve seams. Sew 2 small buttons on each shoulder. Thread ribbon at waist and sleeve edge. Work rosebuds.

It is most important that you buy all your wool from the same blend. Successive batches may vary only slightly, but this may show in the garment.

Using No. 12 needles, cast on 75 sts. K 3 rows.

Change to No. 10 needles, P 1 row. Work in pattern and when work measures $4\frac{1}{2}$ ", K 2 rows. Decrease for back as follows:—

1st Row: * K8, K2 tog., repeat from * to last 5 sts., K5.

2nd and alternate Rows: K.

3rd Row: * K7, K2 tog., repeat from * to last 5 sts., K5.

5th Row: * K6, K2 tog., repeat from * to last 5 sts., K5.

7th Row: * K5, K2 tog., repeat from * to last 5 sts., K5.

9th Row: * K4, K2 tog., repeat from * to last 5 sts., K5.

11th Row: * K3, K2 tog., repeat from * to end of row.

13th Row: * K2, K2 tog., repeat from * to end of row.

15th Row: * K1, K2 tog., repeat from * to end of row.

17th Row: * K2 tog., repeat from * to end. Break off wool, thread end through darning needle, then draw all sts. into a circle and fasten off. Sew up back seam.

TO MAKE UP: Press lightly on wrong side of work. Sew on ribbon for ties. Work rosebuds.

BOOTEES

Using No. 12 needles, cast on 43 sts., K 1 row.

1st Row: K1, K twice into next st., K18, K twice into next st., K1, K twice into next st., K18, K twice into next st., K1.

2nd and alternate Rows: K.

3rd Row: K1, K twice into next st., K20, K twice into next st., K1, K twice into next st., K20, K twice into next st., K1.

5th Row: K1, K twice into next st., K22, K twice into next st., K1, K twice into next st., K22, K twice into next st., K1.

7th Row: K1, K twice into next st., K24, K twice into next st., K1, K twice into next st., K24, K twice into next st., K1.

9th Row: K1, K twice into next st., K26, K twice into next st., K1, K twice into next st., K26, K twice into next st., K1.

10th Row: K.

K 12 rows.

Next Row: Shape as follows:—K37, K2 tog., turn, * K12, K2 tog., turn, repeat from * until decreased to 40 sts., K to end of row. K 3 rows.

DESIGN No. 826 Continued.

Next Row: Work ribbonholes:—K1, * w.r.n. twice, K2 tog., repeat from * to last st., K1.

Next Row: K, working w.r.n. twice as 1 st.

Next Row: * K7, K twice into next st., repeat from * to end of row. (45 sts.)

Next Row: P.

Work the 8 rows of pattern 3 times. Decrease 1 st. Work 6 rows rib of K1, P1. Cast off in ribbing.

TO MAKE UP: Sew up leg and foot seams. Thread ribbon through ribbonholes. Work rosebuds.

PILCHERS

FRONT: Using No. 10 needles, cast on 23 sts. Work in garter st., increasing 1 st. each end of every row until increased to 75 sts. P 1 row. Work in pattern for 5½". Change to No. 12 needles and decrease 1 st. Work in rib of K1, P1 for 6 rows.

Next Row: Work ribbonholes:—K1, * w.r.n. twice, K2 tog., repeat from * to last st. P1. Work 3 rows rib of K1, P1, working w.r.n. twice as 1 st. Cast off.

BACK: Work as for front until 5½" of pattern have been worked. Decrease 1 st. Shape back as follows:—

1st Row: Rib to last 10 sts., turn, rib to last 10 sts.

Next Row: Rib to last 20 sts., turn, rib to last 20 sts.

Next Row: Rib to last 30 sts., turn, rib to last 30 sts.

Next Row: Rib to end.

Change to No. 12 needles and work 6 rows rib, then work ribbonholes:—K1, * w.r.n. twice, K2 tog., repeat from * to last st., P1.

Work 3 rows rib, working w.r.n. twice as 1 st. Cast off in ribbing.

TO MAKE UP: Press lightly on wrong side of work except ribbing. Sew up seams. Work 1 row of D.C. and small edging around each leg. Thread ribbon through ribbonholes. Work rosebuds.

MITTENS

Using No. 12 needles, cast on 45 sts. K 3 rows, P 1 row. Work 8 rows of pattern.

Next Row: (Right side of work) K20, (K2 tog.) 4 times, K17. (41 sts.)

Next Row: P.

Next Row: Ribbonholes:—K1, * w.r.n. twice, K2 tog., repeat from * to end.

Next Row: P, working w.r.n. twice as 1 st. K 18 rows.

Shape top as follows:—

1st Row: K2 tog., K16, K2 tog., K1, K2 tog., K16, K2 tog.

2nd and alternate Rows: K.

3rd Row: K2 tog., K14, K2 tog., K1, K2 tog., K14, K2 tog.

5th Row: K2 tog., K12, K2 tog., K1, K2 tog., K12, K2 tog.

7th Row: K2 tog., K10, K2 tog., K1, K2 tog., K10, K2 tog.

9th Row: K2 tog., K8, K2 tog., K1, K2 tog., K8, K2 tog.

10th Row: K.

Cast off.

TO MAKE UP: Press lightly on wrong side of work. Sew up seams. Thread ribbon at wrist. Work rosebuds.

SINGLET

FRONT: Using No. 10 needles, cast on 74 sts. Work in rib of K1, P1 for 8". K 1 row. P 1 row. Work 8 rows of pattern.

Next Row: Rib 20, (leave on a spare needle), cast off 35, rib 20.

Work in rib on last 20 sts. for 2½". Cast off. Join wool and work other side to correspond.

BACK: Work as for front.

TO MAKE UP: Sew up side and shoulder seams, leaving an opening for armholes. Work a small edging around armholes. Crochet a small beading around neck. Thread ribbon through neck. Work rosebuds.

DESIGN No. 908 Cont. from Page 10.

9th Row: Moss st. 11, * sl. 3, wl. fwd., P3, wl. bk., repeat from * to last 14 sts., sl. 3, moss st. 11.


10th Row: Moss st. 11, * wl. fwd., sl. 3, wl. bk., K3, repeat from * to last 14 sts., wl. fwd., sl. 3, wl. bk., moss st. 11.

11th Row: Moss st. 11, P to last 11 sts., moss st. 11.

12th Row: Moss st. 11, K to last 11 sts., moss st. 11.

These 12 rows complete the pattern. Continue in pattern and when work measures 23", continue in moss st. for 18 rows. Cast off in moss st.

TO MAKE UP: Press with a warm iron and damp cloth. Tie ribbon into a bow and stitch into position.



-DESIGN No. 908-

HUGHES KWICKNIT

MATERIALS REQUIRED: 6 Balls;

1 pair No. 8 needles; length of wide ribbon for bow.

MEASUREMENTS: Length 25". Width 18".

TENSION: 6 sts. 1". 8 rows 1".

Using No. 8 needles cast on 109 sts. Work 18 rows in moss st., then work in the following pattern:-

1st Row: Moss st. 11, P3, * (P1 twisting wool around needle 3 times instead of once) 3 times, P3, repeat from * to last 11 sts., moss st. 11.

2nd Row: Moss st. 11, K3, * wl. fwd., sl. next 3 sts., allowing loops made on previous row to drop, wl. bk., K3, repeat from * to last 11 sts., moss st. 11.

3rd Row: Moss st. 11, P3, * wl. bk., sl. 3, wl. fwd., P3, repeat from * to last 11 sts., moss st. 11.

4th Row: Moss st. 11, K3, * wl. fwd., sl. 3, wl. bk., K3, repeat from * to last 11 sts., moss st. 11.

5th Row: Moss st. 11, P to last 11 sts., moss st. 11.

6th Row: Moss st. 11, K to last 11 sts., moss st. 11.

7th Row: Moss st. 11, * (P1 twisting wool around needle 3 times instead of once) 3 times, P3, repeat from * to last 14 sts. (P1 twisting wool around needle 3 times instead of once) 3 times, moss st. 11.

8th Row: Moss st. 11, * wl. fwd., sl. next 3 sts., allowing loops made on previous row to drop, wl. bk., K3, repeat from * to last 14 sts., wl. fwd., sl. next 3 sts., wl. bk., moss st. 11.

-DESIGN No. 841-

(Illustrated on Back Cover)

HUGHES TWINPRUFE BABY WOOL

MATERIALS REQUIRED: 4 Balls;

2 pairs needles Nos. 10 and 12; 1 crochet hook, 2 small buttons; 2½ yds. ribbon; silk for rosebuds.

MEASUREMENTS (COAT): Length from top of shoulder 16". Chest 20". Length of sleeve seam 6".

(BONNET): Width around face 11".

(BOOTEES): Length of foot 3½". Length of leg 4½".

TENSION: 7 sts. 1". 9 rows 1".

COAT

BACK: Using No. 10 needles, cast on 142 sts. K 2 rows. Work in following pattern:—
1st Row: K1, * K2, wl. fwd., K1, P2, sl. 1, K2 tog., p.s.s.o., P2, K1, P2, K1, w.r.n. twice, repeat from * to last st., K1.

2nd Row: K1, * (K1, P1) into loop made by w.r.n. twice, P1, K2, P2 tog., K1, P1, K2, P1, K2, P1, repeat from * to last st., K1.

3rd Row: K1, * w.r.n. twice, K1, P2, K1, P2, sl. 1, K2 tog., p.s.s.o., P2, K1, wl. fwd., K2, repeat from * to last st., K1.

4th Row: K1, * P1, K2, P1, K2, P1, K2 tog., P1, K2, P1, (K1, P1) into loop made by w.r.n. twice, repeat from * to last st., K1.

Repeat the last 4 rows and when work measures 13", change to No. 12 needles and decrease as follows:—* K2 tog., repeat from * to end of row. (71 sts.)

K 3 rows. Work ribbonholes as follows:—
K1, * w.r.n. twice, K2 tog., repeat from * to end.

K 3 rows, working w.r.n. twice as 1 st.

Next Row: Cast off 4 sts., K to end of row.

Next Row: Cast off 4 sts., P to end of row.

Next Row: K2 tog., K to last 2 sts., K2 tog.

Next Row: P2 tog., P to last 2 sts., P2 tog.

Continue on No. 12 needles and work yoke in pattern of 2 rows moss st. and 4 rows st.st. as follows:—

1st and 2nd Rows: * K1, P1, repeat from * to last st., K1.

Work 4 rows st.st. Repeat the last 6 rows and when armholes measure 3", cast off.

LEFT FRONT: Using No. 10 needles cast on 77 sts.

K 2 rows. Work in pattern as for back, but end with K6 on right side of work and commence with K6 on wrong side of work. When work measures 13", change to No. 12 needles and decrease for waist as follows:—* K2 tog., repeat from * to last 7 sts., K7. (42 sts.)

K 3 rows. Work ribbonholes as follows:—
K1, * w.r.n. twice, K2 tog., repeat from * to last st., K1.

K 3 rows, working w.r.n. twice as 1 st.

Next Row: Shape armhole by casting off 4 sts., K to end.

Next Row: K6, P to end.

Next Row: K2 tog., K to end.

Next Row: K6, P to end.

Next Row: * K1, P1, repeat from * to last 7 sts., K7.

Next Row: K7, * P1, K1, repeat from * to end.

Next Row: K.

Next Row: K6, P to end.

Next Row: K.

Next Row: K6, P to end.

Repeat the last 6 rows and when armhole measures 2", shape neck by casting off 14 sts. at neck edge on the next row. Decrease 1 st. at neck edge every row until decreased to 20 sts. When armhole measures 3", cast off.

RIGHT FRONT: Work to correspond with left front, working border at opposite end and making 2 small buttonholes, 1st one being 1" above ribbonholes and 2nd one 1" above first buttonhole.

BUTTONHOLES: K3, wl. fwd., K2 tog., K to end.

SLEEVES: Using No. 10 needles cast on 40 sts. Work in rib of K1, P1 for 14 rows. Increase to 72 sts. as follows:—

Next Row: K4, * K twice into next st., repeat from * to last 4 sts., K4.

Work in pattern as for back of coat. When work measures 6", cast off.

TO MAKE UP: Using a warm iron and damp cloth, press lightly on wrong side of work. Sew shoulder seams together. Sew in sleeves. Sew up side and sleeve seams. Using a crochet hook, work 1 row of D.C., then small edging around neck. Work rosebuds and sew on buttons to correspond with buttonholes. Thread ribbon through ribbonholes.

BONNET

Using No. 10 needles cast on 86 sts. K 2 rows. Work in pattern as for back of coat for 4½". Decrease for back as follows:—

1st Row: * K8, K2 tog., repeat from * to last 6 sts., K6.

2nd and alternate Rows: K.

3rd Row: * K7, K2 tog., repeat from * to last 6 sts., K6.

5th Row: * K6, K2 tog., repeat from * to last 6 sts., K6.

Continued on Page 12.

DESIGN No. 841 Continued.

7th Row: * K5, K2 tog., repeat from * to last 6 sts., K6.

9th Row: * K4, K2 tog., repeat from * to end of row.

11th Row: * K3, K2 tog., repeat from * to end of row.

13th Row: * K2, K2 tog., repeat from * to end of row.

15th Row: * K1, K2 tog., repeat from * to end of row.

17th Row: * K2 tog., repeat from * to end of row.

Break off length of wool, thread end through darning needle. Draw all sts. into a circle and fasten off. Sew up back seam.

TO MAKE UP: Using a warm iron and damp cloth, press lightly on wrong side of work. Sew on ribbon for ties. Work rosebuds.

BOOTEES

Using No. 12 needles, commence at top of leg, cast on 58 sts.

K 2 rows. Work in pattern as for back of coat. When work measures $2\frac{1}{2}$ ", decrease to 44 sts. as follows:—K15, (K2 tog.) 14 times, K15.

Next Row: K.

Next Row: Work ribbonholes:—K1, * w.r.n. twice, K2 tog., repeat from * to last st., K1.

Next Row: K, working w.r.n. twice as 1 st. Shape for foot as follows:—K28, turn, K12, turn. Work in garter st. on these centre 12 sts. for 24 rows.

Pick up and K 16 sts. down side of flap, K16.

Next Row: K44, pick up and K 16 sts. down other side of flap, K16. (76 sts.)

K 12 rows. Shape as follows:—

1st Row: K1, K2 tog., K33, (K2 tog.) twice, K33, K2 tog., K1.

2nd and alternate Rows: K.

3rd Row: K1, K2 tog., K31, (K2 tog.) twice, K31, K2 tog., K1.

5th Row: K1, K2 tog., K29, (K2 tog.) twice, K29, K2 tog., K1.

7th Row: K1, K2 tog., K27, (K2 tog.) twice, K27, K2 tog., K1.

9th Row: K1, K2 tog., K25, (K2 tog.) twice, K25, K2 tog., K1. Cast off.

TO MAKE UP: Using a warm iron and damp cloth, press lightly on wrong side of work. Sew up foot and leg seams. Thread ribbon through ribbon holes. Work rosebuds.



"Ladye Jayne" ANODISED ALUMINIUM KNITTING PINS and **STRATNOID** KNITTING ACCESSORIES

With the Smooth NON GLARE FINISH

• POLISHED POINTS • LIGHTWEIGHT • UNBREAKABLE



Rainsfords PRODUCT

-DESIGN No. 814-

(Illustrated inside Back Cover)

HUGHES TWINPRUFE BABY WOOL

MATERIALS REQUIRED: 6 Balls;

2 pairs needles Nos. 10 and 11; 3½ yds. ribbon; silk for rosebuds.

MEASUREMENTS (COAT): Length from top of shoulder 14". Chest 20". Sleeve seam 5".

(BONNET): Width round face 10".

(BOOTEES): Foot 4". Leg 5".

TENSION: 8 sts. 1". 9 rows 1".

COAT

BACK: Using No. 10 needles, cast on 151 sts. Work 9 rows moss st.

1st Row: Moss st. 3, * P3 tog., (K1, P1, K1) into next st., repeat from * twice, moss st. 7, repeat from * ending with moss st. 3 instead of moss st. 7.

2nd Row: Moss st. 3, * P12, moss st. 7, repeat from * ending with moss st. 3.

3rd Row: Moss st. 3, * (K1, P1, K1) into next st., P3 tog., repeat from * twice, moss st. 7, repeat from * ending with moss st. 3.

4th Row: Repeat 2nd row.

Repeat the last 4 rows and when work measures 11", decrease as follows: (wrong side of work) * P2 tog., repeat from * to last st., P1.

Next Row: K1, * wl. fwd., K2 tog., repeat from * to last st., K1.

Next Row: P.

Work 4 rows moss st. Continue in moss st. and shape armholes by casting off 4 sts. at the beginning of the next 2 rows, decrease 1 st. each end of the next 3 rows. (62 sts.)

Next Row: K1, * P3 tog., (K1, P1, K1) into next st., repeat from * to last st., K1.

Next Row: P.

Next Row: K1, * (K1, P1, K1) into next st., P3 tog., repeat from * ending with K1.

Next Row: P.

Repeat last 4 rows, then repeat 1st row. Work 9 rows moss st. Repeat last 18 rows, and when yoke measures 4", cast off.

LEFT FRONT: Using No. 10 needles, cast on 79 sts. Work 9 rows moss st.

1st Row: * Moss st. 7, ** P3 tog., (K1, P1, K1) into next st., repeat from ** twice, repeat from * to last 3 sts., moss st. 3.

2nd Row: Moss st. 3, * P12, moss st. 7, repeat from * ending with moss st. 7.

3rd Row: * Moss st. 7, ** (K1, P1, K1) into

next st., P3 tog., repeat from ** twice, repeat from * ending with moss st. 3.

4th Row: Repeat 2nd row.

Repeat the last 4 rows and when work measures 11", decrease as follows:—Moss st. 7, * P2 tog., repeat from * to end.

Next Row: K1, * wl. fwd., K2 tog., repeat from * to last 2 sts., moss st. 2.

Next Row: Moss st. 7, P to end of row.

Work 4 rows moss st. Continue in moss st. and shape armhole by casting off 4 sts. at armhole edge of the next row. Decrease 1 st. at the armhole edge on the next 3 rows. Work 1 row.

Next Row: (wrong side of work) Moss st. 7, * P3 tog., (K1, P1, K1) into next st., repeat from * to last st., K1.

Next Row: P to last 7 sts., moss st. 7.

Next Row: Moss st. 7, * (K1, P1, K1) into next st., P3 tog., repeat from * to last st., K1.

Next Row: P to last 7 sts., moss st. 7.

Repeat the last 4 rows.

9th Row: Repeat 1st row.

Work 9 rows moss st.

Continue in blackberry st. and shape neck by casting off 12 sts. at the neck edge of the next row. Decrease 1 st. at neck edge of the next 3 rows. When yoke measures 4", cast off.

RIGHT FRONT: Work to correspond with left front, working border and shapings at opposite ends.

SLEEVES: Using No. 10 needles, cast on 32 sts. Work in rib of K1, P1 for 1½". Increase on right side of work as follows:—K twice into every st. Work in pattern as follows:—

1st Row: * Moss st. 7, ** P3 tog. (K1, P1, K1) into next st., repeat from ** twice, repeat from * ending with moss st. 7.

2nd Row: * Moss st. 7, P12, repeat from * ending with moss st. 7.

3rd Row: * Moss st. 7, ** (K1, P1, K1) into next st., P3 tog., repeat from ** twice, repeat from * ending with moss st. 7.

4th Row: Repeat 2nd row.

Repeat the last 4 rows, and when work measures 5", decrease 1 st. each end of every row until decreased to 20 sts. Cast off.

TO MAKE UP: Press with a warm iron and damp cloth. Sew up shoulder seams. Sew in sleeves. Sew up side and sleeve seams. Using No. 10 needles, with right side of work towards you, pick up and K 54 sts. around neck. P 1 row.

Continued on Page 14.

DESIGN No. 814 Continued.

Next Row: Make ribbonholes:—K1, * wl. fwd., K2 tog., repeat from * to last st., K1.

Next Row: P. Cast off.

Thread ribbon through neck and waist. Work rosebuds.

BONNET

Using No. 10 needles, cast on 92 sts. P 1 row.

1st Row: * P3 tog., (K1, P1, K1) into next st., repeat from * to end of row.

2nd Row: P.

3rd Row: * (K1, P1, K1) into next st., P3 tog., repeat from * to end of row.

4th Row: P.

Repeat the last 4 rows 4 times, ending with a P row.

Next Row: P., increasing 2 sts.

Work in pattern as for back of coat and when work measures $5\frac{1}{2}$ ", K 2 rows and shape back as follows:—

1st Row: * K8, K2 tog., repeat from * to last 4 sts., K4.

2nd and alternate Rows: K.

3rd Row: * K7, K2 tog., repeat from * to last 4 sts., K4.

5th Row: * K6, K2 tog., repeat from * to last 4 sts., K4.

7th Row: * K5, K2 tog., repeat from * to last 4 sts., K4.

9th Row: * K4, K2 tog., repeat from * to last 4 sts., K4.

11th Row: * K3, K2 tog., repeat from * to last 4 sts., K4.

13th Row: * K2, K2 tog., repeat from * to end of row.

15th Row: * K1, K2 tog., repeat from * to end of row.

17th Row: * K2 tog., repeat from * to end of row.

Break off length of wool, thread through a darning needle, draw all sts. into a circle and sew up back.

TO MAKE UP: Press with a warm iron and damp cloth. Fold back front, sew on ribbon, work rosebuds.

BOOTEES

Using No. 11 needles, cast on 56 sts. Work in rib of K1, P1 for 9 rows.

Work in pattern as for back of coat.

When work measures 4", K 2 rows then work ribbonholes as follows:—K1, * wl. fwd., K2 tog., repeat from * to last st., K1.

Next Row: K.

Next Row: K20, P16, (leave remaining 20 sts.). Work in pattern as given for middle panel of leg on these 16 sts. Work 22 rows of pattern. Pick up and K 12 sts. down side of flap, K20.

Next Row: K48, pick up and K 12 sts. down other side of flap, K20.
K 6 rows.

Next Row: K1, K2 tog., K34, K2 tog., K2, K2 tog., K34, K2 tog., K1.

Next and alternative Rows: K.

Next Row: K1, K2 tog., K32, K2 tog., K2, K2 tog., K32, K2 tog., K1.

Next Row: K1, K2 tog., K30, K2 tog., K2, K2 tog., K30, K2 tog., K1.

Next Row: K1, K2 tog., K28, K2 tog., K2, K2 tog., K28, K2 tog., K1.

Next Row: K1, K2 tog., K26, K2 tog., K2, K2 tog., K26, K2 tog., K1.

Next Row: K1, K2 tog., K24, K2 tog., K2, K2 tog., K24, K2 tog., K1.

Next Row: K. Cast off.

TO MAKE UP: Press with a warm iron and damp cloth. Sew up foot and leg seams. Thread ribbon through ribbonholes, work rosebuds.

FREE!

Booklet of latest Hughes styles—fill in this coupon and post to:

Advertising Dept.,
F. W. Hughes,
30 Grosvenor Street,
Sydney, N.S.W.

Please send me a free Hughes Style Guide for 1959.

Name.....

Address.....

State.....



Hughes

KNITTING BOOK 226

FEATURING
B A B Y ' S
D E S I G N S
BIRTH — 6 MTHS.



TWINPRUFE BABY WOOL

PRICE: 1/9