



DK



18 - 28in
46 - 71cm

E789



jarol

Sweaters

MEASUREMENTS AND MATERIALS



Knitted in shades:
Pink Tints 1425,
Blue Tints 1421,
Blue 9033 and
Pink 9034.

All Versions To fit chest sizes	18 46	20 51	22 56	24 61	26 66	28 71	in cm
Garment measurement (approx)	19½ 49.5	22 56	24 61	26 66	28 71	30½ 77.5	in cm
Length from shoulders (approx)	11½ 29	12½ 31.5	13½ 34.5	15 38	17 43	18½ 47	in cm
Length of sleeve seam	7 17.5	8 20.5	9 23	11 28	13½ 34.5	15 38	in cm
MAGIC TOY BOX DK New Arrival or New Arrival Tints Textured Pattern, Lace Pattern and Stocking Stitch Versions	1	2	2	2	2	3	100g balls
Cable Pattern Version	2	2	2	2	3	3	100g balls
1 pair size 3¼ mm (UK10—USA3) and 1 pair size 4 mm (UK 8 — USA 6) knitting needles or the size of needles to give correct tension. Stitch holders. 2 [2 : 3 : 3 : 3 : 3] buttons. Cable needle for Textured and Cable Sweaters.							

IMPORTANT

These yarn amounts are based on average requirements and are therefore approximate. Jarol cannot accept responsibility for the finished garment if any yarn other than the recommended yarn is used.

NOTES

Instructions are given for 18 in or 46 cm, larger sizes in square brackets. Where only one figure is given this applies to all sizes. We suggest that you underline all the figures for the size you require before knitting.

TENSION

Equivalent to a basic tension of 22 sts and 30 rows to 4 in or 10 cm measured over stst on size 4 mm needles or the size of needles to give correct tension. It is important to check your tension before commencing the garment, therefore knit a tension square. If there are less sts or rows to 4 in or 10 cm than stated, change to thinner needles. If there are more sts or rows to 4 in or 10 cm than stated, change to thicker needles.

ABBREVIATIONS

Alt = alternate; approx = approximately; beg = begin(ning); cm = centimetres; cont = continue; dec = decrease(ing); DK = double knitting; foll = following; g = gramme; in = inch(es); inc = increase(ing); K = knit; mm = millimetres; 0 = no stitches, rows or times to be worked for this size;

patt = pattern; skpo = slip one, knit one, pass slipped stitch over; P = purl; rem = remain(ing); rep = repeat; Sl = slip; st(s) = stitch(es); stst = stocking stitch; tog = together; yfwd = yarn forward.
C2B/C2F = cable 2 back/cable 2 front, slip next st onto cable needle and place at back/front of work, K next st from left hand needle, then K st from cable needle.
C8B = cable 8 back, slip next 4 sts onto cable needle and place at back of work, K next 4 sts from left hand needle, then K4 sts from cable needle.

TEXTURED PATTERN, LACE PATTERN AND STOCKING STITCH VERSIONS

Using 3¼ mm needles cast on 55 [61 : 67 : 73 : 79 : 85] sts.

1st Row: K1, * P1, K1, rep from * to end.

2nd Row: P1, * K1, P1, rep from * to end. *BLUE*

1st and 2nd rows form rib.

Rep 1st and 2nd rows 6 [6 : 7 : 7 : 8 : 8] times more, inc 1 st at end of last row. — 56 [62 : 68 : 74 : 80 : 86] sts. Change to 4 mm needles and work as follows:

Textured Pattern Version

1st Row (Right side): Knit.

2nd Row: Purl.

3rd Row: P2, * C2B, C2F, P2, rep from * to end.

4th Row: K2, * P4, K2, rep from * to end.

5th Row: Knit.

6th Row: Purl.

These 6 rows form patt, which is worked throughout.

Lace Pattern Version

1st Row (Right side): K3, yfwd, - 48 skpo, * K4, yfwd, skpo, rep from * to last 3 sts, K3.

2nd Row: Purl.

3rd Row: K3, K2tog, yfwd, * K4, - 3 K2tog, yfwd, rep from * to last 3 sts, K3.

4th Row: Purl.

These 4 rows form patt which is worked throughout.

Stocking Stitch Version

1st Row (Right side): Knit.

2nd Row: Purl.

These 2 rows form stst which is worked throughout.

For All 3 Versions

Cont in patt or stst until work measures 7 [7½ : 8 : 9 : 10½ : 11½] in or 17.5 [19 : 20.5 : 23 : 26.5 : 29] cm from beg, ending with a wrong side row. Place a marker at each end of last row to mark beg of armholes.

Shape Armholes

Dec 1 st at each end of next 6 rows.

— 44 [50 : 56 : 62 : 68 : 74] sts. **

Cont straight until armholes measure 4½ [5 : 5½ : 6 : 6½ : 7] in or 11.5 [12.5 : 14 : 15 : 16.5 : 17.5] cm from beg, ending with a wrong side row.

Shape Shoulders

Cast off 11 [14 : 16 : 19 : 21 : 24] sts at beg of next 2 rows. — 22 [22 : 24 : 24 : 26 : 26] sts.

Sl sts onto a st holder.

FRONT

Work exactly as given for Back to **.

Cont straight until work reaches to



within 16 [16 : 18 : 18 : 20 : 20]
rows of beg of shoulder shaping
on Back, thus ending with a wrong
side row.

Shape Neck

Next Row: Work 18 [21 : 23 : 26 :
28 : 31], turn.

Complete first side as follows:

*** Dec 1 st at neck edge on next
4 rows and foll 3 alt rows. — 11 [14
: 16 : 19 : 21 : 24] sts.

Work 1 [1 : 3 : 3 : 5 : 5] rows
straight. (When working second
side work 6 [6 : 8 : 8 : 10 : 10] rows
straight at this point.)

Note that less rows have been
worked on this side of neck than
the Back and second side of neck
to shoulder, this is to allow for
shoulder buttonhole band.

Cast off.

Sl centre 8 [8 : 10 : 10 : 12 : 12] sts
onto a st holder.

With right side facing rejoin yarn at
neck edge of rem 18 [21 : 23 : 26 :
28 : 31] sts and work to end.

Complete second side to
correspond with first side from

*** noting variation.



SLEEVES (Both Alike)

Using 3¼ mm needles cast on 31
[33 : 35 : 37 : 39 : 41] sts and work
13 [13 : 15 : 15 : 17 : 17] rows in rib
as given for Back.

Next Row (Inc row): Rib 3 [0 : 1 : 2 :
3 : 0], inc in next st, * rib 3, inc in
next st, rep from * to last 3 [0 : 1 : 2
: 3 : 0] sts, rib 3 [0 : 1 : 2 : 3 : 0]. —
38 [42 : 44 : 46 : 48 : 52] sts.

Change to 4 mm needles and work
as follows:

Textured Pattern Version

1st Row: Knit.

2nd Row: Purl.

3rd Row: P2 [1 : 2 : 0 : 1 : 0], C2B,
C2F, * P2, C2B, C2F, rep from * to
last 2 [1 : 2 : 0 : 1 : 0] sts, P2 [1 : 2 : 0
: 1 : 0].

4th Row: K2 [1 : 2 : 0 : 1 : 0], P4,
* K2, P4, rep from * to last 2 [1 : 2 :
0 : 1 : 0] sts, K2 [1 : 2 : 0 : 1 : 0].

5th Row: Inc in first st, K to last st,
inc in last st. — 40 [44 : 46 : 48 : 50 :
54] sts.

6th Row: Purl.

These 6 rows set position of patt
as given for Back disregarding inc.
Cont in patt at set and working inc
sts in patt inc 1 st at each end of
4th [4th : 4th : 5th : 5th : 5th] row
and every foll 5th [5th : 5th : 6th :
6th : 6th] row until 44 [48 : 54 : 66 :

68 : 62] sts are on needle, then
every foll 6th [6th : 6th : 0 : 7th :
7th] row until 50 [56 : 60 : 66 : 72 :
78] sts are on needle.

Lace Pattern Version

1st Row: K3 [2 : 3 : 4 : 2 : 4], yfwd,
skpo, * K4, yfwd, skpo, rep from *
to last 3 [2 : 3 : 4 : 2 : 4] sts, K3 [2 : 3
: 4 : 2 : 4].

2nd Row: Purl.

3rd Row: K3 [2 : 3 : 4 : 2 : 4], K2tog,
yfwd, * K4, K2tog, yfwd, rep from
* to last 3 [2 : 3 : 4 : 2 : 4] sts, K3 [2 :
3 : 4 : 2 : 4].

4th Row: Purl.

These 4 rows set position of patt
as given for Back.

Cont in patt at set and working inc
sts in patt inc 1 st at each end of
next row and every foll 5th [5th :
5th : 6th : 6th : 6th] row until 44 [48
: 54 : 66 : 68 : 62] sts are on needle,
then every foll 6th [6th : 6th : 0 :
7th : 7th] row until 50 [56 : 60 : 66 :
72 : 78] sts are on needle.

Stocking Stitch Version

Work in stst as given for Back inc 1
st at each end of 5th row and
every foll 5th [5th : 5th : 6th : 6th :
6th] row until 44 [48 : 54 : 66 : 68 :
62] sts are on needle, then every
foll 6th [6th : 6th : 0 : 7th : 7th] row
until 50 [56 : 60 : 66 : 72 : 78] sts are
on needle.

For All 3 Versions

Cont straight until work measures
7 [8 : 9 : 11 : 13½ : 15] in or 17.5
[20.5 : 23 : 28 : 34.5 : 38] cm from
beg, ending with a wrong side row.
Place a marker at each end of last
row to mark beg of shape top.

Shape Top

Dec 1 st at each end of next 6 rows.
— 38 [44 : 48 : 54 : 60 : 66] sts.
Cast off.

NECKBAND

With a backstitch join right
shoulder seam.

Using 3¼ mm needles and with
right side facing rejoin yarn and
pick up and K13 [13 : 15 : 15 : 17 :
17] sts evenly from left side of
front neck, K8 [8 : 10 : 10 : 12 : 12]
sts from front neck st holder, pick
up and K16 [16 : 18 : 18 : 20 : 20]
sts evenly from right side of front
neck and K22 [22 : 24 : 24 : 26 : 26]
sts from back neck st holder. — 59
[59 : 67 : 67 : 75 : 75] sts.

Beg with 1st row work 7 rows in
rib as given for Back.

Cast off loosely in rib.

BACK SHOULDER BUTTON BAND

Using 3¼ mm needles and with

right side facing rejoin yarn and pick
up and K19 [21 : 23 : 27 : 29 : 31] sts
evenly from top of neckband, along
shoulder edge to armhole edge.
Beg with 2nd row work 7 rows in
rib as given for Back.
Cast off fairly loosely in rib.

FRONT SHOULDER BUTTONHOLE BAND

Using 3¼ mm needles and with
right side facing rejoin yarn and
pick up and K19 [21 : 23 : 27 : 29 :
31] sts evenly from armhole edge,
along shoulder edge to top of
neckband.

Beg with 2nd row work 3 rows in
rib as given for Back.

• **Next Row** (Buttonhole row): Rib 5
[7 : 3 : 3 : 5 : 7], yfwd, K2tog, * rib 8
[8 : 6 : 8 : 8 : 8], yfwd, K2tog, rep
from * 0 [0 : 1 : 1 : 1 : 1] time more,
rib 2.

Work 3 rows more in rib.

Cast off fairly loosely in rib.

CABLE PATTERN VERSION BACK

Using 3¼ mm needles cast on 55
[61 : 67 : 73 : 79 : 85] sts.

1st Row: K1, * P1, K1, rep from *
to end.

2nd Row: P1, * K1, P1, rep from *
to end.

1st and 2nd rows form rib.

Rep 1st and 2nd rows 5 [5 : 6 : 6 : 7 :
7] times more, then 1st row once
more.

Next Row (Inc row): Rib 8 [10 : 11 :
13 : 14 : 16], inc in next st, (rib 1, inc
in next st) 3 times, * rib 9 [10 : 12 :
13 : 15 : 16], inc in next st, (rib 1, inc
in next st) 3 times, rep from * once
more, rib 7 [9 : 10 : 12 : 13 : 15], inc
in last st. — 68 [74 : 80 : 86 : 92 : 98]
sts.

Change to 4 mm needles and work
in patt as follows:

1st Row (Right side): K9 [11 : 12 :
14 : 15 : 17], P1, K8, P1, * K10 [11 :
13 : 14 : 16 : 17], P1, K8, P1, rep
from * once more, K9 [11 : 12 : 14 :
15 : 17].

2nd Row: P9 [11 : 12 : 14 : 15 : 17],
K1, P8, K1, * P10 [11 : 13 : 14 : 16 :
17], K1, P8, K1, rep from * once
more, P9 [11 : 12 : 14 : 15 : 17].

3rd Row: K9 [11 : 12 : 14 : 15 : 17],
P1, C8B, P1, * K10 [11 : 13 : 14 : 16
: 17], P1, C8B, P1, rep from * once
more, K9 [11 : 12 : 14 : 15 : 17].

4th Row: As 2nd row.

5th to 8th Rows: Rep 1st and 2nd
rows twice more.

These 8 rows form patt which is
worked throughout.

Cont in patt until work measures 7

[7½ : 8 : 9 : 10½ : 11½] in or 17.5 [19 : 20.5 : 23 : 26.5 : 29] cm from beg, ending with a wrong side row. Place a marker at each end of last row to mark beg of armholes.

Shape Armholes

Dec 1 st at each end of next 6 rows. — 56 [62 : 68 : 74 : 80 : 86] sts. **
Cont straight until armholes measure 4½ [5 : 5½ : 6 : 6½ : 7] in or 11.5 [12.5 : 14 : 15 : 16.5 : 17.5] cm from beg, ending with a wrong side row, dec 4 sts over last cable in last row. — 52 [58 : 64 : 70 : 76 : 82] sts.

Shape Shoulders

1st Row: Cast off 11 [14 : 16 : 19 : 21 : 24] sts, patt to end dec 4 sts over last cable. — 37 [40 : 44 : 47 : 51 : 54] sts.

2nd Row: Cast off 11 [14 : 16 : 19 : 21 : 24] sts, patt to end dec 4 sts over centre cable. — 22 [22 : 24 : 24 : 26 : 26] sts.

Sl sts onto a st holder.

FRONT

Work exactly as given for Back to **.

Cont straight until work reaches to within 16 [16 : 18 : 18 : 20 : 20] rows of beg of shoulder shaping on Back dec 4 sts over centre cable in last row, thus ending with a wrong side row. — 52 [58 : 64 : 70 : 76 : 82] sts.

Shape Neck

Next Row: Patt 22 [25 : 27 : 30 : 32 : 35] sts, turn.

Complete first side as follows: 674

*** Dec 1 st at neck edge on next 4 rows and foll 3 alt rows. — 15 [18 : 20 : 23 : 25 : 28] sts.

Work 1 [1 : 3 : 3 : 5 : 5] rows straight, dec 4 sts over cable in last row. — 11 [14 : 16 : 19 : 21 : 24] sts. (When working second side work 6 [6 : 8 : 8 : 10 : 10] rows straight at this point dec 4 sts over cable in last row.)

Note that less rows have been worked on this side of neck than the Back and second side of neck to shoulder, this is to allow for shoulder buttonhole band.

Cast off.

Sl centre 8 [8 : 10 : 10 : 12 : 12] sts onto a st holder.

With right side facing rejoin yarn at neck edge of rem 22 [25 : 27 : 30 : 32 : 35] sts and patt to end.

Complete second side to correspond with first side from *** noting variation.

SLEEVES (Both Alike)

Using 3¼ mm needles cast on 31 [33 : 35 : 37 : 39 : 41] sts and work 13 [13 : 15 : 15 : 17 : 17] rows in rib as given for Back.

Next Row (Inc row): Rib 3 [1 : 2 : 3 : 4 : 2], (inc in next st, rib 2) 3 [4 : 4 : 4 : 4 : 5] times, (inc in next st, rib 1) 3 times, (inc in next st, rib 2) 4 [4 : 4 : 4 : 4 : 5] times, inc in 0 [next : next : next : next : next] st, rib 0 [0 : 1 : 2 : 3 : 1], inc in last st. — 42 [46 : 48 : 50 : 52 : 56] sts.

Change to 4 mm needles and work in patt as follows:

1st Row: K16 [18 : 19 : 20 : 21 : 23], P1, K8, P1, K16 [18 : 19 : 20 : 21 : 23].

2nd Row: P16 [18 : 19 : 20 : 21 : 23], K1, P8, K1, P16 [18 : 19 : 20 : 21 : 23].

3rd Row: K16 [18 : 19 : 20 : 21 : 23], P1, C8B, P1, K16 [18 : 19 : 20 : 21 : 23].

4th Row: As 2nd row.

5th Row: Inc in first st, K15 [17 : 18 : 19 : 20 : 22], P1, K8, P1, K15 [17 : 18 : 19 : 20 : 22], inc in last st. — 44 [48 : 50 : 52 : 54 : 58] sts.

6th Row: P17 [19 : 20 : 21 : 22 : 24], K1, P8, K1, P17 [19 : 20 : 21 : 22 : 24].

7th Row: K17 [19 : 20 : 21 : 22 : 24], P1, K8, P1, K17 [19 : 20 : 21 : 22 : 24].

8th Row: As 6th row.

These 8 rows set position of patt.

Cont in patt at set and working inc sts in stst inc 1 st at each end of 2nd [2nd : 2nd : 3rd : 3rd : 3rd] row

and every foll 5th [5th : 5th : 6th : 6th : 6th] row until 48 [52 : 58 : 70 : 72 : 66] sts are on needle, then every foll 6th [6th : 6th : 0 : 7th : 7th] row until 54 [60 : 64 : 70 : 76 : 82] sts are on needle.

Cont straight until work measures 7 [8 : 9 : 11 : 13½ : 15] in or 17.5 [20.5 : 23 : 28 : 34.5 : 38] cm from beg, ending with a wrong side row. Place a marker at each end of last row to mark beg of shape top.

Shape Top

Dec 1 st at each end of next 6 rows and 4 sts over cable in last row. — 38 [44 : 48 : 54 : 60 : 66] sts. Cast off.

NECKBAND, BACK SHOULDER BUTTON BAND AND FRONT SHOULDER BUTTONHOLE BAND

Work exactly as given for Neckband, Back Shoulder Button Band and Front Shoulder Buttonhole Band of Textured Pattern, Lace Pattern and Stocking Stitch Versions.



ALL VERSIONS TO MAKE UP

See ball band for pressing and washing instructions.

Place buttonhole band over button band and slip stitch side edges together at armhole edge.

Place centre of cast off edge of sleeves to shoulders, then with a backstitch sew sleeves evenly to back and front, matching markers. With a backstitch join side and sleeve seams.

Sew on buttons.

To Set Knitting

Pin out to size and shape, cover with a damp cloth and allow to dry.

