



Garol

Lined Hooded Jacket

MEASUREMENTS AND MATERIALS

Knitted in shades:
Matador 9044, Emerald 9039,
Navy 9042 and
Tints - Leopard Splash 1404

To fit chest sizes	16 41	18 46	20 51	22 56	in cm
Garment measurement (approx) Extra allowance has been added to accomodate the lining.	20 51	22 56	24 61	26 66	in cm
Length from back neck (approx)	10 25.5	11½ 29	12½ 31.5	13½ 34.5	in cm
Length of sleeve seam Before cuff is turned back (approx)	6½ 16.5	7½ 19	8½ 21.5	9½ 24	in cm
JAROL MAGIC TOYBOX DK NEW ARRIVAL and NEW ARRIVAL TINTS					
Plain	2	2	2	2	100g balls
Tints	2	2	2	2	100g balls
1 pair size 4mm (UK8–USA6) knitting needles or the size of needles to give correct tension. 4 buttons (1 of these for top of neck on underlap).					

IMPORTANT

These yarn amounts are based on average requirements and are therefore approximate. Jarol cannot accept responsibility for the finished garment if any yarn other than the recommended yarn is used.

NOTES

Instructions are given for 16 in or 41 cm, larger sizes in square brackets. Where only one figure is given this applies to all sizes. We suggest that you underline all the figures for the size you require before knitting.

TENSION

22 sts and 30 rows to 4 in or 10 cm measured over stst on size 4 mm needles or the size of needles to give correct tension.

It is important to check your tension before commencing the garment, therefore knit a tension square.

If there are less sts or rows to 4 in or 10 cm than stated, change to thinner needles. If there are more sts or rows to 4 in or 10 cm than stated, change to thicker needles.

ABBREVIATIONS

Alt = alternate; **approx** = approximately; **beg** = begin(ning); **cm** = centimetres;

cont = continue; **dec** = decrease(ing); **DK** = double knitting; **fol** = following; **g** = gramme; **in** = inch(es); **inc** = increase(ing); **K** = knit; **mm** = millimetres; **P** = purl; **PY** = plain yarn; **rem** = remain(ing); **st(s)** = stitch(es); **stst** = stocking stitch (1 row knit, 1 row purl); **TY** = tint yarn.

MAIN PIECES

BACK

Using 4 mm needles and PY cast on 57 [63 : 67 : 73] sts and beg with a K row work 38 [44 : 48 : 54] rows in stst.

Shape Armholes

Cast off 5 sts at beg of next 2 rows. — 47 [53 : 57 : 63] sts.

Work 36 [40 : 44 : 46] rows straight in stst.

Cast off. Place a marker at each side of centre 21 [23 : 23 : 25] sts to mark position of back neck.

LEFT FRONT

Using 4 mm needles and PY cast on 35 [39 : 41 : 45] sts and beg with a K row work 38 [44 : 48 : 54] rows in stst.

Shape Armhole

Cast off 5 sts at beg of next row. — 30 [34 : 36 : 40] sts.

Work 23 [27 : 31 : 33] rows straight in stst.

Shape Neck

Next Row: K17 [19 : 21 : 23], cast off last 13 [15 : 15 : 17] sts, turn. Place a marker in 9th [10th : 10th : 11th] st of cast off sts counting from front edge. Rejoin yarn to rem 17 [19 : 21 : 23] sts and dec 1 st at neck edge on next 2 rows and foll 2 alt rows. — 13 [15 : 17 : 19] sts.

Work 7 rows straight in stst. Cast off.

RIGHT FRONT

Using 4 mm needles and PY cast on 35 [39 : 41 : 45] sts and beg with a K row work 39 [45 : 49 : 55] rows in stst.

Shape Armhole

Cast off 5 sts at beg of next row. — 30 [34 : 36 : 40] sts. Work 22 [26 : 30 : 32] rows straight in stst.

Shape Neck

Next Row: Cast off 13 [15 : 15 : 17] sts, K to end. — 17 [19 : 21 : 23] sts. Place a marker in 9th [10th : 10th : 11th] st of cast off sts counting from front edge. Dec 1 st at neck edge on next 2 rows and foll 2 alt

rows. — 13 [15 : 17 : 19] sts.
Work 7 rows straight in stst.
Cast off.

SLEEVES (Both Alike)

Using 4 mm needles and PY
cast on 43 [45 : 47 : 49] sts
and beg with a K row work
22 rows in stst.

Cont in stst inc 1 st at each
end of next row and every
foll 4th row until 55 [61 : 67
: 71] sts are on needle.

Work 5 [5 : 5 : 9] rows
straight in stst. Place a
marker at each end of last row
to mark beg of sleeve top.

Work a further 7 rows
straight in stst for sleeve top.
Cast off purlwise (wrong side).

HOOD

Using 4 mm needles and PY
cast on 83 [89 : 93 : 99] sts
and beg with a K row work
24 [26 : 26 : 28] rows in
stst. Place a marker at each
side of 12th row.

Dec 1 st at each end of next
row and foll 4 alt rows. —
73 [79 : 83 : 89] sts.

Work 1 row straight in stst.

Shape Back

Cast off 6 [6 : 7 : 7] sts at
beg of next 2 rows, 6 [7 : 7 :
8] sts at beg of foll 4 rows
and 7 [7 : 8 : 8] sts at beg of
foll 2 rows. — 23 [25 : 25 :
27] sts.

Work 34 [36 : 40 : 42] rows
straight in stst.
Cast off.

LINING PIECES

Using TY work all pieces as
given for Main Pieces.

TO MAKE UP

See ball band for pressing
and washing instructions.

Main Pieces

With a backstitch join shoulder
seams.

Place centre of cast off edge
of sleeves to shoulder seams
than with a backstitch join
sleeves evenly to back and
fronts joining the 7 rows
worked above the markers
on sleeve tops to the 5 sts
cast off at armholes.

With a backstitch join side
and sleeve seams.

Join back seams of hood.

Lining

Assemble pieces as given for
main pieces.

To Complete

Slip Jacket lining inside
Jacket main piece, then join
cuff edges together and join
outer edges from the markers
at neck leaving the neck
edge between markers free.

Slip hood lining inside
hood main piece then join
outer edges from the markers
leaving the neck edge
between markers free. The
rows up to the markers are
for brim.

Join main piece of hood to
main piece of Jacket between
markers at neck, then join
lining of hood to lining of
Jacket between markers at
neck. Fold back brim and
stitch down at each side.
Make 3 button loops evenly
spaced along buttonhole edge
(as shown in photograph)
and 1 at the top of the
opposite edge (to fasten
top of neck on underlap)
and sew on buttons or
toggles to correspond.