

NEW YARN
Allsorts DK

HAND KNIT YARNS *by*

Naturally
PRESENTS

K556
56 - 71cm
(22 - 28ins)



The KIDS
Connection

"A MAGIC GARDEN STORY"

Allsorts DK

K556

Pullover & Vest

Garments photographed in:
Pullover: Allsorts DK #401
Vest: Allsorts DK #400

To fit: 56 - 71cm (22 - 28ins)

MATERIALS AND MEASUREMENTS					
To fit size	56 22	61 24	66 26	71 28	cm ins
Actual Chest Measurements	64 25	69 27	74 29	79 31	cm ins
Length of Back	33 13	36 14 ¼	41 16	45 17 ¾	cm ins
Pullover - Allsorts DK (50gr) Vest - Allsorts DK (50gr)	3 3	4 4	4 5	5 5	Balls Balls
Needle sizes DK: 3.75mm (US 5) needles, cable needle, stitch holders, markers. <i>For pullover neckband only:</i> 3.75mm (US 5) short circular needle or double pointed needles <i>For Vest only:</i> 6 (6, 7, 7) buttons.					

The quantities of yarn stated are based on average requirements and are therefore approximate.

The brand Naturally owns the copyright for this leaflet. No part of this leaflet may be reproduced, transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without permission in writing.

© Naturally

ABBREVIATIONS

Beg - beginning; cm - centimetres; cn - cable needle; cont - continue; dec - decrease; inc - increase; ins - inches; k - knit; meas - measures; NR - next row; patt - pattern; rem - remaining; rep - repeat; RSF - right side facing; skp - slip 1 st, k 1 st, pass slipped st over; st(s) - stitch(es); Stst - Stocking stitch (K on RS rows/P on WS rows); tbl - through back of loop; tog - together; WS - wrong side.

IMPORTANT

Use ONLY the Naturally yarn specified.

(We cannot accept responsibility for an imperfect garment if any other brand is used.) Follow our instructions exactly.

We advise every knitter to check their tension carefully before commencing the garment.

All measurements in this design are based on the stated tension therefore it

is essential that the correct tension be obtained and maintained throughout the garment to achieve success. We recommend the needle size we have used to obtain the tension BUT as each knitter knits differently it may be necessary for some knitters to change their needle size accordingly.

CHECK YOUR TENSION CAREFULLY

TENSION

22 sts and 30 rows over Stst - 10cm (4ins) on 3.75mm (US 5) needles.

PULLOVER

BACK

With 3.75mm (US 5) needles cast on 70 (76, 82, 88) sts.

K1, p1 rib for 8 rows.

Stst until work meas 19 (21, 25, 28) cm from beg, end with a WS row.

Shape armholes

Cast off 3 sts beg next 2 rows.

NR (RS) - K3, k2tog, k to last 5 sts,

skp, k3.

NR (WS) - P.

Rep last 2 rows 4 (5, 6, 7) times more - 54 (58, 62, 66) sts.

Cont straight until piece meas 32 (35, 40, 44) cm from beg, end with a WS row.

Shape Neck & Shoulder

NR (RS) - K18 (19, 21, 22) sts, Turn, on these sts only.

NR - Cast off 4 sts, p to end.

NR (RS) - Cast off 6 (6, 7, 8) sts, k to end.

NR - Cast off 3 sts, p to end.

Cast off rem 5 (6, 7, 7) sts.

Return to rem sts, slip next 18 (20, 20, 22) sts to holder for centre Back neck, rejoin yarn, work 2nd half to match first, reversing shaping.

FRONT

With 3.75mm (US 5) needles cast on 70 (76, 82, 88) sts.

K1, p1 rib for 7 rows.

NR (WS) - Rib 33 (36, 39, 42) sts, p

into back & front of next 4 sts, rib to end - 74 (80, 86, 92) sts.

Beg Cable Panel

Row 1 (RS) - K28 (31, 34, 37) sts, p3, 3/3R (slip 3 sts to cable needle and hold at back of work, k3, k3 from cable needle), 3/3L (slip 3 sts to cable needle and hold at front of work, k3, k3 from cable needle), p3, k28 (31, 34, 37) sts.

Row 2 - K the knit-sts, p the purl-sts.

Row 3 - K28 (31, 34, 37) sts, p3, k12, p3, k28 (31, 34, 37) sts.

Row 4 - K the knit-sts, p the purl-sts.

Rows 5 & 6 - As rows 3 & 4.

Row 7 - K28 (31, 34, 37) sts, p3, 3/3L (slip 3 sts to cable needle and hold at front of work, k3, k3 from cable needle), 3/3R (slip 3 sts to cable needle and hold at back of work, k3, k3 from cable needle), p3, k to end.

Row 8 - K the knit-sts, p the purl-sts.

Row 9 - K28 (31, 34, 37) sts, p3, k3, p6, k3, p3, k to end.

Row 10 - P28 (31, 34, 37) sts, k3, p12, k3, p to end.

Rows 11, 13 & 12, 14 - As row 9 & 10.

Rep these 14 rows for Main patt until piece meas 19 (21, 25, 28) cm from beg, end with a WS row.

Shape Armholes

Keeping patt correct, cast off 3 sts beg next 2 rows.

NR (RS) - K3, k2tog, patt to last 5 sts, skp, k3.

NR (WS) - Patt across.

Rep last 2 rows 4 (5, 6, 7) times more - 58 (62, 66, 70) sts.

Cont in patt until front meas 25 (28, 32, 36) cm from beg, end with a RS row.

NR (WS) - P to centre 18 sts, k3, slip 1-p2tog-pass slipped st over, p6, p3tog, k3, p to end - 54 (58, 62, 66) sts.

Shape Neck

NR (RS) - K25 (27, 29, 31) sts, k2tog, Turn, on these sts only - 26 (28, 30, 32) sts.

NR - p2tog, p to end - 25 (27, 29, 31) sts.

NR - K to last 2 sts, k2tog.

Cont to dec as established in last 2 rows until 14 (14, 16, 18) sts rem.

NR - P across.

NR - K to last 2 sts, k2tog.

Cont to dec every RS row 2 (1, 1, 2) times more - 11 (12, 14, 15) sts rem.

Cont straight until front meas same as

back to shoulder, end with a WS row.

Shape Shoulder

NR (RS) - Cast off 6 (6, 7, 8) sts, k to end.

NR - P across.

Cast off rem 5 (6, 7, 7) sts.

Return to rem sts, rejoin yarn, work 2nd half to match first, reversing shaping.

COMPLETE

Block pieces to measurements.

Use mattress st to sew all seams.

Join shoulders.

NECKBAND

With RSF and 3.75mm (US 5) circular or double pointed needles, pick up and k30 (30, 32, 32) sts up front neck, 9 sts down back neck, k18 (20, 20, 22) sts from back neck holder, pick up and k9 sts up back neck, 30 (30, 32, 32) sts down front neck - 96 (98, 102, 104) sts.

NR (WS) - *P1, k1; rep from * to end of row (row beg and ends as centre front neck).

Rib 5 more rows.

Cast off **loosely** in rib.

Sew neckband in place at centre front, left edge overlapping right.

ARMHOLE BANDS

With RSF and 3.75mm (US 5) needles, beg at underarm edge, pick up and k31 (33, 35, 37) sts to shoulder seam, 31 (33, 35, 37) sts down to underarm edge - 62 (66, 70, 74) sts.

Work in k1, p1 rib for 5 rows.

Cast off **loosely** in rib.

Join side and armhole band seams.

Lightly press seams on wrong side.

VEST

BACK

Work as for Pullover.

LEFT FRONT

With 3.75mm (US 5) needles cast on 35 (38, 41, 44) sts.

K1, p1 rib for 7 rows.

NR (WS) - Rib 16 (19, 22, 25) sts, p into back & front of next 4 sts, rib to end - 39 (42, 45, 48) sts.

Beg Cable Panel

Row 1 (RS) - K11 (14, 17, 20) sts, p3, 3/3R (slip 3 sts to cable needle and

hold at back of work, k3, k3 from cable needle), 3/3L (slip 3 sts to cable needle and hold at front of work, k3, k3 from cable needle), p3, k10 sts.

Row 2 - K the knit-sts, p the purl-sts.

Row 3 - K11 (14, 17, 20) sts, p3, k12, p3, k10 sts.

Row 4 - K the knit-sts, p the purl-sts.

Rows 5 & 6 - As rows 3 & 4.

Row 7 - K11 (14, 17, 20) sts, p3, 3/3L (slip 3 sts to cable needle and hold at front of work, k3, k3 from cable needle), 3/3R (slip 3 sts to cable needle and hold at back of work, k3, k3 from cable needle), p3, k10.

Row 8 - K the knit-sts, p the purl-sts.

Row 9 - K11 (14, 17, 20) sts, p3, k3, p6, k3, p3, k10.

Row 10 - P10 sts, k3, p12, k3, p11 (14, 17, 20) sts.

Rows 11, 13 & 12, 14 - As row 9 & 10.

Rep these 14 rows for Main patt until piece meas 19 (21, 25, 28) cm from beg, end with a WS row.

Shape Armhole

NR (RS) - Cast off 3 sts, patt to end.

NR - Patt across.

NR (RS) - K3, k2tog, patt to end.

NR - Patt across.

Rep last 2 rows 4 (5, 6, 7) times more - 31 (33, 35, 37) sts.

Shape Neck

Place marker at neck edge.

****Keeping cable patt correct, dec 1 st at neck edge next 4 rows.**

Work 1 row straight.******

Rep from ****** to ****** until 11 (12, 14, 15) sts rem.

Cont straight until front meas same as back to shoulder, end with a WS row.

Shape Shoulder

NR (RS) - Cast off 6 (6, 7, 8) sts, work to end.

Work 1 row straight.

Cast off rem 5 (6, 7, 7) sts.

RIGHT FRONT

With 3.75mm (US 5) needles cast on 35 (38, 41, 44) sts.

P1, k1 rib for 7 rows.

NR (WS) - Rib 15, p into back & front of next 4 sts, rib to end - 39 (42, 45, 48) sts.

Beg Cable Panel

Row 1 (RS) - K10 sts, p3, 3/3R (slip 3 sts to cable needle and hold at back of work, k3, k3 from cable needle), 3/3L

(slip 3 sts to cable needle and hold at front of work, k3, k3 from cable needle), p3, k11 (14, 17, 20) sts.

Row 2 - K the knit-sts, p the purl-sts.

Row 3 - K10 sts, p3, k12, p3, k11 (14, 17, 20) sts.

Row 4 - K the knit-sts, p the purl-sts.

Rows 5 & 6 - As rows 3 & 4.

Row 7 - K10 sts, p3, 3/3L (slip 3 sts to cable needle and hold at front of work, k3, k3 from cable needle), 3/3R (slip 3 sts to cable needle and hold at back of work, k3, k3 from cable needle), p3, k11 (14, 17, 20) sts.

Row 8 - K the knit-sts, p the purl-sts.

Row 9 - K10 sts, p3, k3, p6, k3, p3, k11 (14, 17, 20) sts.

Row 10 - P11 (14, 17, 20) sts, k3, p12, k3, p10 sts.

Rows 11, 13 & 12, 14 - As row 9 & 10.

Rep these 14 rows for Main patt until piece meas 19 (21, 25, 28) cm from beg, end with a RS row.

Shape Armhole

NR (WS) - Cast off 3 sts, patt to end.

NR (RS) - Patt to last 5 sts, k2tog, k3.

NR - Patt across.

Rep last 2 rows 4 (5, 6, 7) times more - 31 (33, 35, 37) sts.

Shape Neck

Place marker at neck edge.

****Keeping cable patt correct, dec 1 st at neck edge next 4 rows.**

Work 1 row straight.******

Rep from ****** to ****** until 11 (12, 14, 15) sts rem.

Cont straight until front meas same as back to shoulder, end with a RS row.

Shape Shoulder

NR (WS) - Cast off 6 (6, 7, 8) sts, work to end.

Work 1 row straight.

Cast off rem 5 (6, 7, 7) sts.

COMPLETE

Block pieces to measurements.

Use mattress st to sew all seams.

Join shoulders.

ARMHOLE BANDS

Work as for Pullover.

FRONTBAND

With RSF and 3.75mm (US 5) needles, pick up and k58 (63, 74, 86) sts up straight edge of right front to beg of neck shaping (marker), pick up and k25 (27, 27, 27) sts up right front neck edge, 9 sts down back neck, k the sts from back neck holder and dec 1 st at centre back, pick up and k9 sts up back neck, 25 (27, 27, 27) sts down left front neck edge to marker, 58 (63, 74, 86) sts down left front straight edge - 201 (217, 239, 265) sts.

NR (WS) - P1, *k1, p1; rep from * to end.

NR (RS) - Buttonhole row

For Girls: Rib 3, k2tog, yarn over needle to make 1 stitch, [rib 8 (9, 9, 11)

sts, k2tog, yarn over needle to make 1 stitch] 5 (5, 6, 6) times, rib to end.

For Boys: Rib to last 58 (63, 74, 86) sts (2nd marker), rib3, k2tog, yarn over needle to make 1 stitch, [rib 8 (9, 9, 11) sts, k2tog, yarn over needle to make 1 stitch] 5 (5, 6, 6) times, rib last 3 sts.

Girls & Boys:

Work in rib for 3 more rows.

Cast off **loosely** in rib.

Join side and armhole band seams.

Lightly press seams on wrong side.

Sew on buttons.